



I-26 at I-95 System Interchange Improvement

Interstate Modification Report (IMR) Appendices

LIST OF APPENDICES

Appendix A. Vehicle Count Data.....	A-1
Appendix B. Travel Speed Data.....	B-1
Appendix C. Crash Data	C-1
Appendix D. I-26 I-95 Traffic Forecast Tech Memo	D-1
Appendix E. HCS Reports	E-1
Appendix F. I-95 TransModeler Calibration Memo.....	F-1
Appendix G. I-95 TransModeler Corridor Freeway Output.....	G-1
Appendix H. I-95 TransModeler 2022 Existing Conditions Ramp Output	H-1
Appendix I. I-95 TransModeler 2030 and 2050 No Build Conditions Ramp Output.....	I-1
Appendix J. I-95 TransModeler 2030 and 2050 Build Alternative 1 Conditions Ramp Output	J-1
Appendix K. I-95 TransModeler 2030 and 2050 Build Alternative 2 Conditions Ramp Output	K-1
Appendix L. I-95 TransModeler 2030 and 2050 Build Alternative 3 Conditions Ramp Output	L-1
Appendix M. I-95 TransModeler 2030 and 2050 Build Alternative Conditions Shared Ramp Output.....	M-1
Appendix N. I-95 TransModeler Corridor Travel Time Output.....	N-1
Appendix O. I-95 TransModeler Corridor Year of Failure Output.....	O-1
Appendix P. I-95 TransModeler Southbound South of the System Interchange Output	P-1
Appendix Q. I-95 TransModeler 2030 and 2050 Preferred Alternative Analysis.....	Q-1
Appendix R. I-95 TransModeler Preferred Alternative Year of Failure Output.....	R-1
Appendix S. I-26 at 95 Conceptual Signing Plan	S-1

APPENDIX A. VEHICLE COUNT DATA




Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-26 SB Ramps Southbound					Vance Rd Westbound					I-26 SB Ramps Northbound					Vance Rd Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
07:00 AM	1	2	0	0	3	3	10	0	0	13	0	0	0	0	0	0	4	4	0	8	24
07:15 AM	1	2	1	0	4	2	9	0	0	11	0	0	0	0	0	0	5	6	0	11	26
07:30 AM	5	1	1	0	7	3	7	0	0	10	0	0	0	0	0	0	23	6	0	29	46
07:45 AM	2	4	2	0	8	0	5	0	0	5	0	0	0	0	0	0	4	9	0	13	26
Total	9	9	4	0	22	8	31	0	0	39	0	0	0	0	0	0	36	25	0	61	122
08:00 AM	2	2	1	0	5	5	11	0	0	16	0	0	0	0	0	0	12	7	0	19	40
08:15 AM	1	0	2	0	3	6	9	0	0	15	0	0	0	0	0	0	8	3	0	11	29
08:30 AM	3	0	7	0	10	3	8	0	0	11	0	0	0	0	0	0	6	6	0	12	33
08:45 AM	1	5	0	0	6	2	9	0	0	11	0	0	0	0	0	0	5	7	0	12	29
Total	7	7	10	0	24	16	37	0	0	53	0	0	0	0	0	0	31	23	0	54	131
09:00 AM	2	1	3	0	6	4	11	0	0	15	0	0	0	0	0	0	12	3	0	15	36
09:15 AM	5	0	0	0	5	3	6	0	0	9	0	0	0	0	0	0	4	7	0	11	25
09:30 AM	3	3	2	0	8	2	10	0	0	12	0	0	0	0	0	0	7	5	0	12	32
09:45 AM	2	0	3	0	5	1	7	0	0	8	0	0	0	0	0	0	4	8	0	12	25
Total	12	4	8	0	24	10	34	0	0	44	0	0	0	0	0	0	27	23	0	50	118
10:00 AM	1	4	5	0	10	4	6	0	0	10	0	0	0	0	0	0	13	6	0	19	39
10:15 AM	5	0	7	0	12	3	15	0	0	18	0	0	0	0	0	0	3	6	0	9	39
10:30 AM	0	1	4	0	5	2	6	0	0	8	0	0	0	0	0	0	8	17	0	25	38
10:45 AM	0	0	2	0	2	0	5	0	0	5	0	0	0	0	0	0	6	2	0	8	15
Total	6	5	18	0	29	9	32	0	0	41	0	0	0	0	0	0	30	31	0	61	131
11:00 AM	3	2	3	0	8	4	5	0	0	9	0	0	0	0	0	0	2	5	0	7	24
11:15 AM	4	0	2	0	6	9	14	0	0	23	0	0	0	0	0	0	12	6	0	18	47
11:30 AM	0	0	1	0	1	7	6	0	0	13	0	0	0	0	0	0	9	4	0	13	27
11:45 AM	0	0	2	0	2	0	9	0	0	9	0	0	0	0	0	0	7	4	0	11	22
Total	7	2	8	0	17	20	34	0	0	54	0	0	0	0	0	0	30	19	0	49	120
12:00 PM	3	2	1	0	6	6	12	0	0	18	0	0	0	0	0	0	4	5	0	9	33
12:15 PM	0	0	3	0	3	2	8	0	0	10	0	0	0	0	0	0	9	10	0	19	32
12:30 PM	3	3	2	0	8	2	4	0	0	6	0	0	0	0	0	0	4	3	0	7	21
12:45 PM	3	0	4	0	7	4	10	0	0	14	0	0	0	0	0	0	4	4	0	8	29
Total	9	5	10	0	24	14	34	0	0	48	0	0	0	0	0	0	21	22	0	43	115
01:00 PM	3	0	2	0	5	3	14	0	0	17	0	0	0	0	0	0	6	6	0	12	34
01:15 PM	2	0	2	0	4	1	8	0	0	9	0	0	0	0	0	0	5	9	0	14	27
01:30 PM	3	1	1	0	5	2	5	0	0	7	0	0	0	0	0	0	9	7	0	16	28
01:45 PM	2	0	4	0	6	3	16	0	0	19	0	0	0	0	0	0	6	3	0	9	34
Total	10	1	9	0	20	9	43	0	0	52	0	0	0	0	0	0	26	25	0	51	123
02:00 PM	5	2	1	0	8	4	14	0	0	18	0	0	0	0	0	0	8	7	0	15	41
02:15 PM	2	0	4	0	6	0	10	0	0	10	0	0	0	0	0	0	5	8	0	13	29
02:30 PM	4	0	1	0	5	4	14	0	0	18	0	0	0	0	0	0	8	5	0	13	36
02:45 PM	3	1	2	0	6	1	12	0	0	13	0	0	0	0	0	0	6	4	0	10	29
Total	14	3	8	0	25	9	50	0	0	59	0	0	0	0	0	0	27	24	0	51	135
03:00 PM	1	2	2	0	5	3	12	0	0	15	0	0	0	0	0	0	4	6	0	10	30
03:15 PM	1	1	0	0	2	3	15	0	0	18	0	0	0	0	0	0	7	2	0	9	29
03:30 PM	2	0	6	0	8	4	19	0	0	23	0	0	0	0	0	0	11	7	0	18	49
03:45 PM	3	1	1	0	5	2	20	0	0	22	0	0	0	0	0	0	7	7	0	14	41
Total	7	4	9	0	20	12	66	0	0	78	0	0	0	0	0	0	29	22	0	51	149
04:00 PM	4	0	6	0	10	2	22	0	0	24	0	0	0	0	0	0	5	6	0	11	45
04:15 PM	0	1	6	0	7	1	20	0	0	21	0	0	0	0	0	0	11	6	0	17	45
04:30 PM	2	0	4	0	6	2	17	0	0	19	0	0	0	0	0	0	7	14	0	21	46
04:45 PM	3	0	2	0	5	3	17	0	0	20	0	0	0	0	0	0	10	8	0	18	43
Total	9	1	18	0	28	8	76	0	0	84	0	0	0	0	0	0	33	34	0	67	179
05:00 PM	0	0	5	0	5	2	15	0	0	17	0	0	0	0	0	0	11	7	0	18	40



Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-26 SB Ramps Southbound					Vance Rd Westbound					I-26 SB Ramps Northbound					Vance Rd Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
05:15 PM	3	4	3	0	10	2	21	0	0	23	0	0	0	0	0	0	11	7	0	18	51
05:30 PM	2	1	1	0	4	0	17	0	0	17	0	0	0	0	0	0	6	3	0	9	30
05:45 PM	7	1	1	0	9	0	16	0	0	16	0	0	0	0	0	0	7	5	0	12	37
Total	12	6	10	0	28	4	69	0	0	73	0	0	0	0	0	0	35	22	0	57	158
06:00 PM	5	0	1	0	6	1	18	0	0	19	0	0	0	0	0	0	11	5	0	16	41
06:15 PM	0	0	4	0	4	1	15	0	0	16	0	0	0	0	0	0	6	4	0	10	30
06:30 PM	3	0	5	0	8	2	10	0	0	12	0	0	0	0	0	0	9	4	0	13	33
06:45 PM	0	0	2	0	2	1	17	0	0	18	0	0	0	0	0	0	2	2	0	4	24
Total	8	0	12	0	20	5	60	0	0	65	0	0	0	0	0	0	28	15	0	43	128
Grand Total	110	47	124	0	281	124	566	0	0	690	0	0	0	0	0	0	353	285	0	638	1609
Apprch %	39.1	16.7	44.1	0		18	82	0	0		0	0	0	0		0	55.3	44.7	0		
Total %	6.8	2.9	7.7	0	17.5	7.7	35.2	0	0	42.9	0	0	0	0	0	0	21.9	17.7	0	39.7	
Classes 1, 2, 3	89	7	97	0	193	73	478	0	0	551	0	0	0	0	0	0	292	225	0	517	1261
% Classes 1, 2, 3	80.9	14.9	78.2	0	68.7	58.9	84.5	0	0	79.9	0	0	0	0	0	0	82.7	78.9	0	81	78.4
Classes 4 thru 13	21	40	27	0	88	51	88	0	0	139	0	0	0	0	0	0	61	60	0	121	348
% Classes 4 thru 13	19.1	85.1	21.8	0	31.3	41.1	15.5	0	0	20.1	0	0	0	0	0	0	17.3	21.1	0	19	21.6






Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-26 NB Ramps Southbound					Vance Rd Westbound					I-26 NB Ramps Northbound					Vance Rd Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
07:00 AM	0	0	0	0	0	0	10	4	0	14	3	1	2	0	6	1	4	0	0	5	25
07:15 AM	0	0	0	0	0	0	8	2	0	10	3	1	2	0	6	0	6	0	0	6	22
07:30 AM	0	0	0	0	0	0	9	1	0	10	1	0	4	0	5	4	24	0	0	28	43
07:45 AM	0	0	0	0	0	0	3	4	0	7	3	0	8	0	11	0	6	0	0	6	24
Total	0	0	0	0	0	0	30	11	0	41	10	2	16	0	28	5	40	0	0	45	114
08:00 AM	0	0	0	0	0	0	11	2	0	13	4	2	4	0	10	1	12	0	0	13	36
08:15 AM	0	0	0	0	0	0	8	4	0	12	7	0	6	0	13	2	8	0	0	10	35
08:30 AM	0	0	0	0	0	0	6	4	0	10	6	1	0	0	7	2	8	0	0	10	27
08:45 AM	0	0	0	0	0	0	6	1	0	7	4	1	2	0	7	3	3	0	0	6	20
Total	0	0	0	0	0	0	31	11	0	42	21	4	12	0	37	8	31	0	0	39	118
09:00 AM	0	0	0	0	0	0	8	5	0	13	7	1	2	0	10	2	11	0	0	13	36
09:15 AM	0	0	0	0	0	0	5	0	0	5	4	0	6	0	10	0	10	0	0	10	25
09:30 AM	0	0	0	0	0	0	10	4	0	14	1	0	6	0	7	1	9	0	0	10	31
09:45 AM	0	0	0	0	0	0	4	6	0	10	4	0	5	0	9	1	5	0	0	6	25
Total	0	0	0	0	0	0	27	15	0	42	16	1	19	0	36	4	35	0	0	39	117
10:00 AM	0	0	0	0	0	0	9	6	0	15	3	0	5	0	8	7	7	0	0	14	37
10:15 AM	0	0	0	0	0	0	9	6	0	15	7	1	5	0	13	1	7	0	0	8	36
10:30 AM	0	0	0	0	0	0	6	5	0	11	2	0	11	0	13	4	5	0	0	9	33
10:45 AM	0	0	0	0	0	0	4	9	0	13	2	2	9	0	13	1	5	0	0	6	32
Total	0	0	0	0	0	0	28	26	0	54	14	3	30	0	47	13	24	0	0	37	138
11:00 AM	0	0	0	0	0	0	3	6	0	9	4	4	9	0	17	1	4	0	0	5	31
11:15 AM	0	0	0	0	0	0	18	1	0	19	6	3	4	0	13	4	12	0	0	16	48
11:30 AM	0	0	0	0	0	0	9	5	0	14	3	1	5	0	9	2	7	0	0	9	32
11:45 AM	0	0	0	0	0	0	5	0	0	5	4	2	8	0	14	1	6	0	0	7	26
Total	0	0	0	0	0	0	35	12	0	47	17	10	26	0	53	8	29	0	0	37	137
12:00 PM	0	0	0	0	0	0	13	9	0	22	3	0	1	0	4	0	6	0	0	6	32
12:15 PM	0	0	0	0	0	0	7	3	0	10	3	3	3	0	9	4	6	0	0	10	29
12:30 PM	0	0	0	0	0	0	4	2	0	6	2	0	3	0	5	0	7	0	0	7	18
12:45 PM	0	0	0	0	0	0	11	4	0	15	3	3	5	0	11	1	6	0	0	7	33
Total	0	0	0	0	0	0	35	18	0	53	11	6	12	0	29	5	25	0	0	30	112
01:00 PM	0	0	0	0	0	0	11	2	0	13	5	1	3	0	9	1	8	0	0	9	31
01:15 PM	0	0	0	0	0	0	6	2	0	8	3	1	8	0	12	1	6	0	0	7	27
01:30 PM	0	0	0	0	0	0	5	5	0	10	3	2	7	0	12	3	8	0	0	11	33
01:45 PM	0	0	0	0	0	0	9	3	0	12	10	1	6	0	17	0	9	0	0	9	38
Total	0	0	0	0	0	0	31	12	0	43	21	5	24	0	50	5	31	0	0	36	129
02:00 PM	0	0	0	0	0	0	13	4	0	17	5	1	5	0	11	3	10	0	0	13	41
02:15 PM	0	0	0	0	0	0	3	3	0	6	7	0	7	0	14	1	6	0	0	7	27
02:30 PM	0	0	0	0	0	0	14	4	0	18	4	0	9	0	13	2	10	0	0	12	43
02:45 PM	0	0	0	0	0	0	13	6	0	19	1	1	4	0	6	1	8	0	0	9	34
Total	0	0	0	0	0	0	43	17	0	60	17	2	25	0	44	7	34	0	0	41	145
03:00 PM	0	0	0	0	0	0	5	5	0	10	9	0	3	0	12	1	3	0	1	5	27
03:15 PM	0	0	0	0	0	0	10	4	0	14	9	0	3	0	12	2	6	0	0	8	34
03:30 PM	0	0	0	0	0	0	13	4	0	17	9	0	9	0	18	2	11	0	0	13	48
03:45 PM	0	0	0	0	0	0	13	5	0	18	9	0	6	0	15	2	8	0	0	10	43
Total	0	0	0	0	0	0	41	18	0	59	36	0	21	0	57	7	28	0	1	36	152
04:00 PM	0	0	0	0	0	0	11	3	0	14	13	1	5	0	19	3	7	0	0	10	43
04:15 PM	0	0	0	0	0	0	10	7	0	17	10	1	5	0	16	1	9	0	0	10	43
04:30 PM	0	0	0	0	0	0	11	4	0	15	8	2	9	0	19	1	8	0	0	9	43
04:45 PM	0	0	0	0	0	0	10	5	0	15	10	0	2	0	12	1	11	0	0	12	39
Total	0	0	0	0	0	0	42	19	0	61	41	4	21	0	66	6	35	0	0	41	168
05:00 PM	0	0	0	0	0	0	8	1	0	9	9	2	2	0	13	0	11	0	0	11	33



Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-26 NB Ramps Southbound					Vance Rd Westbound					I-26 NB Ramps Northbound					Vance Rd Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
05:15 PM	0	0	0	0	0	0	12	6	0	18	12	0	2	0	14	1	14	0	0	15	47
05:30 PM	0	0	0	0	0	0	6	4	0	10	10	0	5	0	15	1	6	0	0	7	32
05:45 PM	0	0	0	0	0	0	7	2	0	9	10	1	6	0	17	7	8	0	0	15	41
Total	0	0	0	0	0	0	33	13	0	46	41	3	15	0	59	9	39	0	0	48	153
06:00 PM	0	0	0	0	0	0	14	4	0	18	5	0	3	0	8	2	14	0	0	16	42
06:15 PM	0	0	0	0	0	0	5	2	0	7	10	0	2	0	12	2	4	0	0	6	25
06:30 PM	0	0	0	0	0	0	5	2	0	7	7	0	3	0	10	1	11	0	0	12	29
06:45 PM	0	0	0	0	0	0	8	2	0	10	10	0	1	0	11	0	2	0	0	2	23
Total	0	0	0	0	0	0	32	10	0	42	32	0	9	0	41	5	31	0	0	36	119
Grand Total	0	0	0	0	0	0	408	182	0	590	277	40	230	0	547	82	382	0	1	465	1602
Apprch %	0	0	0	0	0	0	69.2	30.8	0		50.6	7.3	42	0		17.6	82.2	0	0.2		
Total %	0	0	0	0	0	0	25.5	11.4	0	36.8	17.3	2.5	14.4	0	34.1	5.1	23.8	0	0.1	29	
Classes 1, 2, 3	0	0	0	0	0	0	312	153	0	465	234	14	171	0	419	65	317	0	1	383	1267
% Classes 1, 2, 3	0	0	0	0	0	0	76.5	84.1	0	78.8	84.5	35	74.3	0	76.6	79.3	83	0	100	82.4	79.1
Classes 4 thru 13	0	0	0	0	0	0	96	29	0	125	43	26	59	0	128	17	65	0	0	82	335
% Classes 4 thru 13	0	0	0	0	0	0	23.5	15.9	0	21.2	15.5	65	25.7	0	23.4	20.7	17	0	0	17.6	20.9






Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-95 SB Ramps Southbound					Old State Rd Westbound					I-95 SB Ramps Northbound					Old State Rd Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
07:00 AM	0	0	4	0	4	6	26	0	0	32	0	0	0	0	0	0	24	4	0	28	64
07:15 AM	1	0	2	0	3	3	26	0	0	29	0	0	0	0	0	0	25	10	0	35	67
07:30 AM	0	0	1	0	1	3	31	0	0	34	0	0	0	0	0	0	37	4	0	41	76
07:45 AM	0	1	4	0	5	4	34	0	0	38	0	0	0	0	0	0	34	5	0	39	82
Total	1	1	11	0	13	16	117	0	0	133	0	0	0	0	0	0	120	23	0	143	289
08:00 AM	0	0	1	0	1	0	31	0	0	31	0	0	0	0	0	0	19	3	0	22	54
08:15 AM	0	2	1	0	3	3	21	0	0	24	0	0	0	0	0	0	20	2	0	22	49
08:30 AM	0	0	2	0	2	2	33	0	0	35	0	0	0	0	0	0	28	2	0	30	67
08:45 AM	1	0	0	0	1	1	25	0	0	26	0	0	0	0	0	0	18	2	0	20	47
Total	1	2	4	0	7	6	110	0	0	116	0	0	0	0	0	0	85	9	0	94	217
09:00 AM	1	0	1	0	2	2	28	0	0	30	0	0	0	0	0	0	14	1	0	15	47
09:15 AM	1	0	2	0	3	5	24	0	0	29	0	0	0	0	0	0	21	3	0	24	56
09:30 AM	0	0	2	0	2	4	28	0	0	32	0	0	0	0	0	0	17	4	0	21	55
09:45 AM	0	0	2	0	2	1	28	0	0	29	0	0	0	0	0	0	19	2	0	21	52
Total	2	0	7	0	9	12	108	0	0	120	0	0	0	0	0	0	71	10	0	81	210
10:00 AM	3	1	4	0	8	3	24	0	0	27	0	0	0	0	0	0	18	3	0	21	56
10:15 AM	1	2	1	0	4	3	30	0	0	33	0	0	0	0	0	0	24	1	0	25	62
10:30 AM	1	0	0	0	1	2	16	0	0	18	0	0	0	0	0	0	19	2	0	21	40
10:45 AM	0	0	1	0	1	1	21	0	0	22	0	0	0	0	0	0	26	1	0	27	50
Total	5	3	6	0	14	9	91	0	0	100	0	0	0	0	0	0	87	7	0	94	208
11:00 AM	0	0	1	0	1	4	25	0	0	29	0	0	0	0	0	0	23	1	0	24	54
11:15 AM	0	0	1	0	1	8	20	0	0	28	0	0	0	0	0	0	10	2	0	12	41
11:30 AM	1	0	1	0	2	2	20	0	0	22	0	0	0	0	0	0	25	2	0	27	51
11:45 AM	0	0	4	0	4	4	13	0	0	17	0	0	0	0	0	0	23	2	0	25	46
Total	1	0	7	0	8	18	78	0	0	96	0	0	0	0	0	0	81	7	0	88	192
12:00 PM	2	0	3	0	5	3	31	0	0	34	0	0	0	0	0	0	22	4	0	26	65
12:15 PM	2	0	0	0	2	1	27	0	0	28	0	0	0	0	0	0	24	3	0	27	57
12:30 PM	1	0	1	0	2	7	22	0	0	29	0	0	0	0	0	0	23	2	0	25	56
12:45 PM	1	1	3	0	5	4	28	0	0	32	0	0	0	0	0	0	25	2	0	27	64
Total	6	1	7	0	14	15	108	0	0	123	0	0	0	0	0	0	94	11	0	105	242
01:00 PM	2	0	1	0	3	2	16	0	0	18	0	0	0	0	0	0	20	5	0	25	46
01:15 PM	0	0	1	0	1	5	29	0	0	34	0	0	0	0	0	0	22	1	0	23	58
01:30 PM	0	0	1	0	1	3	28	0	0	31	0	0	0	0	0	0	19	4	0	23	55
01:45 PM	0	0	1	0	1	2	22	0	0	24	0	0	0	0	0	0	20	0	0	20	45
Total	2	0	4	0	6	12	95	0	0	107	0	0	0	0	0	0	81	10	0	91	204
02:00 PM	0	0	4	0	4	3	22	0	0	25	0	0	0	0	0	0	28	5	0	33	62
02:15 PM	0	0	2	0	2	8	25	0	0	33	0	0	0	0	0	0	28	1	0	29	64
02:30 PM	0	0	5	0	5	2	32	0	0	34	0	0	0	0	0	0	19	0	0	19	58
02:45 PM	0	0	0	0	0	6	31	0	0	37	0	0	0	0	0	0	23	3	0	26	63
Total	0	0	11	0	11	19	110	0	0	129	0	0	0	0	0	0	98	9	0	107	247
03:00 PM	0	0	1	0	1	3	21	0	0	24	0	0	0	0	0	0	24	3	0	27	52
03:15 PM	0	0	1	0	1	4	29	0	0	33	0	0	0	0	0	0	15	3	0	18	52
03:30 PM	1	0	1	0	2	5	38	0	0	43	0	0	0	0	0	0	23	0	0	23	68
03:45 PM	0	0	7	0	7	3	31	0	0	34	0	0	0	0	0	0	24	4	0	28	69
Total	1	0	10	0	11	15	119	0	0	134	0	0	0	0	0	0	86	10	0	96	241
04:00 PM	1	1	1	0	3	2	23	0	0	25	0	0	0	0	0	0	29	1	0	30	58
04:15 PM	1	0	1	0	2	1	27	0	0	28	0	0	0	0	0	0	31	2	0	33	63
04:30 PM	0	0	4	0	4	5	43	0	0	48	0	0	0	0	0	0	36	2	0	38	90
04:45 PM	0	1	2	0	3	1	35	0	0	36	0	0	0	0	0	0	26	2	0	28	67
Total	2	2	8	0	12	9	128	0	0	137	0	0	0	0	0	0	122	7	0	129	278
05:00 PM	0	0	1	0	1	3	38	0	0	41	0	0	0	0	0	0	35	1	0	36	78



Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-95 SB Ramps Southbound					Old State Rd Westbound					I-95 SB Ramps Northbound					Old State Rd Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
05:15 PM	0	0	3	0	3	3	47	0	0	50	0	0	0	0	0	0	40	1	0	41	94
05:30 PM	0	0	0	0	0	2	35	0	0	37	0	0	0	0	0	0	38	2	0	40	77
05:45 PM	0	0	6	0	6	3	56	0	0	59	0	0	0	0	0	0	32	2	0	34	99
Total	0	0	10	0	10	11	176	0	0	187	0	0	0	0	0	0	145	6	0	151	348
06:00 PM	0	0	2	0	2	0	23	0	0	23	0	0	0	0	0	0	19	4	0	23	48
06:15 PM	0	0	3	0	3	0	33	0	0	33	0	0	0	0	0	0	24	1	0	25	61
06:30 PM	0	0	3	0	3	2	22	0	0	24	0	0	0	0	0	0	27	4	0	31	58
06:45 PM	0	1	1	0	2	3	26	0	0	29	0	0	0	0	0	0	20	1	0	21	52
Total	0	1	9	0	10	5	104	0	0	109	0	0	0	0	0	0	90	10	0	100	219
Grand Total	21	10	94	0	125	147	1344	0	0	1491	0	0	0	0	0	0	1160	119	0	1279	2895
Apprch %	16.8	8	75.2	0		9.9	90.1	0	0		0	0	0	0		0	90.7	9.3	0		
Total %	0.7	0.3	3.2	0	4.3	5.1	46.4	0	0	51.5	0	0	0	0		0	40.1	4.1	0	44.2	
Classes 1, 2, 3	14	3	67	0	84	117	1174	0	0	1291	0	0	0	0	0	0	1036	100	0	1136	2511
% Classes 1, 2, 3	66.7	30	71.3	0	67.2	79.6	87.4	0	0	86.6	0	0	0	0	0	0	89.3	84	0	88.8	86.7
Classes 4 thru 13	7	7	27	0	41	30	170	0	0	200	0	0	0	0	0	0	124	19	0	143	384
% Classes 4 thru 13	33.3	70	28.7	0	32.8	20.4	12.6	0	0	13.4	0	0	0	0	0	0	10.7	16	0	11.2	13.3





Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13


Start Time	I-95 NB Ramps Southbound					Old State Rd Westbound					I-95 NB Ramps Northbound					Old State Rd Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
07:00 AM	0	0	0	0	0	0	26	0	0	26	6	0	1	0	7	2	19	0	0	21	54
07:15 AM	0	0	0	0	0	0	27	1	0	28	2	0	2	0	4	4	24	0	0	28	60
07:30 AM	0	0	0	0	0	0	26	1	0	27	3	2	4	0	9	4	31	0	0	35	71
07:45 AM	0	0	0	0	0	0	39	0	0	39	3	0	1	0	4	5	33	0	0	38	81
Total	0	0	0	0	0	0	118	2	0	120	14	2	8	0	24	15	107	0	0	122	266
08:00 AM	0	0	0	0	0	0	29	1	0	30	3	0	1	0	4	1	17	0	0	18	52
08:15 AM	0	0	0	0	0	0	19	1	0	20	4	1	1	0	6	2	18	0	0	20	46
08:30 AM	0	0	0	0	0	0	30	1	0	31	5	0	5	0	10	4	21	0	0	25	66
08:45 AM	0	0	0	0	0	0	20	1	0	21	6	1	2	0	9	1	21	0	0	22	52
Total	0	0	0	0	0	0	98	4	0	102	18	2	9	0	29	8	77	0	0	85	216
09:00 AM	0	0	0	0	0	0	28	0	0	28	3	0	1	0	4	3	12	0	0	15	47
09:15 AM	0	0	0	0	0	0	21	0	0	21	8	0	3	0	11	5	16	0	0	21	53
09:30 AM	0	0	0	0	0	0	23	0	0	23	8	1	4	0	13	4	14	0	0	18	54
09:45 AM	0	0	0	0	0	0	20	0	0	20	8	1	2	0	11	4	14	0	0	18	49
Total	0	0	0	0	0	0	92	0	0	92	27	2	10	0	39	16	56	0	0	72	203
10:00 AM	0	0	0	0	0	0	21	2	0	23	7	0	3	0	10	5	18	0	0	23	56
10:15 AM	0	0	0	0	0	0	28	2	0	30	6	0	3	0	9	3	18	0	0	21	60
10:30 AM	0	0	0	0	0	0	16	1	0	17	5	0	2	0	7	5	19	0	0	24	48
10:45 AM	0	0	0	0	0	0	16	1	0	17	4	0	2	0	6	0	25	0	0	25	48
Total	0	0	0	0	0	0	81	6	0	87	22	0	10	0	32	13	80	0	0	93	212
11:00 AM	0	0	0	0	0	0	21	0	0	21	9	0	0	0	9	3	19	0	0	22	52
11:15 AM	0	0	0	0	0	0	24	0	0	24	4	1	1	0	6	3	8	0	0	11	41
11:30 AM	0	0	0	0	0	0	13	0	0	13	6	0	1	0	7	5	19	0	0	24	44
11:45 AM	0	0	0	0	0	0	14	1	0	15	7	1	3	0	11	3	21	0	0	24	50
Total	0	0	0	0	0	0	72	1	0	73	26	2	5	0	33	14	67	0	0	81	187
12:00 PM	0	0	0	0	0	0	25	0	0	25	4	0	0	0	4	4	21	0	0	25	54
12:15 PM	0	0	0	0	0	0	28	2	0	30	5	3	4	0	12	2	19	0	0	21	63
12:30 PM	0	0	0	0	0	0	18	0	0	18	5	0	1	0	6	3	25	0	0	28	52
12:45 PM	0	0	0	0	0	0	25	0	0	25	11	1	2	0	14	4	21	0	0	25	64
Total	0	0	0	0	0	0	96	2	0	98	25	4	7	0	36	13	86	0	0	99	233
01:00 PM	0	0	0	0	0	0	15	0	0	15	6	1	2	0	9	3	19	0	0	22	46
01:15 PM	0	0	0	0	0	0	28	0	0	28	5	1	1	0	7	2	21	0	0	23	58
01:30 PM	0	0	0	0	0	0	24	0	0	24	5	1	3	0	9	5	14	0	0	19	52
01:45 PM	0	0	0	0	0	0	16	0	0	16	9	0	3	0	12	3	17	0	0	20	48
Total	0	0	0	0	0	0	83	0	0	83	25	3	9	0	37	13	71	0	0	84	204
02:00 PM	0	0	0	0	0	0	20	1	0	21	3	2	3	0	8	5	20	0	0	25	54
02:15 PM	0	0	0	0	0	0	29	2	0	31	5	1	1	0	7	3	28	0	0	31	69
02:30 PM	0	0	0	0	0	0	29	0	0	29	5	0	3	0	8	0	20	0	0	20	57
02:45 PM	0	0	0	0	0	0	30	1	0	31	5	1	1	0	7	1	18	0	0	19	57
Total	0	0	0	0	0	0	108	4	0	112	18	4	8	0	30	9	86	0	0	95	237
03:00 PM	0	0	0	0	0	0	20	2	0	22	7	0	4	0	11	4	25	0	0	29	62
03:15 PM	0	0	0	0	0	0	28	2	0	30	6	0	1	0	7	2	13	0	0	15	52
03:30 PM	0	0	0	0	0	0	28	0	0	28	13	1	2	0	16	1	21	0	0	22	66
03:45 PM	0	0	0	0	0	0	27	0	0	27	10	0	5	0	15	4	19	0	0	23	65
Total	0	0	0	0	0	0	103	4	0	107	36	1	12	0	49	11	78	0	0	89	245
04:00 PM	0	0	0	0	0	0	15	0	0	15	7	0	0	0	7	7	26	0	0	33	55
04:15 PM	0	0	0	0	0	0	25	0	0	25	8	0	5	0	13	5	27	0	0	32	70
04:30 PM	0	0	0	0	0	0	40	1	0	41	5	1	2	0	8	2	30	0	0	32	81
04:45 PM	0	0	0	0	0	0	28	0	0	28	10	2	1	0	13	7	23	0	0	30	71
Total	0	0	0	0	0	0	108	1	0	109	30	3	8	0	41	21	106	0	0	127	277
05:00 PM	0	0	0	0	0	0	27	0	0	27	11	0	5	0	16	1	32	0	0	33	76



File Name : 15694204 - I-95 NB Ramps -- Old State Rd
 Site Code : 15694204
 Start Date : 3/1/2022
 Page No : 2

Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-95 NB Ramps Southbound					Old State Rd Westbound					I-95 NB Ramps Northbound					Old State Rd Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
05:15 PM	0	0	0	0	0	0	46	1	0	47	6	0	6	0	12	3	31	0	1	35	94
05:30 PM	0	0	0	0	0	0	32	0	0	32	7	1	3	0	11	7	35	0	0	42	85
05:45 PM	0	0	0	0	0	0	44	1	0	45	16	0	3	0	19	4	27	0	0	31	95
Total	0	0	0	0	0	0	149	2	0	151	40	1	17	0	58	15	125	0	1	141	350
06:00 PM	0	0	0	0	0	0	16	0	0	16	3	0	1	0	4	4	15	0	0	19	39
06:15 PM	0	0	0	0	0	0	27	0	0	27	10	0	2	0	12	2	20	0	1	23	62
06:30 PM	0	0	0	0	0	0	17	0	0	17	5	0	1	0	6	5	24	0	0	29	52
06:45 PM	0	0	0	0	0	0	20	0	0	20	8	1	1	0	10	2	19	0	0	21	51
Total	0	0	0	0	0	0	80	0	0	80	26	1	5	0	32	13	78	0	1	92	204
Grand Total	0	0	0	0	0	0	1188	26	0	1214	307	25	108	0	440	161	1017	0	2	1180	2834
Apprch %	0	0	0	0	0	0	97.9	2.1	0		69.8	5.7	24.5	0		13.6	86.2	0	0.2		
Total %	0	0	0	0	0	0	41.9	0.9	0	42.8	10.8	0.9	3.8	0	15.5	5.7	35.9	0	0.1	41.6	
Classes 1, 2, 3	0	0	0	0	0	0	1039	17	0	1056	262	15	80	0	357	140	909	0	2	1051	2464
% Classes 1, 2, 3	0	0	0	0	0	0	87.5	65.4	0	87	85.3	60	74.1	0	81.1	87	89.4	0	100	89.1	86.9
Classes 4 thru 13	0	0	0	0	0	0	149	9	0	158	45	10	28	0	83	21	108	0	0	129	370
% Classes 4 thru 13	0	0	0	0	0	0	12.5	34.6	0	13	14.7	40	25.9	0	18.9	13	10.6	0	0	10.9	13.1






Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-95 SB Ramps Southbound					Charleston Hwy Westbound					I-95 SB Ramps Northbound					Charleston Hwy Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
07:00 AM	5	3	3	0	11	12	12	0	0	24	0	0	0	0	0	0	16	4	0	20	55
07:15 AM	9	1	5	0	15	16	19	0	0	35	0	0	0	0	0	0	30	7	0	37	87
07:30 AM	8	0	5	0	13	13	20	0	0	33	0	0	0	0	0	0	27	2	0	29	75
07:45 AM	10	0	4	0	14	19	15	0	0	34	0	0	0	0	0	0	19	8	0	27	75
Total	32	4	17	0	53	60	66	0	0	126	0	0	0	0	0	0	92	21	0	113	292
08:00 AM	5	0	1	0	6	5	17	0	0	22	0	0	0	0	0	0	19	3	0	22	50
08:15 AM	10	1	4	0	15	8	20	0	0	28	0	0	0	0	0	0	16	2	0	18	61
08:30 AM	10	0	3	0	13	7	15	0	0	22	0	0	0	0	0	0	20	7	0	27	62
08:45 AM	8	1	1	0	10	18	9	0	0	27	0	0	0	0	0	0	24	5	0	29	66
Total	33	2	9	0	44	38	61	0	0	99	0	0	0	0	0	0	79	17	0	96	239
09:00 AM	8	1	4	0	13	11	14	0	0	25	0	0	0	0	0	0	15	1	0	16	54
09:15 AM	12	1	6	0	19	7	14	0	0	21	0	0	0	0	0	0	20	4	0	24	64
09:30 AM	2	0	5	0	7	16	12	0	0	28	0	0	0	0	0	0	18	4	0	22	57
09:45 AM	13	0	3	0	16	9	22	0	0	31	0	0	0	0	0	0	18	4	0	22	69
Total	35	2	18	0	55	43	62	0	0	105	0	0	0	0	0	0	71	13	0	84	244
10:00 AM	12	0	3	0	15	15	15	0	0	30	0	0	0	0	0	0	11	8	0	19	64
10:15 AM	12	1	3	0	16	16	11	0	0	27	0	0	0	0	0	0	20	3	0	23	66
10:30 AM	8	0	2	0	10	15	16	0	0	31	0	0	0	0	0	0	20	4	0	24	65
10:45 AM	11	1	5	0	17	10	13	0	1	24	0	0	0	0	0	0	10	2	0	12	53
Total	43	2	13	0	58	56	55	0	1	112	0	0	0	0	0	0	61	17	0	78	248
11:00 AM	9	0	5	0	14	11	14	0	0	25	0	0	0	0	0	0	17	4	0	21	60
11:15 AM	12	1	7	0	20	12	21	0	0	33	0	0	0	0	0	0	11	2	0	13	66
11:30 AM	13	1	1	0	15	15	22	0	0	37	0	0	0	0	0	0	16	6	0	22	74
11:45 AM	16	0	4	0	20	10	22	0	0	32	0	0	0	0	0	0	19	5	0	24	76
Total	50	2	17	0	69	48	79	0	0	127	0	0	0	0	0	0	63	17	0	80	276
12:00 PM	16	0	10	0	26	16	25	0	0	41	0	0	0	0	0	0	28	4	0	32	99
12:15 PM	14	1	6	0	21	15	25	0	0	40	0	0	0	0	0	0	22	10	0	32	93
12:30 PM	11	3	2	0	16	23	22	0	0	45	0	0	0	0	0	0	17	3	0	20	81
12:45 PM	16	1	3	0	20	19	22	0	0	41	0	0	0	0	0	0	22	3	0	25	86
Total	57	5	21	0	83	73	94	0	0	167	0	0	0	0	0	0	89	20	0	109	359
01:00 PM	14	0	9	0	23	13	18	0	0	31	0	0	0	0	0	0	20	4	0	24	78
01:15 PM	17	1	4	0	22	12	19	0	0	31	0	0	0	0	0	0	16	4	0	20	73
01:30 PM	17	0	3	0	20	18	17	0	0	35	0	0	0	0	0	0	22	4	0	26	81
01:45 PM	18	0	4	0	22	19	21	0	0	40	0	0	0	0	0	0	18	9	0	27	89
Total	66	1	20	0	87	62	75	0	0	137	0	0	0	0	0	0	76	21	0	97	321
02:00 PM	7	2	5	0	14	18	31	0	0	49	0	0	0	0	0	0	26	6	0	32	95
02:15 PM	22	0	5	0	27	10	24	0	0	34	0	0	0	0	0	0	27	2	0	29	90
02:30 PM	16	1	4	0	21	17	19	0	1	37	0	0	0	0	0	0	24	1	0	25	83
02:45 PM	14	1	2	0	17	11	25	0	0	36	0	0	1	0	1	0	16	8	0	24	78
Total	59	4	16	0	79	56	99	0	1	156	0	0	1	0	1	0	93	17	0	110	346
03:00 PM	9	0	5	0	14	17	30	0	0	47	0	0	0	0	0	0	23	10	0	33	94
03:15 PM	9	0	3	0	12	19	29	0	0	48	0	0	0	0	0	0	25	0	0	25	85
03:30 PM	14	0	4	0	18	11	27	0	1	39	0	0	0	0	0	0	15	5	0	20	77
03:45 PM	9	0	5	0	14	16	37	0	0	53	0	0	0	0	0	0	13	3	0	16	83
Total	41	0	17	0	58	63	123	0	1	187	0	0	0	0	0	0	76	18	0	94	339
04:00 PM	18	0	8	0	26	8	33	0	0	41	0	0	0	0	0	0	22	4	0	26	93
04:15 PM	14	1	2	0	17	19	27	0	0	46	0	0	0	0	0	0	20	9	0	29	92
04:30 PM	14	1	4	0	19	11	37	0	0	48	0	0	0	0	0	0	23	2	0	25	92
04:45 PM	12	0	5	0	17	12	26	0	0	38	0	0	0	0	0	0	20	6	0	26	81
Total	58	2	19	0	79	50	123	0	0	173	0	0	0	0	0	0	85	21	0	106	358
05:00 PM	9	1	4	0	14	17	29	0	0	46	0	0	0	0	0	0	29	3	0	32	92



Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-95 SB Ramps Southbound					Charleston Hwy Westbound					I-95 SB Ramps Northbound					Charleston Hwy Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
05:15 PM	13	0	4	0	17	9	32	0	2	43	0	0	0	0	0	0	15	6	0	21	81
05:30 PM	7	0	8	0	15	16	31	0	0	47	0	0	0	0	0	0	26	5	0	31	93
05:45 PM	12	0	7	0	19	5	25	0	1	31	0	0	0	0	0	0	18	5	0	23	73
Total	41	1	23	0	65	47	117	0	3	167	0	0	0	0	0	0	88	19	0	107	339
06:00 PM	15	0	4	0	19	13	28	0	0	41	0	0	0	0	0	0	15	9	0	24	84
06:15 PM	15	0	2	0	17	17	23	0	0	40	0	0	0	0	0	0	14	2	0	16	73
06:30 PM	13	0	5	0	18	11	14	0	1	26	0	0	0	0	0	0	7	3	0	10	54
06:45 PM	10	1	3	0	14	10	23	0	0	33	0	0	0	0	0	0	9	1	0	10	57
Total	53	1	14	0	68	51	88	0	1	140	0	0	0	0	0	0	45	15	0	60	268
Grand Total	568	26	204	0	798	647	1042	0	7	1696	0	0	1	0	1	0	918	216	0	1134	3629
Apprch %	71.2	3.3	25.6	0		38.1	61.4	0	0.4		0	0	100	0		0	81	19	0		
Total %	15.7	0.7	5.6	0		17.8	28.7	0	0.2		0	0	0	0		0	25.3	6	0	31.2	
Classes 1, 2, 3	324	10	173	0	507	404	840	0	7	1251	0	0	1	0	1	0	720	194	0	914	2673
% Classes 1, 2, 3	57	38.5	84.8	0	63.5	62.4	80.6	0	100	73.8	0	0	100	0	100	0	78.4	89.8	0	80.6	73.7
Classes 4 thru 13	244	16	31	0	291	243	202	0	0	445	0	0	0	0	0	0	198	22	0	220	956
% Classes 4 thru 13	43	61.5	15.2	0	36.5	37.6	19.4	0	0	26.2	0	0	0	0	0	0	21.6	10.2	0	19.4	26.3






Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-95 NB Ramps Southbound					Charleston Hwy Westbound					I-95 NB Ramps Northbound					Charleston Hwy Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
07:00 AM	0	0	0	0	0	0	24	11	0	35	2	1	4	0	7	3	18	0	0	21	63
07:15 AM	0	0	0	0	0	0	31	13	0	44	4	2	7	0	13	6	33	0	0	39	96
07:30 AM	0	0	0	0	0	0	27	11	0	38	5	0	9	0	14	5	30	0	0	35	87
07:45 AM	0	0	0	0	0	0	29	7	0	36	3	0	7	0	10	5	23	0	0	28	74
Total	0	0	0	0	0	0	111	42	0	153	14	3	27	0	44	19	104	0	0	123	320
08:00 AM	0	0	0	0	0	0	17	9	0	26	5	0	7	0	12	0	24	0	0	24	62
08:15 AM	0	0	0	0	0	0	24	12	0	36	4	0	7	0	11	6	21	0	0	27	74
08:30 AM	0	0	0	0	0	0	19	12	0	31	3	0	6	0	9	4	26	0	0	30	70
08:45 AM	0	0	0	0	0	0	26	12	0	38	1	0	9	0	10	7	25	0	0	32	80
Total	0	0	0	0	0	0	86	45	0	131	13	0	29	0	42	17	96	0	0	113	286
09:00 AM	0	0	0	0	0	0	22	8	0	30	3	1	12	0	16	1	22	0	0	23	69
09:15 AM	0	0	0	0	0	0	20	12	0	32	2	0	8	0	10	6	26	0	0	32	74
09:30 AM	0	0	0	0	0	0	26	14	0	40	1	1	13	0	15	3	15	0	1	19	74
09:45 AM	0	0	0	0	0	0	22	14	0	36	3	1	7	0	11	4	27	0	0	31	78
Total	0	0	0	0	0	0	90	48	0	138	9	3	40	0	52	14	90	0	1	105	295
10:00 AM	0	0	0	0	0	0	27	8	0	35	2	0	12	0	14	3	20	0	0	23	72
10:15 AM	0	0	0	0	0	0	23	8	0	31	2	0	6	0	8	1	28	0	1	30	69
10:30 AM	0	0	0	0	0	0	26	8	0	34	5	0	17	0	22	2	26	0	0	28	84
10:45 AM	0	0	0	0	0	0	22	17	0	39	2	0	15	0	17	4	18	0	0	22	78
Total	0	0	0	0	0	0	98	41	0	139	11	0	50	0	61	10	92	0	1	103	303
11:00 AM	0	0	0	0	0	0	24	9	0	33	2	0	17	0	19	2	24	0	0	26	78
11:15 AM	0	0	0	0	0	0	28	8	0	36	4	0	10	0	14	2	21	0	0	23	73
11:30 AM	0	0	0	0	0	0	35	10	0	45	3	0	16	0	19	5	24	0	0	29	93
11:45 AM	0	0	0	0	0	0	29	14	0	43	5	0	11	0	16	3	32	0	0	35	94
Total	0	0	0	0	0	0	116	41	0	157	14	0	54	0	68	12	101	0	0	113	338
12:00 PM	0	0	0	0	0	0	32	11	0	43	10	0	29	0	39	2	41	0	0	43	125
12:15 PM	0	0	0	0	0	0	36	12	0	48	4	1	17	0	22	3	35	0	0	38	108
12:30 PM	0	0	0	0	0	0	39	18	0	57	6	0	18	0	24	0	26	0	0	26	107
12:45 PM	0	0	0	0	0	0	35	15	0	50	8	1	9	0	18	3	36	0	0	39	107
Total	0	0	0	0	0	0	142	56	0	198	28	2	73	0	103	8	138	0	0	146	447
01:00 PM	0	0	0	0	0	0	25	17	0	42	3	0	17	0	20	3	30	0	0	33	95
01:15 PM	0	0	0	0	0	0	28	12	0	40	5	0	17	0	22	2	32	0	0	34	96
01:30 PM	0	0	0	0	0	0	34	8	0	42	1	0	13	0	14	6	32	0	0	38	94
01:45 PM	0	0	0	0	0	0	38	19	0	57	3	0	9	0	12	0	35	0	0	35	104
Total	0	0	0	0	0	0	125	56	0	181	12	0	56	0	68	11	129	0	0	140	389
02:00 PM	0	0	0	0	0	0	41	16	0	57	6	2	10	0	18	2	30	0	0	32	107
02:15 PM	0	0	0	0	0	0	29	10	0	39	4	0	16	0	20	10	38	0	0	48	107
02:30 PM	0	0	0	0	0	0	34	12	0	46	3	1	12	0	16	4	37	0	0	41	103
02:45 PM	0	0	0	0	0	0	35	20	0	55	2	0	13	0	15	4	28	0	0	32	102
Total	0	0	0	0	0	0	139	58	0	197	15	3	51	0	69	20	133	0	0	153	419
03:00 PM	0	0	0	0	0	0	42	14	0	56	5	0	11	0	16	1	29	0	0	30	102
03:15 PM	0	0	0	0	0	0	47	11	0	58	6	1	9	0	16	4	31	0	0	35	109
03:30 PM	0	0	0	0	0	0	29	8	0	37	5	0	20	0	25	1	29	0	0	30	92
03:45 PM	0	0	0	0	0	0	50	5	0	55	4	0	13	0	17	1	21	0	0	22	94
Total	0	0	0	0	0	0	168	38	0	206	20	1	53	0	74	7	110	0	0	117	397
04:00 PM	0	0	0	0	0	0	40	13	0	53	6	1	16	0	23	2	38	0	0	40	116
04:15 PM	0	0	0	0	0	0	39	10	0	49	5	0	14	0	19	3	30	0	0	33	101
04:30 PM	0	0	0	0	0	0	39	15	0	54	7	0	12	0	19	6	33	0	0	39	112
04:45 PM	0	0	0	0	0	0	30	9	0	39	7	2	17	0	26	1	31	0	0	32	97
Total	0	0	0	0	0	0	148	47	0	195	25	3	59	0	87	12	132	0	0	144	426
05:00 PM	0	0	0	0	0	0	41	14	0	55	7	0	19	0	26	7	32	0	0	39	120



Groups Printed- Classes 1, 2, 3 - Classes 4 thru 13

Start Time	I-95 NB Ramps Southbound					Charleston Hwy Westbound					I-95 NB Ramps Northbound					Charleston Hwy Eastbound					Int. Total
	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	Left	Thru	Right	U-Turn	App. Total	
05:15 PM	0	0	0	0	0	0	40	12	0	52	3	0	12	0	15	2	29	0	0	31	98
05:30 PM	0	0	0	0	0	0	43	8	0	51	3	0	14	0	17	0	34	0	0	34	102
05:45 PM	0	0	0	0	0	0	30	5	0	35	4	0	9	0	13	1	29	0	0	30	78
Total	0	0	0	0	0	0	154	39	0	193	17	0	54	0	71	10	124	0	0	134	398
06:00 PM	0	0	0	0	0	0	35	12	1	48	4	1	12	0	17	3	27	0	0	30	95
06:15 PM	0	0	0	0	0	0	32	13	0	45	7	0	14	0	21	2	26	0	0	28	94
06:30 PM	0	0	0	0	0	0	25	8	0	33	2	0	8	0	10	1	21	0	0	22	65
06:45 PM	0	0	0	0	0	0	24	8	0	32	4	0	9	0	13	0	19	0	0	19	64
Total	0	0	0	0	0	0	116	41	1	158	17	1	43	0	61	6	93	0	0	99	318
Grand Total	0	0	0	0	0	0	1493	552	1	2046	195	16	589	0	800	146	1342	0	2	1490	4336
Apprch %	0	0	0	0	0	0	73	27	0		24.4	2	73.6	0		9.8	90.1	0	0.1		
Total %	0	0	0	0	0	0	34.4	12.7	0	47.2	4.5	0.4	13.6	0	18.5	3.4	31	0	0	34.4	
Classes 1, 2, 3	0	0	0	0	0	0	1071	304	1	1376	176	6	340	0	522	115	930	0	2	1047	2945
% Classes 1, 2, 3	0	0	0	0	0	0	71.7	55.1	100	67.3	90.3	37.5	57.7	0	65.2	78.8	69.3	0	100	70.3	67.9
Classes 4 thru 13	0	0	0	0	0	0	422	248	0	670	19	10	249	0	278	31	412	0	0	443	1391
% Classes 4 thru 13	0	0	0	0	0	0	28.3	44.9	0	32.7	9.7	62.5	42.3	0	34.8	21.2	30.7	0	0	29.7	32.1







Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694207
 Location: I-95 SB Exit Ramp to Charleston Hwy
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	22	0	19	22	19
1:00 AM	0	20	0	22	20	22
2:00 AM	0	17	0	22	17	22
3:00 AM	0	15	0	23	15	23
4:00 AM	0	19	0	19	19	19
5:00 AM	0	24	0	20	24	20
6:00 AM	0	36	0	39	36	39
7:00 AM	0	55	0	43	55	43
8:00 AM	0	45	0	59	45	59
9:00 AM	0	53	0	95	53	95
10:00 AM	0	51	0	119	51	119
11:00 AM	0	70	0	120	70	120
12:00 PM	0	82	0	123	82	123
1:00 PM	0	98	0	131	98	131
2:00 PM	0	80	0	111	80	111
3:00 PM	0	75	0	99	75	99
4:00 PM	0	84	0	93	84	93
5:00 PM	0	71	0	79	71	79
6:00 PM	0	64	0	74	64	74
7:00 PM	0	56	0	59	56	59
8:00 PM	0	36	0	41	36	41
9:00 PM	0	35	0	42	35	42
10:00 PM	0	21	0	35	21	35
11:00 PM	0	29	0	29	15	29
TOTAL	0	1156	0	1510	1142	1510



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	
SB	Total	6,482	655	2,171	111	141	9,560
	Percent	68%	7%	23%	1%	1%	

NOTE	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1256
WEEKEND ADT:	1642

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694208
 Location: I-95 SB On Ramp from Charleston Hwy
 RR Crossing No: 0

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	23	18	17	34	35	18	27	19	23
1:00 AM	0	0	0	0	0	0	0	0	0	14	13	18	22	31	16	21	22	22
2:00 AM	0	0	0	0	0	0	0	0	0	13	15	13	23	34	14	21	17	19
3:00 AM	0	0	0	0	0	0	0	0	0	12	10	23	28	26	17	25	12	19
4:00 AM	0	0	0	0	0	0	0	0	0	15	25	25	24	42	25	25	18	22
5:00 AM	0	0	0	0	0	0	0	0	0	23	38	36	34	53	37	38	19	29
6:00 AM	0	0	0	0	0	0	0	0	0	40	55	58	51	62	57	57	37	47
7:00 AM	0	0	0	0	0	0	0	0	0	44	82	82	76	105	82	57	57	57
8:00 AM	0	0	0	0	0	0	0	0	0	77	57	69	73	107	63	74	61	68
9:00 AM	0	0	0	0	0	0	0	0	0	69	58	55	71	83	57	130	90	110
10:00 AM	0	0	0	0	0	0	0	0	0	77	72	61	104	89	67	115	126	121
11:00 AM	0	0	0	0	0	0	0	0	0	88	66	77	249	115	72	109	164	137
12:00 PM	0	0	0	0	0	0	0	0	0	102	96	77	627	128	87	129	130	130
1:00 PM	0	0	0	0	0	0	0	0	0	115	85	110	625	127	98	107	133	120
2:00 PM	0	0	0	0	0	0	0	0	0	125	79	96	770	120	88	108	112	110
3:00 PM	0	0	0	0	0	0	0	0	0	116	79	106	811	138	93	106	110	108
4:00 PM	0	0	0	0	0	0	0	0	0	107	74	85	218	123	80	93	101	97
5:00 PM	0	0	0	0	0	0	0	0	0	68	69	67	86	101	68	83	155	119
6:00 PM	0	0	0	0	0	0	0	0	0	73	62	53	70	100	58	67	91	79
7:00 PM	0	0	0	0	0	0	0	0	0	59	47	55	52	72	51	46	62	54
8:00 PM	0	0	0	0	0	0	0	0	0	57	29	40	43	61	35	51	43	47
9:00 PM	0	0	0	0	0	0	0	0	0	31	27	35	44	46	31	46	46	46
10:00 PM	0	0	0	0	0	0	0	0	0	29	24	20	35	55	22	35	39	37
11:00 PM	0	0	0	0	0	0	0	0	0	17	21	32	26	43	27	27	23	25

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	84	90	632	1,545	2,039	2,709	1,590	334	52	6	0	1	0	0	9,082
Percent		1%	1%	7%	17%	22%	30%	18%	4%	1%	0%	0%	0%	0%	0%	0%
Average Percent		0%	0%	3%	9%	11%	15%	9%	2%	0%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	160	4,866	1,465	175	320	98	4	358	1,470	19	70	14	3	60	9,082
Percent		2%	54%	16%	2%	4%	1%	0%	4%	16%	0%	1%	0%	0%	1%	
Average Percent		1%	27%	8%	1%	2%	1%	0%	2%	8%	0%	0%	0%	0%	0%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694208
 Location: I-95 SB On Ramp from Charleston Hwy
 RR Crossing No: 0

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	18	0	23	18	23
1:00 AM	0	16	0	22	16	22
2:00 AM	0	14	0	19	14	19
3:00 AM	0	17	0	19	17	19
4:00 AM	0	25	0	22	25	22
5:00 AM	0	37	0	29	37	29
6:00 AM	0	57	0	47	57	47
7:00 AM	0	82	0	57	82	57
8:00 AM	0	63	0	68	63	68
9:00 AM	0	57	0	110	57	110
10:00 AM	0	67	0	121	67	121
11:00 AM	0	72	0	137	72	137
12:00 PM	0	87	0	130	87	130
1:00 PM	0	98	0	120	98	120
2:00 PM	0	88	0	110	88	110
3:00 PM	0	93	0	108	93	108
4:00 PM	0	80	0	97	80	97
5:00 PM	0	68	0	119	68	119
6:00 PM	0	58	0	79	58	79
7:00 PM	0	51	0	54	51	54
8:00 PM	0	35	0	47	35	47
9:00 PM	0	31	0	46	31	46
10:00 PM	0	22	0	37	22	37
11:00 PM	0	27	0	25	13	25
TOTAL	0	1256	0	1642	1242	1642



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	
SB	Total	6,491	597	1,847	87	60	13,278
	Percent	49%	4%	14%	1%	0%	

NOTE

Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1014
WEEKEND ADT:	933

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694209
 Location: I-95 NB On Ramp from Charleston Hwy
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	10	20	14	7	14	14	12	8	10	0	0	0	0	0	0	0	0	0
1:00 AM	15	14	12	11	23	12	8	6	7	0	0	0	0	0	0	0	0	0
2:00 AM	7	9	9	22	22	13	17	10	14	0	0	0	0	0	0	0	0	0
3:00 AM	16	20	22	24	26	22	18	8	13	0	0	0	0	0	0	0	0	0
4:00 AM	34	32	38	44	30	38	28	5	17	0	0	0	0	0	0	0	0	0
5:00 AM	60	45	62	59	50	55	16	17	17	0	0	0	0	0	0	0	0	0
6:00 AM	63	53	63	70	66	62	50	22	36	0	0	0	0	0	0	0	0	0
7:00 AM	51	66	56	59	57	60	30	22	26	0	0	0	0	0	0	0	0	0
8:00 AM	47	60	39	78	58	59	46	34	40	0	0	0	0	0	0	0	0	0
9:00 AM	51	65	54	64	40	61	67	53	60	0	0	0	0	0	0	0	0	0
10:00 AM	36	52	64	52	76	56	49	61	55	0	0	0	0	0	0	0	0	0
11:00 AM	49	52	66	40	74	53	76	82	79	0	0	0	0	0	0	0	0	0
12:00 PM	88	66	65	64	75	65	62	81	72	0	0	0	0	0	0	0	0	0
1:00 PM	61	69	76	55	84	67	59	67	63	0	0	0	0	0	0	0	0	0
2:00 PM	85	82	61	53	74	65	61	65	63	0	0	0	0	0	0	0	0	0
3:00 PM	59	47	60	34	61	47	72	65	69	0	0	0	0	0	0	0	0	0
4:00 PM	81	65	58	68	87	64	43	74	59	0	0	0	0	0	0	0	0	0
5:00 PM	72	50	35	57	49	47	58	47	53	0	0	0	0	0	0	0	0	0
6:00 PM	62	48	28	44	36	40	38	75	57	0	0	0	0	0	0	0	0	0
7:00 PM	36	28	24	32	31	28	38	69	54	0	0	0	0	0	0	0	0	0
8:00 PM	33	31	26	33	24	30	32	31	32	0	0	0	0	0	0	0	0	0
9:00 PM	30	22	23	21	19	22	16	14	15	0	0	0	0	0	0	0	0	0
10:00 PM	13	9	16	17	21	14	16	17	17	0	0	0	0	0	0	0	0	0
11:00 PM	0	13	19	26	15	19	10	10	10	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0.0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	62	88	211	700	1,408	1,448	1,722	1,106	281	56	14	0	1	0	7,097
Percent		1%	1%	3%	10%	20%	20%	24%	16%	4%	1%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	1%	1%	5%	10%	10%	12%	8%	2%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	51	3,211	1,005	186	270	58	7	254	1,840	24	85	18	16	72	7,097
Percent		1%	45%	14%	3%	4%	1%	0%	4%	26%	0%	1%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	23%	7%	1%	2%	0%	0%	2%	13%	0%	1%	0%	0%	1%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694209
 Location: I-95 NB On Ramp from Charleston Hwy
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	14	0	10	0	14	10
1:00 AM	12	0	7	0	12	7
2:00 AM	13	0	14	0	13	14
3:00 AM	22	0	13	0	22	13
4:00 AM	38	0	17	0	38	17
5:00 AM	55	0	17	0	55	17
6:00 AM	62	0	36	0	62	86
7:00 AM	60	0	26	0	60	26
8:00 AM	59	0	40	0	59	40
9:00 AM	61	0	60	0	61	60
10:00 AM	56	0	55	0	56	55
11:00 AM	53	0	79	0	53	79
12:00 PM	65	0	72	0	65	72
1:00 PM	67	0	63	0	67	63
2:00 PM	65	0	63	0	65	63
3:00 PM	47	0	69	0	47	69
4:00 PM	64	0	59	0	64	59
5:00 PM	47	0	53	0	47	53
6:00 PM	40	0	57	0	40	57
7:00 PM	28	0	54	0	28	54
8:00 PM	30	0	32	0	30	32
9:00 PM	22	0	15	0	22	15
10:00 PM	14	0	17	0	14	17
11:00 PM	19	0	10	0	10	10
TOTAL	1014	0	933	0	1004	933



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	4,267	521	2,118	119	72	7,097
	Percent	60%	7%	30%	2%	1%	
SB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	

NOTE	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1095
WEEKEND ADT:	1450

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694210
 Location: I-95 NB Exit Ramp to Charleston Hwy
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	8	25	14	21	19	20	12	12	12	0	0	0	0	0	0	0	0	0
1:00 AM	9	18	8	11	14	13	9	16	13	0	0	0	0	0	0	0	0	0
2:00 AM	5	17	12	19	14	15	15	11	13	0	0	0	0	0	0	0	0	0
3:00 AM	13	14	22	11	17	18	12	2	7	0	0	0	0	0	0	0	0	0
4:00 AM	24	21	26	33	18	24	10	8	9	0	0	0	0	0	0	0	0	0
5:00 AM	30	25	37	33	37	31	12	14	13	0	0	0	0	0	0	0	0	0
6:00 AM	36	31	45	50	46	38	28	10	19	0	0	0	0	0	0	0	0	0
7:00 AM	33	43	40	41	49	42	39	30	35	0	0	0	0	0	0	0	0	0
8:00 AM	49	42	25	50	53	34	41	34	38	0	0	0	0	0	0	0	0	0
9:00 AM	55	52	63	98	68	58	61	62	62	0	0	0	0	0	0	0	0	0
10:00 AM	45	61	64	367	74	63	80	75	78	0	0	0	0	0	0	0	0	0
11:00 AM	65	68	78	374	92	73	76	75	76	0	0	0	0	0	0	0	0	0
12:00 PM	111	101	86	317	95	94	62	92	77	0	0	0	0	0	0	0	0	0
1:00 PM	90	68	80	328	79	74	68	83	76	0	0	0	0	0	0	0	0	0
2:00 PM	86	70	76	286	80	73	64	81	73	0	0	0	0	0	0	0	0	0
3:00 PM	60	76	78	191	85	77	55	80	68	0	0	0	0	0	0	0	0	0
4:00 PM	99	88	62	317	82	75	64	291	178	0	0	0	0	0	0	0	0	0
5:00 PM	277	69	58	50	80	64	58	234	146	0	0	0	0	0	0	0	0	0
6:00 PM	195	64	47	40	48	56	58	296	177	0	0	0	0	0	0	0	0	0
7:00 PM	113	50	28	41	43	39	59	277	168	0	0	0	0	0	0	0	0	0
8:00 PM	71	47	28	35	34	38	34	94	64	0	0	0	0	0	0	0	0	0
9:00 PM	66	29	34	29	22	32	16	22	19	0	0	0	0	0	0	0	0	0
10:00 PM	24	18	31	26	27	25	30	20	25	0	0	0	0	0	0	0	0	0
11:00 PM	0	27	23	24	27	25	13	5	9	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	76	21	46	153	333	592	936	1,176	1,497	1,626	981	350	69	16	7,872
Percent		1%	0%	1%	2%	4%	8%	12%	15%	19%	21%	12%	4%	1%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	0%	0%	1%	2%	4%	6%	7%	10%	10%	6%	2%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	49	3,984	1,286	137	342	73	3	283	1,521	22	74	18	7	75	7,874
Percent		1%	51%	16%	2%	4%	1%	0%	4%	19%	0%	1%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	25%	8%	1%	2%	0%	0%	2%	10%	0%	0%	0%	0%	0%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694210
 Location: I-95 NB Exit Ramp to Charleston Hwy
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	20	0	12	0	20	12
1:00 AM	13	0	13	0	13	13
2:00 AM	15	0	13	0	15	13
3:00 AM	18	0	7	0	18	7
4:00 AM	24	0	9	0	24	9
5:00 AM	31	0	13	0	31	13
6:00 AM	38	0	19	0	38	19
7:00 AM	42	0	35	0	42	35
8:00 AM	34	0	38	0	34	38
9:00 AM	58	0	62	0	58	62
10:00 AM	63	0	78	0	63	78
11:00 AM	73	0	76	0	73	76
12:00 PM	94	0	77	0	94	77
1:00 PM	74	0	76	0	74	76
2:00 PM	73	0	73	0	73	73
3:00 PM	77	0	68	0	77	68
4:00 PM	75	0	178	0	75	178
5:00 PM	64	0	146	0	64	146
6:00 PM	56	0	177	0	56	177
7:00 PM	39	0	168	0	39	168
8:00 PM	38	0	64	0	38	64
9:00 PM	32	0	19	0	32	19
10:00 PM	25	0	25	0	25	25
11:00 PM	25	0	9	0	13	9
TOTAL	1095	0	1450	0	1082	1450



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	5,319	555	1,826	99	75	10,665
	Percent	50%	5%	17%	1%	1%	
SB	Total	0	0	0	0	0	0
	Percent	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	

NOTE
 3/3/2022 Traffic volumes not included in the counts due to SCDOT maintenance project on I-95. I-95 Reduced to one lane in each direction.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	763
WEEKEND ADT:	993

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694211
 Location: I-26 NB Exit Ramp to Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	3	7	4	3	6	5	7	8	8	0	0	0	0	0	0	0	0	0
1:00 AM	0	4	5	4	4	4	5	7	6	0	0	0	0	0	0	0	0	0
2:00 AM	6	6	7	2	6	5	8	2	5	0	0	0	0	0	0	0	0	0
3:00 AM	8	5	10	8	5	8	5	5	5	0	0	0	0	0	0	0	0	0
4:00 AM	13	5	16	12	9	11	5	5	5	0	0	0	0	0	0	0	0	0
5:00 AM	13	11	15	23	17	16	17	6	12	0	0	0	0	0	0	0	0	0
6:00 AM	26	21	28	37	27	29	21	14	18	0	0	0	0	0	0	0	0	0
7:00 AM	38	27	36	54	39	39	31	21	26	0	0	0	0	0	0	0	0	0
8:00 AM	39	46	37	56	59	46	45	33	39	0	0	0	0	0	0	0	0	0
9:00 AM	32	37	44	39	46	40	47	38	43	0	0	0	0	0	0	0	0	0
10:00 AM	59	49	46	67	56	54	61	59	60	0	0	0	0	0	0	0	0	0
11:00 AM	74	65	44	68	56	59	65	63	64	0	0	0	0	0	0	0	0	0
12:00 PM	59	36	46	79	49	54	52	72	62	0	0	0	0	0	0	0	0	0
1:00 PM	67	55	55	73	68	61	38	61	50	0	0	0	0	0	0	0	0	0
2:00 PM	37	47	51	81	68	60	51	52	52	0	0	0	0	0	0	0	0	0
3:00 PM	57	62	57	57	78	59	36	105	71	0	0	0	0	0	0	0	0	0
4:00 PM	67	68	59	53	58	60	41	473	257	0	0	0	0	0	0	0	0	0
5:00 PM	45	61	41	45	52	49	36	181	109	0	0	0	0	0	0	0	0	0
6:00 PM	27	42	19	34	28	32	31	30	31	0	0	0	0	0	0	0	0	0
7:00 PM	16	27	18	28	26	24	26	21	24	0	0	0	0	0	0	0	0	0
8:00 PM	10	19	12	31	28	21	12	21	17	0	0	0	0	0	0	0	0	0
9:00 PM	13	12	10	11	11	11	19	16	18	0	0	0	0	0	0	0	0	0
10:00 PM	10	7	10	15	9	11	9	13	11	0	0	0	0	0	0	0	0	0
11:00 PM	0	5	6	8	9	6	4	8	6	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0.0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	84	35	96	129	328	800	1,526	1,766	887	150	12	3	0	0	5,816
Percent		1%	1%	2%	2%	6%	14%	26%	30%	15%	3%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		1%	0%	1%	1%	3%	7%	13%	15%	8%	1%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	48	3,465	1,076	40	237	200	8	119	504	10	28	7	3	71	5,816
Percent		1%	60%	19%	1%	4%	3%	0%	2%	9%	0%	0%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	30%	9%	0%	2%	2%	0%	1%	4%	0%	0%	0%	0%	1%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694211
 Location: I-26 NB Exit Ramp to Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	5	0	8	0	5	8
1:00 AM	4	0	6	0	4	6
2:00 AM	5	0	5	0	5	5
3:00 AM	8	0	5	0	8	5
4:00 AM	11	0	5	0	11	5
5:00 AM	16	0	12	0	16	12
6:00 AM	29	0	18	0	29	18
7:00 AM	39	0	26	0	39	26
8:00 AM	46	0	39	0	46	39
9:00 AM	40	0	43	0	40	43
10:00 AM	54	0	60	0	54	60
11:00 AM	59	0	64	0	59	64
12:00 PM	54	0	62	0	54	62
1:00 PM	61	0	50	0	61	50
2:00 PM	60	0	52	0	60	52
3:00 PM	59	0	71	0	59	71
4:00 PM	60	0	257	0	60	257
5:00 PM	49	0	109	0	49	109
6:00 PM	32	0	31	0	32	31
7:00 PM	24	0	24	0	24	24
8:00 PM	21	0	17	0	21	17
9:00 PM	11	0	18	0	11	18
10:00 PM	11	0	11	0	11	11
11:00 PM	6	0	6	0	3	6
TOTAL	763	0	993	0	760	993



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	4,589	485	633	38	71	5,816
	Percent	79%	8%	11%	1%	1%	
SB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	

NOTE						



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	368
WEEKEND ADT:	362

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694212
 Location: I-26 SB Exit Ramp to Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	3	6	3	8	1	5	5	5	5
1:00 AM	0	0	0	0	0	0	0	0	0	2	4	1	3	3	3	6	5	6
2:00 AM	0	0	0	0	0	0	0	0	0	2	2	2	6	1	2	6	4	5
3:00 AM	0	0	0	0	0	0	0	0	0	3	2	3	5	6	3	2	2	2
4:00 AM	0	0	0	0	0	0	0	0	0	7	10	7	7	7	9	2	5	4
5:00 AM	0	0	0	0	0	0	0	0	0	16	10	7	11	8	9	11	5	8
6:00 AM	0	0	0	0	0	0	0	0	0	9	18	15	13	8	17	4	5	5
7:00 AM	0	0	0	0	0	0	0	0	0	18	21	23	32	13	22	3	4	4
8:00 AM	0	0	0	0	0	0	0	0	0	11	25	13	19	21	19	22	10	16
9:00 AM	0	0	0	0	0	0	0	0	0	23	27	28	25	26	28	33	22	28
10:00 AM	0	0	0	0	0	0	0	0	0	22	28	22	22	31	25	30	21	26
11:00 AM	0	0	0	0	0	0	0	0	0	39	16	19	113	38	18	22	22	22
12:00 PM	0	0	0	0	0	0	0	0	0	27	26	26	69	28	26	32	28	30
1:00 PM	0	0	0	0	0	0	0	0	0	25	21	30	25	29	26	27	22	25
2:00 PM	0	0	0	0	0	0	0	0	0	30	27	23	119	47	25	26	30	28
3:00 PM	0	0	0	0	0	0	0	0	0	15	19	25	230	34	22	30	34	32
4:00 PM	0	0	0	0	0	0	0	0	0	34	27	28	31	37	28	30	22	26
5:00 PM	0	0	0	0	0	0	0	0	0	23	29	23	26	34	26	18	34	26
6:00 PM	0	0	0	0	0	0	0	0	0	18	20	20	18	19	20	18	22	20
7:00 PM	0	0	0	0	0	0	0	0	0	16	16	14	11	15	15	14	18	16
8:00 PM	0	0	0	0	0	0	0	0	0	10	5	9	12	11	7	5	10	8
9:00 PM	0	0	0	0	0	0	0	0	0	8	1	5	7	17	3	9	10	10
10:00 PM	0	0	0	0	0	0	0	0	0	4	11	7	11	11	9	7	6	7
11:00 PM	0	0	0	0	0	0	0	0	0	6	5	6	9	12	6	12	3	8

SPEED																
	DIRECTION	1.1-15.99	16.0-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	103	45	68	124	253	427	669	709	494	169	44	14	4	0	3,123
Percent	SB	3%	1%	2%	4%	8%	14%	21%	23%	16%	5%	1%	0%	0%	0%	0%
Average Percent		2%	1%	1%	2%	4%	7%	11%	11%	8%	3%	1%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	30	1,605	595	29	180	37	1	108	406	12	52	11	1	56	3,123
Percent	SB	1%	51%	19%	1%	6%	1%	0%	3%	13%	0%	2%	0%	0%	2%	0%
Average Percent		0%	26%	10%	0%	3%	1%	0%	2%	7%	0%	1%	0%	0%	1%	0%





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694212
 Location: I-26 SB Exit Ramp to Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	5	0	5	5	5
1:00 AM	0	3	0	6	3	6
2:00 AM	0	2	0	5	2	5
3:00 AM	0	3	0	2	3	2
4:00 AM	0	9	0	4	9	4
5:00 AM	0	9	0	8	9	8
6:00 AM	0	17	0	5	17	5
7:00 AM	0	22	0	4	22	4
8:00 AM	0	19	0	16	19	16
9:00 AM	0	28	0	28	28	28
10:00 AM	0	25	0	26	25	26
11:00 AM	0	18	0	22	18	22
12:00 PM	0	26	0	30	26	30
1:00 PM	0	26	0	25	26	25
2:00 PM	0	25	0	28	25	28
3:00 PM	0	22	0	32	22	32
4:00 PM	0	28	0	26	28	26
5:00 PM	0	26	0	26	26	26
6:00 PM	0	20	0	20	20	20
7:00 PM	0	15	0	16	15	16
8:00 PM	0	7	0	8	7	8
9:00 PM	0	3	0	10	3	10
10:00 PM	0	9	0	7	9	7
11:00 PM	0	6	0	8	3	8
TOTAL	0	368	0	362	365	362



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
SB	Total	2,230	247	526	64	56	3,123
	Percent	71%	8%	17%	2%	2%	

NOTE
 3/3/2022 Traffic volumes not included in the counts due to SCDOT maintenance project on I-95. I-95 reduced to one lane in each direction.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	659
WEEKEND ADT:	593

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694213
 Location: I-26 SB On Ramp from Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	4	6	1	7	3	4	8	2	5
1:00 AM	0	0	0	0	0	0	0	0	0	4	4	3	4	5	4	3	10	7
2:00 AM	0	0	0	0	0	0	0	0	0	2	5	2	7	0	4	10	1	6
3:00 AM	0	0	0	0	0	0	0	0	0	3	9	7	8	9	8	6	6	6
4:00 AM	0	0	0	0	0	0	0	0	0	13	22	27	28	24	25	4	7	6
5:00 AM	0	0	0	0	0	0	0	0	0	40	46	43	37	34	45	19	16	18
6:00 AM	0	0	0	0	0	0	0	0	0	34	61	47	59	52	54	18	6	12
7:00 AM	0	0	0	0	0	0	0	0	0	58	44	47	58	45	46	17	7	12
8:00 AM	0	0	0	0	0	0	0	0	0	42	49	48	63	47	49	27	11	19
9:00 AM	0	0	0	0	0	0	0	0	0	37	43	39	46	52	41	31	25	28
10:00 AM	0	0	0	0	0	0	0	0	0	54	47	38	50	37	43	41	31	36
11:00 AM	0	0	0	0	0	0	0	0	0	49	43	44	53	61	44	35	29	32
12:00 PM	0	0	0	0	0	0	0	0	0	40	50	41	119	51	46	50	39	45
1:00 PM	0	0	0	0	0	0	0	0	0	43	41	41	794	54	41	54	38	46
2:00 PM	0	0	0	0	0	0	0	0	0	42	37	39	405	50	38	58	37	48
3:00 PM	0	0	0	0	0	0	0	0	0	48	34	37	134	56	36	36	43	40
4:00 PM	0	0	0	0	0	0	0	0	0	51	43	31	82	62	37	40	50	45
5:00 PM	0	0	0	0	0	0	0	0	0	24	37	31	32	53	34	46	91	69
6:00 PM	0	0	0	0	0	0	0	0	0	30	21	23	36	31	22	32	49	41
7:00 PM	0	0	0	0	0	0	0	0	0	14	8	17	17	26	13	24	35	30
8:00 PM	0	0	0	0	0	0	0	0	0	10	5	10	18	19	8	11	13	12
9:00 PM	0	0	0	0	0	0	0	0	0	8	9	10	10	23	10	20	21	21
10:00 PM	0	0	0	0	0	0	0	0	0	10	9	9	17	12	9	13	5	9
11:00 PM	0	0	0	0	0	0	0	0	0	5	5	5	12	10	5	6	4	5

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	112	45	52	128	471	1,053	1,633	455	34	3	0	0	0	0	3,986
Percent	SB	3%	1%	1%	3%	12%	26%	41%	11%	1%	0%	0%	0%	0%	0%	0%
Average Percent		1%	1%	1%	2%	6%	13%	20%	6%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	54	2,287	687	50	126	65	2	96	476	18	34	7	3	77	3,982
Percent	SB	1%	57%	17%	1%	3%	2%	0%	2%	12%	0%	1%	0%	0%	2%	0%
Average Percent		1%	29%	9%	1%	2%	1%	0%	1%	6%	0%	0%	0%	0%	1%	0%





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694213
 Location: I-26 SB On Ramp from Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	4	0	5	4	5
1:00 AM	0	4	0	7	4	7
2:00 AM	0	4	0	6	4	6
3:00 AM	0	8	0	6	8	6
4:00 AM	0	25	0	6	25	6
5:00 AM	0	45	0	18	45	18
6:00 AM	0	54	0	12	54	12
7:00 AM	0	46	0	12	46	12
8:00 AM	0	49	0	19	49	19
9:00 AM	0	41	0	28	41	28
10:00 AM	0	43	0	36	43	36
11:00 AM	0	44	0	32	44	32
12:00 PM	0	46	0	45	46	45
1:00 PM	0	41	0	46	41	46
2:00 PM	0	38	0	48	38	48
3:00 PM	0	36	0	40	36	40
4:00 PM	0	37	0	45	37	45
5:00 PM	0	34	0	69	34	69
6:00 PM	0	22	0	41	22	41
7:00 PM	0	13	0	30	13	30
8:00 PM	0	8	0	12	8	12
9:00 PM	0	10	0	21	10	21
10:00 PM	0	9	0	9	9	9
11:00 PM	0	5	0	5	3	5
TOTAL	0	659	0	593	657	593



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	0
SB	Total	3,028	243	590	44	77	6,078
	Percent	50%	4%	10%	1%	1%	

NOTE
 3/3/2022 Traffic volumes not included in the counts due to SCDOT maintenance project on I-95. I-95 reduced to one lane in each direction.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	388
WEEKEND ADT:	504

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694214
 Location: I-26 NB On Ramp from Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	1	4	5	2	3	5	8	3	6	0	0	0	0	0	0	0	0	0
1:00 AM	2	4	7	1	1	6	4	7	6	0	0	0	0	0	0	0	0	0
2:00 AM	2	2	2	2	10	2	6	3	5	0	0	0	0	0	0	0	0	0
3:00 AM	11	1	7	8	3	4	9	5	7	0	0	0	0	0	0	0	0	0
4:00 AM	8	5	7	10	12	6	4	7	6	0	0	0	0	0	0	0	0	0
5:00 AM	12	8	23	14	15	16	5	4	5	0	0	0	0	0	0	0	0	0
6:00 AM	26	15	18	24	23	17	13	4	9	0	0	0	0	0	0	0	0	0
7:00 AM	23	18	25	21	24	22	13	17	15	0	0	0	0	0	0	0	0	0
8:00 AM	28	26	23	34	41	25	21	27	24	0	0	0	0	0	0	0	0	0
9:00 AM	21	19	22	22	20	21	29	28	29	0	0	0	0	0	0	0	0	0
10:00 AM	37	45	27	35	40	36	33	43	38	0	0	0	0	0	0	0	0	0
11:00 AM	47	35	20	35	40	28	32	41	37	0	0	0	0	0	0	0	0	0
12:00 PM	26	34	24	46	28	29	39	60	50	0	0	0	0	0	0	0	0	0
1:00 PM	38	27	24	53	35	26	33	58	46	0	0	0	0	0	0	0	0	0
2:00 PM	27	24	31	58	34	28	42	53	48	0	0	0	0	0	0	0	0	0
3:00 PM	20	26	23	25	40	25	26	59	43	0	0	0	0	0	0	0	0	0
4:00 PM	36	30	28	27	36	29	34	36	35	0	0	0	0	0	0	0	0	0
5:00 PM	24	26	17	18	38	22	24	20	22	0	0	0	0	0	0	0	0	0
6:00 PM	19	16	10	27	14	13	19	35	27	0	0	0	0	0	0	0	0	0
7:00 PM	6	9	10	17	15	10	11	15	13	0	0	0	0	0	0	0	0	0
8:00 PM	14	11	5	16	24	8	14	16	15	0	0	0	0	0	0	0	0	0
9:00 PM	6	6	9	11	11	8	8	13	11	0	0	0	0	0	0	0	0	0
10:00 PM	14	3	7	10	4	5	6	11	9	0	0	0	0	0	0	0	0	0
11:00 PM	0	6	2	3	6	4	7	2	5	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0.0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	159	23	36	68	245	518	927	631	129	11	4	1	1	0	2,753
Percent		6%	1%	1%	2%	9%	19%	34%	23%	5%	0%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		3%	0%	1%	1%	4%	9%	17%	11%	2%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	22	1,542	540	45	148	36	1	56	193	7	23	7	1	134	2,755
Percent		1%	56%	20%	2%	5%	1%	0%	2%	7%	0%	1%	0%	0%	5%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	28%	10%	1%	3%	1%	0%	1%	4%	0%	0%	0%	0%	2%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694214
 Location: I-26 NB On Ramp from Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	5	0	6	0	5	6
1:00 AM	6	0	6	0	6	6
2:00 AM	2	0	5	0	2	5
3:00 AM	4	0	7	0	4	7
4:00 AM	6	0	6	0	6	6
5:00 AM	16	0	5	0	16	5
6:00 AM	17	0	9	0	17	9
7:00 AM	22	0	15	0	22	15
8:00 AM	25	0	24	0	25	24
9:00 AM	21	0	29	0	21	29
10:00 AM	36	0	38	0	36	38
11:00 AM	28	0	37	0	28	37
12:00 PM	29	0	50	0	29	50
1:00 PM	26	0	46	0	26	46
2:00 PM	28	0	48	0	28	48
3:00 PM	25	0	43	0	25	43
4:00 PM	29	0	35	0	29	35
5:00 PM	22	0	22	0	22	22
6:00 PM	13	0	27	0	13	27
7:00 PM	10	0	13	0	10	13
8:00 PM	8	0	15	0	8	15
9:00 PM	8	0	11	0	8	11
10:00 PM	5	0	9	0	5	9
11:00 PM	4	0	5	0	2	5
TOTAL	388	0	504	0	386	504



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	2,104	230	256	31	134	2,755
	Percent	76%	8%	9%	1%	5%	
SB	Total	0	0	0	0	0	0
	Percent	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	

NOTE						



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	168
WEEKEND ADT:	164

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694215
 Location: I-95 SB Exit Ramp to Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	1	0	0	4	2	0	3	3	3
1:00 AM	0	0	0	0	0	0	0	0	0	1	1	1	4	0	1	1	5	3
2:00 AM	0	0	0	0	0	0	0	0	0	4	0	1	1	2	1	4	3	4
3:00 AM	0	0	0	0	0	0	0	0	0	1	2	6	3	1	4	0	0	0
4:00 AM	0	0	0	0	0	0	0	0	0	3	4	2	4	5	3	3	1	2
5:00 AM	0	0	0	0	0	0	0	0	0	5	5	3	6	1	4	1	1	1
6:00 AM	0	0	0	0	0	0	0	0	0	3	4	5	8	13	5	7	2	5
7:00 AM	0	0	0	0	0	0	0	0	0	2	13	6	6	9	10	9	3	6
8:00 AM	0	0	0	0	0	0	0	0	0	12	8	11	18	6	10	9	5	7
9:00 AM	0	0	0	0	0	0	0	0	0	10	9	16	9	9	13	11	1	6
10:00 AM	0	0	0	0	0	0	0	0	0	13	14	3	13	5	9	9	6	8
11:00 AM	0	0	0	0	0	0	0	0	0	15	8	18	69	14	13	8	14	11
12:00 PM	0	0	0	0	0	0	0	0	0	15	14	12	232	7	13	15	6	11
1:00 PM	0	0	0	0	0	0	0	0	0	13	6	12	330	19	9	12	13	13
2:00 PM	0	0	0	0	0	0	0	0	0	6	11	17	366	16	14	11	4	8
3:00 PM	0	0	0	0	0	0	0	0	0	10	13	9	259	16	11	11	14	13
4:00 PM	0	0	0	0	0	0	0	0	0	16	10	9	48	8	10	5	16	11
5:00 PM	0	0	0	0	0	0	0	0	0	1	10	12	11	13	11	11	19	15
6:00 PM	0	0	0	0	0	0	0	0	0	7	10	12	4	14	11	9	13	11
7:00 PM	0	0	0	0	0	0	0	0	0	13	3	6	7	6	5	10	12	11
8:00 PM	0	0	0	0	0	0	0	0	0	1	7	8	3	8	8	5	7	6
9:00 PM	0	0	0	0	0	0	0	0	0	3	1	4	7	2	3	6	5	6
10:00 PM	0	0	0	0	0	0	0	0	0	2	2	3	5	4	3	6	2	4
11:00 PM	0	0	0	0	0	0	0	0	0	1	1	3	1	3	2	6	1	4

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	10	11	21	54	123	239	276	183	69	13	3	1	0	0	1,003
Percent	SB	1%	1%	2%	5%	12%	24%	28%	18%	7%	1%	0%	0%	0%	0%	0%
Average Percent		0%	1%	1%	3%	6%	12%	14%	9%	3%	1%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	23	447	238	4	60	28	0	30	164	3	1	0	0	5	1,003
Percent	SB	2%	45%	24%	0%	6%	3%	0%	3%	16%	0%	0%	0%	0%	0%	0%
Average Percent		1%	22%	12%	0%	3%	1%	0%	1%	8%	0%	0%	0%	0%	0%	0%





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694215
 Location: I-95 SB Exit Ramp to Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	0	0	3	0	3
1:00 AM	0	1	0	3	1	3
2:00 AM	0	1	0	4	1	4
3:00 AM	0	4	0	0	4	0
4:00 AM	0	3	0	2	3	2
5:00 AM	0	4	0	1	4	1
6:00 AM	0	5	0	5	5	5
7:00 AM	0	10	0	6	10	6
8:00 AM	0	10	0	7	10	7
9:00 AM	0	13	0	6	13	6
10:00 AM	0	9	0	8	9	8
11:00 AM	0	13	0	11	13	11
12:00 PM	0	13	0	11	13	11
1:00 PM	0	9	0	13	9	13
2:00 PM	0	14	0	8	14	8
3:00 PM	0	11	0	13	11	13
4:00 PM	0	10	0	11	10	11
5:00 PM	0	11	0	15	11	15
6:00 PM	0	11	0	11	11	11
7:00 PM	0	5	0	11	5	11
8:00 PM	0	8	0	6	8	6
9:00 PM	0	3	0	6	3	6
10:00 PM	0	3	0	4	3	4
11:00 PM	0	2	0	4	1	4
TOTAL	0	168	0	164	167	164



		FHWA CLASSES					TOTAL
		PV	DUALS	TTST	TWINS	UNDEFINED	
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	
SB	Total	708	92	197	1	5	1,521
	Percent	47%	6%	13%	0%	0%	

NOTE
 3/3/3022 Traffic volumes not included in the counts due to SCDOT maintenance project on I-95. I-95 reduced to one lane in each direction. Speed information removed as well.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	560
WEEKEND ADT:	975

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694216
 Location: I-95 NB Exit Ramp to Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	5	12	3	4	7	6	6	8	7	0	0	0	0	0	0	0	0	0
1:00 AM	2	6	0	2	3	3	2	3	3	0	0	0	0	0	0	0	0	0
2:00 AM	6	8	6	5	5	6	9	4	7	0	0	0	0	0	0	0	0	0
3:00 AM	10	5	8	5	4	6	6	6	6	0	0	0	0	0	0	0	0	0
4:00 AM	10	9	8	13	13	10	5	6	6	0	0	0	0	0	0	0	0	0
5:00 AM	22	10	21	25	20	19	15	9	12	0	0	0	0	0	0	0	0	0
6:00 AM	19	22	24	19	21	22	19	17	18	0	0	0	0	0	0	0	0	0
7:00 AM	19	24	23	29	42	25	21	15	18	0	0	0	0	0	0	0	0	0
8:00 AM	35	29	36	33	37	33	44	38	41	0	0	0	0	0	0	0	0	0
9:00 AM	40	38	27	30	46	32	52	35	44	0	0	0	0	0	0	0	0	0
10:00 AM	43	34	26	22	43	27	43	41	42	0	0	0	0	0	0	0	0	0
11:00 AM	35	32	38	27	46	32	34	44	39	0	0	0	0	0	0	0	0	0
12:00 PM	42	37	41	23	56	34	53	45	49	0	0	0	0	0	0	0	0	0
1:00 PM	56	40	36	35	65	37	54	40	47	0	0	0	0	0	0	0	0	0
2:00 PM	53	30	41	36	61	36	52	47	50	0	0	0	0	0	0	0	0	0
3:00 PM	59	49	66	57	64	57	43	79	61	0	0	0	0	0	0	0	0	0
4:00 PM	58	41	54	37	71	44	51	546	299	0	0	0	0	0	0	0	0	0
5:00 PM	28	59	31	39	51	43	37	242	140	0	0	0	0	0	0	0	0	0
6:00 PM	32	33	17	25	32	25	17	28	23	0	0	0	0	0	0	0	0	0
7:00 PM	17	37	12	15	29	21	18	18	18	0	0	0	0	0	0	0	0	0
8:00 PM	7	17	14	20	17	17	18	15	17	0	0	0	0	0	0	0	0	0
9:00 PM	10	15	6	13	22	11	14	14	14	0	0	0	0	0	0	0	0	0
10:00 PM	13	8	6	10	24	8	10	11	11	0	0	0	0	0	0	0	0	0
11:00 PM	0	6	4	7	10	6	8	7	8	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	93	33	33	40	56	71	187	413	788	1,258	1,196	618	203	39		5,028
Percent		2%	1%	1%	1%	1%	1%	4%	8%	16%	25%	24%	12%	4%	1%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		1%	0%	0%	0%	1%	1%	2%	4%	8%	12%	12%	6%	2%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	23	2,993	1,054	65	255	40	5	161	362	5	4	1	2	74		5,044
Percent		0%	59%	21%	1%	5%	1%	0%	3%	7%	0%	0%	0%	0%	1%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	30%	10%	1%	3%	0%	0%	2%	4%	0%	0%	0%	0%	1%		





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694216
 Location: I-95 NB Exit Ramp to Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	6	0	7	0	6	7
1:00 AM	3	0	3	0	3	3
2:00 AM	6	0	7	0	6	7
3:00 AM	6	0	6	0	6	6
4:00 AM	10	0	6	0	10	6
5:00 AM	19	0	12	0	19	12
6:00 AM	22	0	18	0	22	18
7:00 AM	25	0	18	0	25	18
8:00 AM	33	0	41	0	33	41
9:00 AM	32	0	44	0	32	44
10:00 AM	27	0	42	0	27	42
11:00 AM	32	0	39	0	32	39
12:00 PM	34	0	49	0	34	49
1:00 PM	37	0	47	0	37	47
2:00 PM	36	0	50	0	36	50
3:00 PM	57	0	61	0	57	61
4:00 PM	44	0	299	0	44	299
5:00 PM	43	0	140	0	43	140
6:00 PM	25	0	23	0	25	23
7:00 PM	21	0	18	0	21	18
8:00 PM	17	0	17	0	17	17
9:00 PM	11	0	14	0	11	14
10:00 PM	8	0	11	0	8	11
11:00 PM	6	0	8	0	3	8
TOTAL	560	0	975	0	557	975



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	4,070	365	528	7	74	5,044
	Percent	81%	7%	10%	0%	1%	
SB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	

NOTE						



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	312
WEEKEND ADT:	311

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694217
 Location: I-95 NB On Ramp from Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	6	3	2	3	5	3	2	2	2	0	0	0	0	0	0	0	0	0
1:00 AM	2	2	1	1	0	1	0	3	2	0	0	0	0	0	0	0	0	0
2:00 AM	2	1	3	6	2	3	4	0	2	0	0	0	0	0	0	0	0	0
3:00 AM	7	5	5	7	1	6	3	1	2	0	0	0	0	0	0	0	0	0
4:00 AM	7	3	5	5	3	4	3	4	4	0	0	0	0	0	0	0	0	0
5:00 AM	7	3	10	11	10	8	4	4	4	0	0	0	0	0	0	0	0	0
6:00 AM	9	11	14	15	11	13	9	7	8	0	0	0	0	0	0	0	0	0
7:00 AM	15	20	16	16	28	17	11	10	11	0	0	0	0	0	0	0	0	0
8:00 AM	11	15	19	20	16	18	16	20	18	0	0	0	0	0	0	0	0	0
9:00 AM	15	22	22	22	15	22	15	19	17	0	0	0	0	0	0	0	0	0
10:00 AM	16	17	14	31	24	21	22	23	23	0	0	0	0	0	0	0	0	0
11:00 AM	14	18	18	17	23	18	13	18	16	0	0	0	0	0	0	0	0	0
12:00 PM	15	19	21	22	24	21	24	29	27	0	0	0	0	0	0	0	0	0
1:00 PM	29	16	21	42	26	26	21	17	19	0	0	0	0	0	0	0	0	0
2:00 PM	25	19	8	40	26	22	22	18	20	0	0	0	0	0	0	0	0	0
3:00 PM	20	15	36	25	28	25	27	35	31	0	0	0	0	0	0	0	0	0
4:00 PM	16	28	25	32	19	28	24	42	33	0	0	0	0	0	0	0	0	0
5:00 PM	14	22	16	16	22	18	20	29	25	0	0	0	0	0	0	0	0	0
6:00 PM	15	14	16	13	11	14	10	17	14	0	0	0	0	0	0	0	0	0
7:00 PM	13	10	7	7	7	8	7	19	13	0	0	0	0	0	0	0	0	0
8:00 PM	5	7	8	5	5	7	6	9	8	0	0	0	0	0	0	0	0	0
9:00 PM	3	3	3	1	3	2	2	5	4	0	0	0	0	0	0	0	0	0
10:00 PM	3	5	1	4	7	3	4	7	6	0	0	0	0	0	0	0	0	0
11:00 PM	0	3	2	2	3	2	4	10	7	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	61	19	61	172	287	623	647	233	38	5	0	0	0	0		2,146
Percent	NB	3%	1%	3%	8%	13%	29%	30%	11%	2%	0%	0%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		1%	0%	1%	4%	7%	15%	15%	5%	1%	0%	0%	0%	0%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	33	1,462	449	25	123	46	0	75	222	4	1	0	1	44		2,485
Percent	NB	1%	59%	18%	1%	5%	2%	0%	3%	9%	0%	0%	0%	0%	2%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		1%	29%	9%	1%	2%	1%	0%	2%	4%	0%	0%	0%	0%	1%		





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694217
 Location: I-95 NB On Ramp from Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	3	0	2	0	3	2
1:00 AM	1	0	2	0	1	2
2:00 AM	3	0	2	0	3	2
3:00 AM	6	0	2	0	6	2
4:00 AM	4	0	4	0	4	4
5:00 AM	8	0	4	0	8	4
6:00 AM	13	0	8	0	13	8
7:00 AM	17	0	11	0	17	11
8:00 AM	18	0	18	0	18	18
9:00 AM	22	0	17	0	22	17
10:00 AM	21	0	23	0	21	23
11:00 AM	18	0	16	0	18	16
12:00 PM	21	0	27	0	21	27
1:00 PM	26	0	19	0	26	19
2:00 PM	22	0	20	0	22	20
3:00 PM	25	0	31	0	25	31
4:00 PM	28	0	33	0	28	33
5:00 PM	18	0	25	0	18	25
6:00 PM	14	0	14	0	14	14
7:00 PM	8	0	13	0	8	13
8:00 PM	7	0	8	0	7	8
9:00 PM	2	0	4	0	2	4
10:00 PM	3	0	6	0	3	6
11:00 PM	2	0	7	0	1	7
TOTAL	312	0	311	0	311	311



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	1,944	194	301	2	44	2,485
	Percent	78%	8%	12%	0%	2%	
SB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	

NOTE



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	427
WEEKEND ADT:	442

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694218
 Location: I-95 SB On Ramp from Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	3	3	3	2	7	3	8	2	5
1:00 AM	0	0	0	0	0	0	0	0	0	1	3	2	0	4	3	4	6	5
2:00 AM	0	0	0	0	0	0	0	0	0	2	4	4	2	3	4	3	5	4
3:00 AM	0	0	0	0	0	0	0	0	0	1	7	5	8	9	6	3	2	3
4:00 AM	0	0	0	0	0	0	0	0	0	13	18	17	16	8	18	8	2	5
5:00 AM	0	0	0	0	0	0	0	0	0	17	29	28	26	25	29	10	4	7
6:00 AM	0	0	0	0	0	0	0	0	0	33	35	39	42	42	37	12	6	9
7:00 AM	0	0	0	0	0	0	0	0	0	34	39	28	32	37	34	13	9	11
8:00 AM	0	0	0	0	0	0	0	0	0	29	18	24	32	36	21	24	12	18
9:00 AM	0	0	0	0	0	0	0	0	0	31	24	26	38	36	25	30	15	23
10:00 AM	0	0	0	0	0	0	0	0	0	29	22	18	26	31	20	29	18	24
11:00 AM	0	0	0	0	0	0	0	0	0	29	26	31	27	28	29	33	23	28
12:00 PM	0	0	0	0	0	0	0	0	0	20	27	14	26	32	21	34	15	25
1:00 PM	0	0	0	0	0	0	0	0	0	17	23	25	31	47	24	24	23	24
2:00 PM	0	0	0	0	0	0	0	0	0	30	28	21	40	34	25	23	30	27
3:00 PM	0	0	0	0	0	0	0	0	0	25	24	22	50	25	23	26	35	31
4:00 PM	0	0	0	0	0	0	0	0	0	39	20	26	30	30	23	25	24	25
5:00 PM	0	0	0	0	0	0	0	0	0	22	16	28	20	18	22	18	142	80
6:00 PM	0	0	0	0	0	0	0	0	0	13	17	24	26	20	21	25	29	27
7:00 PM	0	0	0	0	0	0	0	0	0	24	8	14	24	25	11	23	26	25
8:00 PM	0	0	0	0	0	0	0	0	0	14	12	7	12	15	10	12	13	13
9:00 PM	0	0	0	0	0	0	0	0	0	8	15	10	15	10	13	17	7	12
10:00 PM	0	0	0	0	0	0	0	0	0	9	6	10	9	10	8	11	10	11
11:00 PM	0	0	0	0	0	0	0	0	0	6	2	2	5	8	2	8	3	6

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	32	37	150	505	1,073	762	154	11	2	0	0	0	0	0	2,726
Percent	SB	1%	1%	6%	19%	39%	28%	6%	0%	0%	0%	0%	0%	0%	0%	0%
Average Percent		1%	1%	3%	9%	20%	14%	3%	0%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	14	1,567	569	28	110	46	5	70	288	4	4	1	2	18	2,726
Percent	SB	1%	57%	21%	1%	4%	2%	0%	3%	11%	0%	0%	0%	0%	1%	0%
Average Percent		0%	29%	10%	1%	2%	1%	0%	1%	5%	0%	0%	0%	0%	0%	0%





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694218
 Location: I-95 SB On Ramp from Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	3	0	5	3	5
1:00 AM	0	3	0	5	3	5
2:00 AM	0	4	0	4	4	4
3:00 AM	0	6	0	3	6	3
4:00 AM	0	18	0	5	18	5
5:00 AM	0	29	0	7	29	7
6:00 AM	0	37	0	9	37	9
7:00 AM	0	34	0	11	34	11
8:00 AM	0	21	0	18	21	18
9:00 AM	0	25	0	23	25	23
10:00 AM	0	20	0	24	20	24
11:00 AM	0	29	0	28	29	28
12:00 PM	0	21	0	25	21	25
1:00 PM	0	24	0	24	24	24
2:00 PM	0	25	0	27	25	27
3:00 PM	0	23	0	31	23	31
4:00 PM	0	23	0	25	23	25
5:00 PM	0	22	0	80	22	80
6:00 PM	0	21	0	27	21	27
7:00 PM	0	11	0	25	11	25
8:00 PM	0	10	0	13	10	13
9:00 PM	0	13	0	12	13	12
10:00 PM	0	8	0	11	8	11
11:00 PM	0	2	0	6	1	6
TOTAL	0	427	0	442	426	442



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	0
SB	Total	2,150	189	362	7	18	3,265
	Percent	66%	6%	11%	0%	1%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	169
WEEKEND ADT:	169

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694219
 Location: I-95 SB Exit Ramp to I-26 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	2	3	3	2	2	3	7	0	4
1:00 AM	0	0	0	0	0	0	0	0	0	2	2	1	1	1	1	1	2	2
2:00 AM	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	1	2	2
3:00 AM	0	0	0	0	0	0	0	0	0	1	3	4	2	1	3	2	2	2
4:00 AM	0	0	0	0	0	0	0	0	0	3	2	2	2	3	2	4	3	4
5:00 AM	0	0	0	0	0	0	0	0	0	8	6	8	5	3	6	2	0	1
6:00 AM	0	0	0	0	0	0	0	0	0	8	3	5	5	2	4	2	3	3
7:00 AM	0	0	0	0	0	0	0	0	0	4	6	4	10	4	7	3	4	4
8:00 AM	0	0	0	0	0	0	0	0	0	3	2	10	9	10	7	11	4	8
9:00 AM	0	0	0	0	0	0	0	0	0	12	7	10	14	14	10	9	8	9
10:00 AM	0	0	0	0	0	0	0	0	0	1	11	10	10	17	10	12	7	10
11:00 AM	0	0	0	0	0	0	0	0	0	13	12	12	17	17	14	13	11	12
12:00 PM	0	0	0	0	0	0	0	0	0	10	5	9	23	7	12	18	3	11
1:00 PM	0	0	0	0	0	0	0	0	0	4	12	12	25	17	16	8	13	11
2:00 PM	0	0	0	0	0	0	0	0	0	26	14	9	13	9	12	11	14	13
3:00 PM	0	0	0	0	0	0	0	0	0	14	14	4	24	14	14	17	15	16
4:00 PM	0	0	0	0	0	0	0	0	0	19	6	10	11	10	9	9	17	13
5:00 PM	0	0	0	0	0	0	0	0	0	9	6	6	9	11	7	10	13	12
6:00 PM	0	0	0	0	0	0	0	0	0	9	6	6	11	6	8	6	12	9
7:00 PM	0	0	0	0	0	0	0	0	0	13	6	7	9	8	7	15	4	10
8:00 PM	0	0	0	0	0	0	0	0	0	7	6	3	4	9	4	7	7	7
9:00 PM	0	0	0	0	0	0	0	0	0	5	3	2	1	1	2	6	3	5
10:00 PM	0	0	0	0	0	0	0	0	0	5	5	7	5	3	6	7	4	6
11:00 PM	0	0	0	0	0	0	0	0	0	1	0	2	7	3	3	3	2	3

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	12	3	2	0	0	9	23	51	118	212	270	183	73	14	970
Percent	SB	1%	0%	0%	0%	0%	1%	2%	5%	12%	22%	28%	19%	7%	1%	
Average Percent		1%	0%	0%	0%	0%	0%	1%	3%	6%	11%	14%	9%	4%	1%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	13	632	189	28	49	15	1	38	212	2	2	0	1	13	1,195
Percent	SB	1%	53%	16%	2%	4%	1%	0%	3%	18%	0%	0%	0%	0%	1%	
Average Percent		1%	26%	8%	1%	2%	1%	0%	2%	9%	0%	0%	0%	0%	1%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694219
 Location: I-95 SB Exit Ramp to I-26 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	3	0	4	3	4
1:00 AM	0	1	0	2	1	2
2:00 AM	0	0	0	2	0	2
3:00 AM	0	3	0	2	3	2
4:00 AM	0	2	0	4	2	4
5:00 AM	0	6	0	1	6	1
6:00 AM	0	4	0	3	4	3
7:00 AM	0	7	0	4	7	4
8:00 AM	0	7	0	8	7	8
9:00 AM	0	10	0	9	10	9
10:00 AM	0	10	0	10	10	10
11:00 AM	0	14	0	12	14	12
12:00 PM	0	12	0	11	12	11
1:00 PM	0	16	0	11	16	11
2:00 PM	0	12	0	13	12	13
3:00 PM	0	14	0	16	14	16
4:00 PM	0	9	0	13	9	13
5:00 PM	0	7	0	12	7	12
6:00 PM	0	8	0	9	8	9
7:00 PM	0	7	0	10	7	10
8:00 PM	0	4	0	7	4	7
9:00 PM	0	2	0	5	2	5
10:00 PM	0	6	0	6	6	6
11:00 PM	0	3	0	3	2	3
TOTAL	0	169	0	169	167	169



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	0
SB	Total	834	93	252	3	13	1,195
	Percent	70%	8%	21%	0%	1%	

NOTE						



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	915
WEEKEND ADT:	828

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694220
 Location: I-95 NB Exit Ramp to I-26 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	14	7	10	9	12	9	13	14	14	0	0	0	0	0	0	0	0	0
1:00 AM	4	5	8	2	9	5	9	9	9	0	0	0	0	0	0	0	0	0
2:00 AM	7	5	12	9	5	9	5	9	7	0	0	0	0	0	0	0	0	0
3:00 AM	20	8	24	21	13	18	13	6	10	0	0	0	0	0	0	0	0	0
4:00 AM	35	19	47	47	55	38	20	12	16	0	0	0	0	0	0	0	0	0
5:00 AM	92	49	78	77	68	68	23	13	18	0	0	0	0	0	0	0	0	0
6:00 AM	70	72	41	65	67	59	27	14	21	0	0	0	0	0	0	0	0	0
7:00 AM	55	67	62	45	59	58	30	15	23	0	0	0	0	0	0	0	0	0
8:00 AM	54	57	36	49	57	47	42	33	38	0	0	0	0	0	0	0	0	0
9:00 AM	57	73	68	41	69	61	47	46	47	0	0	0	0	0	0	0	0	0
10:00 AM	44	66	68	24	72	53	51	51	51	0	0	0	0	0	0	0	0	0
11:00 AM	61	65	67	16	65	49	48	50	49	0	0	0	0	0	0	0	0	0
12:00 PM	75	63	73	17	79	51	47	64	56	0	0	0	0	0	0	0	0	0
1:00 PM	88	61	54	26	76	47	62	56	59	0	0	0	0	0	0	0	0	0
2:00 PM	77	83	75	22	78	60	67	57	62	0	0	0	0	0	0	0	0	0
3:00 PM	69	65	55	29	92	50	81	74	78	0	0	0	0	0	0	0	0	0
4:00 PM	67	62	70	24	97	52	52	66	59	0	0	0	0	0	0	0	0	0
5:00 PM	13	65	52	31	66	49	62	48	55	0	0	0	0	0	0	0	0	0
6:00 PM	17	53	32	14	57	33	68	20	44	0	0	0	0	0	0	0	0	0
7:00 PM	14	35	23	22	37	27	43	6	25	0	0	0	0	0	0	0	0	0
8:00 PM	18	29	24	29	44	27	33	18	26	0	0	0	0	0	0	0	0	0
9:00 PM	10	18	15	10	21	14	26	23	25	0	0	0	0	0	0	0	0	0
10:00 PM	11	20	20	17	24	19	22	30	26	0	0	0	0	0	0	0	0	0
11:00 PM	0	14	10	13	6	12	11	19	15	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	36	1	5	2	11	24	86	288	651	1,288	1,560	1,184	585	179	5,900
Percent	NB	1%	0%	0%	0%	0%	0%	1%	5%	11%	22%	26%	20%	10%	3%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0
Average Percent		0%	0%	0%	0%	0%	0%	1%	2%	5%	11%	13%	10%	5%	2%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	33	2,690	1,283	124	475	74	1	193	996	16	17	5	4	46	5,957
Percent	NB	1%	45%	22%	2%	8%	1%	0%	3%	17%	0%	0%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0
Average Percent		0%	23%	11%	1%	4%	1%	0%	2%	8%	0%	0%	0%	0%	0%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694220
 Location: I-95 NB Exit Ramp to I-26 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	9	0	14	0	9	14
1:00 AM	5	0	9	0	5	9
2:00 AM	9	0	7	0	9	7
3:00 AM	18	0	10	0	18	10
4:00 AM	38	0	16	0	38	16
5:00 AM	68	0	18	0	68	18
6:00 AM	59	0	21	0	59	21
7:00 AM	58	0	23	0	58	23
8:00 AM	47	0	38	0	47	38
9:00 AM	61	0	47	0	61	47
10:00 AM	53	0	51	0	53	51
11:00 AM	49	0	49	0	49	49
12:00 PM	51	0	56	0	51	56
1:00 PM	47	0	59	0	47	59
2:00 PM	60	0	62	0	60	62
3:00 PM	50	0	78	0	50	78
4:00 PM	52	0	59	0	52	59
5:00 PM	49	0	55	0	49	55
6:00 PM	33	0	44	0	33	44
7:00 PM	27	0	25	0	27	25
8:00 PM	27	0	26	0	27	26
9:00 PM	14	0	25	0	14	25
10:00 PM	19	0	26	0	19	26
11:00 PM	12	0	15	0	6	15
TOTAL	915	0	828	0	909	828



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	4,006	674	1,205	26	46	6,613
	Percent	61%	10%	18%	0%	1%	
SB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	4591
WEEKEND ADT:	4776

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694221
 Location: I-95 SB Exit Ramp to I-26 SB - SB Speed
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	71	33	34	47	63	34	61	31	46
1:00 AM	0	0	0	0	0	0	0	0	0	32	49	36	34	42	43	40	39	40
2:00 AM	0	0	0	0	0	0	0	0	0	45	38	40	53	54	39	37	13	25
3:00 AM	0	0	0	0	0	0	0	0	0	38	72	81	60	61	77	43	17	30
4:00 AM	0	0	0	0	0	0	0	0	0	62	146	152	171	123	149	66	40	53
5:00 AM	0	0	0	0	0	0	0	0	0	125	266	229	243	231	248	95	54	75
6:00 AM	0	0	0	0	0	0	0	0	0	230	277	288	292	290	283	108	66	87
7:00 AM	0	0	0	0	0	0	0	0	0	320	237	245	231	235	241	132	66	99
8:00 AM	0	0	0	0	0	0	0	0	0	273	246	294	279	273	270	183	123	153
9:00 AM	0	0	0	0	0	0	0	0	0	271	281	292	244	266	287	262	169	216
10:00 AM	0	0	0	0	0	0	0	0	0	337	245	281	232	319	263	290	208	249
11:00 AM	0	0	0	0	0	0	0	0	0	341	252	264	107	327	258	340	269	305
12:00 PM	0	0	0	0	0	0	0	0	0	329	302	264	101	325	283	328	329	329
1:00 PM	0	0	0	0	0	0	0	0	0	276	275	291	143	350	283	347	355	351
2:00 PM	0	0	0	0	0	0	0	0	0	315	229	294	69	462	262	371	420	396
3:00 PM	0	0	0	0	0	0	0	0	0	326	269	288	214	460	279	392	472	432
4:00 PM	0	0	0	0	0	0	0	0	0	321	318	268	332	464	293	386	437	412
5:00 PM	0	0	0	0	0	0	0	0	0	315	258	265	296	386	262	333	434	384
6:00 PM	0	0	0	0	0	0	0	0	0	264	223	230	225	373	227	269	338	304
7:00 PM	0	0	0	0	0	0	0	0	0	223	140	172	194	343	156	212	280	246
8:00 PM	0	0	0	0	0	0	0	0	0	152	99	140	203	261	120	155	269	212
9:00 PM	0	0	0	0	0	0	0	0	0	116	109	100	143	236	105	115	173	144
10:00 PM	0	0	0	0	0	0	0	0	0	92	78	81	107	148	80	111	123	117
11:00 PM	0	0	0	0	0	0	0	0	0	65	53	57	70	98	55	80	71	76

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	2,141	25	142	1,247	4,437	10,539	9,510	1,730	73	1	0	0	0	0	29,845
Percent	SB	7%	0%	0%	4%	15%	35%	32%	6%	0%	0%	0%	0%	0%	0%	0%
Average Percent		4%	0%	0%	2%	7%	18%	16%	3%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	368	15,645	5,585	563	3,258	108	1	1,890	534	7	41	13	11	1,821	29,845
Percent	SB	1%	52%	19%	2%	11%	0%	0%	6%	2%	0%	0%	0%	0%	6%	0%
Average Percent		1%	26%	9%	1%	5%	0%	0%	3%	1%	0%	0%	0%	0%	3%	0%





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694221
 Location: I-95 SB Exit Ramp to I-26 SB - SB Speed
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	34	0	46	34	46
1:00 AM	0	43	0	40	43	40
2:00 AM	0	39	0	25	39	25
3:00 AM	0	77	0	30	77	30
4:00 AM	0	149	0	53	149	53
5:00 AM	0	248	0	75	248	75
6:00 AM	0	283	0	87	283	87
7:00 AM	0	241	0	99	241	99
8:00 AM	0	270	0	153	270	153
9:00 AM	0	287	0	216	287	216
10:00 AM	0	263	0	249	263	249
11:00 AM	0	258	0	305	258	305
12:00 PM	0	283	0	329	283	329
1:00 PM	0	283	0	351	283	351
2:00 PM	0	262	0	396	262	396
3:00 PM	0	279	0	432	279	432
4:00 PM	0	293	0	412	293	412
5:00 PM	0	262	0	384	262	384
6:00 PM	0	227	0	304	227	304
7:00 PM	0	156	0	246	156	246
8:00 PM	0	120	0	212	120	212
9:00 PM	0	105	0	144	105	144
10:00 PM	0	80	0	117	80	117
11:00 PM	0	55	0	76	55	76
TOTAL	0	4591	0	4776	4563	4776



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	
SB	Total	21,598	3,930	2,431	65	1,821	33,935
	Percent	64%	12%	7%	0%	5%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	8442
WEEKEND ADT:	11304

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694222
 Location: I-95 NB Exit Ramp to I-26 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	102	177	116	113	123	135	106	83	95	0	0	0	0	0	0	0	0	0
1:00 AM	101	122	109	110	124	114	115	77	96	0	0	0	0	0	0	0	0	0
2:00 AM	87	113	112	133	139	119	109	82	96	0	0	0	0	0	0	0	0	0
3:00 AM	140	118	158	140	143	139	134	93	114	0	0	0	0	0	0	0	0	0
4:00 AM	181	153	187	201	220	180	150	90	120	0	0	0	0	0	0	0	0	0
5:00 AM	255	166	239	256	264	220	236	150	193	0	0	0	0	0	0	0	0	0
6:00 AM	355	265	345	331	362	314	351	257	304	0	0	0	0	0	0	0	0	0
7:00 AM	492	321	433	422	503	392	477	433	455	0	0	0	0	0	0	0	0	0
8:00 AM	629	473	426	508	567	469	634	635	635	0	0	0	0	0	0	0	0	0
9:00 AM	690	567	528	470	711	522	713	863	788	0	0	0	0	0	0	0	0	0
10:00 AM	451	659	601	445	723	568	862	1,134	998	0	0	0	0	0	0	0	0	0
11:00 AM	674	659	600	357	742	539	776	1,179	978	0	0	0	0	0	0	0	0	0
12:00 PM	1,023	649	610	357	844	539	784	1,137	961	0	0	0	0	0	0	0	0	0
1:00 PM	1,057	721	627	340	819	563	775	998	887	0	0	0	0	0	0	0	0	0
2:00 PM	936	681	607	339	769	542	842	1,110	976	0	0	0	0	0	0	0	0	0
3:00 PM	806	655	548	448	691	550	715	1,069	892	0	0	0	0	0	0	0	0	0
4:00 PM	705	620	488	553	698	554	629	625	627	0	0	0	0	0	0	0	0	0
5:00 PM	343	532	446	417	633	465	518	486	502	0	0	0	0	0	0	0	0	0
6:00 PM	357	447	331	360	547	379	445	403	424	0	0	0	0	0	0	0	0	0
7:00 PM	325	291	289	318	403	299	336	278	307	0	0	0	0	0	0	0	0	0
8:00 PM	335	305	259	282	334	282	253	351	302	0	0	0	0	0	0	0	0	0
9:00 PM	282	240	196	249	251	228	246	317	282	0	0	0	0	0	0	0	0	0
10:00 PM	198	203	141	203	206	182	142	198	170	0	0	0	0	0	0	0	0	0
11:00 PM	0	157	118	165	154	147	87	124	106	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	164	393	2,489	13,584	21,767	18,748	4,725	214	5	0	0	0	0	0	0	62,089
Percent		0%	1%	4%	22%	35%	30%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Average Percent		0%	0%	2%	11%	18%	15%	4%	0%	0%	0%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	185	31,492	8,447	1,247	2,231	578	14	3,277	10,562	754	691	379	660	1,572	62,089
Percent		0%	51%	14%	2%	4%	1%	0%	5%	17%	1%	1%	1%	1%	3%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Average Percent		0%	25%	7%	1%	2%	0%	0%	3%	9%	1%	1%	0%	1%	1%	

Division: N/A

Speed Limit: N/A

Contractor: DAD N ASSOCIATES LLC





County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Advisory Speed: N/A

Count Number: 15694222
 Location: I-95 NB Exit Ramp to I-26 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	135	0	95	0	135	95
1:00 AM	114	0	96	0	114	96
2:00 AM	119	0	96	0	119	96
3:00 AM	139	0	114	0	139	114
4:00 AM	180	0	120	0	180	120
5:00 AM	220	0	193	0	220	193
6:00 AM	314	0	304	0	314	304
7:00 AM	392	0	455	0	392	455
8:00 AM	469	0	635	0	469	635
9:00 AM	522	0	788	0	522	788
10:00 AM	568	0	998	0	568	998
11:00 AM	539	0	978	0	539	978
12:00 PM	539	0	961	0	539	961
1:00 PM	563	0	887	0	563	887
2:00 PM	542	0	976	0	542	976
3:00 PM	550	0	892	0	550	892
4:00 PM	554	0	627	0	554	627
5:00 PM	465	0	502	0	465	502
6:00 PM	379	0	424	0	379	424
7:00 PM	299	0	307	0	299	307
8:00 PM	282	0	302	0	282	302
9:00 PM	228	0	282	0	228	282
10:00 PM	182	0	170	0	182	170
11:00 PM	147	0	106	0	147	106
TOTAL	8442	0	11304	0	8368	11304



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	40,124	4,070	14,593	1,730	1,572	69,559
	Percent	58%	6%	21%	2%	2%	
SB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	4834
WEEKEND ADT:	5026

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694223
 Location: 15694223 - I-26 NB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	31	36	22	32	20	30	25	26	26	0	0	0	0	0	0	0	0	0
1:00 AM	35	30	29	25	23	28	34	19	27	0	0	0	0	0	0	0	0	0
2:00 AM	37	28	42	27	37	32	30	27	29	0	0	0	0	0	0	0	0	0
3:00 AM	73	27	58	65	61	50	36	27	32	0	0	0	0	0	0	0	0	0
4:00 AM	109	63	96	94	107	84	97	52	75	0	0	0	0	0	0	0	0	0
5:00 AM	218	99	169	196	196	155	157	127	142	0	0	0	0	0	0	0	0	0
6:00 AM	278	180	258	228	238	222	220	167	194	0	0	0	0	0	0	0	0	0
7:00 AM	309	258	268	242	297	256	277	261	269	0	0	0	0	0	0	0	0	0
8:00 AM	359	254	267	296	338	272	335	314	325	0	0	0	0	0	0	0	0	0
9:00 AM	349	310	283	319	394	304	334	473	404	0	0	0	0	0	0	0	0	0
10:00 AM	312	268	267	359	383	298	343	408	376	0	0	0	0	0	0	0	0	0
11:00 AM	291	296	305	474	390	358	303	450	377	0	0	0	0	0	0	0	0	0
12:00 PM	283	280	299	434	406	338	268	392	330	0	0	0	0	0	0	0	0	0
1:00 PM	310	282	317	553	452	384	256	444	350	0	0	0	0	0	0	0	0	0
2:00 PM	345	320	376	531	505	409	258	381	320	0	0	0	0	0	0	0	0	0
3:00 PM	355	306	375	501	476	394	238	414	326	0	0	0	0	0	0	0	0	0
4:00 PM	315	364	316	452	446	377	262	642	452	0	0	0	0	0	0	0	0	0
5:00 PM	284	300	228	272	340	267	202	318	260	0	0	0	0	0	0	0	0	0
6:00 PM	262	231	159	191	255	194	152	308	230	0	0	0	0	0	0	0	0	0
7:00 PM	151	147	105	142	164	131	151	284	218	0	0	0	0	0	0	0	0	0
8:00 PM	84	102	74	96	114	91	109	109	109	0	0	0	0	0	0	0	0	0
9:00 PM	53	63	57	50	90	57	87	74	81	0	0	0	0	0	0	0	0	0
10:00 PM	41	76	67	50	89	64	60	32	46	0	0	0	0	0	0	0	0	0
11:00 PM	0	53	31	31	55	38	41	27	34	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	164	1	2	6	27	64	339	1,126	2,842	5,633	8,122	6,944	3,164	983		29,690
Percent	NB	1%	0%	0%	0%	0%	0%	1%	4%	10%	19%	27%	23%	11%	3%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	0%	0%	0%	0%	0%	1%	2%	5%	9%	14%	12%	5%	2%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	55	17,683	5,417	448	2,047	277	7	716	2,734	79	33	34	9	151		29,690
Percent	NB	0%	60%	18%	2%	7%	1%	0%	2%	9%	0%	0%	0%	0%	1%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	30%	9%	1%	3%	0%	0%	1%	5%	0%	0%	0%	0%	0%		





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694223
 Location: 15694223 - I-26 NB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	30	0	26	0	30	26
1:00 AM	28	0	27	0	28	27
2:00 AM	32	0	29	0	32	29
3:00 AM	50	0	32	0	50	32
4:00 AM	84	0	75	0	84	75
5:00 AM	155	0	142	0	155	142
6:00 AM	222	0	194	0	222	194
7:00 AM	256	0	269	0	256	269
8:00 AM	272	0	325	0	272	325
9:00 AM	304	0	404	0	304	404
10:00 AM	298	0	376	0	298	376
11:00 AM	358	0	377	0	358	377
12:00 PM	338	0	330	0	338	330
1:00 PM	384	0	350	0	384	350
2:00 PM	409	0	320	0	409	320
3:00 PM	394	0	326	0	394	326
4:00 PM	377	0	452	0	377	452
5:00 PM	267	0	260	0	267	260
6:00 PM	194	0	230	0	194	230
7:00 PM	131	0	218	0	131	218
8:00 PM	91	0	109	0	91	109
9:00 PM	57	0	81	0	57	81
10:00 PM	64	0	46	0	64	46
11:00 PM	38	0	34	0	38	34
TOTAL	4834	0	5026	0	4815	5026



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	23,155	2,779	3,529	76	151	35,350
	Percent	66%	8%	10%	0%	0%	
SB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1047
WEEKEND ADT:	1002

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694223
 Location: I-26 NB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	7	8	7	12	11	9	10	11	11	0	0	0	0	0	0	0	0	0
1:00 AM	14	8	9	7	13	8	6	9	8	0	0	0	0	0	0	0	0	0
2:00 AM	9	11	7	9	11	9	16	9	13	0	0	0	0	0	0	0	0	0
3:00 AM	23	14	13	17	21	15	16	9	13	0	0	0	0	0	0	0	0	0
4:00 AM	25	14	19	20	20	18	22	10	16	0	0	0	0	0	0	0	0	0
5:00 AM	49	16	36	34	33	29	29	32	31	0	0	0	0	0	0	0	0	0
6:00 AM	72	36	50	56	69	47	55	31	43	0	0	0	0	0	0	0	0	0
7:00 AM	74	57	59	60	81	59	55	50	53	0	0	0	0	0	0	0	0	0
8:00 AM	104	69	67	73	91	70	67	69	68	0	0	0	0	0	0	0	0	0
9:00 AM	87	50	67	55	104	57	76	69	73	0	0	0	0	0	0	0	0	0
10:00 AM	63	66	65	64	106	65	93	65	79	0	0	0	0	0	0	0	0	0
11:00 AM	76	55	52	84	96	64	100	75	88	0	0	0	0	0	0	0	0	0
12:00 PM	93	48	65	55	99	56	51	70	61	0	0	0	0	0	0	0	0	0
1:00 PM	55	69	65	79	100	71	50	69	60	0	0	0	0	0	0	0	0	0
2:00 PM	60	58	64	136	90	86	61	100	81	0	0	0	0	0	0	0	0	0
3:00 PM	75	67	66	97	100	77	42	81	62	0	0	0	0	0	0	0	0	0
4:00 PM	63	70	84	112	96	89	53	59	56	0	0	0	0	0	0	0	0	0
5:00 PM	59	79	67	60	82	69	50	47	49	0	0	0	0	0	0	0	0	0
6:00 PM	42	55	40	48	58	48	40	33	37	0	0	0	0	0	0	0	0	0
7:00 PM	31	30	30	20	41	27	31	36	34	0	0	0	0	0	0	0	0	0
8:00 PM	17	30	22	36	34	29	28	23	26	0	0	0	0	0	0	0	0	0
9:00 PM	18	16	16	36	32	23	21	18	20	0	0	0	0	0	0	0	0	0
10:00 PM	10	13	7	23	15	14	24	13	19	0	0	0	0	0	0	0	0	0
11:00 PM	0	11	11	10	5	11	13	7	10	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	24	13	181	1,120	2,633	2,290	220	5	0	0	0	0	0	0		6,486
Percent	NB	0%	0%	3%	17%	41%	35%	3%	0%	0%	0%	0%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	0%	1%	9%	20%	18%	2%	0%	0%	0%	0%	0%	0%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	23	3,740	1,193	115	281	95	3	184	775	19	18	7	13	20		6,486
Percent	NB	0%	58%	18%	2%	4%	1%	0%	3%	12%	0%	0%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	29%	9%	1%	2%	1%	0%	1%	6%	0%	0%	0%	0%	0%		





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694223
 Location: I-26 NB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	9	0	11	0	9	11
1:00 AM	8	0	8	0	8	8
2:00 AM	9	0	13	0	9	13
3:00 AM	15	0	13	0	15	13
4:00 AM	18	0	16	0	18	16
5:00 AM	29	0	31	0	29	31
6:00 AM	47	0	43	0	47	43
7:00 AM	59	0	53	0	59	53
8:00 AM	70	0	68	0	70	68
9:00 AM	57	0	73	0	57	73
10:00 AM	65	0	79	0	65	79
11:00 AM	64	0	88	0	64	88
12:00 PM	56	0	61	0	56	61
1:00 PM	71	0	60	0	71	60
2:00 PM	86	0	81	0	86	81
3:00 PM	77	0	62	0	77	62
4:00 PM	89	0	56	0	89	56
5:00 PM	69	0	49	0	69	49
6:00 PM	48	0	37	0	48	37
7:00 PM	27	0	34	0	27	34
8:00 PM	29	0	26	0	29	26
9:00 PM	23	0	20	0	23	20
10:00 PM	14	0	19	0	14	19
11:00 PM	11	0	10	0	11	10
TOTAL	1047	0	1002	0	1042	1002



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	4,956	494	978	38	20	7,690
	Percent	64%	6%	13%	0%	0%	
SB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	235
WEEKEND ADT:	307

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694225
 Location: I-26 SB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	1	2	3	1	3	2	3	8	6
1:00 AM	0	0	0	0	0	0	0	0	0	2	4	2	1	3	2	3	7	5
2:00 AM	0	0	0	0	0	0	0	0	0	5	1	0	5	2	2	3	3	3
3:00 AM	0	0	0	0	0	0	0	0	0	3	4	2	3	5	3	6	5	6
4:00 AM	0	0	0	0	0	0	0	0	0	4	3	1	2	6	2	5	3	4
5:00 AM	0	0	0	0	0	0	0	0	0	3	3	3	5	6	4	6	5	6
6:00 AM	0	0	0	0	0	0	0	0	0	5	5	7	7	2	6	6	10	8
7:00 AM	0	0	0	0	0	0	0	0	0	8	8	6	12	11	9	11	9	10
8:00 AM	0	0	0	0	0	0	0	0	0	17	9	8	22	11	13	15	14	15
9:00 AM	0	0	0	0	0	0	0	0	0	15	17	17	19	25	18	24	24	24
10:00 AM	0	0	0	0	0	0	0	0	0	20	16	13	11	31	13	25	19	22
11:00 AM	0	0	0	0	0	0	0	0	0	21	13	14	17	32	15	33	20	27
12:00 PM	0	0	0	0	0	0	0	0	0	25	13	14	18	26	15	38	21	30
1:00 PM	0	0	0	0	0	0	0	0	0	23	15	12	16	25	14	12	27	20
2:00 PM	0	0	0	0	0	0	0	0	0	22	10	19	19	37	16	18	27	23
3:00 PM	0	0	0	0	0	0	0	0	0	17	23	20	10	27	18	16	21	19
4:00 PM	0	0	0	0	0	0	0	0	0	20	12	11	13	21	12	13	12	13
5:00 PM	0	0	0	0	0	0	0	0	0	16	19	20	22	18	20	16	20	18
6:00 PM	0	0	0	0	0	0	0	0	0	8	13	13	12	19	13	8	24	16
7:00 PM	0	0	0	0	0	0	0	0	0	12	6	11	16	16	11	11	13	12
8:00 PM	0	0	0	0	0	0	0	0	0	14	2	10	10	10	7	7	9	8
9:00 PM	0	0	0	0	0	0	0	0	0	11	2	9	12	8	8	10	6	8
10:00 PM	0	0	0	0	0	0	0	0	0	3	3	2	18	14	8	5	6	6
11:00 PM	0	0	0	0	0	0	0	0	0	7	2	2	11	4	5	5	1	3

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	15	1	27	242	666	816	185	10	1	0	0	0	0	0	1,963
Percent	SB	1%	0%	1%	12%	34%	42%	9%	1%	0%	0%	0%	0%	0%	0%	0%
Average Percent		0%	0%	1%	6%	17%	21%	5%	0%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	6	1,249	352	29	68	17	1	58	162	3	1	0	2	15	1,963
Percent	SB	0%	64%	18%	1%	3%	1%	0%	3%	8%	0%	0%	0%	0%	1%	0%
Average Percent		0%	32%	9%	1%	2%	0%	0%	1%	4%	0%	0%	0%	0%	0%	0%





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694225
 Location: I-26 SB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	2	0	6	2	6
1:00 AM	0	2	0	5	2	5
2:00 AM	0	2	0	3	2	3
3:00 AM	0	3	0	6	3	6
4:00 AM	0	2	0	4	2	4
5:00 AM	0	4	0	6	4	6
6:00 AM	0	6	0	8	6	8
7:00 AM	0	9	0	10	9	10
8:00 AM	0	13	0	15	13	15
9:00 AM	0	18	0	24	18	24
10:00 AM	0	13	0	22	13	22
11:00 AM	0	15	0	27	15	27
12:00 PM	0	15	0	30	15	30
1:00 PM	0	14	0	20	14	20
2:00 PM	0	16	0	23	16	23
3:00 PM	0	18	0	19	18	19
4:00 PM	0	12	0	13	12	13
5:00 PM	0	20	0	18	20	18
6:00 PM	0	13	0	16	13	16
7:00 PM	0	11	0	12	11	12
8:00 PM	0	7	0	8	7	8
9:00 PM	0	8	0	8	8	8
10:00 PM	0	8	0	6	8	6
11:00 PM	0	5	0	3	3	3
TOTAL	0	235	0	307	233	307



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	0
SB	Total	1,607	115	223	3	15	1,963
	Percent	82%	6%	11%	0%	1%	

NOTE						



Speed and Class Data Summary - 168 Hours (15-min increments)

Division: N/A
 County: Orangeburg
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A


WEEKDAY ADT:	9670
WEEKEND ADT:	16081

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694226
 Location: I-26 SB Exit Ramp to I-95 SB
 RR Crossing No: N/A

Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	147	140	141	143	161	141	253	200	207
1:00 AM	0	0	0	0	0	0	0	0	0	129	96	110	128	148	111	237	106	193
2:00 AM	0	0	0	0	0	0	0	0	0	80	97	123	105	151	108	166	80	159
3:00 AM	0	0	0	0	0	0	0	0	0	94	86	114	126	160	109	225	96	193
4:00 AM	0	0	0	0	0	0	0	0	0	149	128	122	141	192	130	202	93	197
5:00 AM	0	0	0	0	0	0	0	0	0	220	169	184	212	253	188	249	113	251
6:00 AM	0	0	0	0	0	0	0	0	0	273	224	251	261	298	245	303	189	301
7:00 AM	0	0	0	0	0	0	0	0	0	268	284	348	384	429	339	418	275	424
8:00 AM	0	0	0	0	0	0	0	0	0	280	371	419	402	624	397	685	454	655
9:00 AM	0	0	0	0	0	0	0	0	0	448	454	544	579	787	526	985	619	886
10:00 AM	0	0	0	0	0	0	0	0	0	684	480	565	659	957	568	1,316	1,038	1137
11:00 AM	0	0	0	0	0	0	0	0	0	870	561	680	861	1,113	701	1,304	1,159	1209
12:00 PM	0	0	0	0	0	0	0	0	0	819	627	706	878	1,200	737	1,447	1,224	1324
1:00 PM	0	0	0	0	0	0	0	0	0	741	678	687	940	1,274	768	1,369	1,143	1322
2:00 PM	0	0	0	0	0	0	0	0	0	772	644	594	901	1,157	713	1,323	1,242	1240
3:00 PM	0	0	0	0	0	0	0	0	0	771	605	713	878	1,184	732	1,440	1,137	1312
4:00 PM	0	0	0	0	0	0	0	0	0	556	564	599	826	942	663	1,132	959	1037
5:00 PM	0	0	0	0	0	0	0	0	0	514	438	497	741	959	559	968	862	964
6:00 PM	0	0	0	0	0	0	0	0	0	407	362	484	623	831	490	747	744	789
7:00 PM	0	0	0	0	0	0	0	0	0	314	274	415	495	693	395	569	544	631
8:00 PM	0	0	0	0	0	0	0	0	0	244	255	302	450	875	336	414	419	645
9:00 PM	0	0	0	0	0	0	0	0	0	225	250	258	403	574	304	344	351	459
10:00 PM	0	0	0	0	0	0	0	0	0	177	208	195	294	416	232	240	215	328
11:00 PM	0	0	0	0	0	0	0	0	0	127	136	169	230	305	178	143	174	224

SPEED																
	DIRECTION	0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0
Total	SB	51	83	159	576	980	1,725	4,787	12,334	22,202	22,103	13,818	4,022	890	188	83,918
Percent	SB	0%	0%	0%	1%	1%	2%	6%	15%	26%	26%	16%	5%	1%	0%	
Average Percent		0%	0%	0%	0%	1%	1%	3%	7%	13%	13%	8%	2%	1%	0%	







Division: N/A
 County: Orangeburg
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694226
 Location: I-26 SB Exit Ramp to I-95 SB
 RR Crossing No: N/A

Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	141	0	207	141	207
1:00 AM	0	111	0	193	111	193
2:00 AM	0	108	0	159	108	159
3:00 AM	0	109	0	193	109	193
4:00 AM	0	130	0	197	130	197
5:00 AM	0	188	0	251	188	251
6:00 AM	0	245	0	301	245	301
7:00 AM	0	339	0	424	339	424
8:00 AM	0	397	0	655	397	655
9:00 AM	0	526	0	886	526	886
10:00 AM	0	568	0	1137	568	1137
11:00 AM	0	701	0	1209	701	1209
12:00 PM	0	737	0	1324	737	1324
1:00 PM	0	768	0	1322	768	1322
2:00 PM	0	713	0	1240	713	1240
3:00 PM	0	732	0	1312	732	1312
4:00 PM	0	663	0	1037	663	1037
5:00 PM	0	559	0	964	559	964
6:00 PM	0	490	0	789	490	789
7:00 PM	0	395	0	631	395	631
8:00 PM	0	336	0	645	336	645
9:00 PM	0	304	0	459	304	459
10:00 PM	0	232	0	328	232	328
11:00 PM	0	178	0	224	89	224
TOTAL	0	9670	0	16081	9581	16081



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
Total		0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	
Total		63,743	2,815	16,608	752	0	83,918
Percent	SB	76%	3%	20%	1%	0%	
Average Percent		38%	2%	10%	0%	0%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	560
WEEKEND ADT:	479

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694225
 Location: I-26 SB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	3	9	3	4	3	5	3	3	3
1:00 AM	0	0	0	0	0	0	0	0	0	5	2	4	6	4	4	4	4	4
2:00 AM	0	0	0	0	0	0	0	0	0	2	4	3	3	5	3	5	1	3
3:00 AM	0	0	0	0	0	0	0	0	0	4	9	4	9	6	7	6	5	6
4:00 AM	0	0	0	0	0	0	0	0	0	7	7	9	15	5	10	5	0	3
5:00 AM	0	0	0	0	0	0	0	0	0	10	18	21	20	15	20	15	5	10
6:00 AM	0	0	0	0	0	0	0	0	0	16	20	27	23	18	23	18	4	11
7:00 AM	0	0	0	0	0	0	0	0	0	24	34	26	37	31	32	31	4	18
8:00 AM	0	0	0	0	0	0	0	0	0	33	29	26	29	38	28	38	12	25
9:00 AM	0	0	0	0	0	0	0	0	0	32	27	39	30	31	32	31	19	25
10:00 AM	0	0	0	0	0	0	0	0	0	34	35	37	42	21	38	21	28	25
11:00 AM	0	0	0	0	0	0	0	0	0	48	38	32	61	40	44	40	33	37
12:00 PM	0	0	0	0	0	0	0	0	0	42	41	34	63	35	46	35	34	35
1:00 PM	0	0	0	0	0	0	0	0	0	36	31	29	41	41	34	41	31	36
2:00 PM	0	0	0	0	0	0	0	0	0	39	35	38	46	40	40	40	24	32
3:00 PM	0	0	0	0	0	0	0	0	0	41	36	37	41	47	38	47	31	39
4:00 PM	0	0	0	0	0	0	0	0	0	23	24	25	54	26	34	26	37	32
5:00 PM	0	0	0	0	0	0	0	0	0	38	38	39	34	51	37	51	25	38
6:00 PM	0	0	0	0	0	0	0	0	0	42	18	24	12	34	18	34	23	29
7:00 PM	0	0	0	0	0	0	0	0	0	17	23	17	12	18	17	18	23	21
8:00 PM	0	0	0	0	0	0	0	0	0	19	22	9	21	18	17	18	15	17
9:00 PM	0	0	0	0	0	0	0	0	0	12	11	8	16	28	12	28	7	18
10:00 PM	0	0	0	0	0	0	0	0	0	14	13	13	6	9	11	9	9	9
11:00 PM	0	0	0	0	0	0	0	0	0	8	16	6	5	3	9	13	3	8

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	78	14	17	33	115	377	676	843	643	263	60	8	1	0	3,128
Percent	SB	2%	0%	1%	1%	4%	12%	22%	27%	21%	8%	2%	0%	0%	0%	0%
Average Percent		1%	0%	0%	1%	2%	6%	11%	13%	10%	4%	1%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	17	1,455	452	48	93	35	14	69	742	25	4	1	3	64	3,022
Percent	SB	1%	48%	15%	2%	3%	1%	0%	2%	25%	1%	0%	0%	0%	2%	0%
Average Percent		0%	24%	7%	1%	2%	1%	0%	1%	12%	0%	0%	0%	0%	1%	0%





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694225
 Location: I-26 SB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	5	0	3	5	3
1:00 AM	0	4	0	4	4	4
2:00 AM	0	3	0	3	3	3
3:00 AM	0	7	0	6	7	6
4:00 AM	0	10	0	3	10	3
5:00 AM	0	20	0	10	20	10
6:00 AM	0	23	0	11	23	11
7:00 AM	0	32	0	18	32	18
8:00 AM	0	28	0	25	28	25
9:00 AM	0	32	0	25	32	25
10:00 AM	0	38	0	25	38	25
11:00 AM	0	44	0	37	44	37
12:00 PM	0	46	0	35	46	35
1:00 PM	0	34	0	36	34	36
2:00 PM	0	40	0	32	40	32
3:00 PM	0	38	0	39	38	39
4:00 PM	0	34	0	32	34	32
5:00 PM	0	37	0	38	37	38
6:00 PM	0	18	0	29	18	29
7:00 PM	0	17	0	21	17	21
8:00 PM	0	17	0	17	17	17
9:00 PM	0	12	0	18	12	18
10:00 PM	0	11	0	9	11	9
11:00 PM	0	9	0	8	5	8
TOTAL	0	560	0	479	556	479



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	0
SB	Total	1,924	190	836	8	64	3,652
	Percent	53%	5%	23%	0%	2%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	259
WEEKEND ADT:	246

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694228
 Location: I-26 SB Exit Ramp to US 15 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	2	2	8	4	4	5	8	7	8
1:00 AM	0	0	0	0	0	0	0	0	0	5	2	2	5	2	3	6	5	6
2:00 AM	0	0	0	0	0	0	0	0	0	4	4	0	0	1	1	4	1	3
3:00 AM	0	0	0	0	0	0	0	0	0	1	3	5	3	3	4	2	2	2
4:00 AM	0	0	0	0	0	0	0	0	0	5	3	3	0	3	2	2	2	2
5:00 AM	0	0	0	0	0	0	0	0	0	4	6	8	11	7	8	2	3	3
6:00 AM	0	0	0	0	0	0	0	0	0	2	10	11	11	14	11	2	7	5
7:00 AM	0	0	0	0	0	0	0	0	0	10	24	19	15	7	19	2	6	4
8:00 AM	0	0	0	0	0	0	0	0	0	20	10	16	17	11	14	8	6	7
9:00 AM	0	0	0	0	0	0	0	0	0	23	16	14	10	12	13	12	19	16
10:00 AM	0	0	0	0	0	0	0	0	0	18	19	26	20	16	22	13	18	16
11:00 AM	0	0	0	0	0	0	0	0	0	20	15	14	11	20	13	14	18	16
12:00 PM	0	0	0	0	0	0	0	0	0	10	18	18	10	19	15	17	18	18
1:00 PM	0	0	0	0	0	0	0	0	0	20	17	14	6	20	12	12	15	14
2:00 PM	0	0	0	0	0	0	0	0	0	29	18	17	10	24	15	25	17	21
3:00 PM	0	0	0	0	0	0	0	0	0	16	18	21	14	20	18	18	15	17
4:00 PM	0	0	0	0	0	0	0	0	0	16	15	18	13	20	15	13	18	16
5:00 PM	0	0	0	0	0	0	0	0	0	18	21	20	13	23	18	23	13	18
6:00 PM	0	0	0	0	0	0	0	0	0	20	9	15	15	24	13	13	8	11
7:00 PM	0	0	0	0	0	0	0	0	0	11	8	9	8	13	8	17	9	13
8:00 PM	0	0	0	0	0	0	0	0	0	8	10	12	5	14	9	17	11	14
9:00 PM	0	0	0	0	0	0	0	0	0	5	5	9	13	13	9	13	3	8
10:00 PM	0	0	0	0	0	0	0	0	0	8	4	7	6	11	6	8	7	8
11:00 PM	0	0	0	0	0	0	0	0	0	5	3	4	7	6	5	10	2	6

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	28	14	54	348	899	474	41	0	0	0	0	0	0	0	1,858
Percent	SB	2%	1%	3%	19%	48%	26%	2%	0%	0%	0%	0%	0%	0%	0%	0%
Average Percent		1%	0%	1%	9%	24%	13%	1%	0%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	5	1,064	373	42	117	11	4	57	155	1	0	1	0	28	1,858
Percent	SB	0%	57%	20%	2%	6%	1%	0%	3%	8%	0%	0%	0%	0%	2%	0%
Average Percent		0%	29%	10%	1%	3%	0%	0%	2%	4%	0%	0%	0%	0%	1%	0%





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694228
 Location: I-26 SB Exit Ramp to US 15 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	5	0	8	5	8
1:00 AM	0	3	0	6	3	6
2:00 AM	0	1	0	3	1	3
3:00 AM	0	4	0	2	4	2
4:00 AM	0	2	0	2	2	2
5:00 AM	0	8	0	3	8	3
6:00 AM	0	11	0	5	11	5
7:00 AM	0	19	0	4	19	4
8:00 AM	0	14	0	7	14	7
9:00 AM	0	13	0	16	13	16
10:00 AM	0	22	0	16	22	16
11:00 AM	0	13	0	16	13	16
12:00 PM	0	15	0	18	15	18
1:00 PM	0	12	0	14	12	14
2:00 PM	0	15	0	21	15	21
3:00 PM	0	18	0	17	18	17
4:00 PM	0	15	0	16	15	16
5:00 PM	0	18	0	18	18	18
6:00 PM	0	13	0	11	13	11
7:00 PM	0	8	0	13	8	13
8:00 PM	0	9	0	14	9	14
9:00 PM	0	9	0	8	9	8
10:00 PM	0	6	0	8	6	8
11:00 PM	0	5	0	6	2	6
TOTAL	0	259	0	246	257	246



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	0
SB	Total	1,442	174	213	1	28	1,858
	Percent	78%	9%	11%	0%	2%	

NOTE						



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	659
WEEKEND ADT:	424

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694229
 Location: I-26 NB Exit Ramp to US 15 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	6	6	3	7	1	5	6	9	8	0	0	0	0	0	0	0	0	0
1:00 AM	5	2	4	3	4	3	1	3	2	0	0	0	0	0	0	0	0	0
2:00 AM	5	6	9	7	4	7	1	2	2	0	0	0	0	0	0	0	0	0
3:00 AM	9	7	7	6	8	7	3	3	3	0	0	0	0	0	0	0	0	0
4:00 AM	12	7	15	8	7	10	2	2	2	0	0	0	0	0	0	0	0	0
5:00 AM	20	15	18	16	17	16	9	1	5	0	0	0	0	0	0	0	0	0
6:00 AM	22	13	27	25	19	22	15	6	11	0	0	0	0	0	0	0	0	0
7:00 AM	23	20	29	24	21	24	25	8	17	0	0	0	0	0	0	0	0	0
8:00 AM	28	26	27	27	27	27	17	23	20	0	0	0	0	0	0	0	0	0
9:00 AM	21	30	16	27	32	24	26	18	22	0	0	0	0	0	0	0	0	0
10:00 AM	33	37	39	41	35	39	25	23	24	0	0	0	0	0	0	0	0	0
11:00 AM	38	37	35	34	36	35	24	31	28	0	0	0	0	0	0	0	0	0
12:00 PM	38	38	39	46	48	41	31	35	33	0	0	0	0	0	0	0	0	0
1:00 PM	41	33	40	48	35	40	27	39	33	0	0	0	0	0	0	0	0	0
2:00 PM	49	50	57	57	56	55	34	26	30	0	0	0	0	0	0	0	0	0
3:00 PM	77	50	63	72	65	62	34	36	35	0	0	0	0	0	0	0	0	0
4:00 PM	67	68	61	75	69	68	27	45	36	0	0	0	0	0	0	0	0	0
5:00 PM	47	76	47	41	44	55	19	30	25	0	0	0	0	0	0	0	0	0
6:00 PM	26	52	32	33	33	39	27	26	27	0	0	0	0	0	0	0	0	0
7:00 PM	26	37	16	36	22	30	25	13	19	0	0	0	0	0	0	0	0	0
8:00 PM	15	23	15	9	25	16	20	12	16	0	0	0	0	0	0	0	0	0
9:00 PM	11	13	13	14	16	13	18	11	15	0	0	0	0	0	0	0	0	0
10:00 PM	10	11	9	7	11	9	13	9	11	0	0	0	0	0	0	0	0	0
11:00 PM	0	16	7	13	7	12	4	4	4	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	20	30	308	1,143	2,000	555	44	4	0	0	0	0	0	0		4,104
Percent	NB	0%	1%	8%	28%	49%	14%	1%	0%	0%	0%	0%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	0%	4%	14%	24%	7%	1%	0%	0%	0%	0%	0%	0%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	8	2,260	869	44	168	88	0	58	546	29	2	2	8	22		4,104
Percent	NB	0%	55%	21%	1%	4%	2%	0%	1%	13%	1%	0%	0%	0%	1%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	28%	11%	1%	2%	1%	0%	1%	7%	0%	0%	0%	0%	0%		





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694229
 Location: I-26 NB Exit Ramp to US 15 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	5	0	8	0	5	8
1:00 AM	3	0	2	0	3	2
2:00 AM	7	0	2	0	7	2
3:00 AM	7	0	3	0	7	3
4:00 AM	10	0	2	0	10	2
5:00 AM	16	0	5	0	16	5
6:00 AM	22	0	11	0	22	11
7:00 AM	24	0	17	0	24	17
8:00 AM	27	0	20	0	27	20
9:00 AM	24	0	22	0	24	22
10:00 AM	39	0	24	0	39	24
11:00 AM	35	0	28	0	35	28
12:00 PM	41	0	33	0	41	33
1:00 PM	40	0	33	0	40	33
2:00 PM	55	0	30	0	55	30
3:00 PM	62	0	35	0	62	35
4:00 PM	68	0	36	0	68	36
5:00 PM	55	0	25	0	55	25
6:00 PM	39	0	27	0	39	27
7:00 PM	30	0	19	0	30	19
8:00 PM	16	0	16	0	16	16
9:00 PM	13	0	15	0	13	15
10:00 PM	9	0	11	0	9	11
11:00 PM	12	0	4	0	6	4
TOTAL	659	0	424	0	653	424



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	3,137	300	633	12	22	4,104
	Percent	76%	7%	15%	0%	1%	
SB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	

NOTE						



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	236
WEEKEND ADT:	238

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694230
 Location: I-26 NB Exit Ramp to US 15 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	2	3	2	2	1	2	3	1	2	0	0	0	0	0	0	0	0	0
1:00 AM	1	2	1	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
2:00 AM	0	1	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
3:00 AM	1	2	1	0	1	1	3	2	3	0	0	0	0	0	0	0	0	0
4:00 AM	2	0	3	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0
5:00 AM	3	0	6	4	6	3	3	2	3	0	0	0	0	0	0	0	0	0
6:00 AM	7	3	8	6	8	6	5	3	4	0	0	0	0	0	0	0	0	0
7:00 AM	8	7	8	7	11	7	15	1	8	0	0	0	0	0	0	0	0	0
8:00 AM	18	9	13	11	8	11	15	14	15	0	0	0	0	0	0	0	0	0
9:00 AM	15	5	17	5	22	9	16	13	15	0	0	0	0	0	0	0	0	0
10:00 AM	16	13	10	16	17	13	17	9	13	0	0	0	0	0	0	0	0	0
11:00 AM	13	17	10	18	16	15	15	22	19	0	0	0	0	0	0	0	0	0
12:00 PM	12	12	17	25	33	18	26	20	23	0	0	0	0	0	0	0	0	0
1:00 PM	14	14	13	23	21	17	13	29	21	0	0	0	0	0	0	0	0	0
2:00 PM	21	22	24	16	20	21	15	16	16	0	0	0	0	0	0	0	0	0
3:00 PM	16	14	26	18	28	19	26	22	24	0	0	0	0	0	0	0	0	0
4:00 PM	30	35	25	35	30	32	18	24	21	0	0	0	0	0	0	0	0	0
5:00 PM	18	27	17	16	13	20	16	12	14	0	0	0	0	0	0	0	0	0
6:00 PM	10	14	15	11	10	13	17	6	12	0	0	0	0	0	0	0	0	0
7:00 PM	7	16	10	9	8	12	13	5	9	0	0	0	0	0	0	0	0	0
8:00 PM	6	3	6	5	6	5	9	5	7	0	0	0	0	0	0	0	0	0
9:00 PM	1	2	1	3	5	2	8	8	8	0	0	0	0	0	0	0	0	0
10:00 PM	7	6	4	2	3	4	3	0	2	0	0	0	0	0	0	0	0	0
11:00 PM	0	7	1	2	2	3	2	1	2	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	14	8	11	9	21	63	151	379	524	364	112	21	4	0		1,681
Percent	NB	1%	0%	1%	1%	1%	4%	9%	23%	31%	22%	7%	1%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	0%	0%	0%	1%	2%	4%	11%	16%	11%	3%	1%	0%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	9	1,081	389	10	106	10	3	18	43	3	0	0	0	9		1,681
Percent	NB	1%	64%	23%	1%	6%	1%	0%	1%	3%	0%	0%	0%	0%	1%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	32%	12%	0%	3%	0%	0%	1%	1%	0%	0%	0%	0%	0%		





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694230
 Location: I-26 NB Exit Ramp to US 15 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	2	0	2	0	2	2
1:00 AM	1	0	1	0	1	1
2:00 AM	1	0	0	0	1	0
3:00 AM	1	0	3	0	1	3
4:00 AM	1	0	1	0	1	1
5:00 AM	3	0	3	0	3	3
6:00 AM	6	0	4	0	6	4
7:00 AM	7	0	8	0	7	8
8:00 AM	11	0	15	0	11	15
9:00 AM	9	0	15	0	9	15
10:00 AM	13	0	13	0	13	13
11:00 AM	15	0	19	0	15	19
12:00 PM	18	0	23	0	18	23
1:00 PM	17	0	21	0	17	21
2:00 PM	21	0	16	0	21	16
3:00 PM	19	0	24	0	19	24
4:00 PM	32	0	21	0	32	21
5:00 PM	20	0	14	0	20	14
6:00 PM	13	0	12	0	13	12
7:00 PM	12	0	9	0	12	9
8:00 PM	5	0	7	0	5	7
9:00 PM	2	0	8	0	2	8
10:00 PM	4	0	2	0	4	2
11:00 PM	3	0	2	0	2	2
TOTAL	236	0	238	0	234	238



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	1,479	129	64	0	9	1,681
	Percent	88%	8%	4%	0%	1%	
SB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	

NOTE						



Division: N/A
 County: Orangeburg
 City: Harleyville
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694231
 Location: US 15 NB Exit Ramp to I-26 NB

WEEKDAY ADT:	574
WEEKEND ADT:	375

RR Crossing No: N/A
 Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	7	3	2	6	7	4	7	4	5	0	0	0	0	0	0	0	0	0
1:00 AM	6	4	3	3	5	3	4	7	3	0	0	0	0	0	0	0	0	0
2:00 AM	5	4	6	9	9	6	6	1	5	0	0	0	0	0	0	0	0	0
3:00 AM	8	4	4	3	8	4	1	3	3	0	0	0	0	0	0	0	0	0
4:00 AM	12	14	10	19	20	14	7	5	9	0	0	0	0	0	0	0	0	0
5:00 AM	20	18	17	18	15	18	12	4	9	0	0	0	0	0	0	0	0	0
6:00 AM	24	23	21	27	25	24	7	4	11	0	0	0	0	0	0	0	0	0
7:00 AM	36	31	39	25	34	32	21	18	18	0	0	0	0	0	0	0	0	0
8:00 AM	27	45	44	38	49	42	25	17	25	0	0	0	0	0	0	0	0	0
9:00 AM	37	63	37	39	40	46	28	26	23	0	0	0	0	0	0	0	0	0
10:00 AM	44	42	45	35	23	41	36	32	20	0	0	0	0	0	0	0	0	0
11:00 AM	41	33	30	40	40	34	41	33	27	0	0	0	0	0	0	0	0	0
12:00 PM	36	32	35	34	52	34	36	33	29	0	0	0	0	0	0	0	0	0
1:00 PM	28	35	41	37	51	38	32	31	28	0	0	0	0	0	0	0	0	0
2:00 PM	41	46	35	51	44	44	29	36	24	0	0	0	0	0	0	0	0	0
3:00 PM	48	32	34	44	46	37	36	64	27	0	0	0	0	0	0	0	0	0
4:00 PM	45	31	32	35	43	33	27	63	23	0	0	0	0	0	0	0	0	0
5:00 PM	29	28	37	40	39	35	19	38	19	0	0	0	0	0	0	0	0	0
6:00 PM	23	25	26	31	28	27	20	32	16	0	0	0	0	0	0	0	0	0
7:00 PM	21	24	12	19	25	18	29	19	18	0	0	0	0	0	0	0	0	0
8:00 PM	11	9	13	11	15	11	18	18	11	0	0	0	0	0	0	0	0	0
9:00 PM	6	11	5	16	12	11	17	9	10	0	0	0	0	0	0	0	0	0
10:00 PM	7	12	11	9	11	11	14	7	8	0	0	0	0	0	0	0	0	0
11:00 PM	6	10	8	7	4	8	7	7	4	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0-9.99	10-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	9	34	599	1,537	1,551	191	4	0	0	0	0	0	0	0	3,925
Percent	NB	0%	1%	15%	39%	40%	5%	0%	0%	0%	0%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	0%	8%	20%	20%	2%	0%	0%	0%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	TOTAL
Total	NB	4	1,903	491	58	92	56	13	98	1,120	43	2	0	14	31	3,925
Percent	NB	0%	48%	13%	1%	2%	1%	0%	2%	29%	1%	0%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	24%	6%	1%	1%	1%	0%	1%	14%	1%	0%	0%	0%	0%	





Division: N/A
 County: Orangeburg
 City: Harleyville
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694231
 Location: US 15 NB Exit Ramp to I-26 NB
 RR Crossing No: N/A

Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	4	0	5	0	4	5
1:00 AM	3	0	3	0	3	3
2:00 AM	6	0	5	0	6	5
3:00 AM	4	0	3	0	4	3
4:00 AM	14	0	9	0	14	9
5:00 AM	18	0	9	0	18	9
6:00 AM	24	0	11	0	24	11
7:00 AM	32	0	18	0	32	18
8:00 AM	42	0	25	0	42	25
9:00 AM	46	0	23	0	46	23
10:00 AM	41	0	20	0	41	20
11:00 AM	34	0	27	0	34	27
12:00 PM	34	0	29	0	34	29
1:00 PM	38	0	28	0	38	28
2:00 PM	44	0	24	0	44	24
3:00 PM	37	0	27	0	37	27
4:00 PM	33	0	23	0	33	23
5:00 PM	35	0	19	0	35	19
6:00 PM	27	0	16	0	27	16
7:00 PM	18	0	18	0	18	18
8:00 PM	11	0	11	0	11	11
9:00 PM	11	0	10	0	11	10
10:00 PM	11	0	8	0	11	8
11:00 PM	8	0	4	0	4	4
TOTAL	574	0	375	0	570	375



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
Total	NB	2,398	219	1,261	16	31	3,925
Percent	NB	61%	6%	32%	0%	1%	
Total	SB	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%
Average Percent		31%	3%	16%	0%	0%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1452
WEEKEND ADT:	523

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694232
 Location: US 15 NB Exit Ramp to I-26 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	1	6	3	4	2	9	2	3	3	0	0	0	0	0	0	0	0	0
1:00 AM	4	2	2	5	4	4	3	4	4	0	0	0	0	0	0	0	0	0
2:00 AM	15	1	6	10	7	7	1	3	2	0	0	0	0	0	0	0	0	0
3:00 AM	21	7	26	34	26	33	10	2	6	0	0	0	0	0	0	0	0	0
4:00 AM	42	36	57	63	47	93	19	10	15	0	0	0	0	0	0	0	0	0
5:00 AM	78	44	79	75	74	123	21	7	14	0	0	0	0	0	0	0	0	0
6:00 AM	57	74	76	56	58	150	16	6	11	0	0	0	0	0	0	0	0	0
7:00 AM	49	59	49	43	49	108	34	11	23	0	0	0	0	0	0	0	0	0
8:00 AM	42	38	53	44	46	91	39	20	30	0	0	0	0	0	0	0	0	0
9:00 AM	40	40	36	44	35	76	36	33	35	0	0	0	0	0	0	0	0	0
10:00 AM	36	41	44	48	26	85	36	38	37	0	0	0	0	0	0	0	0	0
11:00 AM	49	41	42	75	51	83	42	42	42	0	0	0	0	0	0	0	0	0
12:00 PM	42	58	28	95	47	86	30	34	32	0	0	0	0	0	0	0	0	0
1:00 PM	37	38	29	116	45	67	38	27	33	0	0	0	0	0	0	0	0	0
2:00 PM	26	36	33	235	56	69	36	37	37	0	0	0	0	0	0	0	0	0
3:00 PM	29	33	35	60	39	68	35	46	41	0	0	0	0	0	0	0	0	0
4:00 PM	40	35	41	46	41	76	32	40	36	0	0	0	0	0	0	0	0	0
5:00 PM	41	32	30	23	31	62	30	37	34	0	0	0	0	0	0	0	0	0
6:00 PM	25	32	19	22	28	51	25	36	31	0	0	0	0	0	0	0	0	0
7:00 PM	26	22	6	18	17	28	8	41	25	0	0	0	0	0	0	0	0	0
8:00 PM	7	11	13	14	16	24	10	23	17	0	0	0	0	0	0	0	0	0
9:00 PM	13	15	12	8	10	27	10	9	10	0	0	0	0	0	0	0	0	0
10:00 PM	8	4	9	6	11	13	4	5	5	0	0	0	0	0	0	0	0	0
11:00 PM	0	13	6	5	4	19	10	4	7	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	15	10	3	17	111	373	728	1,260	1,063	350	58	9	1	0		3,998
Percent	NB	0%	0%	0%	0%	3%	9%	18%	32%	27%	9%	1%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	0%	0%	0%	1%	5%	9%	16%	13%	4%	1%	0%	0%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	12	2,259	898	51	173	59	0	59	455	16	4	0	1	11		3,998
Percent	NB	0%	57%	22%	1%	4%	1%	0%	1%	11%	0%	0%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	28%	11%	1%	2%	1%	0%	1%	6%	0%	0%	0%	0%	0%		





Division: N/A
 County: Dorchester
 City: N/A
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694232
 Location: US 15 NB Exit Ramp to I-26 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	9	0	3	0	9	3
1:00 AM	4	0	4	0	4	4
2:00 AM	7	0	2	0	7	2
3:00 AM	33	0	6	0	33	6
4:00 AM	93	0	15	0	93	15
5:00 AM	123	0	14	0	123	14
6:00 AM	150	0	11	0	150	11
7:00 AM	108	0	23	0	108	23
8:00 AM	91	0	30	0	91	30
9:00 AM	76	0	35	0	76	35
10:00 AM	85	0	37	0	85	37
11:00 AM	83	0	42	0	83	42
12:00 PM	86	0	32	0	86	32
1:00 PM	67	0	33	0	67	33
2:00 PM	69	0	37	0	69	37
3:00 PM	68	0	41	0	68	41
4:00 PM	76	0	36	0	76	36
5:00 PM	62	0	34	0	62	34
6:00 PM	51	0	31	0	51	31
7:00 PM	28	0	25	0	28	25
8:00 PM	24	0	17	0	24	17
9:00 PM	27	0	10	0	27	10
10:00 PM	13	0	5	0	13	5
11:00 PM	19	0	7	0	10	7
TOTAL	1452	0	523	0	1443	523



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
NB	Total	3,169	283	530	5	11	3,998
	Percent	79%	7%	13%	0%	0%	
SB	Total	0	0	0	0	0	0
	Percent	0%	0%	0%	0%	0%	

NOTE
 3/3/2022 Traffic volumes not included in the counts due to SCDOT maintenance project on I-95. I-95 reduced to one lane in each direction.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: US 15 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	168
WEEKEND ADT:	136

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694233
 Location: US 15 SB Exit Ramp to I-26 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	3
1:00 AM	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	0	1
2:00 AM	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0
3:00 AM	0	0	0	0	0	0	0	0	0	0	3	4	2	3	4	1	0	1
4:00 AM	0	0	0	0	0	0	0	0	0	2	5	4	2	3	5	1	0	1
5:00 AM	0	0	0	0	0	0	0	0	0	0	11	12	11	9	12	2	3	3
6:00 AM	0	0	0	0	0	0	0	0	0	13	18	25	22	22	22	8	2	5
7:00 AM	0	0	0	0	0	0	0	0	0	18	18	16	15	10	17	7	3	5
8:00 AM	0	0	0	0	0	0	0	0	0	15	13	10	16	9	12	6	5	6
9:00 AM	0	0	0	0	0	0	0	0	0	10	12	14	8	11	13	10	10	10
10:00 AM	0	0	0	0	0	0	0	0	0	8	8	7	7	9	8	12	3	8
11:00 AM	0	0	0	0	0	0	0	0	0	9	3	7	95	8	5	7	5	6
12:00 PM	0	0	0	0	0	0	0	0	0	4	5	8	178	9	7	11	12	12
1:00 PM	0	0	0	0	0	0	0	0	0	8	12	9	258	10	11	10	6	8
2:00 PM	0	0	0	0	0	0	0	0	0	6	11	8	245	11	10	9	8	9
3:00 PM	0	0	0	0	0	0	0	0	0	7	10	12	282	9	11	7	8	8
4:00 PM	0	0	0	0	0	0	0	0	0	8	6	7	81	8	7	14	10	12
5:00 PM	0	0	0	0	0	0	0	0	0	5	5	7	7	4	6	8	9	9
6:00 PM	0	0	0	0	0	0	0	0	0	4	4	8	6	11	6	9	12	11
7:00 PM	0	0	0	0	0	0	0	0	0	4	1	10	5	5	6	5	5	5
8:00 PM	0	0	0	0	0	0	0	0	0	1	5	2	4	6	4	4	8	6
9:00 PM	0	0	0	0	0	0	0	0	0	4	2	2	2	6	2	7	4	6
10:00 PM	0	0	0	0	0	0	0	0	0	1	2	1	3	3	2	4	4	4
11:00 PM	0	0	0	0	0	0	0	0	0	1	2	4	0	0	3	7	0	4

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	38	1	5	57	365	371	60	6	0	0	0	0	0	0	903
Percent	SB	4%	0%	1%	6%	40%	41%	7%	1%	0%	0%	0%	0%	0%	0%	0%
Average Percent		2%	0%	0%	3%	20%	21%	3%	0%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	2	572	194	4	59	7	0	11	16	0	0	0	0	38	903
Percent	SB	0%	63%	21%	0%	7%	1%	0%	1%	2%	0%	0%	0%	0%	4%	0%
Average Percent		0%	32%	11%	0%	3%	0%	0%	1%	1%	0%	0%	0%	0%	2%	0%





Division: N/A
 County: Dorchester
 City: N/A
 On Road: US 15 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694233
 Location: US 15 SB Exit Ramp to I-26 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	0	0	3	0	3
1:00 AM	0	1	0	1	1	1
2:00 AM	0	1	0	0	1	0
3:00 AM	0	4	0	1	4	1
4:00 AM	0	5	0	1	5	1
5:00 AM	0	12	0	3	12	3
6:00 AM	0	22	0	5	22	5
7:00 AM	0	17	0	5	17	5
8:00 AM	0	12	0	6	12	6
9:00 AM	0	13	0	10	13	10
10:00 AM	0	8	0	8	8	8
11:00 AM	0	5	0	6	5	6
12:00 PM	0	7	0	12	7	12
1:00 PM	0	11	0	8	11	8
2:00 PM	0	10	0	9	10	9
3:00 PM	0	11	0	8	11	8
4:00 PM	0	7	0	12	7	12
5:00 PM	0	6	0	9	6	9
6:00 PM	0	6	0	11	6	11
7:00 PM	0	6	0	5	6	5
8:00 PM	0	4	0	6	4	6
9:00 PM	0	2	0	6	2	6
10:00 PM	0	2	0	4	2	4
11:00 PM	0	3	0	4	2	4
TOTAL	0	168	0	136	167	136



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	0	0	0	0	0	0
	Percent	0	0	0	0	0	0
SB	Total	768	70	27	0	38	903
	Percent	85%	8%	3%	0%	4%	

NOTE
 3/3/2022 Traffic volumes not included in the counts due to SCDOT maintenance project on I-95. I-95 reduced to one lane in each direction.



Division: N/A
 County: Dorchester
 City: 0
 On Road: US 15 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694234
 Location: US 15 SB Exit Ramp to I-26 NB

WEEKDAY ADT:	155
WEEKEND ADT:	472

RR Crossing No: N/A
 Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	4	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
1:00 AM	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
2:00 AM	0	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0
3:00 AM	0	2	3	4	2	3	3	1	2	0	0	0	0	0	0	0	0	0
4:00 AM	0	0	5	4	2	3	3	1	2	0	0	0	0	0	0	0	0	0
5:00 AM	3	13	11	12	11	12	9	2	7	0	0	0	0	0	0	0	0	0
6:00 AM	2	18	18	25	22	20	22	8	15	0	0	0	0	0	0	0	0	0
7:00 AM	3	15	18	16	15	16	10	7	8	0	0	0	0	0	0	0	0	0
8:00 AM	5	10	13	10	16	11	9	6	8	0	0	0	0	0	0	0	0	0
9:00 AM	10	8	12	14	8	11	11	10	6	0	0	0	0	0	0	0	0	0
10:00 AM	3	9	8	7	7	8	9	12	5	0	0	0	0	0	0	0	0	0
11:00 AM	5	4	3	7	95	5	8	7	34	0	0	0	0	0	0	0	0	0
12:00 PM	12	8	5	8	178	7	9	11	62	0	0	0	0	0	0	0	0	0
1:00 PM	6	6	12	9	258	9	10	10	89	0	0	0	0	0	0	0	0	0
2:00 PM	8	7	11	8	245	9	11	9	85	0	0	0	0	0	0	0	0	0
3:00 PM	8	8	10	12	282	10	9	7	97	0	0	0	0	0	0	0	0	0
4:00 PM	10	5	6	7	81	6	8	14	30	0	0	0	0	0	0	0	0	0
5:00 PM	9	4	5	7	7	5	4	8	4	0	0	0	0	0	0	0	0	0
6:00 PM	12	4	4	8	6	5	11	9	6	0	0	0	0	0	0	0	0	0
7:00 PM	5	1	1	10	5	4	5	5	3	0	0	0	0	0	0	0	0	0
8:00 PM	8	4	5	2	4	4	6	4	3	0	0	0	0	0	0	0	0	0
9:00 PM	4	1	2	2	2	2	6	7	3	0	0	0	0	0	0	0	0	0
10:00 PM	4	1	2	1	3	1	3	4	2	0	0	0	0	0	0	0	0	0
11:00 PM	0	0	2	4	0	2	0	7	0	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0-9.99	10-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	202	7	30	242	852	720	94	6	0	0	0	0	0	0	2,153
Percent	NB	9%	0%	1%	11%	40%	33%	4%	0%	0%	0%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		5%	0%	1%	6%	20%	17%	2%	0%	0%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	TOTAL
Total	NB	10	1,232	357	15	116	26	0	83	110	9	0	0	2	193	2,153
Percent	NB	0%	57%	17%	1%	5%	1%	0%	4%	5%	0%	0%	0%	0%	9%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	29%	8%	0%	3%	1%	0%	2%	3%	0%	0%	0%	0%	4%	





Division: N/A
 County: Dorchester
 City: 0
 On Road: US 15 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694234
 Location: US 15 SB Exit Ramp to I-26 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	0	0	0	0	0	0
1:00 AM	0	0	0	0	0	0
2:00 AM	1	0	0	0	1	0
3:00 AM	3	0	2	0	3	2
4:00 AM	3	0	2	0	3	2
5:00 AM	12	0	7	0	12	7
6:00 AM	20	0	15	0	20	15
7:00 AM	16	0	8	0	16	8
8:00 AM	11	0	8	0	11	8
9:00 AM	11	0	6	0	11	6
10:00 AM	8	0	5	0	8	5
11:00 AM	5	0	34	0	5	34
12:00 PM	7	0	62	0	7	62
1:00 PM	9	0	89	0	9	89
2:00 PM	9	0	85	0	9	85
3:00 PM	10	0	97	0	10	97
4:00 PM	6	0	30	0	6	30
5:00 PM	5	0	4	0	5	4
6:00 PM	5	0	6	0	5	6
7:00 PM	4	0	3	0	4	3
8:00 PM	4	0	3	0	4	3
9:00 PM	2	0	3	0	2	3
10:00 PM	1	0	2	0	1	2
11:00 PM	2	0	0	0	1	0
TOTAL	155	0	472	0	154	472



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
Total	NB	1,599	157	202	2	193	2,153
Percent	NB	74%	7%	9%	0%	9%	
Total	SB	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%
Average Percent		37%	4%	5%	0%	4%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 N of I-95
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	45496
WEEKEND ADT:	57378

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694235
 Location: I-26 N of I-95 Interchange
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB										SB							
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	183	305	205	208	224	239	215	205	210	379	245	291	306	372	268	413	336	375
1:00 AM	210	216	202	195	209	204	209	150	180	262	206	199	303	333	203	349	264	307
2:00 AM	203	206	248	250	294	235	178	131	155	232	195	217	280	293	206	274	202	238
3:00 AM	328	239	330	333	326	301	210	147	179	230	306	300	331	390	303	316	149	233
4:00 AM	486	340	441	433	506	405	328	196	262	261	404	430	446	510	417	317	172	245
5:00 AM	818	461	692	728	696	627	545	284	415	427	606	594	618	666	600	476	208	342
6:00 AM	1,095	726	1,053	1,056	1,077	945	911	526	719	685	965	975	1,061	962	970	623	335	479
7:00 AM	1,392	1,113	1,319	1,320	1,397	1251	1,332	963	1148	1,109	1,033	1,044	1,111	1,177	1039	850	542	696
8:00 AM	1,586	1,386	1,296	1,421	1,565	1368	1,821	1,486	1654	1,150	1,183	1,228	1,237	1,422	1206	1,307	846	1077
9:00 AM	1,797	1,390	1,480	1,094	1,905	1321	2,039	2,174	2107	1,352	1,401	1,389	1,586	1,790	1395	1,787	1,382	1585
10:00 AM	1,551	1,610	1,554	1,165	2,091	1443	2,127	2,642	2385	1,695	1,503	1,419	1,242	1,888	1461	2,338	1,822	2080
11:00 AM	1,573	1,674	1,589	1,429	2,128	1564	1,951	2,706	2329	1,748	1,517	1,416	1,162	2,239	1467	2,499	2,277	2388
12:00 PM	1,857	1,667	1,592	1,651	2,368	1637	1,913	2,726	2320	2,048	1,472	1,565	1,370	2,276	1519	2,485	2,346	2416
1:00 PM	1,942	1,697	1,659	1,676	2,575	1677	1,718	2,603	2161	1,892	1,486	1,522	1,049	2,619	1504	2,372	2,602	2487
2:00 PM	1,981	1,717	1,697	1,720	2,504	1711	1,866	2,469	2168	1,808	1,498	1,677	1,626	2,595	1588	2,238	2,679	2459
3:00 PM	1,720	1,746	1,633	1,697	2,472	1692	1,760	2,758	2259	1,705	1,563	1,494	1,691	2,876	1529	2,024	2,476	2250
4:00 PM	1,616	1,706	1,466	1,607	2,424	1593	1,658	1,902	1780	1,599	1,531	1,655	2,029	2,700	1593	1,917	2,297	2107
5:00 PM	1,200	1,487	1,145	1,458	1,969	1363	1,049	1,254	1152	1,412	1,303	1,501	1,689	2,595	1402	1,654	1,791	1723
6:00 PM	991	1,189	870	1,073	1,447	1044	1,156	1,383	1270	1,363	944	1,086	1,314	2,206	1015	1,054	2,054	1554
7:00 PM	841	776	623	838	1,015	746	982	1,110	1046	982	739	841	1,108	1,837	790	1,213	1,464	1339
8:00 PM	650	727	581	628	734	645	742	809	776	770	272	684	975	1,615	478	988	1,306	1147
9:00 PM	494	549	402	435	558	462	569	585	577	639	598	709	899	1,167	654	778	1,004	891
10:00 PM	365	396	308	379	435	361	393	414	404	507	434	451	821	922	443	678	596	637
11:00 PM	0	311	236	301	311	283	245	266	256	392	303	365	554	693	334	470	379	425

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	3	3	3	5	7	17	85	441	2,112	9,038	27,466	40,683	47,715	53,946	181,524
Percent		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	SB	6	5	23	44	90	213	634	1,529	3,836	10,971	28,062	33,213	36,105	49,703	164,434
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	0%	0%	0%	0%	0%	0%	0%	1%	2%	8%	11%	13%	15%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	132,491	0	0	9,243	0	0	0	36,152	0	0	0	3,638	0	181,524
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Total	SB	6	5	23	44	90	213	634	1,529	3,836	10,971	28,062	33,213	36,105	49,703	164,434
Percent		0%	0%	0%	0%	0%	0%	0%	0%	1%	2%	7%	17%	20%	22%	
Average Percent		0%	0%	0%	0%	0%	0%	0%	0%	1%	3%	9%	10%	11%	15%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 N of I-95
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694235
 Location: I-26 N of I-95 Interchange
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	239	268	210	375	507	585
1:00 AM	204	203	180	307	407	486
2:00 AM	235	206	155	238	441	393
3:00 AM	301	303	179	233	604	411
4:00 AM	405	417	262	245	822	507
5:00 AM	627	600	415	342	1227	757
6:00 AM	945	970	719	479	1915	1198
7:00 AM	1251	1039	1148	696	2289	1844
8:00 AM	1368	1206	1654	1077	2573	2730
9:00 AM	1321	1395	2107	1585	2716	3691
10:00 AM	1443	1461	2385	2080	2904	4465
11:00 AM	1564	1467	2329	2388	3031	4717
12:00 PM	1637	1519	2320	2416	3155	4735
1:00 PM	1677	1504	2161	2487	3181	4648
2:00 PM	1711	1588	2168	2459	3299	4626
3:00 PM	1692	1529	2259	2250	3221	4509
4:00 PM	1593	1593	1780	2107	3186	3887
5:00 PM	1363	1402	1152	1723	2785	2874
6:00 PM	1044	1015	1270	1554	2059	2824
7:00 PM	746	790	1046	1339	1536	2385
8:00 PM	645	478	776	1147	1123	1923
9:00 PM	462	654	577	891	1116	1468
10:00 PM	361	443	404	637	804	1041
11:00 PM	283	334	256	425	308	680
TOTAL	23117	22380	27903	29475	45188	57378



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	132,491	9,243	36,152	3,638	0	181,524
	Percent	73%	5%	20%	2%	0%	
SB	Total	127,309	13,315	30,312	221	0	171,157
	Percent	74%	8%	18%	0%	0%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance. Only the I-26 EB direction effected by lane closer on I-95.



Division: N/A
 County: Orangeburg
 City: Harleyville
 On Road: I-26
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A


Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694236
 Location: I-26 S of I-95 Interchange

WEEKDAY ADT:	39898
WEEKEND ADT:	47483

RR Crossing No: N/A
 Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	189	172	170	326	165	223	150	286	200	266	161	169	193	267	174	237	314	273
1:00 AM	117	109	123	287	124	173	141	154	140	217	165	157	139	182	154	220	173	192
2:00 AM	123	125	132	149	152	135	126	112	130	146	144	136	153	205	144	155	127	162
3:00 AM	156	181	162	174	179	172	118	99	132	218	238	246	247	236	244	118	122	159
4:00 AM	293	262	228	228	252	239	134	100	162	357	386	374	396	385	385	155	112	217
5:00 AM	468	395	358	383	438	379	240	185	288	678	640	612	603	607	618	225	124	319
6:00 AM	765	695	631	593	605	640	471	295	457	1,168	983	1,064	1,020	1,009	1022	346	177	511
7:00 AM	1,091	1,055	1,010	962	966	1009	920	527	804	890	854	924	898	855	892	438	190	494
8:00 AM	1,361	1,161	1,157	1,194	1,222	1171	1,246	832	1100	915	1,059	1,053	892	1,078	1001	710	373	720
9:00 AM	1,583	1,256	1,274	1,503	1,523	1344	1,547	1,374	1481	1,206	1,180	1,142	1,361	1,233	1228	978	474	895
10:00 AM	1,747	1,265	1,271	1,778	1,512	1438	1,736	1,995	1748	1,442	1,158	1,194	1,298	1,300	1217	1,214	925	1146
11:00 AM	1,565	1,288	1,330	1,674	1,798	1431	1,783	2,482	2021	1,591	1,196	1,212	1,507	1,526	1305	1,555	1,218	1433
12:00 PM	1,371	1,216	1,271	1,508	1,907	1332	1,473	2,375	1918	1,401	1,129	1,195	1,484	1,781	1269	1,548	1,450	1593
1:00 PM	1,420	1,189	1,280	1,461	1,955	1310	1,365	2,217	1846	1,443	1,233	1,328	1,541	1,917	1367	1,624	1,712	1751
2:00 PM	1,258	1,268	1,431	1,527	1,988	1409	1,314	2,240	1847	1,375	1,191	1,369	1,594	2,065	1385	1,656	1,978	1900
3:00 PM	1,361	1,381	1,441	1,537	2,057	1453	1,273	1,955	1762	1,366	1,229	1,385	1,612	2,286	1409	1,718	2,126	2043
4:00 PM	1,346	1,403	1,339	1,406	2,013	1383	1,272	1,949	1745	1,431	1,266	1,401	1,604	2,082	1424	1,565	2,059	1902
5:00 PM	1,236	1,302	1,223	1,374	1,907	1300	1,268	1,672	1616	1,121	1,130	1,330	1,469	1,942	1310	1,502	1,969	1804
6:00 PM	1,079	980	1,007	1,100	1,810	1029	1,006	1,338	1385	961	885	1,054	1,176	1,575	1038	1,259	1,903	1579
7:00 PM	676	674	750	827	1,208	750	950	1,038	1065	673	660	726	927	1,330	771	1,029	1,533	1297
8:00 PM	536	572	468	543	754	528	793	936	828	582	532	545	741	1,328	606	832	1,174	1111
9:00 PM	441	430	344	405	549	393	714	631	631	489	470	492	649	877	537	775	929	860
10:00 PM	279	255	252	291	422	266	543	394	453	359	353	324	412	669	363	580	646	632
11:00 PM	247	266	252	236	335	251	337	296	323	275	270	246	318	428	278	376	420	408

SPEED																
	DIRECTION	0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	1	0	1	0	2	14	33	123	570	2,671	12,036	26,439	36,577	73,754	152,221
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	8%	17%	24%	48%	
Total	SB	0	2	1	3	6	4	30	97	517	2,296	9,663	25,457	44,575	68,549	151,200
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	6%	17%	29%	45%	
Average Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	7%	17%	27%	47%	





Division: N/A
 County: Orangeburg
 City: Harleyville
 On Road: I-26
 Milepost: N/A


Speed Limit: 70
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694236
 Location: I-26 S of I-95 Interchange
 RR Crossing No: N/A

DAD N ASSOCIATES LLC
 15694236
 I-26 S of I-95 Interchange
 N/A

Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	223	174	200	273	397	473
1:00 AM	173	154	140	192	327	331
2:00 AM	135	144	130	162	280	292
3:00 AM	172	244	132	159	416	291
4:00 AM	239	385	162	217	625	379
5:00 AM	379	618	288	319	997	606
6:00 AM	640	1022	457	511	1662	968
7:00 AM	1009	892	804	494	1901	1299
8:00 AM	1171	1001	1100	720	2172	1820
9:00 AM	1344	1228	1481	895	2572	2376
10:00 AM	1438	1217	1748	1146	2653	2894
11:00 AM	1431	1305	2021	1433	2738	3454
12:00 PM	1332	1269	1918	1593	2601	3511
1:00 PM	1310	1367	1846	1751	2677	3597
2:00 PM	1409	1385	1847	1900	2793	3747
3:00 PM	1453	1409	1762	2043	2862	3805
4:00 PM	1383	1424	1745	1902	2806	3647
5:00 PM	1300	1310	1616	1804	2609	3420
6:00 PM	1029	1038	1385	1579	2067	2964
7:00 PM	750	771	1065	1297	1521	2363
8:00 PM	528	606	828	1111	1134	1939
9:00 PM	393	537	631	860	930	1492
10:00 PM	266	363	453	632	629	1085
11:00 PM	251	278	323	408	265	731
TOTAL	19757	20141	24081	23402	39633	47483



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
Total	NB	119,978	7,478	24,565	200	0	152,221
Percent	NB	79%	5%	16%	0%	0%	
Total	SB	118,522	6,260	25,828	590	0	151,200
Percent	SB	78%	4%	17%	0%	0%	
Average Percent		79%	5%	17%	0%	0%	




Division: N/A
 County: Orangeburg
 City: N/A
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694237
 Location: I-95 N of I-26 Interchange
 RR Crossing No: N/A
 Start Date: 3/25/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	241	193	234	222	434	456
1:00 AM	168	172	203	201	340	404
2:00 AM	154	154	177	197	308	374
3:00 AM	156	187	175	208	343	383
4:00 AM	191	266	187	240	457	427
5:00 AM	270	363	236	306	633	541
6:00 AM	359	535	352	407	895	760
7:00 AM	542	568	549	545	1111	1093
8:00 AM	675	670	737	699	1345	1436
9:00 AM	843	840	1058	938	1682	1996
10:00 AM	1025	930	1341	1162	1955	2503
11:00 AM	987	1002	1500	1334	1989	2834
12:00 PM	1074	1000	1514	1297	2074	2811
1:00 PM	1260	1032	1564	1364	2292	2928
2:00 PM	1183	1034	1492	1383	2217	2875
3:00 PM	1134	1029	1500	1256	2162	2756
4:00 PM	1154	964	1466	1413	2117	2879
5:00 PM	1052	898	1366	1163	1950	2529
6:00 PM	867	725	1102	972	1592	2074
7:00 PM	672	612	872	845	1285	1717
8:00 PM	538	504	646	666	1042	1813
9:00 PM	444	436	598	533	879	1130
10:00 PM	353	311	493	423	664	916
11:00 PM	281	233	333	285	257	618
TOTAL	15621	14658	19695	18059	30022	37754



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
Total	NB	77,695	18,949	21,451	4,665	0	122,760
Percent	NB	63%	15%	17%	4%	0%	
Total	SB	80,856	6,987	24,044	966	0	112,853
Percent	SB	72%	6%	21%	1%	0%	
Average Percent		67%	11%	19%	2%	0%	



Division: N/A
 County: Orangeburg
 City: Bowman
 On Road: I-95
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A


Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694238
 Location: I-95 S of I-26 Interchange

WEEKDAY ADT:	41771
WEEKEND ADT:	56293

RR Crossing No: N/A
 Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	229	238	268	259	311	255	333	235	293	257	216	254	254	336	241	386	232	318
1:00 AM	229	244	265	264	295	258	292	188	258	210	230	251	271	362	251	428	233	341
2:00 AM	234	293	288	311	339	297	305	209	284	285	263	280	314	380	286	387	250	339
3:00 AM	364	379	386	343	344	369	333	248	308	392	316	331	405	466	351	458	289	404
4:00 AM	508	495	516	497	511	503	468	332	437	494	427	487	559	588	491	543	365	499
5:00 AM	607	659	637	643	696	646	744	475	638	666	601	670	689	811	653	742	516	690
6:00 AM	809	874	800	833	890	836	1,181	844	972	773	757	847	855	1,167	820	1,110	841	1039
7:00 AM	991	1,095	1,058	1,159	1,267	1,104	1,621	1,271	1,386	983	950	1,041	1,103	1,482	1,031	1,633	1,319	1,478
8:00 AM	1,298	1,360	1,244	1,481	1,655	1,362	2,175	1,768	1,866	1,275	1,158	1,192	1,451	1,806	1,267	2,157	1,796	1,920
9:00 AM	1,702	1,183	1,425	1,644	1,913	1,417	2,404	2,365	2,227	1,779	1,229	1,345	1,598	2,024	1,391	2,349	2,201	2,191
10:00 AM	1,761	1,342	1,620	1,862	2,130	1,608	2,513	2,619	2,421	1,636	1,328	1,437	1,769	2,185	1,511	2,474	2,363	2,341
11:00 AM	1,923	2,041	1,600	1,915	2,295	1,852	2,494	2,512	2,434	1,571	1,344	1,478	1,826	2,258	1,549	2,374	2,272	2,301
12:00 PM	2,463	1,836	1,562	1,612	1,921	1,670	1,796	2,543	2,087	2,443	1,660	1,329	1,378	1,825	1,456	1,595	2,296	1,905
1:00 PM	2,414	1,776	1,517	1,462	1,668	1,585	2,342	2,402	2,137	2,123	1,548	1,359	1,440	1,762	1,449	2,165	2,134	2,020
2:00 PM	2,673	1,860	1,432	1,558	1,555	1,617	2,098	2,053	1,902	1,918	1,292	1,229	1,268	1,709	1,263	1,933	2,074	1,905
3:00 PM	2,203	1,797	1,438	1,379	1,682	1,538	2,036	2,299	2,006	1,761	1,101	1,129	1,079	1,568	1,103	1,767	2,062	1,799
4:00 PM	1,875	1,315	1,262	1,106	1,329	1,228	1,875	1,492	1,565	1,555	980	1,011	1,058	1,281	1,016	1,724	1,476	1,494
5:00 PM	1,430	1,047	1,004	888	1,068	980	1,381	1,113	1,187	1,198	749	769	920	1,078	813	1,352	1,209	1,213
6:00 PM	1,021	966	848	698	838	837	1,204	899	980	868	618	637	727	938	661	1,486	868	1,097
7:00 PM	800	710	665	590	730	655	968	916	871	788	465	506	577	808	516	1,098	725	877
8:00 PM	686	573	576	531	590	560	662	920	724	559	391	438	465	638	431	665	539	614
9:00 PM	451	527	446	392	480	455	501	509	497	426	309	358	389	488	352	638	373	500
10:00 PM	322	388	313	345	344	349	446	417	402	336	300	346	327	354	324	462	414	410
11:00 PM	272	294	292	274	311	287	438	297	349	294	261	294	280	332	278	481	281	365

SPEED																
	DIRECTION	0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	148	265	484	775	924	729	693	929	1,293	3,183	10,746	28,504	52,449	77,641	178,763
Percent	NB	0%	0%	0%	0%	1%	0%	0%	1%	1%	2%	6%	16%	29%	43%	
Total	SB	2	1	5	45	35	38	38	129	336	1,659	11,981	31,150	50,645	71,220	167,284
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	7%	19%	30%	43%	
Average Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	7%	17%	30%	43%	





Division: N/A
 County: Orangeburg
 City: Bowman
 On Road: I-95
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694238
 Location: I-95 S of I-26 Interchange
 RR Crossing No: N/A

Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	255	241	293	318	496	611
1:00 AM	258	251	258	341	508	599
2:00 AM	297	286	284	339	583	623
3:00 AM	369	351	308	404	720	713
4:00 AM	503	491	437	499	994	936
5:00 AM	646	653	638	690	1300	1328
6:00 AM	836	820	972	1039	1655	2011
7:00 AM	1104	1031	1386	1478	2135	2884
8:00 AM	1362	1267	1866	1920	2629	3786
9:00 AM	1417	1391	2227	2191	2808	4419
10:00 AM	1608	1511	2421	2341	3119	4761
11:00 AM	1852	1549	2434	2301	3401	4735
12:00 PM	1670	1456	2087	1905	3126	3992
1:00 PM	1585	1449	2137	2020	3034	4158
2:00 PM	1617	1263	1902	1905	2880	3807
3:00 PM	1538	1103	2006	1799	2641	3805
4:00 PM	1228	1016	1565	1494	2244	3059
5:00 PM	980	813	1187	1213	1792	2400
6:00 PM	837	661	980	1097	1498	2078
7:00 PM	655	516	871	877	1171	1748
8:00 PM	560	431	724	614	991	1338
9:00 PM	455	352	497	500	807	996
10:00 PM	349	324	402	410	673	812
11:00 PM	287	278	349	365	283	713
TOTAL	22267	19504	28233	28060	41489	56293



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
Total	NB	126,599	9,288	37,421	5,455	0	178,763
Percent	NB	71%	5%	21%	3%	0%	
Total	SB	123,337	8,161	35,294	492	0	167,284
Percent	SB	74%	5%	21%	0%	0%	
Average Percent		72%	5%	21%	2%	0%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Vance Rd W of I-26 SB Ramps
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	2048
WEEKEND ADT:	2013

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694239
 Location: Vance Rd W of I-26 SB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	1	1	2	2	3	2	6	10	8	3	5	2	13	8	4	11	8	10
1:00 AM	4	3	4	5	1	4	9	2	6	5	3	4	6	2	4	7	11	9
2:00 AM	8	5	10	9	8	8	6	3	5	6	9	6	7	5	8	8	3	6
3:00 AM	35	9	26	24	21	20	5	7	6	1	6	13	3	3	10	7	1	4
4:00 AM	44	21	47	41	44	36	17	16	17	6	5	5	7	8	5	3	5	4
5:00 AM	71	41	64	84	62	63	20	8	14	15	13	11	12	14	12	7	8	8
6:00 AM	75	77	78	90	73	82	26	11	19	13	29	21	32	18	25	19	9	14
7:00 AM	58	60	56	74	65	63	38	25	32	30	35	46	60	39	41	28	10	19
8:00 AM	56	54	49	59	66	54	54	45	50	41	48	33	60	56	41	46	23	35
9:00 AM	48	52	44	65	54	54	55	52	54	46	41	43	54	59	42	95	42	69
10:00 AM	56	63	60	74	85	66	63	44	54	47	51	43	53	61	47	77	45	61
11:00 AM	64	54	49	118	66	74	72	75	74	54	43	56	158	82	50	77	55	66
12:00 PM	69	45	55	346	69	149	103	74	89	68	43	55	121	69	49	68	78	73
1:00 PM	55	53	63	268	73	128	103	75	89	62	55	64	118	62	60	72	72	72
2:00 PM	65	52	68	139	80	86	69	98	84	72	62	88	255	96	75	65	78	72
3:00 PM	51	47	56	87	112	63	67	84	76	62	73	71	399	91	72	80	68	74
4:00 PM	68	68	71	75	88	71	78	117	98	68	95	97	108	131	96	64	92	78
5:00 PM	36	58	42	46	62	49	70	70	70	71	81	101	85	92	91	57	262	160
6:00 PM	20	44	23	41	38	36	36	57	47	80	72	53	65	61	63	60	137	99
7:00 PM	14	16	19	25	25	20	24	22	23	53	33	30	49	38	32	40	44	42
8:00 PM	14	14	14	27	27	18	28	34	31	32	25	21	28	28	23	25	27	26
9:00 PM	9	13	6	14	21	11	18	13	16	24	11	18	38	34	15	18	27	23
10:00 PM	6	8	7	6	10	7	6	11	9	10	14	10	10	20	12	24	12	18
11:00 PM	0	7	7	4	11	6	5	6	6	9	5	9	8	15	7	11	3	7

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	EB	93	20	48	233	610	698	940	1,256	1,101	605	157	41	7	3	5,812
Percent	EB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	WB	98	15	71	174	623	1,043	1,346	1,358	784	252	50	5	3	1	5,823
Percent	WB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		1%	0%	0%	2%	5%	6%	8%	11%	9%	5%	1%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	90	3,955	1,860	56	548	105	7	185	525	27	0	1	3	170	7,532
Percent	EB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Total	WB	98	15	71	174	623	1,043	1,346	1,358	784	252	50	5	3	1	5,823
Percent	WB	2%	0%	1%	3%	11%	18%	23%	23%	13%	4%	1%	0%	0%	0%	
Average Percent		1%	0%	1%	1%	5%	9%	12%	12%	7%	2%	0%	0%	0%	0%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: Vance Rd W of I-26 SB Ramps
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694239
 Location: Vance Rd W of I-26 SB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	EB	WB	EB	WB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	2	4	8	10	5	18
1:00 AM	4	4	6	9	8	15
2:00 AM	8	8	5	6	16	10
3:00 AM	20	10	6	4	29	10
4:00 AM	36	5	17	4	41	21
5:00 AM	63	12	14	8	75	22
6:00 AM	82	25	19	14	107	33
7:00 AM	63	41	32	19	104	51
8:00 AM	54	41	50	35	95	84
9:00 AM	54	42	54	69	96	122
10:00 AM	66	47	54	61	113	115
11:00 AM	74	50	74	66	123	140
12:00 PM	149	49	89	73	198	162
1:00 PM	128	60	89	72	188	161
2:00 PM	86	75	84	72	161	159
3:00 PM	63	72	76	74	135	150
4:00 PM	71	96	98	78	167	176
5:00 PM	49	91	70	160	140	230
6:00 PM	36	63	47	99	99	143
7:00 PM	20	32	23	42	52	65
8:00 PM	18	23	31	26	41	57
9:00 PM	11	15	16	23	26	38
10:00 PM	7	12	9	18	19	27
11:00 PM	6	7	6	7	7	13
TOTAL	1169	879	969	1045	2041	2013



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
EB	Total	5,905	716	737	4	170	7,532
	Percent	78%	10%	10%	0%	2%	
WB	Total	6,075	603	749	10	135	7,572
	Percent	80%	8%	10%	0%	2%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Vance Rd E of I-26
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1629
WEEKEND ADT:	1709

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694240
 Location: Vance Rd E of I-26 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	4	1	2	3	5	2	4	2	3	5	3	2	6	6	3	9	11	10
1:00 AM	0	5	0	4	0	3	4	5	5	7	4	4	5	5	4	4	5	5
2:00 AM	6	0	5	3	9	3	2	2	2	2	3	5	3	1	4	6	1	4
3:00 AM	11	4	6	10	7	7	5	6	6	0	4	4	5	13	4	6	6	6
4:00 AM	18	11	26	23	13	20	12	7	10	4	12	5	2	6	9	4	7	6
5:00 AM	38	16	36	51	31	34	20	9	15	19	18	13	23	14	16	13	6	10
6:00 AM	62	39	68	72	70	60	32	14	23	13	42	44	41	37	43	25	6	16
7:00 AM	58	75	47	63	49	62	34	30	32	39	45	45	52	52	45	32	13	23
8:00 AM	48	41	49	68	64	53	44	47	46	52	46	49	65	49	48	37	23	30
9:00 AM	42	57	49	57	62	54	50	58	54	57	51	45	62	62	48	59	41	50
10:00 AM	68	56	45	107	64	69	63	58	61	54	51	49	54	57	50	55	52	54
11:00 AM	67	56	55	75	50	62	76	88	82	54	68	48	83	58	58	48	55	52
12:00 PM	53	44	51	71	60	55	76	65	71	63	44	55	202	51	50	61	81	71
1:00 PM	59	61	56	108	69	75	54	66	60	66	53	47	361	59	50	58	77	68
2:00 PM	59	56	61	98	82	72	48	71	60	43	63	60	338	63	62	52	61	57
3:00 PM	56	58	56	64	81	59	50	152	101	74	67	62	170	89	65	55	67	61
4:00 PM	69	64	51	56	67	57	44	316	180	54	55	66	70	88	61	43	70	57
5:00 PM	34	52	47	42	44	47	49	59	54	57	57	56	62	59	57	51	60	56
6:00 PM	18	27	15	24	27	22	25	38	32	46	29	27	40	39	28	40	45	43
7:00 PM	19	30	16	22	27	23	29	17	23	39	27	17	25	29	22	30	43	37
8:00 PM	8	12	7	16	14	12	18	11	15	18	12	19	22	26	16	17	17	17
9:00 PM	8	9	8	9	7	9	5	13	9	15	5	10	17	22	8	17	11	14
10:00 PM	8	5	10	8	10	8	8	7	8	8	3	5	11	8	4	7	6	7
11:00 PM	0	5	7	2	9	5	10	6	8	7	6	11	5	7	9	10	5	8

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	EB	82	35	230	824	1,020	952	1,225	703	122	5	0	1	0	0	5,199
Percent	EB	2%	1%	4%	16%	20%	18%	24%	14%	2%	0%	0%	0%	0%	0%	
Total	WB	153	81	301	809	800	651	853	710	271	74	15	4	0	0	4,722
Percent	WB	3%	2%	6%	17%	17%	14%	18%	15%	6%	2%	0%	0%	0%	0%	
Average Percent		2%	1%	5%	16%	18%	16%	21%	14%	4%	1%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	36	3,095	1,135	15	218	176	9	104	327	10	0	1	2	71	5,199
Percent	EB	1%	60%	22%	0%	4%	3%	0%	2%	6%	0%	0%	0%	0%	1%	
Total	WB	61	2,621	1,036	22	261	136	6	90	336	9	0	0	2	142	4,722
Percent	WB	1%	56%	22%	0%	6%	3%	0%	2%	7%	0%	0%	0%	0%	3%	
Average Percent		1%	58%	22%	0%	5%	3%	0%	2%	7%	0%	0%	0%	0%	2%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: Vance Rd E of I-26
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694240
 Location: Vance Rd E of I-26 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	EB	WB	EB	WB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	2	3	3	10	5	13
1:00 AM	3	4	5	5	7	9
2:00 AM	3	4	2	4	7	6
3:00 AM	7	4	6	6	11	12
4:00 AM	20	9	10	6	29	15
5:00 AM	34	16	15	10	50	24
6:00 AM	60	43	23	16	103	39
7:00 AM	62	45	32	23	107	55
8:00 AM	53	48	46	30	100	76
9:00 AM	54	48	54	50	102	104
10:00 AM	69	50	61	54	119	114
11:00 AM	62	58	82	52	120	134
12:00 PM	55	50	71	71	105	142
1:00 PM	75	50	60	68	125	128
2:00 PM	72	62	60	57	133	116
3:00 PM	59	65	101	61	124	162
4:00 PM	57	61	180	57	118	237
5:00 PM	47	57	54	56	104	110
6:00 PM	22	28	32	43	50	74
7:00 PM	23	22	23	37	45	60
8:00 PM	12	16	15	17	27	32
9:00 PM	9	8	9	14	16	23
10:00 PM	8	4	8	7	12	14
11:00 PM	5	9	8	8	7	16
TOTAL	871	758	955	754	1622	1709



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
EB	Total	4,266	418	441	3	71	5,199
	Percent	82%	8%	8%	0%	1%	
WB	Total	3,718	425	435	2	142	4,722
	Percent	79%	9%	9%	0%	3%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Old State Rd W of I-95
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	3297
WEEKEND ADT:	3057

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694241
 Location: Old State Rd W of I-95 SB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	7	6	4	6	9	5	8	7	8	14	7	4	5	10	6	16	13	15
1:00 AM	5	4	4	8	8	5	3	7	5	5	6	5	10	5	6	7	8	8
2:00 AM	6	2	4	12	6	6	3	0	2	12	10	7	11	4	9	5	7	6
3:00 AM	15	5	21	22	22	16	6	3	5	7	8	14	12	16	11	9	4	7
4:00 AM	43	22	34	46	35	34	21	9	15	7	28	31	23	17	30	7	5	6
5:00 AM	73	47	83	90	89	73	15	10	13	32	46	38	42	49	42	6	6	6
6:00 AM	118	83	135	137	151	118	38	20	29	44	62	71	77	61	67	36	17	27
7:00 AM	88	132	76	92	78	100	61	40	51	66	117	117	100	107	117	42	27	35
8:00 AM	88	90	79	79	76	83	83	106	95	132	110	89	101	111	100	79	43	61
9:00 AM	91	72	76	86	98	78	106	69	88	120	95	84	99	90	90	101	69	85
10:00 AM	85	84	77	114	95	92	101	106	104	95	95	75	88	112	85	97	65	81
11:00 AM	87	78	78	187	108	114	90	93	92	91	78	91	116	110	85	101	86	94
12:00 PM	93	101	81	219	114	134	96	77	87	83	92	88	148	121	90	74	125	100
1:00 PM	106	87	97	341	132	175	109	84	97	88	93	91	277	114	92	110	127	119
2:00 PM	109	97	97	243	138	146	94	106	100	100	110	109	219	130	110	107	122	115
3:00 PM	109	82	125	146	150	118	83	107	95	92	118	118	202	156	118	98	103	101
4:00 PM	109	117	140	146	139	134	96	232	164	127	123	136	162	177	130	91	132	112
5:00 PM	93	132	104	96	96	111	84	91	88	130	162	142	142	148	152	116	636	376
6:00 PM	52	88	53	65	58	69	58	72	65	151	103	86	96	102	95	77	336	207
7:00 PM	32	64	35	44	40	48	33	32	33	91	62	49	64	61	56	60	68	64
8:00 PM	27	35	19	36	38	30	39	29	34	72	36	39	38	42	38	37	41	39
9:00 PM	33	21	13	21	28	18	26	16	21	38	13	25	28	29	19	40	35	38
10:00 PM	30	16	13	19	35	16	27	19	23	20	17	12	17	29	15	37	14	26
11:00 PM	0	12	8	8	13	9	20	4	12	0	9	8	4	23	9	19	14	17

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	EB	342	27	47	102	216	329	607	1,294	2,050	1,909	1,226	484	149	42	8,824
Percent	EB	4%	0%	1%	1%	2%	4%	7%	15%	23%	22%	14%	5%	2%	0%	
Total	WB	196	26	65	132	346	403	808	1,811	2,707	2,094	970	351	86	29	10,031
Percent	WB	2%	0%	1%	1%	3%	4%	8%	18%	27%	21%	10%	3%	1%	0%	
Average Percent		3%	0%	1%	1%	3%	4%	7%	16%	25%	21%	12%	4%	1%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	105	4,508	2,135	80	1,015	94	20	257	271	7	2	0	0	343	8,837
Percent	EB	1%	51%	24%	1%	11%	1%	0%	3%	3%	0%	0%	0%	0%	4%	
Total	WB	86	5,374	2,433	100	1,005	68	6	219	511	17	1	2	7	202	10,031
Percent	WB	1%	54%	24%	1%	10%	1%	0%	2%	5%	0%	0%	0%	0%	2%	
Average Percent		1%	52%	24%	1%	11%	1%	0%	3%	4%	0%	0%	0%	0%	3%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: Old State Rd W of I-95
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694241
 Location: Old State Rd W of I-95 SB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	EB	WB	EB	WB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	5	6	8	15	11	22
1:00 AM	5	6	5	8	11	13
2:00 AM	6	9	2	6	15	8
3:00 AM	16	11	5	7	27	11
4:00 AM	34	30	15	6	64	21
5:00 AM	73	42	13	6	115	19
6:00 AM	118	67	29	27	185	56
7:00 AM	100	117	51	35	217	85
8:00 AM	83	100	95	61	182	156
9:00 AM	78	90	88	85	168	173
10:00 AM	92	85	104	81	177	185
11:00 AM	114	85	92	94	199	185
12:00 PM	134	90	87	100	224	186
1:00 PM	175	92	97	119	267	215
2:00 PM	146	110	100	115	255	215
3:00 PM	118	118	95	101	236	196
4:00 PM	134	130	164	112	264	276
5:00 PM	111	152	88	376	263	464
6:00 PM	69	95	65	207	163	272
7:00 PM	48	56	33	64	103	97
8:00 PM	30	38	34	39	68	73
9:00 PM	18	19	21	38	37	59
10:00 PM	16	15	23	26	31	49
11:00 PM	9	9	12	17	9	29
TOTAL	1732	1565	1320	1738	3288	3057



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
EB	Total	6,748	1,209	535	2	343	8,837
	Percent	76%	14%	6%	0%	4%	
WB	Total	7,893	1,179	747	10	202	10,031
	Percent	79%	12%	7%	0%	2%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Old State Rd
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	3458
WEEKEND ADT:	2452

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694242
 Location: Old State Rd E of I-95 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	4	7	4	5	11	5	8	12	10	13	4	2	2	10	3	13	9	11
1:00 AM	3	6	2	6	9	5	3	8	6	5	7	4	4	7	6	6	9	8
2:00 AM	5	3	2	6	4	4	4	1	3	8	10	9	11	6	10	3	9	6
3:00 AM	10	3	9	10	19	7	3	3	3	8	10	10	10	13	10	9	3	6
4:00 AM	25	9	25	36	26	23	17	7	12	11	26	33	26	15	30	5	2	4
5:00 AM	63	36	72	71	67	60	18	10	14	36	54	47	43	56	51	11	9	10
6:00 AM	117	64	117	126	133	102	40	18	29	54	72	88	84	60	80	36	13	25
7:00 AM	77	118	81	88	72	96	53	37	45	77	123	128	122	111	126	37	27	32
8:00 AM	90	89	81	81	70	84	77	102	90	135	106	86	102	121	96	76	40	58
9:00 AM	90	68	74	84	94	75	121	63	92	130	94	81	108	90	88	87	68	78
10:00 AM	98	93	76	147	96	105	101	96	99	86	87	81	97	106	84	92	63	78
11:00 AM	88	75	78	397	93	183	86	90	88	82	76	82	93	104	79	90	67	79
12:00 PM	100	100	86	391	118	192	92	61	77	76	97	77	107	114	87	76	111	94
1:00 PM	114	83	90	581	127	251	118	73	96	85	83	80	91	109	82	91	114	103
2:00 PM	113	98	101	405	139	201	96	116	106	99	115	89	99	105	102	100	119	110
3:00 PM	110	94	126	183	154	134	75	95	85	89	107	113	126	143	110	83	91	87
4:00 PM	127	119	141	147	153	136	90	114	102	123	113	121	146	164	117	85	115	100
5:00 PM	91	144	95	97	101	112	86	73	80	123	148	132	139	110	140	97	97	97
6:00 PM	39	84	52	59	58	65	64	62	63	129	81	78	92	86	80	73	88	81
7:00 PM	24	62	33	42	40	46	34	31	33	83	44	54	61	56	49	67	58	63
8:00 PM	20	37	15	33	42	28	34	25	30	55	32	29	35	28	31	35	43	39
9:00 PM	19	24	16	29	38	23	33	15	24	30	13	19	25	25	16	37	28	33
10:00 PM	18	15	11	21	38	16	29	19	24	16	15	15	13	27	15	35	12	24
11:00 PM	0	15	11	9	13	12	20	3	12	15	7	2	5	15	5	16	13	15

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	EB	298	8	42	94	189	434	904	1,779	2,389	1,535	591	145	29	10	8,447
Percent	EB	4%	0%	0%	1%	2%	5%	11%	21%	28%	18%	7%	2%	0%	0%	
Total	WB	181	21	33	34	100	246	765	1,871	2,455	1,727	816	325	97	25	8,702
Percent	WB	2%	0%	0%	0%	1%	3%	9%	22%	28%	20%	9%	4%	1%	0%	
Average Percent		3%	0%	0%	1%	2%	4%	10%	21%	28%	19%	8%	3%	1%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	150	5,076	1,910	55	372	151	28	164	239	5	0	0	2	296	8,448
Percent	EB	2%	60%	23%	1%	4%	2%	0%	2%	3%	0%	0%	0%	0%	4%	
Total	WB	84	4,871	2,248	80	494	61	9	170	484	12	0	0	4	185	8,702
Percent	WB	1%	56%	26%	1%	6%	1%	0%	2%	6%	0%	0%	0%	0%	2%	
Average Percent		1%	58%	24%	1%	5%	1%	0%	2%	4%	0%	0%	0%	0%	3%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: Old State Rd
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694242
 Location: Old State Rd E of I-95 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	EB	WB	EB	WB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	5	3	10	11	8	21
1:00 AM	5	6	6	8	10	13
2:00 AM	4	10	3	6	13	9
3:00 AM	7	10	3	6	17	9
4:00 AM	23	30	12	4	53	16
5:00 AM	60	51	14	10	110	24
6:00 AM	102	80	29	25	182	54
7:00 AM	96	126	45	32	221	77
8:00 AM	84	96	90	58	180	148
9:00 AM	75	88	92	78	163	170
10:00 AM	105	84	99	78	189	176
11:00 AM	183	79	88	79	262	167
12:00 PM	192	87	77	94	279	170
1:00 PM	251	82	96	103	333	198
2:00 PM	201	102	106	110	303	216
3:00 PM	134	110	85	87	244	172
4:00 PM	136	117	102	100	253	202
5:00 PM	112	140	80	97	252	177
6:00 PM	65	80	63	81	145	144
7:00 PM	46	49	33	63	95	95
8:00 PM	28	31	30	39	59	69
9:00 PM	23	16	24	33	39	57
10:00 PM	16	15	24	24	31	48
11:00 PM	12	5	12	15	8	26
TOTAL	1966	1492	1218	1234	3450	2452



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
EB	Total	7,136	606	408	2	296	8,448
	Percent	84%	7%	5%	0%	4%	
WB	Total	7,203	644	666	4	185	8,702
	Percent	83%	7%	8%	0%	2%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: US 15 N of I-26 NB Ramps
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	2319
WEEKEND ADT:	1814

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694243
 Location: US 15 N of I-26 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	5	9	3	10	3	7	11	9	10	4	6	3	8	5	5	13	11	12
1:00 AM	4	5	2	7	3	5	6	4	5	5	1	4	1	2	3	7	9	8
2:00 AM	4	3	8	5	5	5	5	4	5	3	3	4	3	5	4	2	5	4
3:00 AM	6	5	7	4	7	5	9	8	9	5	7	6	3	12	7	6	5	6
4:00 AM	12	7	21	15	13	14	9	5	7	3	15	17	15	9	16	8	5	7
5:00 AM	38	14	47	40	46	34	8	5	7	11	35	38	37	27	37	8	5	7
6:00 AM	96	33	102	84	72	73	17	13	15	44	60	63	65	60	62	20	11	16
7:00 AM	71	99	55	66	60	73	36	26	31	64	94	95	97	99	95	35	15	25
8:00 AM	49	54	54	44	62	51	44	50	47	94	76	64	75	73	70	41	23	32
9:00 AM	73	47	74	75	78	65	60	36	48	69	59	71	73	62	65	51	48	50
10:00 AM	54	65	52	84	84	67	93	72	83	60	55	54	75	69	55	65	54	60
11:00 AM	65	66	67	93	79	75	66	82	74	49	69	52	323	81	61	67	50	59
12:00 PM	81	69	83	119	100	90	83	70	77	63	51	65	563	90	58	62	85	74
1:00 PM	85	73	79	138	101	97	68	70	69	66	68	71	583	78	70	64	68	66
2:00 PM	94	89	115	130	129	111	59	79	69	59	90	83	697	79	87	67	75	71
3:00 PM	95	106	102	117	110	108	77	96	87	79	80	89	658	91	85	51	81	66
4:00 PM	105	111	101	138	110	117	73	68	71	81	79	76	195	79	78	66	81	74
5:00 PM	78	88	72	73	93	78	57	48	53	68	77	85	85	83	81	71	62	67
6:00 PM	62	77	56	58	49	64	52	38	45	83	40	64	61	62	52	46	58	52
7:00 PM	26	37	32	39	49	36	43	55	49	39	25	37	42	45	31	47	37	42
8:00 PM	27	28	21	29	33	26	33	29	31	39	25	28	15	42	27	44	35	40
9:00 PM	19	24	13	11	31	16	27	15	21	33	11	19	24	30	15	30	21	26
10:00 PM	15	14	14	17	18	15	12	6	9	16	6	11	10	26	9	19	10	15
11:00 PM	0	10	7	8	14	8	13	8	11	12	10	14	7	9	12	22	4	13

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	324	6	6	30	70	126	366	897	1,658	1,623	1,059	371	117	49	6,702
Percent	NB	5%	0%	0%	0%	1%	2%	5%	13%	25%	24%	16%	6%	2%	1%	
Total	SB	125	7	13	17	29	111	473	1,188	1,751	1,469	685	230	66	30	6,194
Percent	SB	2%	0%	0%	0%	0%	2%	8%	19%	28%	24%	11%	4%	1%	0%	
Average Percent		3%	0%	0%	0%	1%	2%	7%	16%	27%	24%	13%	5%	1%	1%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	67	2,898	1,614	99	1,113	49	8	348	177	5	0	0	2	322	6,702
Percent	NB	1%	43%	24%	1%	17%	1%	0%	5%	3%	0%	0%	0%	0%	5%	
Total	SB	74	3,072	1,467	72	771	38	8	200	369	4	2	0	0	117	6,194
Percent	SB	1%	50%	24%	1%	12%	1%	0%	3%	6%	0%	0%	0%	0%	2%	
Average Percent		1%	46%	24%	1%	15%	1%	0%	4%	4%	0%	0%	0%	0%	3%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: US 15 N of I-26 NB Ramps
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694243
 Location: US 15 N of I-26 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	7	5	10	12	12	22
1:00 AM	5	3	5	8	7	13
2:00 AM	5	4	5	4	9	8
3:00 AM	5	7	9	6	12	14
4:00 AM	14	16	7	7	30	14
5:00 AM	34	37	7	7	70	13
6:00 AM	73	62	15	16	135	31
7:00 AM	73	95	31	25	168	56
8:00 AM	51	70	47	32	121	79
9:00 AM	65	65	48	50	130	98
10:00 AM	67	55	83	60	122	142
11:00 AM	75	61	74	59	136	133
12:00 PM	90	58	77	74	148	150
1:00 PM	97	70	69	66	166	135
2:00 PM	111	87	69	71	198	140
3:00 PM	108	85	87	66	193	153
4:00 PM	117	78	71	74	194	144
5:00 PM	78	81	53	67	159	119
6:00 PM	64	52	45	52	116	97
7:00 PM	36	31	49	42	67	91
8:00 PM	26	27	31	40	53	71
9:00 PM	16	15	21	26	31	47
10:00 PM	15	9	9	15	24	24
11:00 PM	8	12	11	13	10	24
TOTAL	1241	1078	929	885	2309	1814



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
NB	Total	4,579	1,269	530	2	322	6,702
	Percent	68%	19%	8%	0%	5%	
SB	Total	4,613	889	573	2	117	6,194
	Percent	74%	14%	9%	0%	2%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Orangeburg
 City: N/A
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: 45
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694244
 Location: US 15 S of I-26 SB Ramps

WEEKDAY ADT:	4415
WEEKEND ADT:	3675

RR Crossing No: N/A
 Start Date: 3/25/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	12	24	14	16	18	18	29	24	24	18	16	14	20	14	17	21	17	17
1:00 AM	15	12	14	16	10	14	9	16	12	17	11	21	12	14	15	12	24	17
2:00 AM	14	12	16	27	23	18	13	7	14	23	12	15	29	24	19	12	9	15
3:00 AM	12	23	20	25	28	23	9	20	19	23	21	19	35	46	25	6	8	20
4:00 AM	43	47	27	36	29	37	21	7	19	37	65	42	79	74	62	28	6	36
5:00 AM	55	63	63	58	38	61	26	11	25	94	99	88	74	86	87	44	12	47
6:00 AM	94	84	94	66	78	81	25	10	38	144	146	137	138	116	140	41	23	60
7:00 AM	140	147	127	122	129	132	48	25	67	170	189	189	154	170	177	54	31	85
8:00 AM	119	156	123	119	109	133	74	35	73	133	186	140	139	129	155	73	41	81
9:00 AM	130	135	118	130	119	128	80	80	93	135	166	120	145	122	144	91	72	95
10:00 AM	123	139	114	118	102	124	98	90	97	151	134	130	131	113	132	115	92	107
11:00 AM	125	111	91	146	125	116	101	106	111	128	110	115	120	131	115	132	97	120
12:00 PM	146	127	148	138	163	138	123	103	130	150	143	134	140	155	139	107	121	128
1:00 PM	148	158	124	143	164	142	102	93	120	121	148	128	125	184	134	111	72	122
2:00 PM	161	164	177	156	156	166	107	146	136	145	151	126	129	146	135	111	142	133
3:00 PM	166	177	164	175	159	172	103	125	129	151	138	160	164	209	154	126	160	165
4:00 PM	183	162	144	167	162	158	100	110	124	155	128	118	140	181	129	96	159	145
5:00 PM	181	154	160	181	175	165	97	123	132	131	117	115	146	189	126	101	118	136
6:00 PM	131	109	125	115	131	116	111	93	112	96	80	92	113	127	95	84	95	102
7:00 PM	100	85	90	86	105	87	111	90	102	76	78	66	60	84	68	81	68	78
8:00 PM	82	60	69	72	101	67	60	64	75	56	51	49	64	67	55	62	65	65
9:00 PM	37	46	36	43	104	42	62	58	75	23	44	26	58	40	43	38	46	41
10:00 PM	33	41	30	31	48	34	49	28	42	34	40	24	25	24	30	43	24	30
11:00 PM	19	27	35	23	42	28	30	26	33	22	18	27	25	31	23	42	21	31

SPEED																	
	DIRECTION	0-9.99	10-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	1,225	117	663	1,296	1,627	1,996	2,183	2,309	1,824	774	198	32	11	2	3	14,260
Percent	NB	9%	1%	5%	9%	11%	14%	15%	16%	13%	5%	1%	0%	0%	0%	0%	
Total	SB	1,157	188	735	1,337	1,351	1,461	1,322	1,612	2,066	1,700	1,017	408	109	35	16	14,514
Percent	SB	8%	1%	5%	9%	9%	10%	9%	11%	14%	12%	7%	3%	1%	0%	0%	
Average Percent		8%	1%	5%	9%	10%	12%	12%	14%	14%	9%	4%	2%	0%	0%		

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	TOTAL
Total	NB	840	7,091	2,701	146	548	690	139	144	633	79	1	1	38	1,209	14,260
Percent	NB	6%	50%	19%	1%	4%	5%	1%	1%	4%	1%	0%	0%	0%	8%	
Total	SB	181	4,964	3,844	396	2,020	261	55	417	908	154	6	1	137	1,170	14,514
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		3%	25%	9%	1%	2%	2%	0%	1%	2%	0%	0%	0%	0%	4%	




Division: N/A
 County: Orangeburg
 City: N/A
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: 45
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694244
 Location: US 15 S of I-26 SB Ramps
 RR Crossing No: N/A

Start Date: 3/25/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	NB	SB	NB	SB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	18	17	24	17	35	41
1:00 AM	14	15	12	17	29	28
2:00 AM	18	19	14	15	37	29
3:00 AM	23	25	19	20	48	39
4:00 AM	37	62	19	36	99	55
5:00 AM	61	87	25	47	148	72
6:00 AM	81	140	38	60	222	98
7:00 AM	132	177	67	85	309	152
8:00 AM	133	155	73	81	288	154
9:00 AM	128	144	93	95	271	188
10:00 AM	124	132	97	107	255	203
11:00 AM	116	115	111	120	231	231
12:00 PM	138	139	130	128	277	257
1:00 PM	142	134	120	122	275	242
2:00 PM	166	135	136	133	301	269
3:00 PM	172	154	129	165	326	294
4:00 PM	158	129	124	145	286	269
5:00 PM	165	126	132	136	291	268
6:00 PM	116	95	112	102	211	214
7:00 PM	87	68	102	78	155	180
8:00 PM	67	55	75	65	122	140
9:00 PM	42	43	75	41	84	116
10:00 PM	34	30	42	30	64	72
11:00 PM	28	23	33	31	26	64
TOTAL	2198	2217	1799	1877	4390	3675



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
Total	NB	10,632	1,523	856	40	1,209	14,260
Percent	NB	75%	11%	6%	0%	8%	
Total	SB	8,989	2,732	1,479	144	1,170	14,514
Percent	SB	62%	19%	10%	1%	8%	
Average Percent		68%	15%	8%	1%	8%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Charleston Hwy
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	3842
WEEKEND ADT:	3190

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694245
 Location: Charleston Hwy W of I-95 SB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	6	13	9	7	11	10	9	13	11	18	13	14	23	23	14	24	20	22
1:00 AM	9	5	9	9	12	8	9	6	8	10	8	15	7	9	12	14	17	16
2:00 AM	15	4	11	21	16	12	12	8	10	7	10	5	9	11	8	13	13	13
3:00 AM	31	14	27	33	32	25	16	8	12	4	7	10	18	9	9	14	11	13
4:00 AM	46	27	61	62	54	50	26	9	18	4	9	12	11	10	11	12	4	8
5:00 AM	88	52	98	94	95	81	45	20	33	10	22	12	24	23	17	17	6	12
6:00 AM	118	100	103	151	146	118	76	38	57	16	34	34	31	33	34	21	13	17
7:00 AM	86	109	90	107	87	102	78	42	60	27	88	75	84	92	82	39	25	32
8:00 AM	93	99	97	103	106	100	111	54	83	79	71	80	110	78	76	81	60	71
9:00 AM	98	82	76	102	77	87	109	93	101	70	78	57	91	95	68	89	63	76
10:00 AM	95	80	81	185	104	115	107	119	113	91	67	79	107	99	73	103	70	87
11:00 AM	88	80	105	520	105	235	116	90	103	84	99	81	258	97	90	94	94	94
12:00 PM	118	108	99	501	113	236	98	104	101	96	118	107	271	119	113	103	100	102
1:00 PM	91	99	94	618	110	270	108	85	97	105	95	90	217	110	93	100	96	98
2:00 PM	96	110	100	766	112	325	119	107	113	107	111	96	206	101	104	125	93	109
3:00 PM	102	91	103	171	134	122	117	100	109	104	147	131	264	140	139	95	92	94
4:00 PM	101	108	103	119	114	110	106	193	150	144	140	135	195	148	138	104	120	112
5:00 PM	73	106	66	106	96	93	97	97	97	118	142	129	220	148	136	110	313	212
6:00 PM	71	60	70	68	76	66	75	74	75	122	106	111	109	131	109	98	219	159
7:00 PM	33	52	41	58	65	50	49	60	55	162	67	70	73	91	69	80	141	111
8:00 PM	33	40	36	28	43	35	35	51	43	110	50	42	61	64	46	65	102	84
9:00 PM	14	29	27	47	32	34	45	29	37	64	32	36	42	65	34	56	62	59
10:00 PM	18	21	16	19	44	19	30	20	25	46	29	29	46	47	29	41	24	33
11:00 PM	0	16	19	23	13	19	25	23	24	24	23	25	22	39	24	44	18	31

SPEED																
	DIRECTION	1.00-10.99	11.00-15.99	16-20.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	EB	151	19	42	220	547	827	1,318	2,087	2,399	1,254	444	103	21	9	9,441
Percent		2%	0%	0%	2%	6%	9%	14%	22%	25%	13%	5%	1%	0%	0%	
Total	WB	166	25	77	238	676	1,204	1,623	2,236	2,102	1,027	293	68	22	1	9,761
Percent		2%	0%	1%	2%	7%	12%	17%	23%	22%	11%	3%	1%	0%	0%	
Average Percent		2%	0%	1%	2%	6%	11%	15%	23%	23%	12%	4%	1%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	115	5,475	2,158	59	420	82	231	154	570	22	1	1	3	151	9,442
Percent		1%	58%	23%	1%	4%	1%	2%	2%	6%	0%	0%	0%	0%	2%	
Total	WB	174	5,816	2,105	81	424	243	20	149	564	14	1	4	1	165	9,761
Percent		2%	60%	22%	1%	4%	2%	0%	2%	6%	0%	0%	0%	0%	2%	
Average Percent		2%	59%	22%	1%	4%	2%	1%	2%	6%	0%	0%	0%	0%	2%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: Charleston Hwy
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694245
 Location: Charleston Hwy W of I-95 SB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	EB	WB	EB	WB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	10	14	11	22	23	33
1:00 AM	8	12	8	16	19	23
2:00 AM	12	8	10	13	20	23
3:00 AM	25	9	12	13	33	25
4:00 AM	50	11	18	8	61	26
5:00 AM	81	17	33	12	98	44
6:00 AM	118	34	57	17	152	74
7:00 AM	102	82	60	32	184	92
8:00 AM	100	76	83	71	175	153
9:00 AM	87	68	101	76	154	177
10:00 AM	115	73	113	87	188	200
11:00 AM	235	90	103	94	325	197
12:00 PM	236	113	101	102	349	203
1:00 PM	270	93	97	98	363	195
2:00 PM	325	104	113	109	429	222
3:00 PM	122	139	109	94	261	202
4:00 PM	110	138	150	112	248	262
5:00 PM	93	136	97	212	228	309
6:00 PM	66	109	75	159	175	233
7:00 PM	50	89	55	111	119	185
8:00 PM	35	46	43	84	81	127
9:00 PM	34	34	37	59	68	96
10:00 PM	19	29	25	33	48	58
11:00 PM	19	24	24	31	22	55
TOTAL	2321	1521	1531	1659	3820	3190



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
EB	Total	7,748	792	746	5	151	9,442
	Percent	82%	8%	8%	0%	2%	
WB	Total	8,095	768	727	6	165	9,761
	Percent	83%	8%	7%	0%	2%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Charleston Hwy
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	4854
WEEKEND ADT:	3700

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694246
 Location: Charleston Hwy E of I-95 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	19	31	31	28	42	30	24	15	20	17	27	29	38	41	28	37	16	27
1:00 AM	11	28	22	23	34	24	29	14	22	19	25	22	20	37	24	23	22	23
2:00 AM	18	20	31	40	27	30	19	20	20	14	20	19	19	35	20	18	9	14
3:00 AM	40	36	51	40	51	42	21	13	17	8	20	24	36	29	22	21	16	19
4:00 AM	65	46	87	92	73	75	31	15	23	10	40	36	37	37	38	24	13	19
5:00 AM	96	60	100	101	99	87	57	32	45	21	58	57	53	53	58	29	19	24
6:00 AM	122	111	152	174	132	146	73	24	49	50	80	73	73	66	77	41	32	37
7:00 AM	99	122	107	95	95	108	90	47	69	74	124	150	114	120	137	87	35	61
8:00 AM	94	96	107	131	103	111	102	60	81	119	97	107	112	107	102	99	57	78
9:00 AM	107	97	100	152	95	116	95	103	99	100	106	92	116	103	99	122	73	98
10:00 AM	127	119	111	274	120	168	108	127	118	82	98	113	154	96	106	109	75	92
11:00 AM	120	141	142	378	155	220	128	113	121	94	129	121	252	130	125	101	123	112
12:00 PM	169	156	170	299	140	208	122	119	121	121	135	131	326	153	133	114	139	127
1:00 PM	146	149	147	367	157	221	144	117	131	134	121	130	319	136	124	105	111	108
2:00 PM	128	158	146	386	140	230	128	127	128	138	169	143	342	125	156	115	103	109
3:00 PM	144	121	162	281	165	188	123	128	126	148	159	163	294	164	161	97	119	108
4:00 PM	162	163	139	310	136	204	110	136	123	164	152	159	209	152	156	115	126	121
5:00 PM	262	152	116	145	108	138	110	181	146	129	154	145	142	181	150	115	136	126
6:00 PM	183	122	121	90	79	111	100	258	179	148	123	117	132	116	120	90	113	102
7:00 PM	110	106	73	84	91	88	88	238	163	132	86	92	95	102	89	79	94	87
8:00 PM	90	82	62	76	80	73	66	112	89	83	59	55	70	72	57	77	65	71
9:00 PM	65	53	60	55	49	56	63	53	58	72	39	52	62	59	46	63	57	60
10:00 PM	29	36	45	46	52	42	44	31	38	59	31	34	48	53	33	45	39	42
11:00 PM	0	47	41	40	39	43	26	34	30	49	37	37	26	36	37	46	17	32

SPEED																
	DIRECTION	1.00-10.99	11.00-15.99	16-20.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	EB	1,100	1,457	3,304	2,126	1,381	1,206	1,075	902	506	160	63	12	2	1	13,295
Percent		8%	11%	25%	16%	10%	9%	8%	7%	4%	1%	0%	0%	0%	0%	
Total	WB	709	1,224	3,077	2,019	1,115	866	1,100	967	500	158	38	10	3	0	11,787
Percent		6%	10%	26%	17%	9%	7%	9%	8%	4%	1%	0%	0%	0%	0%	
Average Percent		7%	11%	25%	17%	10%	8%	9%	7%	4%	1%	0%	0%	0%		

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	1,380	5,228	1,933	170	494	1,249	159	256	1,404	36	70	25	4	887	13,295
Percent		10%	39%	15%	1%	4%	9%	1%	2%	11%	0%	1%	0%	0%	7%	
Total	WB	175	5,108	1,813	223	341	371	31	352	2,612	66	90	19	17	569	11,787
Percent		1%	43%	15%	2%	3%	3%	0%	3%	22%	1%	1%	0%	0%	5%	
Average Percent		6%	41%	15%	2%	3%	6%	1%	2%	16%	0%	1%	0%	0%	6%	





Division: N/A
 County: Dorchester
 City: N/A
 On Road: Charleston Hwy
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694246
 Location: Charleston Hwy E of I-95 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	EB	WB	EB	WB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	30	28	20	27	58	46
1:00 AM	24	24	22	23	48	44
2:00 AM	30	20	20	14	50	33
3:00 AM	42	22	17	19	64	36
4:00 AM	75	38	23	19	113	42
5:00 AM	87	58	45	24	145	69
6:00 AM	146	77	49	37	222	85
7:00 AM	108	137	69	61	245	130
8:00 AM	111	102	81	78	213	159
9:00 AM	116	99	99	98	215	197
10:00 AM	168	106	118	92	274	210
11:00 AM	220	125	121	112	345	233
12:00 PM	208	133	121	127	341	247
1:00 PM	221	124	131	108	345	239
2:00 PM	230	156	128	109	386	237
3:00 PM	188	161	126	108	349	234
4:00 PM	204	156	123	121	360	244
5:00 PM	138	150	146	126	287	271
6:00 PM	111	120	179	102	231	281
7:00 PM	88	89	163	87	177	250
8:00 PM	73	57	89	71	130	160
9:00 PM	56	46	58	60	102	118
10:00 PM	42	33	38	42	75	80
11:00 PM	43	37	30	32	40	62
TOTAL	2761	2093	2009	1691	4814	3700



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFIN ED	TOTAL
EB	Total	8,541	2,072	1,696	99	887	13,295
	Percent	64%	16%	13%	1%	7%	
WB	Total	7,096	966	3,030	126	569	11,787
	Percent	60%	8%	26%	1%	5%	

NOTE
 Thursday 3/3/2022 not included in the calculations. I-95 had one lane closed in the NB and SB direction for SCDOT maintenance.



Division: N/A
 County: Orangeburg
 City: N/A
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: 45
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694244
 Location: US178 (Charleston Hwy) E of I-95 NB Ramps

WEEKDAY ADT:	5759
WEEKEND ADT:	6146

RR Crossing No: N/A
 Start Date: 3/25/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	41	62	70	54	93	62	59	54	69	38	51	53	59	70	54	52	53	58
1:00 AM	41	31	36	29	44	32	64	32	47	33	38	40	40	48	39	71	55	58
2:00 AM	22	34	28	34	42	32	61	26	43	23	29	35	33	45	32	75	27	49
3:00 AM	27	31	27	45	29	34	49	23	34	16	38	23	31	40	31	53	33	42
4:00 AM	40	60	57	71	64	63	49	18	44	39	47	47	41	59	45	57	19	45
5:00 AM	79	72	79	83	92	78	49	27	56	66	55	69	72	71	65	53	34	53
6:00 AM	105	119	117	115	119	117	54	52	75	84	88	105	103	85	99	70	39	65
7:00 AM	127	123	130	147	148	133	96	51	98	134	142	136	157	140	145	87	67	98
8:00 AM	109	154	142	150	156	149	140	79	125	113	162	140	135	147	146	128	102	126
9:00 AM	132	143	140	154	170	146	141	112	141	107	146	125	162	173	144	164	115	151
10:00 AM	172	137	161	135	176	144	183	138	166	142	140	129	153	177	141	190	172	180
11:00 AM	165	127	202	180	207	170	213	191	204	163	116	162	168	216	149	196	177	196
12:00 PM	226	195	190	199	236	195	233	200	223	206	144	192	175	231	170	204	198	211
1:00 PM	189	190	189	207	234	195	250	213	232	191	213	171	219	258	201	239	215	237
2:00 PM	187	170	174	196	223	180	246	228	232	184	193	177	211	213	194	243	249	235
3:00 PM	190	185	138	195	220	173	207	261	229	212	205	179	201	267	195	215	216	233
4:00 PM	186	198	184	189	221	190	189	220	210	217	208	201	200	227	203	164	212	201
5:00 PM	192	193	157	196	207	182	182	195	195	181	195	159	201	197	185	190	194	194
6:00 PM	153	142	190	187	170	173	146	157	158	163	159	153	160	197	157	159	151	169
7:00 PM	133	160	143	132	154	145	153	131	146	117	124	111	125	153	120	124	136	138
8:00 PM	114	137	145	129	153	137	126	92	124	78	105	100	105	119	103	116	95	110
9:00 PM	88	83	90	82	121	85	101	73	98	78	73	66	87	114	75	84	68	89
10:00 PM	84	81	75	72	76	76	78	66	73	60	63	60	57	79	60	72	65	72
11:00 PM	56	67	62	62	84	64	63	50	66	33	44	42	66	57	51	48	50	52

SPEED																	
	DIRECTION	0-9.99	10-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	EB	3,038	4,490	4,299	2,159	1,678	1,517	1,394	1,151	690	357	147	37	20	4	0	20,981
Percent	EB	14%	21%	20%	10%	8%	7%	7%	5%	3%	2%	1%	0%	0%	0%	0%	
Total	WB	1,549	2,390	6,385	3,051	1,857	1,617	1,629	1,162	453	133	25	11	3	0	6	20,271
Percent	WB	8%	12%	31%	15%	9%	8%	8%	6%	2%	1%	0%	0%	0%	0%	0%	
Average Percent		11%	17%	26%	13%	9%	8%	7%	6%	3%	1%	0%	0%	0%	0%		

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	TOTAL
Total	EB	840	7,091	2,701	146	548	690	139	144	633	79	1	1	38	1,209	14,260
Percent	EB	6%	50%	19%	1%	4%	5%	1%	1%	4%	1%	0%	0%	0%	8%	
Total	WB	395	8,868	3,758	406	1,003	440	42	562	2,993	76	114	42	32	1,540	20,271
Percent	WB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		3%	25%	9%	1%	2%	2%	0%	1%	2%	0%	0%	0%	0%	4%	





Division: N/A
 County: Orangeburg
 City: N/A
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: 45
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694244
 Location: US178 (Charleston Hwy) E of I-95 NB Ramps
 RR Crossing No: N/A

Start Date: 3/25/22
 Start Time (24-hour clock): 0:00

24 - HOUR TRAFFIC VOLUME SUMMARY						
Start Time	EB	WB	EB	WB	Weekday Total Both Directions	Weekend Total Both Directions
	Average Weekday Direction Hourly Peak	Average Weekday Direction Hourly Peak	Average Weekend Direction Hourly Peak	Average Weekend Direction Hourly Peak		
12:00 AM	62	54	69	58	116	127
1:00 AM	32	39	47	58	71	105
2:00 AM	32	32	43	49	64	92
3:00 AM	34	31	34	42	65	76
4:00 AM	63	45	44	45	108	89
5:00 AM	78	65	56	53	143	109
6:00 AM	117	99	75	65	216	140
7:00 AM	133	145	98	98	278	196
8:00 AM	149	146	125	126	294	251
9:00 AM	146	144	141	151	290	292
10:00 AM	144	141	166	180	285	345
11:00 AM	170	149	204	196	319	400
12:00 PM	195	170	223	211	365	434
1:00 PM	195	201	232	237	396	470
2:00 PM	180	194	232	235	374	467
3:00 PM	173	195	229	233	368	462
4:00 PM	190	203	210	201	393	411
5:00 PM	182	185	195	194	367	388
6:00 PM	173	157	158	169	330	327
7:00 PM	145	120	146	138	295	284
8:00 PM	137	103	124	110	240	234
9:00 PM	85	75	98	89	160	187
10:00 PM	76	60	73	72	136	145
11:00 PM	64	51	66	52	57	117
TOTAL	2954	2805	3087	3060	5702	6146



FHWA CLASSES							
		PV	DUALS	TTST	TWINS	UNDEFINED	TOTAL
Total	EB	10,632	1,523	856	40	1,209	14,260
Percent	EB	75%	11%	6%	0%	8%	
Total	WB	13,021	1,891	3,631	188	1,540	20,271
Percent	WB	64%	9%	18%	1%	8%	
Average Percent		69%	10%	12%	1%	8%	

APPENDIX B. TRAVEL SPEED DATA



Speed Data - 168 Hours (hour increments)

Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 N of I-95
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694235
 Location: I-26 N of I-95 Interchange
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

SUMMARY

	<u>NB</u>	<u>SB</u>	<u>All Lanes</u>
Median Speed:	<u>72</u>	<u>71</u>	<u>72</u>
Mean Speed:	<u>71</u>	<u>70</u>	<u>71</u>
Pace Speed:	<u>66-75</u>	<u>66-75</u>	<u>66-75</u>
High Speed:	<u>75+</u>	<u>75+</u>	<u>75+</u>
Low Speed:	<u>55</u>	<u>55</u>	<u>55</u>
85th Percentile Speed:	<u>78</u>	<u>78</u>	<u>78</u>
% Vehicles above Speed Limit:	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

Date	Start Time	NB														Total
		1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	
3/1/22	0:00	0	0	0	0	0	0	0	0	12	27	87	63	55	61	305
3/1/22	1:00	1	1	0	1	1	0	0	8	8	22	67	39	44	24	216
3/1/22	2:00	0	0	0	0	0	0	0	1	6	13	42	57	46	41	206
3/1/22	3:00	0	0	0	0	0	0	0	1	2	7	52	60	66	51	239
3/1/22	4:00	0	0	0	0	0	0	0	2	10	34	66	94	74	60	340
3/1/22	5:00	0	0	0	0	0	0	0	1	11	35	82	124	110	98	461
3/1/22	6:00	0	0	0	1	0	0	0	2	14	38	95	171	195	210	726
3/1/22	7:00	0	0	0	0	0	0	0	1	15	40	143	219	284	411	1,113
3/1/22	8:00	0	0	0	0	0	0	0	1	12	67	181	324	356	445	1,386
3/1/22	9:00	0	0	0	0	0	0	0	1	17	80	215	389	368	320	1,390
3/1/22	10:00	0	0	0	0	0	0	0	4	14	77	285	456	462	312	1,610
3/1/22	11:00	0	0	0	0	0	0	1	4	24	127	395	447	459	217	1,674
3/1/22	12:00	0	0	0	1	0	0	0	9	27	124	311	444	447	304	1,667
3/1/22	13:00	0	0	0	0	0	2	1	2	25	112	364	461	439	291	1,697
3/1/22	14:00	0	0	0	0	1	0	0	3	28	103	325	512	448	297	1,717
3/1/22	15:00	0	0	0	0	0	0	9	23	38	147	349	454	415	311	1,746
3/1/22	16:00	0	0	0	0	0	0	1	0	15	90	292	451	467	390	1,706
3/1/22	17:00	0	0	1	0	0	0	0	5	13	91	300	369	349	359	1,487
3/1/22	18:00	0	0	0	0	0	0	0	1	9	71	218	301	268	321	1,189
3/1/22	19:00	0	0	0	0	0	0	0	1	17	57	141	188	184	188	776
3/1/22	20:00	0	0	0	0	0	0	7	1	10	24	83	100	121	381	727
3/1/22	21:00	0	0	0	0	0	0	0	4	6	49	117	147	112	114	549
3/1/22	22:00	0	0	0	0	0	0	0	2	7	38	78	101	83	87	396
3/1/22	23:00	0	0	0	0	0	0	0	0	6	28	80	77	67	53	311
3/2/22	0:00	0	0	0	0	0	2	2	4	7	28	65	60	53	38	259
3/2/22	1:00	0	0	0	0	0	0	0	1	3	16	49	58	47	31	205
3/2/22	2:00	0	0	0	0	0	0	0	1	5	19	49	58	43	27	202
3/2/22	3:00	0	0	0	0	0	0	0	2	7	18	55	65	64	37	248
3/2/22	4:00	0	0	0	0	0	0	0	3	7	23	68	87	84	58	330
3/2/22	5:00	0	0	0	0	0	0	1	2	9	35	82	127	110	75	441
3/2/22	6:00	0	0	0	1	0	0	0	1	12	41	122	157	181	177	692
3/2/22	7:00	0	0	0	0	0	0	0	1	13	37	143	197	295	367	1,053
3/2/22	8:00	0	0	0	0	0	0	0	2	20	70	202	288	320	417	1,319
3/2/22	9:00	0	0	0	0	0	0	1	2	7	57	182	292	381	374	1,296
3/2/22	10:00	0	0	0	0	0	0	0	3	8	66	277	403	417	306	1,480
3/2/22	11:00	0	0	0	0	0	0	0	2	12	89	288	428	398	337	1,554
3/2/22	12:00	0	0	0	0	0	1	0	1	11	121	294	434	424	303	1,589
3/2/22	13:00	0	0	0	0	1	0	0	1	26	104	330	461	400	269	1,592
3/2/22	14:00	0	0	0	0	0	0	0	0	22	99	332	420	445	341	1,659
3/2/22	15:00	0	0	0	0	0	0	1	9	12	79	263	413	508	412	1,697
3/2/22	16:00	0	0	0	0	0	0	1	5	15	74	263	413	446	416	1,633
3/2/22	17:00	2	0	0	0	0	2	12	52	118	155	321	323	285	196	1,466
3/2/22	18:00	0	0	1	0	0	0	0	3	15	100	295	338	256	137	1,145
3/2/22	19:00	0	0	0	0	0	0	4	3	13	54	146	212	202	236	870



Speed Data - 168 Hours (15-min increments)

Division: N/A
 County: Orangeburg
 City: Harleyville
 On Road: I-26
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694236
 Location: I-26 S of I-95 Interchange

RR Crossing No: N/A
 Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

SUMMARY

	<u>NB</u>	<u>SB</u>	<u>All Lanes</u>
Median Speed:	<u>69</u>	<u>70</u>	<u>70</u>
Mean Speed:	<u>69</u>	<u>70</u>	<u>69</u>
Pace Speed:	<u>66-75</u>	<u>66-75</u>	<u>66-75</u>
High Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
Low Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
85th Percentile Speed:	<u>73</u>	<u>73</u>	<u>73</u>
% Vehicles above Speed Limit:	<u>72.5</u>	<u>74.8</u>	<u>73.6</u>

Date	Start Time	NB														Total
		0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	
3/23/22	0:00	0	0	0	0	0	0	0	0	1	1	5	13	7	25	52
3/23/22	0:15	0	0	0	0	0	0	0	0	0	1	5	9	10	20	45
3/23/22	0:30	0	0	0	0	0	0	0	0	2	2	3	11	10	21	49
3/23/22	0:45	0	0	0	0	0	0	0	0	1	1	2	3	11	6	24
3/23/22	1:00	0	0	0	0	0	0	0	0	0	1	4	11	10	4	30
3/23/22	1:15	0	0	0	0	0	0	0	0	1	1	7	9	10	9	37
3/23/22	1:30	0	0	0	0	0	0	0	0	0	1	2	8	5	13	29
3/23/22	1:45	0	0	0	0	0	0	0	0	0	1	6	10	3	7	27
3/23/22	2:00	0	0	0	0	0	0	0	0	0	1	3	10	6	9	29
3/23/22	2:15	0	0	0	0	0	0	0	0	0	2	5	12	11	8	38
3/23/22	2:30	0	0	0	0	0	0	1	0	0	1	8	12	9	6	37
3/23/22	2:45	0	0	0	0	0	0	0	0	0	0	4	9	8	7	28
3/23/22	3:00	0	0	0	0	0	0	0	0	0	2	11	9	13	11	46
3/23/22	3:15	0	0	0	0	0	0	0	0	0	1	4	9	15	6	35
3/23/22	3:30	0	0	0	0	0	0	0	0	0	0	5	12	12	14	43
3/23/22	3:45	0	0	0	0	0	0	0	0	2	0	3	14	13	6	38
3/23/22	4:00	0	0	0	0	0	0	0	0	0	0	6	11	17	10	44



Speed Data - 168 Hours (15-min increments)

Division: N/A
 County: Orangeburg
 City: Bowman
 On Road: I-95 N of I-26 Interchange
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694237
 Location: I-95 N of I-26 Interchange

RR Crossing No: N/A
 Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

SUMMARY

	<u>NB</u>	<u>SB</u>	<u>All Lanes</u>
Median Speed:	<u>69</u>	<u>70</u>	<u>69</u>
Mean Speed:	<u>69</u>	<u>69</u>	<u>69</u>
Pace Speed:	<u>66-75</u>	<u>66-75</u>	<u>66-75</u>
High Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
Low Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
85th Percentile Speed:	<u>73</u>	<u>73</u>	<u>73</u>
% Vehicles above Speed Limit:	<u>75.4</u>	<u>77.5</u>	<u>76.4</u>

Date	Start Time	NB														Total
		0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	
3/23/22	0:00	0	0	0	0	0	0	1	0	1	4	5	12	9	18	50
3/23/22	0:15	0	0	0	0	0	0	0	0	0	0	1	12	10	23	46
3/23/22	0:30	0	0	0	0	0	0	0	0	0	1	5	20	13	17	56
3/23/22	0:45	0	0	0	0	0	0	0	0	0	0	6	18	11	22	57
3/23/22	1:00	0	0	0	0	0	0	0	0	0	0	10	12	14	8	44
3/23/22	1:15	0	0	0	0	0	0	0	0	0	1	5	12	9	13	40
3/23/22	1:30	0	0	0	0	0	0	0	1	0	1	3	15	6	12	38
3/23/22	1:45	0	0	0	0	0	0	0	0	1	0	3	15	10	12	41
3/23/22	2:00	0	0	0	0	0	0	0	0	1	1	6	10	5	9	32
3/23/22	2:15	0	0	0	0	0	0	0	0	1	0	4	2	5	14	26
3/23/22	2:30	0	0	0	0	0	0	0	0	1	3	5	11	17	21	58
3/23/22	2:45	0	0	0	0	0	0	1	0	0	4	6	8	7	7	33
3/23/22	3:00	0	0	0	0	0	0	0	0	0	1	10	6	13	13	43
3/23/22	3:15	0	0	0	0	0	0	0	0	0	0	1	6	7	16	30
3/23/22	3:30	0	0	0	0	0	0	0	0	0	0	3	10	16	8	37
3/23/22	3:45	0	0	0	0	0	0	0	0	0	1	4	13	11	9	38
3/23/22	4:00	0	0	0	0	0	0	0	0	0	1	9	13	12	9	44
3/23/22	4:15	0	0	0	0	0	0	0	0	0	0	8	14	15	18	55
3/23/22	4:30	0	0	0	0	0	0	0	2	1	0	7	11	12	12	45



Speed Data - 168 Hours (15-min increments)

Division: N/A
 County: Orangeburg
 City: Bowman
 On Road: I-95
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694238
 Location: I-95 S of I-26 Interchange

RR Crossing No: N/A
 Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

SUMMARY

	<u>NB</u>	<u>SB</u>	<u>All Lanes</u>
Median Speed:	<u>70</u>	<u>70</u>	<u>70</u>
Mean Speed:	<u>68</u>	<u>70</u>	<u>69</u>
Pace Speed:	<u>66-75</u>	<u>66-75</u>	<u>66-75</u>
High Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
Low Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
85th Percentile Speed:	<u>73</u>	<u>73</u>	<u>73</u>
% Vehicles above Speed Limit:	<u>72.8</u>	<u>72.8</u>	<u>72.8</u>

Date	Start Time	NB														Total
		0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	
3/23/22	0:00	0	0	0	0	0	0	0	0	0	1	4	14	24	28	71
3/23/22	0:15	0	0	0	0	0	0	0	0	2	2	3	12	17	14	50
3/23/22	0:30	0	0	0	0	0	0	0	1	1	0	1	15	18	40	76
3/23/22	0:45	0	0	0	0	0	0	0	0	1	3	9	17	21	20	71
3/23/22	1:00	0	0	0	0	2	1	1	0	4	4	9	15	24	8	68
3/23/22	1:15	0	0	0	0	0	0	0	1	0	1	1	9	24	24	60
3/23/22	1:30	0	0	0	0	0	0	0	0	0	1	2	11	22	28	64
3/23/22	1:45	0	0	0	0	0	0	0	0	1	0	9	16	24	23	73
3/23/22	2:00	0	0	0	0	1	0	0	0	0	1	3	13	27	19	64
3/23/22	2:15	0	0	0	0	0	0	0	1	3	3	4	22	25	22	80
3/23/22	2:30	0	0	0	0	0	0	0	0	0	0	4	15	32	24	75
3/23/22	2:45	0	0	0	0	0	0	0	0	1	0	1	13	25	29	69
3/23/22	3:00	0	0	0	0	0	0	0	0	0	1	4	12	29	28	74
3/23/22	3:15	0	0	0	0	0	0	0	0	0	2	3	21	28	40	94
3/23/22	3:30	0	0	0	0	0	0	0	0	0	2	11	22	36	39	110
3/23/22	3:45	0	0	0	0	0	0	0	0	0	1	6	14	41	46	108
3/23/22	4:00	0	0	0	0	0	0	0	0	1	4	4	24	41	46	120

APPENDIX C. CRASH DATA

Crash Number	Crash Date	County	Interstate Type	Route No	Route Name (Main)	Route No	Route Name (Main)	Milepost	Route Type (Base)	Route No	Route Name (Base)	Route Name (Base)	Number Fatalities	Number Killed	Number Injured	Max Injury Code	Crash Harmful Event	Manner of Collision	Improper Lane use/change	Crash Time	Day of the Week	Road Surface	Light Condit	Speed limit	DTTCF Invc	Number of Units	Unbelted	Second Route	Second Route	Enc St Name	IDO	Base D	Latitude	Longitude	Main Route IAR			
1552779	20-Jun-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	164.49	SC ROUTE	210	MAINTLINE	VANCE RD		0	0	0	0	Other - Non Collision	Non Collision		12:40	Saturday	Dry	Daylight	No	3	0	SECONDARY R	93	MAINTLINE	ERNESTER RD	25	W	33.36328	-80.59666	38010002600E			
1556777	26-Jul-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	165.02	SC ROUTE	210	MAINTLINE	VANCE RD		0	0	0	0	Motor Unit (In Transport)	Rear End	Improper Lane use/change	2:00	Monday	Dry	Night	No	2	0	SECONDARY R	1302	MAINTLINE	WHITSELL RD	15	W	33.35773	-80.59043	38010002600E			
15527291	17-Mar-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	165.16	SC ROUTE	210	MAINTLINE	VANCE RD		0	0	0	1	Non-Incapacitating Injury	Guardrail Face	Non Collision	8:30	Tuesday	Dry	Daylight	Yes	1	0	SECONDARY R	1302	MAINTLINE	WHITSELL RD	3	W	33.35621	-80.58878	38010002600E			
1556044	20-Jun-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	165.53	SC ROUTE	210	MAINTLINE	VANCE RD		0	0	0	0	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	10:46	Saturday	Dry	Daylight	No	Yes	2	0	SECONDARY R	1302	MAINTLINE	WHITSELL RD	100	E	33.35231	-80.58449	38010002600E		
15537849	16-Apr-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	165.93	SC ROUTE	210	MAINTLINE	VANCE RD		0	0	0	4	Possible Injury	Tree	Non Collision	13:41	Thursday	Wet	Daylight	No	Yes	1	0	SECONDARY R	1302	MAINTLINE	WHITSELL RD	150	E	33.34803	-80.57977	38010002600E		
15532211	29-Mar-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	166.18	SC ROUTE	210	MAINTLINE	VANCE RD		0	0	0	0	0	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	11:20	Sunday	Dry	Daylight	No	Yes	2	0	SECONDARY R	1302	MAINTLINE	WHITSELL RD	464	W	33.34529	-80.57676	38010002600E	
15504399	15-Jan-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	166.42	SECONDARY ROAD	1302	MAINTLINE	WHITSELL RD		0	0	0	0	0	Tree	Non Collision	20:30	Thursday	Wet	Night	No	0	0	SC ROUTE	210	MAINTLINE	VANCE RD	295	E	33.34282	-80.57402	38010002600E			
15540599	24-Apr-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	166.53	SECONDARY ROAD	1302	MAINTLINE	WHITSELL RD		0	0	0	0	0	Other (fired)	Non Collision	Improper Lane use/change	13:53	Friday	Dry	Daylight	No	0	0	SC ROUTE	210	MAINTLINE	VANCE RD	166	E	33.34164	-80.57276	38010002600E		
15562229	13-Jun-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	166.63	SECONDARY ROAD	1302	MAINTLINE	WHITSELL RD		0	0	0	0	0	Tree	Non Collision	Driving too Fast for Conditions	12:05	Saturday	Dry	Daylight	No	Yes	1	0	SC ROUTE	210	MAINTLINE	VANCE RD	323	E	33.34051	-80.57152	38010002600E	
15543350	5-May-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	167.13	SECONDARY ROAD	1302	MAINTLINE	WHITSELL RD		0	0	0	0	0	Motor Unit (In Transport)	Angle 3	Improper Lane use/change	19:00	Tuesday	Dry	Daylight	No	0	0	SC ROUTE	210	MAINTLINE	VANCE RD	192	E	33.33517	-80.56565	38010002600E		
15511342	10-Oct-15	ORANGEBURG	INTERSTATE	26	MAINTLINE	INTERSTATE 26	167.16	SECONDARY ROAD	1302	MAINTLINE	WHITSELL RD		0	0	0	0	0	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	13:07	Saturday	Wet	Daylight	No	Yes	2	0	SC ROUTE	210	MAINTLINE	VANCE RD	92	W	33.33449	-80.56535	38010002600E	
15501887	9-Jan-15	DORCHESTER	US ROUTE	178	MAINTLINE	CHARLESTON HWY	1.92	SECONDARY ROAD	839	MAINTLINE	SHANNON LOOP		0	0	0	0	0	Motor Unit (In Transport)	Angle 2	Failure to Yield Row	10:35	Friday	Dry	Daylight	No	0	0	INTERSTATE	95	MAINTLINE	INTERSTATE 95	2	W	33.27153	-80.57042	18020017800E		
15591387	13-Aug-15	DORCHESTER	RAMP	8709	MAINTLINE	Ramp to I-95 S	0.12			MAINTLINE			0	0	0	0	0	Motor Unit (Stopped)	Angle 1	Improper Turn	11:30	Thursday	Dry	Daylight	No	0	0					0	E	33.26997	-80.57041	18056709345		
15532713	3-Apr-15	DORCHESTER	INTERSTATE	95	MAINTLINE	INTERSTATE 95	83.18	US ROUTE	178	MAINTLINE	CHARLESTON HWY		0	0	0	0	0	0	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	14:30	Friday	Dry	Daylight	No	0	0	SECONDARY R	50	MAINTLINE	MULBERRY RD	3	S	33.27063	-80.55983	38010009500N	
18617123	12-Aug-15	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.03	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Motor Unit (Stopped)	Rear End	Other Improper Action	9:25	Friday	Dry	Daylight	No	0	0					20	E	33.30956	-80.55362	38010009500N	
18627110	1-Sep-18	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.04	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Non Collision	Driving too Fast for Conditions	18:25	Saturday	Wet	Daylight	No	Yes	1	0					100	S	33.30974	-80.55355	38010009500N	
18590482	30-Jun-18	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.05	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	9:30	Saturday	Dry	Daylight	No	Yes	2	0					50	S	33.30985	-80.55355	38010009500N
17553040	19-Apr-17	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.05	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	8:20	Wednesday	Dry	Daylight	No	0	0					50	S	33.30988	-80.55349	38010009500N	
19632324	7-Sep-19	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.05	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Non Collision	Animal in Road	4:07	Saturday	Dry	Daylight	No	0	0					100	S	33.3099	-80.55348	38010009500N		
16607945	27-Aug-16	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.06	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Non Collision	Animal (Deer Only)	20:28	Saturday	Dry	Night	No	0	0					25	S	33.30997	-80.55345	38010009500N		
18690760	22-Dec-18	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.06	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Motor Unit (In Transport)	Angle 2	Improper Lane use/change	17:11	Saturday	Dry	Daylight	No	0	0					40	N	33.30999	-80.55344	38010009500N	
16609368	16-Aug-16	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.06	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Non Collision	Run off Road	17:30	Tuesday	Dry	Daylight	No	0	0					52	S	33.30999	-80.55344	38010009500N		
18536513	19-Mar-18	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.11	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	1	Possible Injury	Median Barrier	Non Collision	Under the Influence	22:19	Monday	Wet	Night	No	0	0					100	S	33.3107	-80.55311	38010009500N	
17667920	8-Dec-17	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.11	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Non Collision	Driving too Fast for Conditions	6:00	Friday	Wet	Night	No	Yes	1	0					1	S	33.3107	-80.55311	38010009500N	
18622394	13-Jul-18	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.12	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Median Barrier	Non Collision	Driving too Fast for Conditions	18:01	Friday	Wet	Daylight	Yes	Yes	1	0					0	N	33.31073	-80.55309	38010009500N
18617117	12-Aug-18	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.13	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	1	Possible Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	13:30	Sunday	Dry	Daylight	No	Yes	3	0					20	S	33.31088	-80.55302	38010009500N
18607828	15-Jul-18	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.13	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Median Barrier	Non Collision	Driving too Fast for Conditions	13:56	Monday	Dry	Daylight	No	0	0					100	S	33.31129	-80.55311	38010009500N	
16611713	2-Sep-16	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.14	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Non Collision	Embankment	Non Collision	14:20	Friday	Wet	Daylight	No	0	0					100	S	33.31129	-80.55311	38010009500N	
18562649	17-May-18	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.14	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Non Collision	Sideways, Same Direction	Improper Lane use/change	12:25	Thursday	Wet	Daylight	No	0	0					2	S	33.31107	-80.55292	38010009500N	
16552917	30-Apr-16	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.15	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	3	Possible Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	2:38	Saturday	Dry	Night	Yes	Yes	2	0					2	S	33.31112	-80.55289	38010009500N
17673189	8-Dec-17	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.15	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Median Barrier	Non Collision	Driving too Fast for Conditions	21:00	Friday	Wet	Night	No	Yes	1	0					100	S	33.31114	-80.55289	38010009500N
19587330	7-Apr-19	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.15	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Tree	Non Collision	Driving too Fast for Conditions	9:30	Sunday	Wet	Daylight	No	Yes	1	0					30	S	33.31115	-80.55288	38010009500N
16552918	30-Apr-16	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.15	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Non Collision	Run off Road Left	2:38	Saturday	Dry	Night	Yes	Yes	50	S	33.31115	-80.55288	38010009500N							
19630069	15-Sep-19	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.15	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Overturn/Rollover	Non Collision	Driving too Fast for Conditions	22:10	Sunday	Dry	Night	No	Yes	1	0					1	S	33.31116	-80.55287	38010009500N
16575649	24-Jun-16	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.15	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	14:25	Friday	Dry	Daylight	No	Yes	2	0					21	S	33.31116	-80.55288	38010009500N
17561884	24-Apr-17	ORANGEBURG	INTERSTATE	95	MAINTLINE	INTERSTATE 95	85.16	INTERSTATE	26	MAINTLINE	INTERSTATE 26		0	0	0	0	0	0	Tree	Non Collision	Driving too Fast for Conditions	5:49	Monday	Wet														

18621787	27-Aug-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	86.97	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Motor Unit (Parked)	Other Improper Action	6:50	Monday	Dry	Night	No	No	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	100	N	33.33443	-80.5377	38010009500	
1857127	16-Mar-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	167.07	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Tree	Animal in Road	2:35	Monday	Wet	Night	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	101	N	33.33589	-80.5641	38010002600	
1857849	7-Jun-18	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.07	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Tree	Improper Lane use/change	12:15	Monday	Dry	Daylight	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	101	N	33.33589	-80.5641	38010002600	
15527282	17-Mar-15	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.07	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	1	1	Incapacitating Injury	Tree	Non Collision	Under the Influence	9:05	Tuesday	Dry	Daylight	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	200	W	33.33583	-80.56636	38010002600
17534066	16-Mar-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.07	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Other Improper Action	3:40	Thursday	Dry	Night	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	199	W	33.33581	-80.56635	38010002600
18672196	8-Nov-18	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.09	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Tree	Non Collision	Obstruction in Roadway	21:00	Thursday	Wet	Night	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	99	W	33.33563	-80.56615	38010002600
16540675	15-Apr-16	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.1	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Tree	Rear End	Driving too Fast for Conditions	17:00	Friday	Dry	Daylight	No	Yes	2	0	US ROUTE	210	MAINLINE	VANCE RD	285	W	33.33551	-80.56602	38010002600
17686775	29-Dec-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.11	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Improper Lane use/change	11:00	Friday	Dry	Daylight	No	No	2	0	US ROUTE	210	MAINLINE	VANCE RD	100	E	33.33538	-80.56587	38010002600
18660124	8-Nov-18	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.13	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Tree	Non Collision	Obstruction in Roadway	21:00	Thursday	Wet	Night	No	Yes	1	0	US ROUTE	210	MAINLINE	VANCE RD	95	W	33.33516	-80.56563	38010002600
17589242	7-Jul-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.16	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	11:00	Friday	Dry	Daylight	No	Yes	2	0	US ROUTE	210	MAINLINE	VANCE RD	100	W	33.33488	-80.56532	38010002600
17681104	27-Dec-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.18	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	11:15	Wednesday	Wet	Daylight	No	Yes	1	0	US ROUTE	210	MAINLINE	VANCE RD	90	W	33.33471	-80.56514	38010002600
15570454	18-Jul-15	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.18	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	2 Possible Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	12:10	Saturday	Dry	Daylight	No	Yes	5	0	US ROUTE	210	MAINLINE	VANCE RD	90	E	33.33468	-80.56511	38010002600
18569594	9-May-18	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.18	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	5 Possible Injury	Motor Unit (Parked)	Sideways, Same Direction	Run off Road	16:18	Wednesday	Dry	Daylight	Yes	No	3	0	US ROUTE	210	MAINLINE	VANCE RD	50	W	33.33467	-80.56511	38010002600
17638246	8-Oct-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.18	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	1 Non-Incapacitating Injury	Animal (Deer Only)	Non Collision	Animal in Road	3:50	Sunday	Dry	Night	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	187	W	33.33463	-80.56506	38010002600
16611728	4-Sep-16	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.21	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	1	1	4 Incapacitating Injury	Tree	Non Collision	Tires/Wheel	11:02	Sunday	Dry	Daylight	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	150	W	33.33442	-80.56483	38010002600
17507126	22-Jan-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.23	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Embankment	Non Collision	Animal in Road	14:12	Sunday	Dry	Daylight	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	100	W	33.33369	-80.56403	38010002600
17681114	29-Dec-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.28	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	12:10	Friday	Dry	Daylight	No	Yes	2	0	US ROUTE	210	MAINLINE	VANCE RD	80	W	33.33355	-80.56387	38010002600
19596158	1-Jul-19	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.29	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Tree	Non Collision	Driving too Fast for Conditions	16:28	Monday	Dry	Daylight	No	Yes	1	0	US ROUTE	210	MAINLINE	VANCE RD	200	E	33.33349	-80.56338	38010002600
19525443	11-Feb-19	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.3	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Tree	Non Collision	Driving too Fast for Conditions	14:10	Monday	Wet	Daylight	No	Yes	1	0	US ROUTE	210	MAINLINE	VANCE RD	78	W	33.33334	-80.56371	38010002600
17664562	25-Nov-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.32	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	10:42	Saturday	Dry	Daylight	No	Yes	1	0	US ROUTE	210	MAINLINE	VANCE RD	75	W	33.3332	-80.56349	38010002600
17606899	12-Aug-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.33	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	3 Possible Injury	Tree	Sideways, Same Direction	Improper Lane use/change	3:10	Saturday	Dry	Night	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	158	W	33.33301	-80.56328	38010002600
16561534	19-May-16	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.34	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Tree	Non Collision	Driving too Fast for Conditions	16:45	Thursday	Wet	Daylight	No	Yes	1	0	US ROUTE	210	MAINLINE	VANCE RD	75	E	33.333	-80.56327	38010002600
16555205	26-Dec-15	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	167.34	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	10:20	Saturday	Dry	Daylight	No	Yes	3	0	US ROUTE	210	MAINLINE	VANCE RD	150	W	33.3296	-80.56323	38010002600
17657706	17-Nov-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.98	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	11:20	Friday	Dry	Daylight	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	108	W	33.32861	-80.56744	38010002600
19621985	21-Aug-19	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.96	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	9:50	Wednesday	Dry	Daylight	Yes	Yes	2	0	US ROUTE	210	MAINLINE	VANCE RD	210	W	33.32706	-80.56772	38010002600
15566445	4-Jul-15	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.92	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	16:05	Saturday	Dry	Daylight	No	No	2	0	US ROUTE	210	MAINLINE	VANCE RD	5	W	33.32748	-80.56818	38010002600
19505182	1-Jan-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	87.2	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Tree	Non Collision	Driving too Fast for Conditions	10:33	Tuesday	Dry	Daylight	No	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	300	N	33.33755	-80.53625	38010009500
18579615	13-Jun-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	87.2	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Guardrail Face	Non Collision	Driving too Fast for Conditions	6:38	Monday	Dry	Night	No	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	305	E	33.33749	-80.53625	38010009500
16634997	22-Oct-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	87.23	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Animal (Deer Only)	Non Collision	Animal in Road	6:38	Monday	Dry	Night	No	No	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	100	N	33.33759	-80.53625	38010009500
19560061	30-Apr-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	87.24	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Ditch	Non Collision	Driving too Fast for Conditions	6:27	Tuesday	Dry	Night	No	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	100	N	33.33807	-80.53601	38010009500
17556495	26-Apr-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	87.25	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Guardrail Face	Non Collision	Animal in Road	5:13	Wednesday	Dry	Night	No	No	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	120	N	33.33821	-80.53594	38010009500
17541059	2-Apr-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.85	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	1 Possible Injury	Tree	Non Collision	Improper Lane use/change	12:44	Sunday	Dry	Daylight	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	301	E	33.33822	-80.56899	38010002600
19564711	11-May-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	87.28	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	1 Possible Injury	Run off Road Right	Non Collision	Under the Influence	14:34	Saturday	Dry	Daylight	No	No	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	100	N	33.33864	-80.53574	38010009500
15630322	8-Nov-15	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.79	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	1 Possible Injury	Tree	Non Collision	Driving too Fast for Conditions	15:40	Sunday	Wet	Daylight	Yes	Yes	1	0	US ROUTE	210	MAINLINE	VANCE RD	129	W	33.33884	-80.56968	38010002600
17679284	23-Dec-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	87.32	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	5:14	Saturday	Dry	Night	No	No	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	100	N	33.33915	-80.53555	38010009500
18523869	27-Feb-18	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.34	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	17:00	Tuesday	Dry	Daylight	No	No	2	0	US ROUTE	210	MAINLINE	VANCE RD	262	W	33.34362	-80.57492	38010002600
15632683	14-Nov-15	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.35	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Animal (all other)	Non Collision	Animal in Road	9:40	Saturday	Dry	Daylight	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	110	E	33.34349	-80.57478	38010002600
18649927	6-Oct-18	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.36	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Animal (Deer Only)	Non Collision	Animal in Road	10:00	Saturday	Dry	Daylight	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	100	E	33.34341	-80.57469	38010002600
18650904	16-Oct-18	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.37	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	2	2	2	2	0 Fatal	Tree	Non Collision	Tires/Wheel	18:40	Sunday	Wet	Night	No	No	1	0	US ROUTE	210	MAINLINE	VANCE RD	100	E	33.34334	-80.57461	38010002600
16534804	27-Mar-16	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.39	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	19:12	Sunday	Wet	Night	No	Yes	2	0	US ROUTE	210	MAINLINE	VANCE RD	100	E	33.34305	-80.57429	38010002600
17679775	13-Sep-17	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.41	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	3 Non-Incapacitating Injury	Run off Road Right	Non Collision	Driving too Fast for Conditions	9:42	Wednesday	Dry	Daylight	No	Yes	1	0	US ROUTE	210	MAINLINE	VANCE RD	150	W	33.34284	-80.57405	38010002600
19505256	9-Jan-19	ORANGEBURG	INTERSTATE 26	MAINLINE	SECONDARY ROAD	166.43	SECONDARY ROAD	1302	MAINLINE	WHETSELL RD	0	0	0	0	No																				

19525074	20-Feb-19	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	90.32	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Unknown	11:03	Wednesday	Wet	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	15	N	33.38047	-80.51953	3801009500N
15673780	17-Sep-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	90.30	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (Stopped)	Non Collision	Animal in Road	11:01	Monday	Dry	Night	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	209	S	33.38066	-80.51953	3801009500N
16570889	26-Dec-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	90.29	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (Stopped)	Non Collision	Animal in Road	12:11	Monday	Dry	Daylight	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	7	S	33.38147	-80.51913	3801009500N
16529235	13-Mar-16	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	90.4	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	17:10	Sunday	Wet	Daylight	No	Yes	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	12	S	33.3816	-80.51908	3801009500N
18691390	22-Dec-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	90.41	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	10:53	Saturday	Dry	Daylight	No	Yes	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	5	S	33.38176	-80.51902	3801009500N
15630371	17-Nov-15	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	90.42	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Animal (Deer Only)	Non Collision	Animal in Road	19:40	Tuesday	Dry	Night	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	4	S	33.38188	-80.51897	3801009500N
17536343	26-Feb-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	90.42	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	1	Possible Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	12:11	Sunday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	4	S	33.38193	-80.51895	3801009500N
18599892	1-Jul-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.66	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (In Transport)	Angle 3	Improper Lane use/change	11:37	Sunday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	65	S	33.37134	-80.52292	3801009500N
18570023	19-May-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.66	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	1	Incapacitating Injury	Tree	Non Collision	Medical Related	15:04	Saturday	Dry	Daylight	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	100	N	33.37136	-80.52291	3801009500N
17622842	12-Sep-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.7	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Other (fixed)	Non Collision	Other (environmental)	13:15	Tuesday	Dry	Daylight	No	No	1	1	INTERSTATE	26	MAINLINE	INTERSTATE 26	210	S	33.37196	-80.52272	3801009500N
17618772	12-Aug-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.71	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Bridge Rail	Non Collision	Tires/Wheel	11:20	Saturday	Dry	Daylight	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	25	S	33.37206	-80.52269	3801009500N
17562570	18-May-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.72	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	1	Possible Injury	Tree	Rear End	Driving too Fast for Conditions	10:25	Thursday	Dry	Daylight	No	Yes	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	50	S	33.37228	-80.52262	3801009500N
15580777	3-Aug-15	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.78	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Embankment	Non Collision	Driving too Fast for Conditions	11:20	Monday	Wet	Daylight	No	Yes	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	120	S	33.37305	-80.52236	3801009500N
19519096	7-Jan-19	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.81	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Other Movable Object	Non Collision	Debris	16:50	Monday	Dry	Night	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	100	N	33.37342	-80.52223	3801009500N
15611619	5-Feb-16	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.83	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (In Transport)	Angle 3	Improper Lane use/change	9:48	Monday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	61	S	33.37343	-80.52215	3801009500N
18676329	26-Nov-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.83	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	9:48	Monday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	50	S	33.37372	-80.52212	3801009500N
17579589	20-Jun-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.84	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Highway Traffic Sign Post	Non Collision	Improper Lane use/change	15:32	Tuesday	Wet	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	400	S	33.37385	-80.52207	3801009500N
19608777	6-Aug-19	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.87	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Tree	Non Collision	Under the Influence	0:09	Tuesday	Dry	Night	Yes	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	15	S	33.37437	-80.52188	3801009500N
15611348	9-Oct-15	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.89	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Animal (Deer Only)	Non Collision	Animal in Road	23:28	Friday	Dry	Night	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	50	S	33.37461	-80.52179	3801009500N
17679886	28-Dec-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.9	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Unknown Movable Object	Non Collision	Debris	17:10	Thursday	Dry	Night	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	100	S	33.37479	-80.52172	3801009500N
18582522	1-Jun-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.92	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Ran off Road Left	Angle 3	Improper Lane use/change	9:35	Friday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	20	N	33.37501	-80.52164	3801009500N
18691125	4-Dec-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.93	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	17:08	Tuesday	Dry	Daylight	No	Yes	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	370	N	33.37511	-80.5216	3801009500N
17606325	24-Jul-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.36	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Tree	Non Collision	Driving too Fast for Conditions	17:20	Monday	Wet	Daylight	No	Yes	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	125	N	33.35323	-80.52894	3801009500N
16670902	27-Dec-16	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.38	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	11:30	Tuesday	Dry	Daylight	No	Yes	3	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	150	S	33.35346	-80.52884	3801009500N
16582265	8-Jul-16	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.4	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Animal (Deer Only)	Non Collision	Animal in Road	3:10	Friday	Dry	Night	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	140	S	33.35377	-80.52871	3801009500N
17657403	27-Oct-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.45	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Animal (Deer Only)	Non Collision	Animal in Road	2:15	Friday	Dry	Night	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	100	N	33.35449	-80.52841	3801009500N
16582264	8-Jul-16	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.46	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (Parkd)	Rear End	Other Improper Action	3:20	Friday	Dry	Night	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	140	S	33.3546	-80.52836	3801009500N
18613429	4-Aug-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.48	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Tree	Non Collision	Post/Sign Injury	17:20	Monday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	200	N	33.35469	-80.52832	3801009500N
18634239	10-Sep-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.48	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Tree	Non Collision	Driving too Fast for Conditions	3:19	Monday	Wet	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	200	S	33.35492	-80.52823	3801009500N
17575060	22-May-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.51	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Tree	Non Collision	Driving too Fast for Conditions	16:51	Monday	Wet	Daylight	No	Yes	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	200	S	33.35524	-80.52811	3801009500N
17638245	8-Oct-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.52	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	2	Possible Injury	Tree	Non Collision	Driving too Fast for Conditions	0:05	Sunday	Dry	Night	No	Yes	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	400	N	33.35541	-80.52804	3801009500N
19621524	24-Aug-19	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.52	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Ditch	Non Collision	Driving too Fast for Conditions	19:08	Saturday	Dry	Daylight	No	Yes	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	200	N	33.35543	-80.52803	3801009500N
18600729	15-Jul-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.61	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	6	Non-Incapacitating Injury	Tree	Non Collision	Driving too Fast for Conditions	5:42	Sunday	Dry	Night	Yes	Yes	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	300	N	33.35671	-80.52757	3801009500N
18640057	5-Oct-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.63	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	15:00	Friday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	1	N	33.35699	-80.52749	3801009500N
17603673	22-Jul-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.65	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (Parkd)	Sideways, Same Direction	Driving too Fast for Conditions	3:30	Saturday	Dry	Night	No	Yes	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	789	S	33.35725	-80.52741	3801009500N
16550284	1-May-16	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.76	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Tree	Non Collision	Improper Lane use/change	22:13	Sunday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	50	S	33.35878	-80.52692	3801009500N
18620100	24-Jul-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.89	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Other Movable Object	Non Collision	Debris	12:43	Tuesday	Wet	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	200	S	33.36063	-80.52633	3801009500N
17517762	13-Feb-17	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.97	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	3	Possible Injury	Tree	Non Collision	Driving too Fast for Conditions	5:30	Monday	Dry	Night	No	Yes	1	1	INTERSTATE	26	MAINLINE	INTERSTATE 26	400	S	33.36174	-80.52598	3801009500N
15598458	18-Sep-15	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	88.98	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	1	Non-Incapacitating Injury	Ran off Road Left	Non Collision	Swerving to Avoid Object	6:40	Friday	Dry	Night	No	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	7	S	33.36185	-80.52595	3801009500N
19624684	9-Sep-19	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.08	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	6	Non-Incapacitating Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	14:15	Monday	Dry	Night	No	Yes	3	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	100	S	33.3633	-80.52549	3801009500N
16514929	4-Feb-16	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.19	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Tree	Non Collision	Driving too Fast for Conditions	5:15	Thursday	Wet	Daylight	No	Yes	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	200	S	33.36482	-80.52519	3801009500N
16644988	21-Oct-18	ORANGEBURG	INTERSTATE	95	MAINLINE	INTERSTATE 95	89.29	US ROUTE	176	MAINLINE	OLD STATE RD	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	21:00	Friday	Dry	Night	Yes	No	1	0	INTERSTATE	26	MAINLINE	INTERSTATE 26</					

17681119	29-Dec-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.94	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving Too Fast for Conditions	21:31	Friday	Dry	Daylight	No	Yes	3	0	US ROUTE	176	MAINLINE	OLD STATE RD	2	N	33.32116	-80.54584	38010009500N	
15531266	30-Aug-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.94	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Improper Lane use/change	16:45	Sunday	Wet	Night	No	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	20	N	33.32146	-80.54562	38010009500N	
19606360	7-Jul-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.99	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	1 Possible Injury	Motor Unit (Stopped)	Rear End	Driving Too Fast for Conditions	14:10	Sunday	Dry	Daylight	No	Yes	4	0	US ROUTE	176	MAINLINE	OLD STATE RD	1	N	33.32175	-80.54541	38010009500N	
19549687	9-Feb-19	ORANGEBURG	RAMP	7853	30	Exit 169 B	0.51	0	0	0	0	0	0	0	No Injury	Motor Unit (Park)	Sideways, Same Direction	Driving Too Fast for Conditions	19:39	Saturday	Dry	Night	No	Yes	2	1	US ROUTE	176	MAINLINE	OLD STATE RD	1	S	33.32061	-80.54505	3805785330W	
19608579	31-Jul-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.76	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Guardrail End	Non Collision	Driving Too Fast for Conditions	11:40	Wednesday	Dry	Daylight	No	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	1	S	33.31895	-80.54744	38010009500N
15532205	29-Mar-15	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.76	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Guardrail Face	Non Collision	Improper Lane use/change	11:05	Sunday	Dry	Daylight	No	Yes	4	0	US ROUTE	176	MAINLINE	OLD STATE RD	25	S	33.31897	-80.54742	38010009500N
17681109	26-Dec-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.76	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	1 Possible Injury	Median Barrier	Rear End	Driving Too Fast for Conditions	11:00	Tuesday	Dry	Daylight	No	Yes	4	0	US ROUTE	176	MAINLINE	OLD STATE RD	0	N	33.319	-80.54741	38010009500N	
19591899	21-Jun-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.77	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Angle 3	Improper Lane use/change	10:30	Friday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	100	N	33.31912	-80.54732	38010009500N
16534190	25-Mar-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.78	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Failure to Yield Row	5:45	Friday	Dry	Night	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	1	S	33.31916	-80.54729	38010009500N
16520561	24-Feb-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.79	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Highway Traffic Sign Post	Non Collision	Driving Too Fast for Conditions	5:52	Wednesday	Wet	Night	Yes	No	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	5	N	33.31931	-80.54718	38010009500N
17603429	16-Jul-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.8	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	22:39	Sunday	Wet	Night	Yes	No	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	1	S	33.31941	-80.54711	38010009500N
16529231	12-Mar-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.81	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving Too Fast for Conditions	19:33	Saturday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	104	S	33.31953	-80.54702	38010009500N
16614091	26-Aug-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.81	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	1	Non-Incapacitating Injury	Overturn/Rollover	Non Collision	Driving Too Fast for Conditions	13:50	Friday	Dry	Daylight	No	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	119	N	33.319561	-80.547	38010009500N
15564335	13-Apr-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.81	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	1 Possible Injury	Motor Unit (In Transport)	Rear End	Driving Too Fast for Conditions	10:46	Saturday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	400	N	33.31961	-80.54698	38010009500N
18612919	3-Aug-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.82	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving Too Fast for Conditions	18:20	Friday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	0	N	33.31963	-80.54699	38010009500N
17579601	24-Jun-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.82	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	1 Possible Injury	Motor Unit (In Transport)	Rear End	Driving Too Fast for Conditions	13:50	Saturday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	400	N	33.31971	-80.54689	38010009500N	
17501386	2-Jan-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.83	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	16:25	Monday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	8	N	33.31982	-80.54681	38010009500N
16584608	10-Jul-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.83	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving Too Fast for Conditions	14:50	Sunday	Dry	Daylight	No	Yes	3	0	US ROUTE	176	MAINLINE	OLD STATE RD	0	S	33.31985	-80.54678	38010009500N
16584609	10-Jul-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.83	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Driving Too Fast for Conditions	14:55	Sunday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	0	N	33.31985	-80.54678	38010009500N
19612683	18-Aug-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.84	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving Too Fast for Conditions	16:08	Sunday	Dry	Daylight	No	Yes	3	0	US ROUTE	176	MAINLINE	OLD STATE RD	1	N	33.31987	-80.54677	38010009500N
18550618	17-Apr-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.84	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	2 Possible Injury	Ran off Road Left	Rear End	Driving Too Fast for Conditions	21:56	Tuesday	Dry	Night	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	25	N	33.31987	-80.54677	38010009500N	
16509709	23-Jan-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.84	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Guardrail Face	Non Collision	Road Surface Condition	8:45	Saturday	Wet	Daylight	No	No	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	0	N	33.31989	-80.54676	38010009500N
16631275	16-Oct-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.84	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving Too Fast for Conditions	16:15	Sunday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	1	S	33.31996	-80.54671	38010009500N
16564471	30-May-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.84	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Guardrail End	Non Collision	Driving Too Fast for Conditions	12:20	Monday	Wet	Daylight	Yes	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	22	N	33.31997	-80.5467	38010009500N
19519222	4-Feb-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.84	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Angle 1	Improper Lane use/change	17:40	Monday	Dry	Daylight	No	No	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	15	N	33.31998	-80.54669	38010009500N
16630188	5-Oct-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.85	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	1	Non-Incapacitating Injury	Motor Unit (In Transport)	Rear End	Driving Too Fast for Conditions	20:10	Wednesday	Dry	Night	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	0	S	33.32004	-80.54665	38010009500N
15564335	13-Apr-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.85	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving Too Fast for Conditions	11:00	Friday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	25	S	33.32018	-80.54733	38010009500N
16614523	5-Sep-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.87	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Disturb/Inattention	13:15	Monday	Dry	Daylight	No	No	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	0	N	33.32026	-80.54649	38010009500N
16670920	29-Dec-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.87	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Following Too Closely	12:43	Thursday	Dry	Daylight	No	No	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	10	N	33.32025	-80.54649	38010009500N
17669391	21-Apr-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.87	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Other (fixed)	Non Collision	Driving Too Fast for Conditions	8:00	Friday	Dry	Daylight	No	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	25	N	33.32023	-80.54646	38010009500N
18691166	27-Dec-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.88	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Unknown	12:31	Thursday	Dry	Daylight	No	No	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	300	N	33.32041	-80.54638	38010009500N
18550615	17-Apr-18	ORANGEBURG	RAMP	7852	26	Exit 86 B	0.11	0	0	0	0	0	0	1	Non-Incapacitating Injury	Ran off Road Left	Non Collision	Driving Too Fast for Conditions	17:06	Tuesday	Dry	Daylight	Yes	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	1	N	33.31973	-80.546	3805785226W	
16574451	12-Jun-16	ORANGEBURG	RAMP	7852	26	Exit 86 B	0.14	0	0	0	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Following Too Closely	11:37	Sunday	Dry	Daylight	No	No	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	81	N	33.31955	-80.54557	3805785226W	
18609355	4-Aug-18	ORANGEBURG	RAMP	7852	26	Exit 86 B	0.16	0	0	0	0	0	0	1	Non-Incapacitating Injury	Ran off Road Left	Non Collision	Driving Too Fast for Conditions	22:35	Saturday	Dry	Night	Yes	Yes	1	0	US ROUTE	176	MAINLINE	OLD STATE RD	15	N	33.31938	-80.54541	3805785226W	
19541186	10-Mar-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.73	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving Too Fast for Conditions	15:30	Sunday	Dry	Daylight	No	Yes	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	15	S	33.31849	-80.54778	38010009500N
15540578	19-Apr-15	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.72	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	1 Possible Injury	Motor Unit (Stopped)	Rear End	Driving Too Fast for Conditions	12:39	Sunday	Wet	Daylight	No	Yes	4	0	US ROUTE	176	MAINLINE	OLD STATE RD	50	N	33.3185	-80.54777	38010009500N	
19666303	12-May-19	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.73	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	1 Possible Injury	Motor Unit (Stopped)	Rear End	Improper Lane use/change	14:37	Sunday	Dry	Daylight	No	Yes	5	0	US ROUTE	176	MAINLINE	OLD STATE RD	22	N	33.31851	-80.54776	38010009500N	
18616223	6-Jul-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.74	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving Too Fast for Conditions	12:00	Friday	Dry	Daylight	No	Yes	3	0	US ROUTE	176	MAINLINE	OLD STATE RD	2	N	33.31863	-80.54767	38010009500N
16564455	28-May-16	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.74	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (In Transport)	Angle 3	Improper Lane use/change	9:55	Saturday	Dry	Daylight	No	No	2	0	US ROUTE	176	MAINLINE	OLD STATE RD	0	N	33.31863	-80.54766	38010009500N
18599999	6-Jul-18	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.74	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving Too Fast for Conditions	12:00	Friday	Dry	Daylight	No	Yes	3	0	US ROUTE	176	MAINLINE	OLD STATE RD	10	N	33.31868	-80.54764	38010009500N
17673185	26-Nov-17	ORANGEBURG	INTERSTATE 95	MAINLINE	INTERSTATE 95	85.74	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	0	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving Too Fast for Conditions	12:29	Sunday	Dry	Daylight	No	Yes											

16668612	13-Dec-16	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.51	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	10:59	Tuesday	Wet	Daylight	No	Yes	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	1	E	33.287008	-80.51398	18010002600E	
15515303	25-Dec-15	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.54	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	11:41	Friday	Dry	Daylight	No	Yes	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	1	E	33.286933	-80.51336	18010002600E	
15649666	25-Dec-15	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.54	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	18:00	Friday	Dry	Daylight	No	Yes	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	10	W	33.286833	-80.51336	18010002600E	
15601059	23-Sep-15	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.54	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	5 Possible Injury	Guardrail Face	Sideways, Same Direction	Improper Lane use/change	23:30	Wednesday	Dry	Night	No	No	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	43	E	33.286784	-80.51353	18010002600E	
18613208	13-Aug-18	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.55	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	2 Possible Injury	Motor Unit (In Transport)	Rear End	Improper Lane use/change	3:20	Monday	Dry	Night	No	No	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	1	W	33.28671	-80.51339	18010002600E	
15571877	11-Jul-15	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.55	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Guardrail Face	Angle 3	Improper Lane use/change	12:20	Saturday	Dry	Daylight	No	No	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	1	E	33.28671	-80.51338	18010002600E	
15011992	22-Apr-15	DORCHESTER	US ROUTE	15	MAINLINE	US 15 HWY N	17.31	INTERSTATE	26	26	MAINLINE	INTERSTATE 26	0	1	1	Incapacitating Injury	Motor Unit (In Transport)	Failure to Yield Row	7:40	Wednesday	Dry	Daylight	No	No	2	0	SECONDARY R	820	MAINLINE	ALLIGATOR LA	2	S	33.286908	-80.51335	18020001500N	
18543660	7-Apr-18	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.55	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Motor Unit (In Transport)	Angle 2	Improper Lane use/change	15:09	Saturday	Wet	Daylight	No	Yes	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	0	W	33.28667	-80.51336	18010002600E	
16649513	25-Oct-16	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.57	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Motor Unit (In Transport)	Rear End	Distracted/Inattention	18:15	Tuesday	Dry	Daylight	No	No	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	100	E	33.286563	-80.51308	18010002600E	
18564624	10-May-18	DORCHESTER	US ROUTE	15	MAINLINE	US 15 HWY N	17.36	INTERSTATE	26	26	MAINLINE	INTERSTATE 26	0	0	0	0 No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	18:35	Thursday	Dry	Daylight	No	No	2	0	SECONDARY R	820	MAINLINE	ALLIGATOR LA	1	S	33.28754	-80.51294	18020001500N
16616163	5-Sep-16	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.61	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Animal (all other)	Non Collision	Animal in Road	11:45	Monday	Dry	Daylight	No	No	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	1	E	33.28624	-80.51246	18010002600E	
15546995	12-May-15	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.62	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	2 Possible Injury	Run off Road Left	Non Collision	Driving too Fast for Conditions	7:45	Tuesday	Dry	Daylight	Yes	Yes	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	10	E	33.2862	-80.51237	18010002600E	
16506992	18-Jan-16	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.63	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Motor Unit (Stopped)	Angle 3	Improper Lane use/change	20:42	Monday	Dry	Night	No	No	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	30	E	33.28614	-80.51227	18010002600E	
18682142	3-Dec-18	DORCHESTER	US ROUTE	15	MAINLINE	US 15 HWY N	17.5	SECONDARY ROAD	822	MAINLINE	THREE RAVENS RD	0	0	0	2 Possible Injury	Motor Unit (In Transport)	Angle 2	Improper Turn	8:40	Monday	Wet	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	N	33.28928	-80.51178	18020001500N	
17579075	24-Apr-17	DORCHESTER	US ROUTE	15	MAINLINE	US 15 HWY N	17.53	SECONDARY ROAD	822	MAINLINE	THREE RAVENS RD	0	0	0	1 Possible Injury	Motor Unit (In Transport)	Angle 2	Failure to Yield Row	18:23	Wednesday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	3	S	33.28939	-80.51137	18020001500N	
17517139	14-Jul-17	DORCHESTER	US ROUTE	15	MAINLINE	US 15 HWY N	17.53	SECONDARY ROAD	822	MAINLINE	THREE RAVENS RD	0	0	0	0 No Injury	Motor Unit (In Transport)	Angle 2	Improper Turn	16:35	Saturday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	1	S	33.28955	-80.51159	18020001500N	
16547942	12-Apr-16	DORCHESTER	US ROUTE	15	MAINLINE	US 15 HWY N	17.53	SECONDARY ROAD	822	MAINLINE	THREE RAVENS RD	0	0	0	0 No Injury	Motor Unit (In Transport)	Angle 3	Improper Lane use/change	13:05	Tuesday	Wet	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	0	S	33.2897	-80.51149	18020001500N	
15550842	15-May-17	DORCHESTER	US ROUTE	15	MAINLINE	US 15 HWY N	17.53	SECONDARY ROAD	822	MAINLINE	THREE RAVENS RD	0	0	0	3 Non-Incapacitating Injury	Motor Unit (In Transport)	Angle 2	Improper Turn	15:27	Friday	Dry	Daylight	No	No	2	0	INTERSTATE	26	MAINLINE	INTERSTATE 26	1	S	33.28971	-80.51148	18020001500N	
18618864	17-Aug-18	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.68	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Tree	Non Collision	Obstruction in Roadway	22:50	Friday	Wet	Night	No	No	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	60	W	33.28573	-80.51148	18010002600E	
18618865	17-Aug-18	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.69	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Tree	Non Collision	Obstruction in Roadway	22:50	Friday	Wet	Night	No	No	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	300	W	33.28566	-80.51133	18010002600E	
1585783	12-Aug-15	DORCHESTER	SECONDARY R	820	MAINLINE	ALLIGATOR LAKE RD	0.19	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Tree	Non Collision	Steering	10:20	Wednesday	Dry	Daylight	No	No	1	0			MAINLINE			15	E	33.28721	-80.51108	18070082000E
16580476	28-Jun-16	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.71	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Other Movable Object	Non Collision	Other (vehicle defect)	13:40	Tuesday	Dry	Daylight	No	No	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	16	E	33.28551	-80.51104	18010002600E	
15534509	12-Apr-15	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.74	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	1 Non-Incapacitating Injury	Spill (2-wheeled Units)	Non Collision	Other Improper Action	15:52	Sunday	Dry	Daylight	No	No	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	1	W	33.28528	-80.51058	18010002600E	
18578810	5-Jun-18	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.83	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Motor Unit (In Transport)	Rear End	Following too Closely	8:43	Tuesday	Dry	Daylight	No	No	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	40	E	33.28459	-80.50919	18010002600E	
15546695	10-May-15	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.87	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Motor Unit (In Transport)	Angle 1	Improper Lane use/change	15:55	Sunday	Dry	Daylight	No	No	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	25	E	33.28443	-80.5086	18010002600E	
15628213	9-Nov-15	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.88	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	2 Possible Injury	Ditch	Sideways, Same Direction	Improper Lane use/change	18:00	Monday	Wet	Night	No	No	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	18	E	33.28427	-80.50854	18010002600E	
17548323	16-Apr-17	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.88	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Tree	Non Collision	Improper Lane use/change	6:30	Sunday	Dry	Night	No	No	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	1	E	33.28425	-80.50848	18010002600E	
17580203	16-Jun-17	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.91	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	19:07	Tuesday	Dry	Daylight	Yes	Yes	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	15	E	33.28409	-80.51174	18010002600E	
15527511	17-Mar-15	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.91	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Other Movable Object	Non Collision	Debris	19:00	Tuesday	Dry	Daylight	No	No	1	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	26	N	33.28403	-80.50805	18010002600E	
19586389	6-May-19	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.91	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Motor Unit (Parkd)	Sideways, Same Direction	Improper Lane use/change	9:56	Monday	Dry	Daylight	No	No	2	0	SECONDARY R	50	MAINLINE	SEVEN MILE RD	22	E	33.284	-80.508	18010002600E	
15592793	7-Sep-15	DORCHESTER	INTERSTATE 95	95	MAINLINE	SECONDARY ROAD	83	SECONDARY ROAD	11	MAINLINE	DUNCAN CHAPEL RD	0	0	0	0 No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	13:29	Monday	Wet	Daylight	No	Yes	2	0	US ROUTE	178	MAINLINE	CHARLESTON H	176	N	33.28709	-80.56129	18010009500N	
1692069	18-Jul-16	DORCHESTER	INTERSTATE 95	95	MAINLINE	INTERSTATE 95	83.56	SECONDARY ROAD	11	MAINLINE	DUNCAN CHAPEL RD	0	0	0	0 No Injury	Motor Unit (In Transport)	Sideways, Same Direction	Improper Lane use/change	0:57	Monday	Dry	Night	Yes	No	2	0	US ROUTE	178	MAINLINE	CHARLESTON H	132	N	33.28916	-80.56028	18010009500N	
18571772	30-May-18	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.09	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Other Movable Object	Non Collision	Debris	18:10	Wednesday	Wet	Daylight	No	No	1	0	LOCAL ROAD	337	MAINLINE	WEATHERS FA	100	W	33.29023	-80.52021	18010002600E	
16656846	22-Oct-16	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.11	US ROUTE	15	MAINLINE	US 15 HWY N	0	1	1	1 Fatal	Tree	Non Collision	Run off Road	4:35	Saturday	Dry	Night	Yes	No	1	0	LOCAL ROAD	337	MAINLINE	WEATHERS FA	56	W	33.29007	-80.51995	18010002600E	
18502076	3-Jan-18	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.11	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	1 Non-Incapacitating Injury	Tree	Non Collision	Improper Lane use/change	6:40	Wednesday	Dry	Daylight	No	No	1	0	LOCAL ROAD	337	MAINLINE	WEATHERS FA	156	W	33.29002	-80.51987	18010002600E	
17577202	22-Jun-17	DORCHESTER	INTERSTATE 26	26	MAINLINE	INTERSTATE 26	171.13	US ROUTE	15	MAINLINE	US 15 HWY N	0	0	0	0 No Injury	Motor Unit (In Transport)	Unknown	Distracted/Inattention	12:30	Thursday	Wet	Daylight	Yes	No	2	0	LOCAL ROAD	337	MAINLINE	WEATHERS FA	25	E	33.28987	-80.51961	18010002600E</	

16537707	8-Apr-16	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.24	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	1	Possible Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	15:48	Friday	Dry	Daylight	No	Yes	2	0	SECONDARY R	11	MAINLINE	DUNCAN CHAF	2	N	33.27144	-80.56891	18010009500N
16537706	8-Apr-16	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.24	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	1	Possible Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	15:47	Friday	Dry	Daylight	No	Yes	2	0	SECONDARY R	11	MAINLINE	DUNCAN CHAF	2	N	33.27144	-80.56891	18010009500N
19638769	4-Oct-19	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	2.09	SECONDARY ROAD	841	MAINLINE	CONNERS DR	0	0	0	No Injury	Motor Unit (In Transport)	Angle 3	Failure to Yield Row	18:30	Friday	Dry	Night	No	No	2	0	INTERSTATE	95	MAINLINE	INTERSTATE 95	0	E	33.27057	-80.56788	18020017800E
18514253	1-Feb-18	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	2.09	SECONDARY ROAD	841	MAINLINE	CONNERS DR	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Failure to Yield Row	10:46	Thursday	Dry	Daylight	No	No	2	0	INTERSTATE	95	MAINLINE	INTERSTATE 95	0	E	33.27054	-80.56769	18020017800E
15640375	5-Dec-15	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	2.11	SECONDARY ROAD	841	MAINLINE	CONNERS DR	0	0	1	Possible Injury	Motor Unit (In Transport)	Angle 2	Failure to Yield Row	22:15	Saturday	Dry	Night	No	No	2	0	INTERSTATE	95	MAINLINE	INTERSTATE 95	1	E	33.27048	-80.56752	18020017800E
19564965	8-May-19	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	2.12	SECONDARY ROAD	841	MAINLINE	CONNERS DR	0	0	0	No Injury	Motor Unit (In Transport)	Angle 3	Failure to Yield Row	11:17	Wednesday	Dry	Daylight	No	No	2	0	INTERSTATE	95	MAINLINE	INTERSTATE 95	4	E	33.27044	-80.56734	18020017800E
19574340	24-May-19	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	2.13	SECONDARY ROAD	841	MAINLINE	CONNERS DR	0	0	0	No Injury	Motor Unit (In Transport)	Angle 1	Failure to Yield Row	10:17	Friday	Dry	Daylight	No	No	2	0	INTERSTATE	95	MAINLINE	INTERSTATE 95	15	E	33.27037	-80.56716	18020017800E
16634821	22-Oct-16	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	2.13	SECONDARY ROAD	841	MAINLINE	CONNERS DR	0	0	5	Possible Injury	Motor Unit (In Transport)	Angle 2	Improper Turn	17:30	Saturday	Dry	Daylight	No	No	2	0	INTERSTATE	95	MAINLINE	INTERSTATE 95	3	W	33.27034	-80.56705	18020017800E
17584251	2-Jul-17	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	2.17	SECONDARY ROAD	841	MAINLINE	CONNERS DR	0	0	3	Possible Injury	Cross Median/Center	Angle 1	Improper Lane use/change	0:00	Sunday	Dry	Night	No	No	2	0	SECONDARY R	370	MAINLINE	MISTY GLEN R	2	E	33.27012	-80.56648	18020017800E
18582228	16-Jun-18	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.09	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Distracted/Inattention	12:55	Saturday	Dry	Daylight	No	Yes	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	60	N	33.26941	-80.56989	18010009500N
17607695	29-May-17	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.09	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	12:10	Monday	Dry	Daylight	No	Yes	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	16	S	33.26945	-80.56987	18010009500N
19552220	21-Apr-19	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.11	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (In Transport)	Sideswipe, Same Direction	Improper Lane use/change	18:20	Sunday	Dry	Daylight	No	No	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	5	N	33.26969	-80.56976	18010009500N
16624757	18-Sep-16	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.12	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Other Movable Object	Non Collision	Tires/Wheel	12:10	Sunday	Dry	Daylight	No	No	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	425	N	33.26986	-80.56967	18010009500N
17679786	29-Dec-17	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.14	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Median Barrier	Rear End	Driving too Fast for Conditions	11:32	Friday	Dry	Daylight	Yes	Yes	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	24	S	33.27016	-80.56953	18010009500N
17660865	26-Nov-17	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.15	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Ran off Road Left	Sideswipe, Same Direction	Driving too Fast for Conditions	13:59	Sunday	Dry	Daylight	Yes	Yes	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	6	S	33.27023	-80.56949	18010009500N
15559321	19-Jun-15	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.16	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	14:00	Friday	Dry	Daylight	No	Yes	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	5	S	33.27031	-80.56946	18010009500N
16625804	2-Oct-16	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.17	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (In Transport)	Sideswipe, Same Direction	Improper Lane use/change	18:05	Sunday	Dry	Daylight	No	No	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	5	S	33.27049	-80.56937	18010009500N
18538839	30-Mar-18	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.18	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	12:44	Friday	Dry	Daylight	No	Yes	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	26	N	33.27062	-80.56931	18010009500N
15626989	11-Nov-15	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.18	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Bridge Rail	Non Collision	Tires/Wheel	15:20	Wednesday	Dry	Daylight	No	No	1	0	SECONDARY R	54	MAINLINE	MULBERRY RD	3	S	33.27069	-80.56928	18010009500N
18542877	8-Apr-18	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.18	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Distracted/Inattention	11:05	Sunday	Dry	Daylight	No	No	3	0	SECONDARY R	54	MAINLINE	MULBERRY RD	11	S	33.27079	-80.56927	18010009500N
16508545	26-Jan-16	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.18	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Guardrail End	Non Collision	Improper Lane use/change	14:28	Tuesday	Dry	Daylight	No	No	1	0	SECONDARY R	54	MAINLINE	MULBERRY RD	3	S	33.27077	-80.56927	18010009500N
18604756	22-Jul-18	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.19	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	16:30	Sunday	Dry	Daylight	No	Yes	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	100	N	33.27079	-80.56923	18010009500N
18542876	8-Apr-18	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.2	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Distracted/Inattention	11:04	Sunday	Dry	Daylight	No	No	3	0	SECONDARY R	54	MAINLINE	MULBERRY RD	10	S	33.27091	-80.56917	18010009500N
18604755	22-Jul-18	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.2	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (In Transport)	Rear End	Driving too Fast for Conditions	16:30	Sunday	Dry	Daylight	No	Yes	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	200	N	33.27095	-80.56915	18010009500N
17586351	24-Jun-17	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.21	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	1	Possible Injury	Motor Unit (In Transport)	Rear End	Distracted/Inattention	11:18	Saturday	Dry	Daylight	No	No	3	0	SECONDARY R	54	MAINLINE	MULBERRY RD	0	N	33.27109	-80.56908	18010009500N
18629644	1-Sep-18	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.22	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Median Barrier	Non Collision	Fatigued/Asleep	18:30	Saturday	Wet	Daylight	No	No	1	0	SECONDARY R	54	MAINLINE	MULBERRY RD	180	N	33.27114	-80.56906	18010009500N
16570598	11-Jun-16	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.22	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Guardrail Face	Rear End	Distracted/Inattention	13:20	Saturday	Dry	Daylight	No	No	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	10	N	33.27116	-80.56905	18010009500N
19579209	6-Jun-19	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	1.96	INTERSTATE	95	MAINLINE	INTERSTATE 95	0	0	1	Possible Injury	Motor Unit (In Transport)	Angle 2	Failure to Yield Row	22:09	Thursday	Wet	Night	No	No	2	0	SECONDARY R	839	MAINLINE	SHANNON LOC	0	E	33.27132	-80.56982	18020017800E
15534529	3-Apr-15	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	81.72	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Driving too Fast for Conditions	15:32	Friday	Dry	Daylight	No	Yes	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	317	S	33.26442	-80.57231	18010009500N
15534121	8-Apr-15	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	81.93	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Other Movable Object	Non Collision	Debris	18:53	Wednesday	Dry	Daylight	No	No	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	27	S	33.26724	-80.57094	18010009500N
15525619	21-Mar-15	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	81.99	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Median Barrier	Non Collision	Tires/Wheel	19:57	Saturday	Dry	Night	No	No	1	0	SECONDARY R	54	MAINLINE	MULBERRY RD	100	N	33.26809	-80.57053	18010009500N
17513800	9-Jan-17	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	83	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Other (Post, Pole, Support, ...)	Non Collision	Improper Lane use/change	18:14	Monday	Dry	Night	Yes	No	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	10	S	33.26826	-80.57045	18010009500N
18688205	22-Dec-18	DORCHESTER	INTERSTATE	95	MAINLINE	INTERSTATE 95	82.01	US ROUTE	178	MAINLINE	CHARLESTON HWY	0	0	0	No Injury	Motor Unit (Stopped)	Rear End	Distracted/Inattention	10:50	Saturday	Dry	Daylight	No	No	2	0	SECONDARY R	54	MAINLINE	MULBERRY RD	79	S	33.26829	-80.57043	18010009500N
18682084	3-Dec-18	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	1.93	INTERSTATE	95	MAINLINE	INTERSTATE 95	0	0	0	No Injury	Motor Unit (In Transport)	Angle 1	Failure to Yield Row	17:24	Monday	Dry	Daylight	No	No	2	0	SECONDARY R	839	MAINLINE	SHANNON LOC	0	E	33.27146	-80.57021	18020017800E
16527705	14-Mar-16	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	1.92	INTERSTATE	95	MAINLINE	INTERSTATE 95	0	0	3	Non-Incapacitating Injury	Motor Unit (In Transport)	Angle 3	Failure to Yield Row	22:05	Monday	Dry	Night	No	No	2	3	SECONDARY R	839	MAINLINE	SHANNON LOC	0	W	33.2715	-80.57033	18020017800E
16584163	10-Jul-16	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	1.92	SECONDARY ROAD	839	MAINLINE	SHANNON LOOP	0	0	0	No Injury	Motor Unit (In Transport)	Angle 2	Disregarded Signs/Signals	12:19	Sunday	Dry	Daylight	No	No	2	0	INTERSTATE	95	MAINLINE	INTERSTATE 95	0	E	33.27154	-80.57043	18020017800E
18680285	25-Nov-18	DORCHESTER	US ROUTE	178	MAINLINE	CHARLESTON HWY	1.9	SECONDARY ROAD	839	MAINLINE	SHANNON LOOP	0	0	5	Possible Injury	Ditch	Non Collision	Driving too Fast for Conditions	6:20	Sunday	Dry	Night	No	Yes											

APPENDIX D. I-26 AT I-95 TRAFFIC FORECAST TECH MEMO

I-26 at I-95 Interchange Improvement
SCDOT Project P038677

Technical Memorandum
TRAFFIC FORECAST

Prepared by:



September 2022

TABLE OF CONTENTS

1.0 PURPOSE.....	1
2.0 STUDY AREA.....	1
3.0 PROPOSED DESIGN YEARS	1
4.0 DATA COLLECTION.....	3
5.0 GROWTH RATE DEVELOPMENT	5
5.1 Historic AADT Analysis (I-95, I-26 & Local Crossroads)	5
5.2 Travel Demand Model Analysis.....	7
5.3 Other Forecasts.....	8
5.4 Population Projections.....	8
5.5 Recommended Growth Rates.....	9
6.0 VOLUME DEVELOPMENT	10
6.1 Methodology.....	10
6.2 Evaluation of Existing Daily Traffic Patterns	10
6.3 Determination of Existing 2022 AADT	14
6.4 Preparation of 2022 Balanced AADT Turn Movements.....	14
6.5 Peak Hour Data Analysis	15
6.5.1 Design Hour Selection.....	16
6.5.2 Review of Highest Hourly Volumes to Calibrate K-factor	18
6.6 Application of Growth Rates for Preparation of Future Balanced AADT Turn Movements	21
6.7 Identification of Truck Percentages	22
7.0 PROPOSED DESIGN VOLUMES.....	22
APPENDIX A HISTORICAL AADT GROWTH ANALYSIS	7-1
APPENDIX B 2019 HIGHEST HOURLY VOLUMES	B-1
APPENDIX C TRAFFIC COUNTS.....	C-1
APPENDIX D BALANCED AADT INTERCHANGE TURNING MOVEMENTS: 2022, 2030 & 2050	D-1
APPENDIX E TRAFFIC FORECASTS FOR 2022, 2030 AND 2050.....	E-1

LIST OF FIGURES

Figure 1: Study Area Location Map.....	2
Figure 2: Count Locations for Project	4
Figure 3: 2019 Daily Volumes on I-26 (SCDOT Count Station #20)	13
Figure 4: 2019 Daily Volumes on I-95 (SCDOT Count Station #56)	13
Figure 5: Typical daily traffic patterns on I-26 (from Station 0020 Site Dashboard)	16
Figure 6: Typical daily traffic patterns on I-95 (from Station 0056 Site Dashboard)	17
Figure 7: Hourly Directional Flow on I-95 (SCDOT Count Station #56)	17
Figure 8: Top 200 Highest Hourly Volumes on I-26 (Sta #20) and I-95 (Sta #56) for 2019	19
Figure 9: 2022 Design Hour Traffic Volumes	23
Figure 10: 2030 Design Hour Traffic Volumes	24
Figure 11: 2050 Design Hour Traffic Volumes	25

LIST OF TABLES

Table 1: SCDOT Historical AADT Volumes and Annual Growth Rates	6
Table 2: Statewide Model (SCSWMv4) Analysis of Growth Rates	7
Table 3: Summary of Other Forecasts	8
Table 4: Population Growth Rates	8
Table 5: Annual Growth Rate Comparison & Recommendation	9
Table 6: Variance of Traffic Volumes by Day of Week (2019)	11
Table 7: Variance of Traffic Volumes by Month of Year (2019).....	11
Table 8: Estimation of 2022 AADT at Key Roadway Links.....	14
Table 9: Truck Percentages for I-26 and I-95	22

TRAFFIC FORECAST

1.0 PURPOSE

The purpose of this memorandum is to present the proposed design volumes for the South Carolina Department of Transportation's (SCDOT) I-26 at I-95 Improvement Project Widening Project located in Orangeburg and Dorchester Counties (Exit 86 on I-95, Exit 169 on I-26). The following sections describe the data collected and used for this process, the determination of peak hours, the selection of an appropriate design hour, determination of growth rates and adjustment factors, and the preparation of peak design hour volumes.

2.0 STUDY AREA

The study area for this widening project is shown in **Figure 1**. The study area is focused on the I-26 at I-95 intersection and four adjacent interchanges including:

- US 176 (Old State Road) at I-95 to the north
- US 178 (Charleston Highway) at I-95 to the south
- SC 210 (Vance Road) at I-26 to the west
- US 15 at I-26 to the east

I-95 is a north-south Interstate on the east coast that extends from the United States – Canada border in the north to Miami, Florida in the south. In the study area, I-95 is classified as a rural interstate that provides connectivity for local traffic, regional and freight traffic in South Carolina, and interstate traffic along the east coast. In South Carolina, I-95 links Florence in the north to Savannah, Georgia in the south in addition to providing access to multiple municipalities.

I-26 is an east-west Interstate that extends from I-81 in Kingsport, Tennessee south to Charleston. In the study area, I-95 is classified as a rural interstate that provides connectivity for local traffic, regional and freight traffic in South Carolina, and interstate traffic. In South Carolina, I-26 links three major municipalities: Spartanburg in the Upstate, Columbia in the Midlands, and Charleston in the coastal area of the Lowcountry.

3.0 PROPOSED DESIGN YEARS

Project design years were developed using the South Carolina Roadway Design Manual (SCRDM) guidelines. The SCRDM recommends a design year 20 years after the date of the completion of the project's plans, specifications and estimates package. For this project, the anticipated opening year was shifted to 2030 to be conservative, which results in a design year of 2050.

Figure 1: Study Area Location Map



Source: Google Earth Pro Image, 03/2022, Project Study Area

4.0 DATA COLLECTION

The preparation of volumes for use in this study relied on three key sources of information:

- Interstate and highway volumes from SCDOT’s Traffic Monitoring Program and GIS resources
- Interstate, ramp, and surface street volumes collected for this project
- The South Carolina Statewide Model Version 4 (SCSWMv4)


Interstate volumes from SCDOT’s Traffic Monitoring Program were obtained via SCDOT’s traffic counts website for two permanent ATR count stations: station #0056 on I-95 and station #0020 on I-26. In addition, historic AADT data were utilized for all approaches to the interchanges on I-95 and I-26 as well as the ramps for the I-26 at I-95 interchange and the four adjacent interchanges.

Bi-directional interstate classification counts were also collected by DAD N Associates from Friday, March 1 to Thursday, March 7, 2022, on I-95 and I-26, the four local roads at adjacent interchanges, and ramps at each of the five interchanges. These counts identified the percentages of different vehicle types in the traffic stream. In addition, speed profiles were collected and summarized to be used in calibration of a traffic simulation. As part of the field effort, Intersection turning movement counts were collected at the study intersections on Friday, March 1, 2022. The reports for these counts are provided in **Appendix C**. An illustration of the count locations is shown in **Figure 2**.

The state’s South Carolina Statewide Model Version 4 (SCSWMv4) was used to inform the selection of an appropriate growth rate for the study area and to determine distributions of trips on the roadway network. The model also provided insights into existing and future freight requirements and truck volumes in the study area.

The data collected were applied using multiple methods to identify existing 2022, 2030 year of opening and the 2050 design year forecasts. The application of this count data is discussed in more detail in the Growth Rate Development section. The application of the statewide demand model is also discussed in more detail in the Growth Rate Development section.

Figure 2: Count Locations for Project



Source: Google Earth Pro Image, 03/2022, Project Count Locations

5.0 GROWTH RATE DEVELOPMENT

Multiple sources of information were reviewed to develop an anticipated future traffic growth that could be applied in developing 2030 and 2050 forecasts for this project. The sources include:

- Historic traffic volumes (AADT data) on the Interstates and other local roads. Using this data, the historic annual growth rates for the last 10 years was calculated for all roadway sections and interchanges.
- The South Carolina Statewide Model Version 4 (SCSWMv4) includes traffic models for the 2015 base year and a 2045 future year. The 30-year growth rate was converted to an annual growth rate for key roadway sections.
- Projected annual growth rates utilized in the forecasts for nearby (less than one hour driving distance) projects on I-95 and I-26 were summarized to compare with and to provide consistency between other SCDOT projects.
- Historic and projected population trends for Orangeburg and Dorchester Counties. Although not a direct indicator of traffic growth rates, this information can assist in determining longer term growth in background traffic. For this study, this data was utilized in examining growth trends at the crossroads of the four adjacent interchanges.

The following sections discuss the analysis of each of these sources to determine an appropriate traffic growth rate for the study area.

5.1 HISTORIC AADT ANALYSIS (I-95, I-26 & LOCAL CROSSROADS)

Historic volumes recorded at SCDOT continuous and short-term count stations were reviewed to evaluate traffic growth trends over the period of 2009-2019. The count stations were previously displayed in **Figure 2** and are listed below:

Continuous count stations (used for monthly trends and highest hourly volume (HHV) analysis)

- Station 0056: I-95 north adjacent to I-26/I-95 interchange (between I-26 to US 176) – permanent counter
- Station 0020: I-26 west of project area (between SC 210 to Homestead Road) – permanent counter
- Station 0184 and 0185: US 176 Old State Road (west and east of I-95)

Interstate AADT short-term stations (used for historical AADT analysis)

- Station 38-2385: I-95 north of I-26/I-95 interchange
- Station 38-2383: I-95 south of I-26/I-95 interchange
- Station 38-2171: I-26 west of I-26/I-95 interchange
- Station 18-2173: I-26 east of I-26/I-95 interchange

Local crossroads AADT short-term count stations

- Station 0184 and 0185: US 176 Old State Road (west and east of I-95)
- Station 18-2041: US 178 Charleston Highway (east of I-95)
- Station 38-0385: SC 210 Vance Road (north of I-26)
- Station 18-0109: US 15 (north of I-26)

Interchange ramp AADT short-term count stations

- 8 counters at I-26 at I-95 interchange
- 4 counters at US 176 Old State Road at I-95 interchange (north)
- 4 counters at US 178 Charleston Highway at I-95 interchange (south)
- 4 counters at SC 210 Vance Road at I-26 interchange (west)
- 8 counters at US 15 at I-26 interchange (east)

Table 1 provides the traffic count history for the critical stations and their associated linear growth rates. Key observations on the historic AADT growth include:

- Relatively high level of annual growth on both I-95, with growth rates of 1.8 percent. Volumes in 2019 are higher south of I-26 (48,600 vpd) than north of I-26 (32,200 vpd).
- I-26 is increasing at a higher annual rate than I-95 with an observed growth rate of 2.4 percent west of I-95 and 3.7% east of I-95. Volumes in 2019 are higher west of I-95 (53,500 vpd) than east of I-95 (42,900 vpd).
- Three of the four crossroads for the adjacent interchanges show very low or stagnant growth in traffic volumes. The one exception is US 15 on the eastern limit of the project which has experienced just under 4 percent annual growth in the last 10 years. In any event, all four crossroads carry low volumes of traffic (under 3,000 vpd in 2019).

Table 1: SCDOT Historical AADT Volumes and Annual Growth Rates

Station	Roadway	Location	2009	2011	2013	2015	2017	2019	2009 to 2019
0056 & 38-2835	I-95	North of I-26	26,900	27,200	26,100	29,400	30,900	32,200	1.81%
28-2383	I-95	South of I-26	40,300	40,900	39,600	43,000	43,400	48,600	1.89%
2171	I-26	West of I-95	42,200	42,800	44,300	48,600	52,800	53,500	2.40%
2173	I-26	East of I-95	29,900	29,700	30,900	35,500	39,000	42,900	3.68%
0185	US 176 (Old State Rd)	East of I-95	2,500	2,500	2,400	2,500	2,300	2,500	0.00%
18-0141	US 178 (Charleston Hwy)	East of I-95	2,800	3,100	3,200	2,900	3,000	2,800	0.00%
38-0385	SC 210 (Vance Rd)	North of I-26	1,050	1,050	1,100	1,100	1,150	1,050	0.00%
18-0109	US 15	North of I-26 South of I-26	1,800 NA	1,850 NA	2,400 3,500	1,550 3,100	2,200 3,400	2,500 5,000	3.34% 6.12%

Note: Annual traffic growth rates were computing using compounded rates over 10-year period.

5.2 TRAVEL DEMAND MODEL ANALYSIS

The following section documents the use of the South Carolina Statewide Model Version 4 (SCSWMV4) travel demand model data to establish appropriate growth rates for the study area including I-26, I-95 and the adjacent interchange roadway network. Traffic volumes were extracted from the 2015 and 2045 versions of SCSWV4 to establish growth rates for the study area.

The SCSWV4 includes the entirety of South Carolina and is built upon existing TDMs from MPOs and Council of Governments (COG) within the state. It has a base year of 2015 and a forecast year of 2045, and it includes existing roadways as well as committed projects, including all planned and programmed improvements in the state that are set to open to traffic from 2016 to 2045. The model was run on the TransCAD Version 6 Release 2 (TC6r2) software.

For the purposes of this analysis, the SCSWV4 was not re-estimated or re-calibrated for the project study area. The model's forecast volumes for 2015 were compared with 2015 SCDOT AADT volumes as a reasonableness check. **Table 2** shows this comparison and summarizes the 2015 and 2045 forecast traffic volumes from the SCSWV4 along with associated annual growth rates at selected segments on I-26, I-95 and key crossroads in the study area. Key observations from **Table 2** include:

- Moderate annual growth for I-95 (0.9 to 1.3 percent) and slightly lower annual growth on I-26 (0.3 to 0.6 percent).
- On the adjacent crossroads (except US 15) annual growth rates vary (0.0 to 1.0 percent). In addition, the overall volumes are less than 3,000 vpd in 2022 at the adjacent interchange crossroads.
- The model-estimated volumes for 2015 are reasonably close to the 2015 SCDOT AADT volumes with only one roadway (SC 210) having a 2015 SCSWV4 volume more than 15 percent different from the 2015 AADT.

Table 2: Statewide Model (SCSWV4) Analysis of Growth Rates

Roadway	Location	2015 SCDOT AADT	2015 SCSWV4 Volume Estimate	Deviation	2045 SCSWV4 Volume Estimate	Annual Growth Rate (%)
I-95	North of I-26	29,400	28,998	-0.1%	46,387	1.3%
I-95	South of I-26	43,000	39,527	-8.1%	51,274	0.9%
I-26	West of I-95	48,600	42,386	-12.8%	46,387	0.3%
I-26	East of I-95	35,500	38,664	8.9%	46,430	0.6%
US 176 (Old State Rd)	East of I-95	2,500	NA	NA	NA	NA
US 178 (Charleston Hwy)	East of I-95	2,900	3,255	12.2%	4,443	1.0%
SC 210 (Vance Rd)	North of I-26	1,100	826	-24.9%	830	0.01%
US 15	North of I-26	1,550	1,640	1.06%	1,848	0.4%
	South of I-26	3,100	3,052	-1.48%	6,748	2.7%

5.3 OTHER FORECASTS

Traffic forecasts have previously been developed by SCDOT for improvements on both I-26 and I-95. Projected annual growth rates utilized in the forecasts for nearby (less than one hour driving distance) projects on I-95 and I-26 were summarized to compare and provide consistency between other SCDOT projects. Four SCDOT forecasts were identified for consideration in developing growth rates on I-26 and I-95 on all four sides of the I-26 at I-95 interchange as shown in **Table 3**.

Table 3: Summary of Other Forecasts

Roadway	Location	Annual Growth Rate	Project Forecast	Distance from I-26 at I-95 Interchange	Forecast Years
I-95	North of I-26	1.6%	I-95 at US 301 Interchange	11 miles north	2010-2035
I-95	South of I-26	2.0%	I-95 Widening from the Georgia border to MM 8	70 miles south	2022-2050
I-26	West of I-95	2.0%	I-26 Widening from MM 125 to MM 136	35 miles west	2019-2045
I-26	East of I-95	1.5%	I-26/SC 27 interchange improvements (Exit 187)	20 miles east	2017-2043

5.4 POPULATION PROJECTIONS

Historic and projected population trends were analyzed for Orangeburg and Dorchester Counties. Census data for 2010 and 2020 were supplemented by 2035 County population projections prepared by the South Carolina Revenue and Fiscal Affairs Office. Although not a direct indicator of traffic growth rates, this information can assist in determining longer term growth in shorter distance background traffic. The 10-year historic growth (2010 – 2020) and future projected growth (2020-2035) are summarized in **Table 4**.

Table 4: Population Growth Rates

Interstate	Location	Crossroad	County influencing I-95 Traffic	2010 Population	2020 Population	2035 Projection	2010-2020 Annual Growth	2020-2035 Forecast Growth	Relative Local Growth
I-95	North of I-26	US 176 (Old State Rd)	Orangeburg	92,475	84,223	71,710	-0.9%	-1.1%	Low
I-95	South of I-26	US 178 (Charleston Hwy)	Dorchester (to south)	120,112	161,540	213,820	3.0%	1.9%	Moderate (1)
I-26	West of I-95	SC 210 (Vance Rd)	Orangeburg	92,475	84,223	71,710	-0.9%	-1.1%	Low
I-26	East of I-95	US 15	Dorchester (to east)	120,112	161,540	213,820	3.0%	1.9%	High (1)

- (1) Dorchester County growth is focused near I-26, especially near the Charleston suburbs. Therefore, the I-26 local growth is considered “high” versus “moderate” on I-95 in Dorchester County.

The two counties examined in **Table 4** include:

- Orangeburg County: The I-26 at I-95 interchange is located just inside the Orangeburg County limits. The interchanges located to the west and to the north of the I-26 at I-95 interchange are located in Orangeburg County. Overall, Orangeburg is undergoing a reduction in population that is anticipated to continue in the future. Between 2010-2012, Orangeburg County is one of 20 counties that have experienced negative growth in population.
- Dorchester County: Dorchester County is located south and east of Orangeburg County. The interchanges located to the east and south of the I-26 at I-95 interchange are located in Dorchester County. Overall, Dorchester County has been increasing in population and is anticipated to continue to increase through 2035. A key driver in the population increase is development in the suburban areas of the northern Charleston region. Between 2010-2012, Dorchester County ranks as the seventh fastest growing county in South Carolina.

5.5 RECOMMENDED GROWTH RATES

The estimated growth rates from the sources discussed in the previous sections are combined and presented for I-26, I-95 and the adjacent interchange crossroads in **Table 5**. In addition, the proposed annual growth rates to be applied in this forecast are shown in the final column. In developing a proposed growth rate, an average of the historic AADT, statewide model, and other forecasts was computed to provide an initial assessment. Population growth trends were considered in terms of low to high local growth, particularly for the adjacent intersections.

Table 5: Annual Growth Rate Comparison & Recommendation

Roadway	Location	2009-2019 Historic AADT (Table 1)	2015-2045 Statewide Model (Table 2)	Other Forecasts (Table 3)	Relative Local Population Growth Projections (1) (Table 4)	Average of Historic AADT, Statewide Model, & Other Forecasts	Proposed Annual Growth Rate(2)
I-95	North of I-26	1.8%	1.3%	1.6%	Low	1.6%	1.6%
I-95	South of I-26	1.9%	0.9%	2.0%	Moderate	1.6%	1.6%
I-26	West of I-95	2.4%	0.3%	2.0%	Low	1.6%	1.8%
I-26	East of I-95	3.7%	0.6%	1.5%	High	1.9%	1.8%
US 176 (Old State Rd)	Both sides	0.0%	NA	NA	Low	0.0%	0.5%
US 178 (Charleston Hwy)	Both sides	0.0%	1.0%	NA	Moderate	0.5%	0.5%
SC 210 (Vance Rd)	Both sides	0.0%	0.01%	NA	Low	0.0%	0.5%
US 15	North of I-26 South of I-26	3.3% 6.1%	0.4% 2.7%	NA	High	1.9% 4.4%	2.4%

(1) The population projection data is intended for information only to help inform the forecast growth rate. Nevertheless, it should be weighted less heavily than the historic traffic growth, the model forecasts (which reflects land use growth), and other forecasts.

(2) Minimum growth rate assumed to be 0.5% per year.

6.0 VOLUME DEVELOPMENT

6.1 METHODOLOGY

The analysis utilized a traditional methodology of initially estimating daily traffic volumes for the existing and future years and then applying a peak hour percentage (k) and directional (d) factors to estimate peak hour volumes. This method was utilized instead of applying growth rates directly to peak period turn movements. The proposed methodology includes the following steps:

1. Evaluation of existing daily traffic patterns (See Section 6.2)
2. Determination of existing 2022 AADT (See Section 6.3)
3. Preparation of 2022 balanced AADT turn movements (See Section 6.4)
4. Peak hour data analysis to identify a peak hour percentage (k)
5. Application of future growth rates to prepare future balanced AADT turn movements (See Section 6.6)
6. Determination of Peak Period Traffic Factors
7. Application of growth rates for preparation of future traffic volumes
8. Identification of truck percentages

6.2 EVALUATION OF EXISTING DAILY TRAFFIC PATTERNS

The existing traffic flows on both I-26 and I-95 exhibit different daily flow patterns than many other high volume Interstate facilities. The majority of higher volume freeways are located in urban areas with very predictable weekday flows dominated by a higher volume AM and PM period controlled by daily commuter patterns. In addition, urban areas typically have higher volumes on weekdays than weekends. While there is some variance in volumes in an urban area by month, the variances are relatively modest.

In contrast, both I-26 and I-95 are high volume rural Interstates carrying high volumes of long distance travelers, both within South Carolina and along the entire southeast coast. This includes a substantial volume (more than 20 percent of traffic) of large commercial interstate trucks (more than 20 percent of total traffic). Therefore, the first step in developing forecasts included analyzing both historical patterns and traffic volumes on I-26 and I-95.

A key analysis was examining the daily traffic volumes over a full year. Since the objective was to identify patterns over a typical year, the analysis focused on 2019 in order to eliminate variances in traffic flow related to the Covid pandemic. The 2019 data for both I-26 and I-95 were examined for variances in flow throughout the week (see **Table 6**), throughout the year (see **Table 7**), as well as on a day to day basis (see **Figure 3** and **Figure 4**).

Table 6: Variance of Traffic Volumes by Day of Week (2019)

	I-26 Station #20		I-95 Station #56	
	ADT	Conversion Factor	ADT	Conversion Factor
Monday	49,168	1.08	31,068	1.05
Tuesday	45,035	1.18	27,712	1.18
Wednesday	47,428	1.12	28,208	1.16
Thursday	51,875	1.02	31,477	1.04
Friday	63,888	0.83	37,748	0.87
Saturday	55,914	0.95	37,024	0.89
Sunday	57,459	0.92	35,735	0.92
Weekday	51,479	1.03	31,243	1.05
Weekend	56,687	0.93	36,379	0.90
MTWT Weekday	48,376	1.09	29,616	1.11
FSS Weekend	59,087	0.90	36,836	0.89

Note: The conversion factor is used to convert a daily count on a given day of the week to an average daily volume. It is applied by dividing the given count by the conversion factor.

Table 7: Variance of Traffic Volumes by Month of Year (2019)

Month	I-26 Station #20		I-95 Station #56	
	ADT	Conversion Factor	ADT	Conversion Factor
January	44,594	1.19	26,837	1.22
February	47,312	1.12	27,291	1.20
March	56,125	0.94	33,512	0.98
April	57,151	0.93	37,485	0.87
May	56,119	0.94	32,854	1.00
June	59,202	0.89	35,331	0.93
July	59,772	0.89	36,345	0.90
August	55,737	0.95	33,910	0.97
September	45,133	1.17	27,781	1.18
October	49,793	1.06	29,331	1.12
November	51,848	1.02	30,471	1.08
December	52,058	1.02	35,582	0.92
Annual Average (computed)	52,945	NA	32,774	NA
Official AADT (other adjustments)	52,900	NA	32,200	NA

Note: The conversion factor is used to convert a daily count collected in a given month to an average annualized daily volume. It is applied by multiplying the given count by the conversion factor.

A review of **Table 6** indicates:

- Friday is the highest volume day throughout the year on both I-26 and I-95. It is particularly high on I-26 where the average Friday is more than 12,000 vpd higher than an average weekday and 4,000 vpd higher than the average weekend.
- The average daily weekend volume is more than 10 percent higher than the average weekday.
- If Friday is counted in the weekend, the difference is even greater with 20 percent higher daily volumes on the weekend than weekday.

A review of **Table 7** indicates:

- As shown, the official AADT was 52,900 vpd on I-26 and 32,200 vpd on I-95 in 2019.
- Daily volumes are subject to peaking for the summer months as expected. June and July are the highest volumes months with more than 59,000 vpd on I-26 and 35,000 vpd on I-95.
- High volumes are not limited to just June and July, however. A review of the data indicates that higher volumes begin in March through August with over 55,000 vpd.
- The lowest volume months are September to October as well as January to February.
- Although lower volumes than observed in the peak season (March through August), November and December both carry higher average values, primarily due to heavy traffic associated with the Thanksgiving and Christmas holidays.

In addition to looking at monthly and weekly patterns, a summary of daily patterns was developed in a graphic format. A review of the 2019 daily volumes is included in **Figure 3** for I-26 and **Figure 4** for I-95. Key patterns noted include:

- The substantial peaking on weekends (including Fridays) is evident not just during the higher volume March through August, but also throughout the year.
- The highest recurring peak volumes are noted on summer weekends for I-26 and I-95. The highest summer-related day was Friday May 24 marking the beginning of the tourist season. Although the traditional summer peak is noted from June through August, higher volumes on I-26 begin in March and extend through the spring.
- The highest days of the year on I-95 are on the days before and after Thanksgiving and Christmas. Also note that in April there is a sustained peak, most likely caused by “snowbirds” returning from Florida to the northern states with the end of winter.
- A substantial peak followed by a dip was noted in early September on I-26. This dip matches the Governor’s ordered evacuation of coastal areas for Hurricane Dorian. There is a peak caused by the evacuation followed by reduced volumes the day of the storm. (This data was not available in the 2019 data set for I-95.)
- A review of the data sets indicated that a full 365 days of data were available on I-26. On I-95, however, the available data sets did not include full holiday data including gaps for Thanksgiving, three summer weekends (including Labor Day and July 4th), the Hurricane Dorian evacuation and some other dates. Therefore, the I-95 data likely does not reflect full peaking volumes. This was considered when reviewing the HHV data in the development of the peak hour factor (k).

Figure 3: 2019 Daily Volumes on I-26 (SCDOT Count Station #20)





Figure 4: 2019 Daily Volumes on I-95 (SCDOT Count Station #56)



6.3 DETERMINATION OF EXISTING 2022 AADT

The next step in estimating the project forecasts is the development of a baseline AADT for the 2022 existing conditions. One of the key challenges is the impact of the Covid pandemic on traffic patterns in 2020 and 2021. Therefore, AADT volumes on key roadway links were compared for 2019, 2020 and 2021 in addition to the 24-hour traffic counts collected as part of this project effort. **Table 8** provides an overview of the data considered and the identification of a 2022 forecasted AADT.

Table 8: Estimation of 2022 AADT at Key Roadway Links

Station	Roadway	Location	2019	2020	2021	March 2022 (actual)	March 2022 factored(1)	2022 Forecast Target	2022 Balanced Forecast AADT
0056 & 38-2835	I-95	North of I-26	32,200	28,700	35,700	32,415	31,800	35,700	35,800
28-2383	I-95	South of I-26	48,600	43,100	51,900	45,920	45,000	51,900	52,000
2171	I-26	West of I-95	53,500	47,000	49,600	48,890	45,000	49,600	49,600
2173	I-26	East of I-95	42,900	36,000	41,000	42,065	38,700	41,000	41,000
0184 0185	US 176 Old State Rd	West of I-95 East of I-95	NA 2,500	2,600 2,300	2,300 2,500	3,228 3,170	NA (2)	3,200	3,400 2,800
18-0141	US 178 Charleston Hwy	West of I-95 East of I-95	NA 2,800	NA 2,300	NA 2,500	3,655 4,524	NA (2)	3,500	3,000 4,000
38-0385	SC 210 Vance Rd	North of I-26 South of I-26	1,050	1,150	1,200	2,038 1,651	NA (2)	1,800	1,600 1,800
18-0109	US 15	North of I-26 South of I-26	2,500	2,200	2,400 5,100	2,174 4,204	NA (2)	2,400 5,000	2,800 5,000

Notes:

1. AADT calculated using March factor shown in
2. Table 7.
3. Monthly factor not calculated for local crossroads. Given the low volumes on the local roads (less than 5,000 vpd), the balancing methodology required adjustments that limited ability to precisely meet counts.

6.4 PREPARATION OF 2022 BALANCED AADT TURN MOVEMENTS

The next step in the forecast procedure was the development of balanced daily turn movements for the I-26 at I-95 interchange and each of the four adjacent interchanges. For each interchange, this process required identifying the existing AADT on each approach as identified in **Table 8**. In addition, the 24-hour turn movement volumes were estimated using a combination of ramp AADT volumes and the counts collected for this study (both the ramp classification counts and the intersection turn movements).

In order to simplify the development of turn movement volumes, a spreadsheet tool was utilized to convert daily traffic volumes into turn movement data. Originally prepared by the North Carolina Department of Transportation (NCDOT), the tool verifies whether the turn movements are balanced at the interchange while also providing a simplified iterative method to balance the AADT turn movements.

As a final step, the spreadsheet converts the AADT turn movement information into peak hour turn movements utilizing the k and d factors. The volumes are computed for the overall interchange and can be assigned to multiple interchange types.

The basic theory utilized in the NCDOT spreadsheet is that traffic volumes are balanced daily with trips returning on the same roads, but in an opposite direction. As an example, the number of northbound right turns are offset by a similar number of westbound left turns over a full day. At each intersection, the turns must be balanced between the four quadrants with the daily volumes on each of the four approaches. An initial estimate of traffic flows in each quadrant is made based on existing data (for this project the SCDOT daily ramp counts as well as the ramp counts collected for the project were utilized).

Once a balanced daily solution for the quadrant turns is identified, the applicable peak hour percentages (k) and directional splits (d) can be applied to estimate peak period turn movements. Due to challenges matching peak hour turn movements for movements with differing k and d factors, the spreadsheet applies an iterative balancing to smooth out differences between approaches.

Note that the method is applied for the overall interchange without needing to take into account the type of interchange. For each individual interchange, the turn movements are iteratively adjusted to balance from east to west and from north to south (as well as the reverse movements). Once a given interchange is balanced, the applicable turn movements were compared to the existing traffic counts for reasonableness.

For this project, additional evaluation was focused on the I-95 northbound left onto I-26 west and the returning message. Although the daily counts on the loop in the northeast quadrant and the opposite ramp in the southwest quadrant did not match, the higher of the two volumes observed was closely matched to prevent an overestimate of the assumed 2022 existing movements. As a final step, the volumes between adjacent interchanges were checked to verify that total through traffic volumes are consistent between interchanges.

The 2022 balanced AADT turn movements for each of the five interchanges are in Appendix D. The output is from the NCDOT spreadsheet tool.

6.5 PEAK HOUR DATA ANALYSIS

The 7th Edition of the American Association of State Highway and Transportation Officials (AASHTO) *A Policy on Design Standards Interstate System* notes that traffic volumes vary during the day as well as at different times in the year, and that a key design decision is to determine which of these hourly volumes should be used as the basis of design in order to adequately manage the expected volume of traffic without overdesigning for extremes. AASHTO-recommended practice is to select an hour between the 30th and 100th highest hour of the year for roadway design, which is similar to the method prescribed by the Institute of Transportation Engineers (ITE) and the Transportation Research Board (TRB).

In order to reflect “normal” traffic conditions, the analysis proceeded with the selection of a design hour volume using the 2019 data sets illustrated in **Figure 3** and **Figure 4**. A detailed analysis of the hourly volumes on both I-26 and I-95 was conducted to identify an applicable peak hour period and the corresponding peak hour period, design hour percentage (k), and directional splits.

6.5.1 Design Hour Selection

As noted in Section 6.2, daily traffic volumes on both I-26 and I-95 vary substantially depending upon the month of the year and the day of the week. The variations in daily flow are also reflected in peak hour patterns and volumes. The following is noted about the pattern of peak hour volumes to determine a peak hour of the day on both I-26 and I-95.

- Daily traffic flows are different than typical travel patterns in urban areas.
- There is no distinct AM or PM peak period. Instead, traffic volumes are relatively high from 7 AM to 9 PM. The highest volumes occur between 12 noon and 5 PM with peaking occurring near 3 PM on both I-26 and I-95. (See **Figure 5** and **Figure 6**)
- In the peak hour each day, traffic flows peak in both directions on I-26 and I-95. (See **Figure 7**)

Based on these observations, this forecast has been developed assuming a single mid-day peak period (approx. 3 PM to 4 PM) with peak flows in both directions on I-95 and I-26.

Figure 5: Typical daily traffic patterns on I-26 (from Station 0020 Site Dashboard)




Figure 6: Typical daily traffic patterns on I-95 (from Station 0056 Site Dashboard)





Figure 7: Hourly Directional Flow on I-95 (SCDOT Count Station #56)



Note: Box illustrates range between 10 AM to 6 PM illustrating the long daily peak on I-95 at ATR #56.

6.5.2 Review of Highest Hourly Volumes to Calibrate K-factor

Typical practice is to choose an hourly volume between the 30th and 100th highest hour volume (HHV) in order to balance economic efficiency with congestion alleviation. Therefore, a review of the highest hourly volume was undertaken to identify an appropriate highest hourly volume and the respective k percentage. For this project, average K is not appropriate for multiple reasons including high variations in demand throughout the year as well as on a weekly basis. On I-26 and I-95, the relatively flat demand that occurs over multiple hours of each day also serves to diminish the average K. Therefore, a more detailed analysis of the highest hourly volume curves was undertaken to identify an appropriate peak hour volume.

Key items considered include:

- The I-95 data set used in developing the AADT has already eliminated the highest volume days of the year (before and after Thanksgiving, Christmas and New Years as well as 3 peak beach weekends). As a result, it is estimated that approximately 20 of the top 50 HHV peak hours may have been eliminated from the analysis data set.
- In analyzing the data for each day (independent of the daily volume), an average peak hour percentage (k) of 8 percent was identified. Using the average k of 8 percent, results in a peak hour volume of 2,576 vph (using the 2019 AADT) which is near the 700th HHV on I-95. Similarly, on I-26 an 8 percent k-factor equates to a volume near the 900th HHV. Designing for these volumes will result in many more hours of congestion than desirable.


Standard practice is to base highway design volumes on an hour between the 30th and 100th highest hour of the year by evaluating a curve of the highest hourly volumes over a given year. When this curve is produced, a key feature is the “knee” of the curve which typically occurs near the 30th highest hourly volume but can vary depending upon the characteristics of the highway being examined. The “knee” is that portion of the curve between the initial steep descent and the more gradually declining slope reflecting lower and more frequently occurring volumes. Using this point to select an appropriate hour for planning, design, and operational purposes provides a compromise between providing an adequate level of service (LOS) for most hours of the year while also providing an economically efficient design. Simply put, building a highway to accommodate traffic volumes on the initial steep slope of the volume curve can be very expensive and provide excess capacity that is only used during a few peak hours of each year.

For this more detailed analysis, 2019 peak hour volumes for both I-26 and I-95 were combined and sorted from highest to lowest for all hours of the year to create the highest hourly volume curves. The resulting curve (both an extended and then zoomed in version) were reviewed for both I-26 and I-95. (as illustrated in **Figure 8**). This analysis focused on identifying an appropriate k percentage that could be applied to existing 2022 volumes as well as 2030 and 2050 future AADTs. The focus was to identify the K value corresponding with the knee in the curve.

In addition to reviewing the HHV curve data, the list of 200 highest hourly volumes was examined. In addition to the volumes, a k percentage was computed for each hour based on the calculated AADT for

the entire year of 2019. 2019 was specifically targeted since the entire annual pattern (even if applied to a different AADT or year) reflected a full year without variations and dips resulting from Covid effects of vehicle trips – both in-state and out of state.

Figure 8: Top 200 Highest Hourly Volumes on I-26 (Sta #20) and I-95 (Sta #56) for 2019



Notes:

1. The SCDOT 2019 automatic counter data for I-95 north of I-26 did not include weeks of Thanksgiving, Christmas, New Years as well as 3 summer weekends in 2019. After comparison to the complete I-26 data set, it is estimated that approx. 20 of top 150 HHV are missing on I-95.
2. To examine the highest hourly volume, 2019 data was used to get a clean data set without impacts of Covid. The data was then used in order to develop k percentages for application to 2022 data and future forecasts.

Understanding the differences in flow patterns on I-26 and I-95 as well as throughout the year is important to identifying an appropriate highest hourly volume for design and the applicable k percentage for both I-26 and I-95. The key items affecting the selection of a k percentage related in both I-26 and I-95 include:

Interstate 26 (selected k = 10.5 percent)

- On I-26, in contrast with I-95, the highest hourly volumes were focused in summer with over 60 percent of the peak 100 hours. Despite a full set of data, November and December peak hours accounted for less than 10 percent of the 100 highest hours of 2019 (compared with 50 percent of the I-95 peak 100 hours occurring in November and December).
- On I-26, the 30th highest hourly volume and most of the similar hourly volumes occurred on a summer weekend and reflected a peak hour (k) percentage of 11.0 percent. It was recognized, however, that the intent of the project is not focused on the highest peak summer traffic volumes which would likely result in an over design of the facility.
- In observing the top 200 data set, it was noted that there were multiple counts reflecting spring (March and April) on a Friday afternoon. These all occurred between the 65th and 92nd highest hourly volumes with a k percentage ranging from 10.4 percent to 10.6 percent.
- The observed spring Friday data matches well the k percentage of 10.5 percent shown in **Figure 8** for I-26 and confirmed the selection.

Interstate 95 (selected k =10.5 percent)

- I-95 has a different traffic pattern than is observed on I-26 despite both being high volume rural Interstates with heavy volumes of trucks.
- On I-95, half of the 100 highest hourly volumes occurred in the months of November and December. Of these, 40 hours were near Christmas while only 11 hours in the data set were near Thanksgiving. As noted previously, however, there was a gap in data for Thanksgiving (specifically Monday through Friday of Thanksgiving week). If this data were available, it is likely that most of the 100 highest hourly volumes on I-95 would have been during the two holidays.
- Of the data in the top 200 HHV it is also suspected that the summer peaks were also under reported with Labor Day week, July 4th weekend, and another weekend in August not included in the data set. It is recognized, however, that these periods are typically considered as not appropriate for identification of a design period.
- Applying the same approach used for I-26 (i.e., identifying a typical peak Friday in the spring) was reviewed. Multiple data points fitting the desired time period were identified ranging between the 103rd HHV (k = 10.3 percent) through the 225th HHV (k = 9.6 percent). Using this result, a k value of 10.0 percent was considered.
- Reviewing a k value of 10 percent, it was determined that this volume correlated with the 160th HHV of the available data. This is further from the typical 30th HHV than desired. In addition, if the missing data were to be considered, it was estimated that at least 50 additional hourly volumes higher than this point were not counted. Therefore, a k of 10 percent was not utilized.
- A k value of 11 percent was also considered which matched the 60th HHV on I-95. A review of the data, however, indicated that the vast majority of the data points near this level were either

winter holiday related or during peak summer weekends. Therefore, this was deemed as giving too high of design volume.

- A k value of 10.5 percent was examined and correlated with the 98th HHV using the 2019 data for I-95. Although this it is recognized that this is lower than is typically applied, it seemed a reasonable balance between 10 and 11 percent. The volume also matched near the point where the peak spring Friday afternoon hours were observed. This point is highlighted on the I-95 curve shown in **Figure 8**.

Note that the above data sets are included in Appendix B for both I-26 and I-95. To simplify reviewing the data, highlighting has been used. For I-95, gold highlight reflects the winter holidays and green highlight reflects the peak data for primarily Fridays in March and April. For I-26 only the green highlight is used. For both facilities the 30th and 100th HHV is highlighted in yellow.

In summary, a peak hour factor was determined for both I-26 and I-95. On I-26, a k-factor of 10.5 percent was selected reflecting the 78th HHV. On I-95, a k-factor of 10.5 percent was also selected reflecting the 98th HHV on I-95 (although the I-95 HHV is likely closer to the 150th HHV if all data for 2019 were available). In determining these percentages, a review of the highest hourly volume data was conducted, focused on identifying the “knee of the curve”. The use of this methodology results in a lower K-value and lower design volume than would be accommodated if the typical 30th HHV were selected. Nevertheless, this method of identifying the knee in the curve allows for a balancing of construction costs for economic efficiency by avoiding over-designing for holidays and other events. Although there is variation in actual counts, the design period reasonably approximates a typical Friday afternoon in the spring for I-26 and a higher volume Friday afternoon in the spring for I-95.

6.6 APPLICATION OF GROWTH RATES FOR PREPARATION OF FUTURE BALANCED AADT TURN MOVEMENTS

Section 5.0 documents the analysis for determining the traffic growth rate to be applied for this project. Specific annual growth rates were identified in **Table 5** for both I-26 (1.8 percent) and I-95 (1.6 percent) as well as the four crossroads at each of the adjacent interchanges (2.4 percent for US 15 and 0.5 percent for the other three crossroads).

For the balancing of turn movements, a growth rate is also applied to the turns. For the system interchange, I-26 at I-95 interchange, the turn movements were increased by the I-26 growth rate of 1.8 percent per year. For each of the four service interchanges, turn movements were assumed to grow based upon the growth rate of the local road. As with the 2022 balanced intersections, a final step required balancing of the outgoing traffic volume was taken.

The 2030 and 2050 balanced AADT turn movements for each of the five interchanges are in Appendix D. The output is from the NCDOT spreadsheet tool.

6.7 IDENTIFICATION OF TRUCK PERCENTAGES

Truck percentages are high on both I-26 and I-95 serving freight along I-95 linking the eastern seaboard and with I-26 serving a critical link to the SC Port facilities in Charleston. Each of the SCDOT permanent traffic counters on I-26 and I-95 summarizes the truck percentages based on FHWA’s breakdown of 13 vehicle types. Multiple sources of truck counts were reviewed including the 2019 hourly counts, additional online data, project specific classification counts, as well as the Statewide demand model. The data sets and forecasted truck percentages are summarized in **Table 9**.

Table 9: Truck Percentages for I-26 and I-95


Location	Site Summary from SCDOT Website	Site Dashboard	Statewide Model	Project Counts	Forecast Truck Percentages	
		(Class 5-13)	2015 & 2045	(3/1-3/7)	2030	2050
I-95 North	12%	23.1%	26.3% 2015 27.5% 2045	35% weekday 29% weekend 33% overall	22%	22%
I-95 South	21%	24.5%	27.7% 2015 29.7% 2045	31% weekday 19% weekend 29% overall	22%	22%
I-26 West	24%	21.0%	30.8% 2015 41.3% 2045	31% weekday 16% weekend 28% overall	22%	28%
I-26 East	21%	21.0%	29.2% 2015 45.6% 2045	23% weekday 17% weekend 22% overall	22%	28%

Note that higher truck percentages are forecast for I-26 in 2050 (28 percent) than 2030 (22 percent). This increase is based on input from the official 2045 Statewide Model Version 4 (SCSWMv4) model volumes and existing counts. The Statewide model is used by SCDOT for freight planning purposes and includes anticipated increases in freight volumes related to the SC Ports facilities in Charleston as well as other shipping and truck focused industries along the corridor. Note that the forecasted 28 percent trucks for 2050 is still substantially lower than the more than 40 percent identified by the 2045 Statewide model. The future 28 percent truck percentage for 2050 was based on coordination with SCDOT as a balance between the Statewide model and existing conditions.


7.0 PROPOSED DESIGN VOLUMES

Based on the analysis presented in this memorandum, the following volumes are proposed for the 2022 Base Year (**Figure 9**), 2030 Opening Year (**Figure 10**), and 2050 Design Year (**Figure 11**). In addition to the figures, Appendix E provides a continuous graphic of the traffic forecasts that can be printed on a larger scale.

Figure 11: 2050 Design Hour Traffic Volumes



Matchline A to Int #2




Matchline B to Int #2

I-26 at I-95 Interchange
Traffic Forecast

2050

Design Year



Matchline A to Int #1N

Matchline B to Int #3S

Appendix A HISTORICAL AADT GROWTH ANALYSIS

Station	Roadway	Location	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2009 to 2019 Growth Rate
0056 & 38-2835	I-95	North of I-26	26,900	27,200	27,200	27,200	26,100	26,800	29,400	30,900	30,900	31,400	32,200	1.81%
28-2383	I-95	South of I-26	40,300	40,700	40,900	39,500	39,600	40,700	43,000	43,700	43,400	44,800	48,600	1.89%
2171	I-26	West of I-95	42,200	44,100	42,800	43,200	44,300	45,600	48,600	50,900	52,800	52,800	53,500	2.40%
2173	I-26	East of I-95	29,900	30,700	29,700	30,200	30,900	32,800	35,500	38,300	39,000	42,500	42,900	3.68%
0185	US 176 (Old State Rd)	East of I-95	2,500	2,600	2,500	2,400	2,400	2,400	2,500	2,400	2,300	2,400	2,500	0.00%
18-0141	US 178 (Charleston Hwy)	East of I-95	2,800	2,900	3,100	3,100	3,200	2,900	2,900	2,800	3,000	2,600	2,800	0.00%
38-0385	SC 210 (Vance Rd)	North of I-26	1,050	1,050	1,050	1,100	1,100	1,000	1,100	1,050	1,150	1,050	1,050	0.00%
18-0109	US 15	North of I-26	1,800	1,850	1,850	2,100	2,400	1,650	1,550	1,900	2,200	2,300	2,500	3.34%

Appendix B 2019 HIGHEST HOURLY VOLUMES

I-26 WEST OF I-95 STA. #20

I-95 NORTH OF I-26 STA. #56

HIGHLIGHTING LEGEND:

30TH & 100TH HIGHEST HOURLY VOLUME

THANKSGIVING & CHRISTMAS HOLIDAYS

FRIDAY AFTERNOONS IN SPRING

I-26 west of I-95 (Station #20)
2019 Highest Hourly Volumes

I-26 Count Station #0020			2019			ADT = 52,945 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	EB	WB	k
1	Saturday	29	June	2019	10:00	6383	2980	3403	12.1%
2	Saturday	15	June	2019	10:00	6377	3134	3243	12.0%
3	Saturday	27	July	2019	10:00	6220	2907	3313	11.7%
4	Sunday	28	July	2019	14:00	6217	3073	3144	11.7%
5	Saturday	6	July	2019	11:00	6182	2926	3256	11.7%
6	Sunday	21	July	2019	13:00	6103	2881	3222	11.5%
7	Saturday	20	July	2019	10:00	6091	2847	3244	11.5%
8	Saturday	10	August	2019	11:00	6077	2970	3107	11.5%
9	Sunday	28	July	2019	13:00	6057	2886	3171	11.4%
10	Saturday	3	August	2019	11:00	6045	2979	3066	11.4%
11	Saturday	13	July	2019	10:00	6039	2857	3182	11.4%
12	Sunday	28	July	2019	12:00	6037	2653	3384	11.4%
13	Sunday	7	July	2019	17:00	6005	3172	2833	11.3%
14	Saturday	6	July	2019	10:00	6001	2575	3426	11.3%
15	Sunday	28	July	2019	15:00	5989	2935	3054	11.3%
16	Sunday	30	June	2019	13:00	5983	2928	3055	11.3%
17	Wednesday	27	November	2019	13:00	5979	2940	3039	11.3%
18	Friday	24	May	2019	15:00	5950	3228	2722	11.2%
19	Sunday	28	July	2019	16:00	5945	3037	2908	11.2%
20	Saturday	13	July	2019	11:00	5935	3073	2862	11.2%
21	Sunday	21	July	2019	14:00	5890	2959	2931	11.1%
22	Friday	26	July	2019	14:00	5870	3140	2730	11.1%
23	Sunday	1	December	2019	16:00	5870	3267	2603	11.1%
24	Sunday	23	June	2019	16:00	5865	3057	2808	11.1%
26	Sunday	11	August	2019	14:00	5854	2774	3080	11.1%
27	Sunday	30	June	2019	14:00	5853	2830	3023	11.1%
28	Saturday	15	June	2019	11:00	5838	2820	3018	11.0%
29	Sunday	23	June	2019	15:00	5827	2797	3030	11.0%
30	Sunday	28	July	2019	11:00	5827	2533	3294	11.0%
31	Friday	29	March	2019	15:00	5825	2934	2891	11.0%
32	Sunday	23	June	2019	13:00	5811	2710	3101	11.0%
33	Saturday	29	June	2019	11:00	5807	2795	3012	11.0%
34	Sunday	21	July	2019	11:00	5799	2515	3284	11.0%
35	Sunday	23	June	2019	12:00	5792	2592	3200	10.9%
36	Friday	29	March	2019	16:00	5789	2858	2931	10.9%
37	Sunday	7	July	2019	11:00	5783	2529	3254	10.9%
38	Saturday	15	June	2019	12:00	5780	2904	2876	10.9%
39	Saturday	3	August	2019	12:00	5777	2996	2781	10.9%
40	Wednesday	27	November	2019	12:00	5772	2798	2974	10.9%
41	Sunday	14	July	2019	15:00	5771	2848	2923	10.9%
42	Saturday	30	November	2019	11:00	5764	2698	3066	10.9%
43	Sunday	30	June	2019	15:00	5737	2937	2800	10.8%
44	Sunday	11	August	2019	12:00	5728	2437	3291	10.8%
45	Sunday	31	March	2019	16:00	5725	2763	2962	10.8%
46	Sunday	16	June	2019	16:00	5722	3163	2559	10.8%
47	Saturday	29	June	2019	09:00	5715	2551	3164	10.8%
48	Sunday	21	July	2019	12:00	5702	2497	3205	10.8%
49	Friday	22	February	2019	15:00	5697	2632	3065	10.8%
51	Sunday	14	April	2019	12:00	5694	2749	2945	10.8%

I-26 west of I-95 (Station #20)
2019 Highest Hourly Volumes

I-26 Count Station #0020			2019			ADT = 52,945 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	EB	WB	k
52	Friday	24	May	2019	16:00	5686	3126	2560	10.7%
53	Sunday	11	August	2019	13:00	5686	2672	3014	10.7%
54	Sunday	24	March	2019	14:00	5684	2735	2949	10.7%
55	Sunday	30	June	2019	12:00	5681	2569	3112	10.7%
56	Friday	5	April	2019	14:00	5664	2948	2716	10.7%
57	Saturday	6	July	2019	12:00	5659	2611	3048	10.7%
58	Sunday	21	April	2019	17:00	5657	2542	3115	10.7%
59	Sunday	14	July	2019	13:00	5650	2698	2952	10.7%
60	Thursday	26	December	2019	11:00	5649	2841	2808	10.7%
61	Sunday	7	July	2019	12:00	5648	2789	2859	10.7%
62	Friday	26	July	2019	13:00	5640	2843	2797	10.7%
63	Friday	24	May	2019	14:00	5639	2954	2685	10.7%
64	Saturday	10	August	2019	12:00	5631	2783	2848	10.6%
65	Friday	15	March	2019	15:00	5627	2904	2723	10.6%
66	Sunday	21	July	2019	15:00	5614	2789	2825	10.6%
67	Sunday	11	August	2019	15:00	5614	2691	2923	10.6%
68	Sunday	23	June	2019	11:00	5609	2373	3236	10.6%
69	Friday	26	July	2019	15:00	5609	2921	2688	10.6%
70	Friday	28	June	2019	13:00	5603	2784	2819	10.6%
71	Saturday	10	August	2019	13:00	5589	3023	2566	10.6%
72	Friday	15	March	2019	13:00	5587	2772	2815	10.6%
73	Friday	26	April	2019	15:00	5584	2956	2628	10.5%
74	Saturday	10	August	2019	10:00	5581	2666	2915	10.5%
76	Saturday	15	June	2019	13:00	5576	2772	2804	10.5%
77	Sunday	31	March	2019	15:00	5574	2536	3038	10.5%
78	Friday	19	April	2019	12:00	5571	2744	2827	10.5%
79	Monday	27	May	2019	11:00	5556	2063	3493	10.5%
80	Saturday	1	June	2019	11:00	5555	2678	2877	10.5%
81	Friday	22	March	2019	16:00	5543	2919	2624	10.5%
82	Friday	29	March	2019	14:00	5538	2750	2788	10.5%
83	Saturday	29	June	2019	12:00	5538	2806	2732	10.5%
84	Friday	15	March	2019	14:00	5533	2683	2850	10.5%
85	Friday	12	April	2019	15:00	5533	3029	2504	10.5%
86	Saturday	8	June	2019	11:00	5527	2684	2843	10.4%
87	Friday	8	March	2019	15:00	5526	3022	2504	10.4%
88	Sunday	31	March	2019	14:00	5525	2675	2850	10.4%
89	Friday	15	March	2019	16:00	5524	2768	2756	10.4%
90	Friday	19	July	2019	15:00	5521	2775	2746	10.4%
91	Sunday	16	June	2019	13:00	5520	2679	2841	10.4%
92	Friday	19	April	2019	13:00	5519	2742	2777	10.4%
93	Sunday	1	December	2019	10:00	5502	2574	2928	10.4%
94	Sunday	16	June	2019	12:00	5500	2479	3021	10.4%
95	Saturday	15	June	2019	09:00	5492	2501	2991	10.4%
96	Friday	19	July	2019	14:00	5491	2724	2767	10.4%
97	Saturday	30	March	2019	11:00	5490	2686	2804	10.4%
98	Sunday	12	May	2019	16:00	5486	2521	2965	10.4%
99	Wednesday	27	November	2019	16:00	5480	2747	2733	10.4%
100	Sunday	24	March	2019	16:00	5479	2685	2794	10.3%
101	Saturday	22	June	2019	12:00	5475	2549	2926	10.3%

I-26 west of I-95 (Station #20)
2019 Highest Hourly Volumes

I-26 Count Station #0020			2019			ADT = 52,945 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	EB	WB	k
102	Sunday	28	April	2019	13:00	5472	2247	3225	10.3%
103	Wednesday	27	November	2019	11:00	5472	2526	2946	10.3%
104	Sunday	14	July	2019	12:00	5470	2525	2945	10.3%
105	Friday	21	June	2019	13:00	5466	2587	2879	10.3%
106	Friday	5	April	2019	13:00	5465	2671	2794	10.3%
107	Sunday	31	March	2019	12:00	5464	2360	3104	10.3%
108	Sunday	30	June	2019	11:00	5461	2435	3026	10.3%
109	Friday	21	June	2019	15:00	5456	2862	2594	10.3%
110	Friday	5	April	2019	15:00	5452	2944	2508	10.3%
111	Sunday	14	July	2019	16:00	5449	2733	2716	10.3%
112	Sunday	21	July	2019	16:00	5449	2745	2704	10.3%
113	Saturday	30	November	2019	14:00	5445	3041	2404	10.3%
114	Sunday	1	December	2019	17:00	5443	3038	2405	10.3%
115	Friday	28	June	2019	16:00	5442	2790	2652	10.3%
116	Saturday	25	May	2019	11:00	5436	3057	2379	10.3%
117	Friday	21	June	2019	14:00	5434	2689	2745	10.3%
118	Sunday	11	August	2019	11:00	5434	2293	3141	10.3%
119	Wednesday	27	November	2019	15:00	5424	2569	2855	10.2%
120	Friday	10	May	2019	14:00	5422	2753	2669	10.2%
121	Sunday	18	August	2019	14:00	5422	2443	2979	10.2%
122	Friday	19	July	2019	13:00	5420	2705	2715	10.2%
123	Sunday	17	March	2019	15:00	5418	2516	2902	10.2%
126	Friday	26	April	2019	14:00	5413	2577	2836	10.2%
127	Sunday	14	July	2019	11:00	5406	2404	3002	10.2%
128	Sunday	17	March	2019	14:00	5401	2318	3083	10.2%
129	Sunday	28	April	2019	14:00	5401	2371	3030	10.2%
130	Sunday	7	July	2019	10:00	5396	2232	3164	10.2%
131	Saturday	1	June	2019	10:00	5389	2520	2869	10.2%
132	Friday	5	April	2019	16:00	5388	2910	2478	10.2%
133	Saturday	30	March	2019	10:00	5383	2473	2910	10.2%
134	Friday	24	May	2019	17:00	5383	2908	2475	10.2%
135	Saturday	30	November	2019	10:00	5383	2307	3076	10.2%
136	Sunday	4	August	2019	15:00	5382	2930	2452	10.2%
137	Sunday	11	August	2019	16:00	5382	2664	2718	10.2%
138	Saturday	17	August	2019	11:00	5379	2289	3090	10.2%
139	Friday	15	February	2019	17:00	5376	3181	2195	10.2%
140	Friday	21	June	2019	16:00	5376	2747	2629	10.2%
141	Friday	19	April	2019	11:00	5373	2694	2679	10.1%
142	Sunday	19	May	2019	14:00	5372	2570	2802	10.1%
143	Friday	22	March	2019	15:00	5369	2663	2706	10.1%
144	Saturday	6	July	2019	13:00	5369	2598	2771	10.1%
145	Saturday	28	December	2019	10:00	5367	2700	2667	10.1%
146	Sunday	31	March	2019	13:00	5365	2580	2785	10.1%
147	Friday	28	June	2019	15:00	5364	3024	2340	10.1%
148	Sunday	19	May	2019	13:00	5363	2456	2907	10.1%
149	Saturday	20	April	2019	11:00	5360	2645	2715	10.1%
152	Sunday	1	December	2019	12:00	5359	2608	2751	10.1%
153	Sunday	9	June	2019	13:00	5356	2751	2605	10.1%
154	Sunday	5	May	2019	14:00	5349	2423	2926	10.1%

I-26 west of I-95 (Station #20)
2019 Highest Hourly Volumes

I-26 Count Station #0020			2019			ADT = 52,945 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	EB	WB	k
155	Saturday	22	June	2019	10:00	5348	2953	2395	10.1%
156	Friday	27	December	2019	12:00	5347	2552	2795	10.1%
157	Wednesday	27	November	2019	14:00	5345	2518	2827	10.1%
158	Sunday	21	April	2019	15:00	5341	2185	3156	10.1%
159	Friday	8	March	2019	14:00	5339	2759	2580	10.1%
160	Sunday	19	May	2019	15:00	5336	2566	2770	10.1%
161	Friday	26	July	2019	16:00	5336	2780	2556	10.1%
162	Sunday	17	March	2019	16:00	5335	2524	2811	10.1%
163	Friday	12	April	2019	14:00	5335	2880	2455	10.1%
164	Sunday	12	May	2019	14:00	5333	2579	2754	10.1%
165	Sunday	7	July	2019	16:00	5330	2603	2727	10.1%
166	Saturday	25	May	2019	10:00	5329	2964	2365	10.1%
167	Thursday	18	April	2019	15:00	5327	2642	2685	10.1%
168	Saturday	15	June	2019	15:00	5326	3015	2311	10.1%
169	Sunday	21	April	2019	18:00	5325	2435	2890	10.1%
170	Sunday	10	March	2019	14:00	5323	2524	2799	10.1%
171	Sunday	7	July	2019	13:00	5321	2441	2880	10.1%
172	Saturday	29	June	2019	14:00	5319	3098	2221	10.0%
173	Friday	27	December	2019	11:00	5314	2447	2867	10.0%
174	Sunday	24	March	2019	11:00	5313	2258	3055	10.0%
175	Friday	27	December	2019	14:00	5310	2744	2566	10.0%
176	Saturday	22	June	2019	13:00	5308	2792	2516	10.0%
177	Saturday	29	June	2019	15:00	5296	3093	2203	10.0%
178	Thursday	26	December	2019	10:00	5293	2765	2528	10.0%
179	Friday	3	May	2019	17:00	5292	2913	2379	10.0%
180	Friday	28	June	2019	12:00	5288	2485	2803	10.0%
181	Sunday	30	June	2019	16:00	5288	2633	2655	10.0%
182	Saturday	27	July	2019	09:00	5286	2257	3029	10.0%
183	Tuesday	26	November	2019	16:00	5282	2802	2480	10.0%
184	Monday	27	May	2019	13:00	5279	2358	2921	10.0%
185	Friday	19	July	2019	12:00	5277	2627	2650	10.0%
186	Sunday	28	April	2019	15:00	5275	2293	2982	10.0%
187	Sunday	7	April	2019	16:00	5273	2254	3019	10.0%
188	Thursday	26	December	2019	13:00	5273	2762	2511	10.0%
189	Thursday	18	April	2019	14:00	5272	2520	2752	10.0%
190	Saturday	8	June	2019	10:00	5264	2515	2749	9.9%
191	Saturday	22	June	2019	16:00	5261	3060	2201	9.9%
192	Monday	27	May	2019	14:00	5260	2291	2969	9.9%
193	Saturday	27	July	2019	13:00	5259	2961	2298	9.9%
194	Sunday	31	March	2019	11:00	5258	2050	3208	9.9%
195	Friday	10	May	2019	15:00	5257	2751	2506	9.9%
196	Friday	16	August	2019	14:00	5255	2661	2594	9.9%
197	Saturday	3	August	2019	10:00	5254	2532	2722	9.9%
198	Sunday	9	June	2019	12:00	5251	2458	2793	9.9%
199	Friday	19	July	2019	16:00	5251	2722	2529	9.9%
200	Friday	21	June	2019	12:00	5248	2484	2764	9.9%

I-95 north of I-26 (Station #56)
2019 Highest Hourly Volumes

I-95 Count Station #0056			2019				ADT = 32,200 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	NB	SB	k for AADT 32,200	
1	Sunday	7	July	2019	16:00	4343	2691	1652	13.5%	
2	Saturday	30	November	2019	15:00	4132	1783	2349	12.8%	
3	Sunday	1	December	2019	13:00	4071	2208	1863	12.6%	
4	Saturday	30	November	2019	12:00	4056	2246	1810	12.6%	
5	Saturday	30	November	2019	13:00	4025	2160	1865	12.5%	
6	Sunday	7	July	2019	13:00	4007	1930	2077	12.4%	
7	Saturday	30	November	2019	11:00	3974	2242	1732	12.3%	
8	Saturday	21	December	2019	15:00	3953	1851	2102	12.3%	
9	Sunday	7	July	2019	17:00	3940	2163	1777	12.2%	
10	Saturday	30	November	2019	16:00	3939	1773	2166	12.2%	
11	Friday	19	April	2019	15:00	3934	1941	1993	12.2%	
12	Saturday	20	April	2019	11:00	3932	2229	1703	12.2%	
13	Saturday	27	July	2019	12:00	3930	2433	1497	12.2%	
14	Saturday	21	December	2019	10:00	3919	1923	1996	12.2%	
15	Sunday	1	December	2019	15:00	3918	2250	1668	12.2%	
16	Saturday	21	December	2019	14:00	3903	1823	2080	12.1%	
17	Friday	19	April	2019	16:00	3900	2059	1841	12.1%	
18	Saturday	30	November	2019	14:00	3898	1885	2013	12.1%	
19	Sunday	1	December	2019	16:00	3878	2082	1796	12.0%	
20	Sunday	1	December	2019	17:00	3876	1938	1938	12.0%	
21	Friday	27	December	2019	15:00	3844	1774	2070	11.9%	
22	Friday	27	December	2019	10:00	3832	1623	2209	11.9%	
23	Saturday	28	December	2019	10:00	3832	1946	1886	11.9%	
24	Saturday	28	December	2019	16:00	3828	2027	1801	11.9%	
25	Sunday	29	December	2019	11:00	3819	1933	1886	11.9%	
26	Saturday	20	April	2019	10:00	3812	2039	1773	11.8%	
27	Saturday	29	June	2019	12:00	3796	2224	1572	11.8%	
28	Sunday	22	December	2019	11:00	3795	1487	2308	11.8%	
29	Friday	27	December	2019	14:00	3794	1768	2026	11.8%	
30	Saturday	6	July	2019	12:00	3782	1994	1788	11.7%	
31	Wednesday	27	November	2019	15:00	3773	2145	1628	11.7%	
32	Sunday	22	December	2019	10:00	3767	1351	2416	11.7%	
33	Saturday	21	December	2019	16:00	3752	1813	1939	11.7%	
34	Saturday	27	July	2019	11:00	3752	2271	1481	11.7%	
35	Friday	12	July	2019	15:00	3723	2030	1693	11.6%	
36	Saturday	20	April	2019	12:00	3710	2016	1694	11.5%	
37	Saturday	28	December	2019	11:00	3710	1806	1904	11.5%	
38	Saturday	29	June	2019	13:00	3705	2115	1590	11.5%	
39	Saturday	20	April	2019	13:00	3702	2117	1585	11.5%	
40	Friday	27	December	2019	16:00	3687	1734	1953	11.5%	
41	Saturday	28	December	2019	15:00	3680	1852	1828	11.4%	
42	Friday	12	July	2019	14:00	3663	1964	1699	11.4%	
43	Friday	17	May	2019	15:00	3661	2333	1328	11.4%	

I-95 north of I-26 (Station #56)
2019 Highest Hourly Volumes

I-95 Count Station #0056			2019			ADT = 32,200 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	NB	SB	k for AADT 32,200
44	Saturday	13	July	2019	11:00	3656	2058	1598	11.4%
45	Thursday	26	December	2019	11:00	3639	1526	2113	11.3%
46	Sunday	1	December	2019	10:00	3629	1968	1661	11.3%
47	Friday	19	April	2019	17:00	3625	2040	1585	11.3%
48	Friday	17	May	2019	14:00	3620	2331	1289	11.2%
49	Sunday	14	April	2019	12:00	3617	1926	1691	11.2%
50	Saturday	6	July	2019	13:00	3610	1765	1845	11.2%
51	Sunday	1	December	2019	12:00	3603	1761	1842	11.2%
52	Thursday	26	December	2019	13:00	3598	1619	1979	11.2%
53	Sunday	1	December	2019	18:00	3597	1643	1954	11.2%
54	Sunday	24	March	2019	13:00	3581	2226	1355	11.1%
55	Friday	27	December	2019	11:00	3569	1804	1765	11.1%
56	Friday	19	April	2019	13:00	3568	2008	1560	11.1%
57	Friday	12	July	2019	13:00	3560	2025	1535	11.1%
58	Sunday	1	December	2019	14:00	3559	2006	1553	11.1%
59	Sunday	1	December	2019	11:00	3553	1858	1695	11.0%
60	Friday	19	April	2019	10:00	3543	1809	1734	11.0%
61	Saturday	30	November	2019	10:00	3535	2004	1531	11.0%
62	Sunday	7	July	2019	14:00	3534	2083	1451	11.0%
63	Thursday	26	December	2019	14:00	3532	1623	1909	11.0%
64	Sunday	7	July	2019	12:00	3527	1763	1764	11.0%
65	Wednesday	27	November	2019	13:00	3525	1815	1710	10.9%
66	Saturday	10	August	2019	12:00	3524	1834	1690	10.9%
67	Wednesday	27	November	2019	12:00	3523	1814	1709	10.9%
68	Monday	30	December	2019	13:00	3513	1813	1700	10.9%
69	Saturday	20	April	2019	14:00	3511	2102	1409	10.9%
70	Sunday	29	December	2019	12:00	3507	1681	1826	10.9%
71	Friday	12	July	2019	16:00	3505	2088	1417	10.9%
72	Sunday	1	December	2019	09:00	3500	1945	1555	10.9%
73	Thursday	26	December	2019	12:00	3496	1512	1984	10.9%
74	Saturday	10	August	2019	13:00	3495	1806	1689	10.9%
75	Sunday	21	April	2019	17:00	3485	2222	1263	10.8%
76	Friday	19	April	2019	12:00	3483	1901	1582	10.8%
77	Friday	17	May	2019	13:00	3482	2283	1199	10.8%
78	Saturday	6	July	2019	14:00	3481	1751	1730	10.8%
79	Saturday	20	July	2019	11:00	3478	1706	1772	10.8%
80	Saturday	10	August	2019	11:00	3474	1713	1761	10.8%
81	Saturday	13	July	2019	13:00	3472	1736	1736	10.8%
82	Friday	12	July	2019	12:00	3468	1879	1589	10.8%
83	Friday	27	December	2019	17:00	3458	1698	1760	10.7%
84	Friday	30	August	2019	16:00	3450	2107	1343	10.7%
85	Sunday	23	June	2019	15:00	3449	1662	1787	10.7%
86	Saturday	28	December	2019	17:00	3443	1857	1586	10.7%

I-95 north of I-26 (Station #56)
2019 Highest Hourly Volumes

I-95 Count Station #0056			2019			ADT = 32,200 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	NB	SB	k for AADT 32,200
87	Saturday	21	December	2019	09:00	3436	1595	1841	10.7%
88	Saturday	21	December	2019	11:00	3427	1761	1666	10.6%
89	Friday	28	June	2019	15:00	3427	1904	1523	10.6%
90	Wednesday	27	November	2019	11:00	3426	1872	1554	10.6%
91	Sunday	29	December	2019	10:00	3424	1766	1658	10.6%
92	Friday	19	April	2019	09:00	3419	1622	1797	10.6%
93	Monday	30	December	2019	14:00	3419	1827	1592	10.6%
94	Sunday	22	December	2019	14:00	3418	1462	1956	10.6%
95	Sunday	22	December	2019	15:00	3418	1444	1974	10.6%
96	Saturday	28	December	2019	13:00	3401	1983	1418	10.6%
97	Saturday	20	April	2019	09:00	3396	1864	1532	10.5%
98	Saturday	29	June	2019	15:00	3383	1648	1735	10.5%
99	Saturday	20	July	2019	12:00	3376	1701	1675	10.5%
100	Saturday	17	August	2019	11:00	3372	1804	1568	10.5%
101	Saturday	28	December	2019	14:00	3361	1709	1652	10.4%
102	Sunday	17	March	2019	16:00	3357	2118	1239	10.4%
103	Friday	15	March	2019	16:00	3354	1860	1494	10.4%
104	Saturday	29	June	2019	14:00	3347	1758	1589	10.4%
105	Friday	27	December	2019	13:00	3345	1495	1850	10.4%
106	Friday	28	June	2019	14:00	3345	1886	1459	10.4%
107	Saturday	13	April	2019	10:00	3340	1472	1868	10.4%
108	Sunday	21	July	2019	15:00	3340	1666	1674	10.4%
109	Thursday	26	December	2019	16:00	3337	1440	1897	10.4%
110	Saturday	20	July	2019	14:00	3335	1401	1934	10.4%
111	Sunday	29	December	2019	14:00	3330	1991	1339	10.3%
112	Sunday	30	June	2019	14:00	3329	1703	1626	10.3%
113	Wednesday	27	November	2019	14:00	3326	1731	1595	10.3%
114	Saturday	28	December	2019	12:00	3320	1949	1371	10.3%
115	Thursday	26	December	2019	15:00	3318	1511	1807	10.3%
116	Sunday	30	June	2019	15:00	3316	1625	1691	10.3%
117	Monday	30	December	2019	12:00	3313	1721	1592	10.3%
118	Friday	12	July	2019	11:00	3313	1802	1511	10.3%
119	Saturday	20	April	2019	15:00	3312	1981	1331	10.3%
120	Sunday	22	December	2019	09:00	3312	1178	2134	10.3%
121	Friday	26	April	2019	15:00	3310	2148	1162	10.3%
122	Saturday	27	July	2019	13:00	3310	1853	1457	10.3%
123	Saturday	20	July	2019	13:00	3305	1561	1744	10.3%
124	Sunday	21	April	2019	18:00	3303	2187	1116	10.3%
125	Sunday	21	July	2019	13:00	3293	1714	1579	10.2%
126	Friday	17	May	2019	16:00	3293	2103	1190	10.2%
128	Friday	26	April	2019	14:00	3290	2113	1177	10.2%
129	Sunday	31	March	2019	15:00	3290	1983	1307	10.2%
130	Friday	30	August	2019	15:00	3286	1952	1334	10.2%

I-95 north of I-26 (Station #56)
2019 Highest Hourly Volumes

I-95 Count Station #0056			2019				ADT = 32,200 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	NB	SB	k for AADT 32,200	
131	Sunday	18	August	2019	14:00	3285	1910	1375	10.2%	
132	Friday	15	March	2019	13:00	3283	1806	1477	10.2%	
133	Sunday	14	April	2019	16:00	3281	1779	1502	10.2%	
134	Sunday	21	July	2019	14:00	3279	1647	1632	10.2%	
135	Sunday	21	April	2019	14:00	3276	2130	1146	10.2%	
136	Saturday	17	August	2019	12:00	3275	1796	1479	10.2%	
137	Saturday	29	June	2019	11:00	3275	1695	1580	10.2%	
138	Saturday	13	July	2019	10:00	3273	1791	1482	10.2%	
139	Sunday	30	June	2019	12:00	3273	1774	1499	10.2%	
140	Sunday	21	April	2019	13:00	3270	2064	1206	10.2%	
141	Friday	20	December	2019	15:00	3270	1742	1528	10.2%	
142	Sunday	21	July	2019	12:00	3270	1699	1571	10.2%	
143	Sunday	29	December	2019	13:00	3269	1853	1416	10.2%	
144	Friday	11	October	2019	14:00	3268	1972	1296	10.1%	
145	Saturday	28	December	2019	09:00	3263	1615	1648	10.1%	
146	Saturday	6	July	2019	11:00	3263	1727	1536	10.1%	
147	Sunday	10	March	2019	13:00	3259	1975	1284	10.1%	
148	Sunday	7	July	2019	11:00	3253	1667	1586	10.1%	
149	Sunday	14	April	2019	13:00	3251	1636	1615	10.1%	
150	Saturday	20	July	2019	15:00	3249	1559	1690	10.1%	
151	Sunday	22	December	2019	12:00	3247	1318	1929	10.1%	
152	Friday	26	April	2019	16:00	3244	2115	1129	10.1%	
152	Saturday	13	July	2019	12:00	3243	1635	1608	10.1%	
153	Sunday	30	June	2019	13:00	3241	1722	1519	10.1%	
154	Monday	30	December	2019	15:00	3239	1753	1486	10.1%	
155	Saturday	21	December	2019	17:00	3237	1441	1796	10.1%	
156	Sunday	28	April	2019	14:00	3236	2049	1187	10.0%	
157	Saturday	29	June	2019	10:00	3236	1720	1516	10.0%	
158	Sunday	16	June	2019	11:00	3235	1911	1324	10.0%	
159	Friday	3	May	2019	16:00	3235	1822	1413	10.0%	
160	Monday	22	April	2019	14:00	3232	2039	1193	10.0%	
161	Sunday	11	August	2019	14:00	3232	1645	1587	10.0%	
162	Friday	30	August	2019	14:00	3226	1796	1430	10.0%	
163	Saturday	6	July	2019	15:00	3225	1673	1552	10.0%	
164	Friday	19	April	2019	11:00	3223	1622	1601	10.0%	
165	Sunday	21	April	2019	15:00	3220	1968	1252	10.0%	
166	Friday	20	December	2019	14:00	3218	1654	1564	10.0%	
167	Sunday	28	July	2019	14:00	3216	1686	1530	10.0%	
168	Friday	27	December	2019	12:00	3214	1676	1538	10.0%	
169	Wednesday	27	November	2019	17:00	3214	1569	1645	10.0%	
170	Sunday	21	April	2019	16:00	3213	1766	1447	10.0%	
171	Sunday	11	August	2019	12:00	3211	1683	1528	10.0%	
172	Sunday	14	July	2019	15:00	3211	1625	1586	10.0%	


I-95 north of I-26 (Station #56)
2019 Highest Hourly Volumes

I-95 Count Station #0056			2019			ADT = 32,200 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	NB	SB	k for AADT 32,200
173	Sunday	29	December	2019	17:00	3205	1468	1737	10.0%
174	Saturday	17	August	2019	13:00	3199	1701	1498	9.9%
175	Sunday	28	April	2019	15:00	3198	1916	1282	9.9%
176	Friday	28	June	2019	13:00	3180	1536	1644	9.9%
177	Sunday	29	December	2019	15:00	3178	1814	1364	9.9%
178	Sunday	7	July	2019	10:00	3178	1765	1413	9.9%
179	Sunday	14	July	2019	13:00	3174	1626	1548	9.9%
180	Sunday	29	December	2019	16:00	3171	1560	1611	9.8%
181	Saturday	20	April	2019	16:00	3168	2044	1124	9.8%
182	Thursday	18	April	2019	16:00	3166	1858	1308	9.8%
183	Sunday	10	March	2019	12:00	3163	1927	1236	9.8%
184	Sunday	7	July	2019	15:00	3161	1842	1319	9.8%
185	Saturday	13	July	2019	14:00	3161	1584	1577	9.8%
186	Friday	12	April	2019	15:00	3160	1556	1604	9.8%
187	Thursday	26	December	2019	10:00	3156	1408	1748	9.8%
188	Sunday	14	July	2019	12:00	3155	1737	1418	9.8%
189	Friday	15	March	2019	14:00	3155	1722	1433	9.8%
190	Friday	20	December	2019	13:00	3153	1741	1412	9.8%
191	Sunday	28	July	2019	12:00	3153	1741	1412	9.8%
192	Friday	14	June	2019	16:00	3153	1860	1293	9.8%
193	Friday	28	June	2019	16:00	3152	1877	1275	9.8%
194	Sunday	24	March	2019	15:00	3152	1767	1385	9.8%
195	Sunday	17	March	2019	14:00	3151	1809	1342	9.8%
196	Saturday	27	April	2019	11:00	3150	2032	1118	9.8%
197	Wednesday	27	November	2019	16:00	3149	1745	1404	9.8%
198	Thursday	18	April	2019	17:00	3148	1829	1319	9.8%
199	Sunday	14	April	2019	11:00	3145	1601	1544	9.8%
200	Saturday	6	July	2019	10:00	3144	1780	1364	9.8%
201	Sunday	20	October	2019	14:00	3143	1404	1739	9.8%
202	Sunday	14	July	2019	14:00	3141	1546	1595	9.8%
203	Friday	1	March	2019	15:00	3137	1843	1294	9.7%
204	Saturday	22	June	2019	12:00	3130	1696	1434	9.7%
205	Friday	27	December	2019	09:00	3129	1299	1830	9.7%
206	Sunday	7	April	2019	15:00	3128	1975	1153	9.7%
207	Sunday	7	July	2019	18:00	3128	1723	1405	9.7%
208	Thursday	18	April	2019	14:00	3124	1940	1184	9.7%
209	Saturday	22	June	2019	11:00	3123	1729	1394	9.7%
210	Thursday	18	April	2019	15:00	3122	1917	1205	9.7%
211	Friday	24	May	2019	17:00	3121	1559	1562	9.7%
212	Sunday	31	March	2019	16:00	3120	1920	1200	9.7%
213	Sunday	5	May	2019	14:00	3118	1749	1369	9.7%
214	Friday	9	August	2019	14:00	3117	1454	1663	9.7%
215	Friday	19	April	2019	14:00	3116	1363	1753	9.7%

I-95 north of I-26 (Station #56)
2019 Highest Hourly Volumes

I-95 Count Station #0056			2019			ADT = 32,200 vpd			
HHV	Day of Week	Date	Month	Year	Time	Hourly Volume	NB	SB	k for AADT 32,200
216	Friday	16	August	2019	13:00	3116	1624	1492	9.7%
217	Sunday	22	December	2019	13:00	3116	1308	1808	9.7%
218	Monday	30	December	2019	16:00	3110	1733	1377	9.7%
219	Friday	17	May	2019	12:00	3107	1907	1200	9.6%
220	Sunday	14	April	2019	14:00	3102	1551	1551	9.6%
221	Friday	5	April	2019	14:00	3100	1697	1403	9.6%
222	Friday	30	August	2019	13:00	3097	1757	1340	9.6%
223	Sunday	22	December	2019	16:00	3097	1364	1733	9.6%
224	Sunday	23	June	2019	14:00	3097	1617	1480	9.6%
225	Friday	12	April	2019	17:00	3097	1578	1519	9.6%

Appendix C TRAFFIC COUNTS



Appendix D

BALANCED AADT INTERCHANGE TURNING MOVEMENTS: 2022, 2030 & 2050



BALANCED AADT INTERCHANGE TURNING MOVEMENTS: 2022



INTERCHANGE TURNING MOVEMENTS:

2022



I-26 AT I-95 (#2)



INTERCHANGE TURNING MOVEMENTS:

2022



US 176 OLD STATE ROAD AT I-95 N (#1N)



INTERCHANGE TURNING MOVEMENTS:

2022



US 178 CHARLESTON HIGHWAY AT I-95 S (#3S)



INTERCHANGE TURNING MOVEMENTS:

2022



SC 210 VANCE ROAD AT I-26 W (#4W)



INTERCHANGE TURNING MOVEMENTS:

2022

US 15 AT I-26 E (#5E)





BALANCED AADT INTERCHANGE TURNING MOVEMENTS: 2030



INTERCHANGE TURNING MOVEMENTS:

2030



I-26 AT I-95 (#2)



INTERCHANGE TURNING MOVEMENTS:

2030



US 176 OLD STATE ROAD AT I-95 N (#1N)



INTERCHANGE TURNING MOVEMENTS:

2030


US 178 CHARLESTON HIGHWAY AT I-95 S (#3S)



INTERCHANGE TURNING MOVEMENTS:

2030



SC 210 VANCE ROAD AT I-26 W (#4W)



INTERCHANGE TURNING MOVEMENTS:

2030

US 15 AT I-26 E (#5E)





BALANCED AADT INTERCHANGE TURNING MOVEMENTS: 2050



INTERCHANGE TURNING MOVEMENTS:

2050


I-26 AT I-95 (#2)



INTERCHANGE TURNING MOVEMENTS:

2050



US 176 OLD STATE ROAD AT I-95 N (#1N)



INTERCHANGE TURNING MOVEMENTS:

2050



US 178 CHARLESTON HIGHWAY AT I-95 S (#3S)



INTERCHANGE TURNING MOVEMENTS:

2050



SC 210 VANCE ROAD AT I-26 W (#4W)



INTERCHANGE TURNING MOVEMENTS:


2050

US 15 AT I-26 E (#5E)




Appendix E


TRAFFIC FORECASTS FOR 2022, 2030 & 2050



I-26 at I-95
Interchange
Traffic Forecast
2022
Existing



I-26 at I-95
Interchange
Traffic Forecast
2030
Opening Year






I-26 at I-95
Interchange
Traffic Forecast
2050
Design Year

APPENDIX E. I-26 AT I-95 HCS REPORTS

2022 EXISTING




1	0.92	0.92	0.806	0.787	3482	94	4413	1878	0.79	0.05	55.7	55.7	31.3	30.2	D
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		3390		4458		0.76		62.8		27.0		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.877	3505	115	4413	1878	0.79	0.06	57.4	57.4	30.5	27.5	C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		3485		4458		0.78		62.0		28.1		D
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	3485	1841	4413	1878	0.79	0.98	51.7	51.7	33.7	32.1	D
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1646		4458		0.37		66.4		12.2		B
Segment 8: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		2556		5451		0.47		55.5		15.4		B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		2519		4458		0.57		67.1		18.8		C
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.826	0.781	2856	337	4413	1972	0.65	0.17	59.4	59.4	24.0	22.4	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2858		4458		0.64		66.2		21.6		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	

1	0.92	0.92	0.820	0.781	2858	138	4413	1972	0.65	0.07	60.3	60.3	23.7	21.5	C
Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2727		4458		0.61		66.3		20.4		C
Segment 14: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2763		6136		0.45		62.1		14.8		B
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2692		4458		0.60		66.8		20.1		C
Segment 16: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.833	2833	141	4413	1878	0.64	0.08	59.0	59.0	24.0	22.3	C
Segment 17: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		2815		4458		0.63		66.4		21.2		C
Facility Analysis Results															
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS
1	61.9				23.3				18.9				9.60		D
Facility Overall Results															
Space Mean Speed, mi/h					61.9				Density, veh/mi/ln				18.9		
Average Travel Time, min					9.60				Density, pc/mi/ln				23.3		
Messages															
Comments															



1	0.92	0.92	0.826	0.901	2838	41	4413	1972	0.64	0.02	60.6	60.6	23.4	24.5	C
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		2794		4458		0.63		66.4		21.0		C
Segment 4: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2959		6017		0.49		60.1		16.4		B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2797		4481		0.62		67.4		20.7		C
Segment 6: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	2862	65	4413	1972	0.65	0.03	59.5	59.5	24.1	22.7	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2865		4458		0.64		66.2		21.6		C
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.847	2865	916	4413	1784	0.65	0.51	52.3	52.3	27.4	26.3	C
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1951		4458		0.44		66.3		14.5		B
Segment 10: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.794		3863		3926		0.99		46.9		27.5		C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3536		4458		0.79		61.5		28.7		D
Segment 12: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.769	3595	59	4413	1972	0.81	0.03	57.2	57.2	31.4	29.5	D

Segment 13: Basic																	
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.787		3594		4458		0.81		61.0		29.5		D		
Segment 14: Diverge																	
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS		
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp			
1	0.92	0.92	0.787	0.833	3594	132	4413	1972	0.81	0.07	60.4	60.4	29.8	31.1	D		
Segment 15: Basic																	
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.787		3454		4458		0.77		62.3		27.7		D		
Segment 16: Merge																	
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS		
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp			
1	0.92	0.92	0.787	0.840	3536	82	4413	1878	0.80	0.04	57.3	57.3	30.9	27.6	C		
Segment 17: Basic																	
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.787		3541		4458		0.79		61.5		28.8		D		
Facility Analysis Results																	
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min				LOS
1	60.6				25.3				20.0				9.90				D
Facility Overall Results																	
Space Mean Speed, mi/h					60.6					Density, veh/mi/ln					20.0		
Average Travel Time, min					9.90					Density, pc/mi/ln					25.3		
Messages																	
WARNING 1					Merge capacity is less than merge demand for analysis period 1 on segment 10.												
Comments																	



HCS7 Freeway Facilities Report

Project Information

Analyst	KAG	Date	6/14/2022
Agency	CDM Smith	Analysis Year	2022 Base Conditions
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Northbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	12.15		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	South of US 178	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 178	1500	2
3	Basic	Basic	Between US 178 Ramps	2855	2
4	Merge	Merge	I-95 On-Ramp from from US 178	1500	2
5	Basic	Basic	Between US 178 and I-26	13935	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	1500	2
7	Basic	Basic	Between I-26 Ramps	1650	2
8	Weaving	Weaving	Between I-26 Ramps	3000	3
9	Basic	Basic	Between I-26 Ramps	1770	2
10	Merge	Merge	I-95 On-Ramp from I-26	1500	2
11	Basic	Basic	Between I-26 and US 176	19895	2
12	Diverge	Diverge	I-95 Off-Ramp to US 176	1500	2
13	Basic	Basic	Between US 176 Ramps	5280	2
14	Merge	Merge	I-95 On-Ramp from US 176	1500	2
15	Basic	Basic	North of US 176	5280	2

Facility Segment Data

Segment 1: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.794	3696	4473	0.83	60.4	30.6	D




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.813	3696	219	4413	1878	0.84	0.12	55.9	55.9	33.1	34.0	D

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.794		3472		4473		0.78		62.6		27.7		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.719	3767	295	4413	1878	0.85	0.16	56.8	56.8	33.2	29.5	D
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3772		4473		0.84		59.5		31.7		D
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.781	3772	337	4413	1784	0.85	0.19	54.0	54.0	34.9	34.6	D
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3438		4473		0.77		62.9		27.3		D
Segment 8: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3525		4024		0.88		48.8		24.1		C
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1572		4473		0.35		67.8		11.5		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.847	2488	916	4413	1878	0.56	0.49	60.2	60.2	20.7	18.6	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2492		4479		0.56		68.2		18.3		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.855	2492	119	4413	1878	0.56	0.06	56.1	56.1	22.2	18.5	B
Segment 13: Basic															

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2365		4473		0.53		68.1		17.4		B
Segment 14: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.833	2420	55	4413	1878	0.55	0.03	60.0	60.0	20.2	19.4	B
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2422		4473		0.54		68.1		17.8		B
Facility Analysis Results															
AP	Speed, mi/h			Density, pc/mi/ln			Density, veh/mi/ln			Travel Time, min			LOS		
1	61.9			23.4			18.7			11.80			D		
Facility Overall Results															
Space Mean Speed, mi/h					61.9					Density, veh/mi/ln					18.7
Average Travel Time, min					11.80					Density, pc/mi/ln					23.4
Messages															
WARNING 1					Diverge capacity is less than diverge demand for analysis period 1 on segment 8. This may result in an off-ramp queue affecting the mainline flow. This is not currently modeled in HCM methodologies. Use caution when reviewing results.										
Comments															



HCS7 Freeway Facilities Report

Project Information

Analyst	KAG	Date	6/14/2022
Agency	CDM Smith	Analysis Year	2022 Base Conditions
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Southbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	11.04		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	North of US 176	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 176	1500	2
3	Basic	Basic	Between US 176 Ramps	3615	2
4	Merge	Merge	I-95 On-Ramp from US 176	1500	2
5	Basic	Basic	Between US 176 and I-26	19950	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	1500	2
7	Basic	Basic	Between I-26 Ramps	1555	2
8	Weaving	Weaving	Between I-26 Ramps	3000	3
9	Basic	Basic	Between I-26 Ramps	2240	2
10	Merge	Merge	I-95 On-Ramp from I-26	1500	2
11	Basic	Basic	Between I-26 and US 178	13330	2
12	Diverge	Diverge	I-95 Off-Ramp to US 178	1500	2
13	Basic	Basic	Between US 176 Ramps	2610	2
14	Merge	Merge	I-95 On-Ramp from US 176	1500	2
15	Basic	Basic	South of US 178	1500	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2420		4473		0.54		68.1		17.8		B

Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.840	2420	56	4413	1878	0.55	0.03	56.3	56.3	21.5	22.5	C

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2363		4473		0.53		68.0		17.4		B
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	2486	123	4413	1878	0.56	0.07	60.3	60.3	20.6	18.6	B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2492		4473		0.56		68.0		18.3		C
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.769	2492	59	4413	1784	0.56	0.03	54.6	54.6	22.8	24.2	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2436		4473		0.54		67.1		17.9		B
Segment 8: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		2716		4953		0.55		54.4		16.6		B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1811		4479		0.40		68.3		13.2		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.806	3652	1841	4413	1972	0.83	0.93	58.4	58.4	31.3	26.7	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		3651		4473		0.82		60.8		30.0		D
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.763	3651	244	4413	1878	0.83	0.13	55.8	55.8	32.7	33.4	D
Segment 13: Basic															

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		3417		4473		0.76		63.1		27.1		D

Segment 14: Merge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.840	3650	233	4413	1972	0.83	0.12	58.4	58.4	31.2	27.5	C

Segment 15: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3632		4473		0.81		61.0		29.8		D

Facility Analysis Results




AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS
1	62.7		22.5		18.3		10.60		D

Facility Overall Results

Space Mean Speed, mi/h			62.7			Density, veh/mi/ln			18.3		
Average Travel Time, min			10.60			Density, pc/mi/ln			22.5		

Messages




Comments



2030 NO BUILD




1	0.92	0.92	0.806	0.787	4000	97	6620	1878	0.60	0.05	60.4	55.7	22.1	23.1	C
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		3903		6688		0.58		67.1		19.4		C
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.877	4026	123	6620	1878	0.61	0.07	61.0	59.5	22.0	19.4	B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4026		6688		0.60		66.8		20.1		C
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4026	2117	6620	1878	0.61	1.13	49.0	51.1	45.0	29.6	F
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1909		6688		0.28		66.2		9.4		A
Segment 8: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		2971		5885		0.50		54.9		13.5		B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		2910		6688		0.43		67.1		14.4		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.826	0.781	3297	387	6620	1878	0.50	0.21	61.5	59.8	17.9	16.7	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3297		6688		0.49		67.4		16.3		B
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	

1	0.92	0.92	0.820	0.781	3297	166	6620	1972	0.50	0.08	64.0	60.3	17.2	16.4	B
Segment 13: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3131		6688		0.47	66.9		15.5		B		
Segment 14: Weaving															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3176		8177		0.39	62.5		12.7		B		
Segment 15: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3087		6688		0.46	67.2		15.3		B		
Segment 16: Merge															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.833	3257	170	6620	1878	0.49	0.09	61.7	59.9	17.6	16.0	B
Segment 17: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.826	3257		6688		0.48	66.9		16.1		B		
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	64.5		18.0		14.7		9.30		F						
Facility Overall Results															
Space Mean Speed, mi/h				64.5				Density, veh/mi/ln				14.7			
Average Travel Time, min				9.30				Density, pc/mi/ln				18.0			
Messages															
WARNING 1				Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 2				Diverge capacity is less than diverge demand for analysis period 1 on segment 6. This may result in an off-ramp queue affecting the mainline flow. This is not currently modeled in HCM methodologies. Use caution when reviewing results.											
Comments															



1	0.92	0.92	0.826	0.901	3266	49	6620	1972	0.49	0.03	64.2	60.5	17.0	19.2	B
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		3212		6688		0.48		66.9		15.9		B
Segment 4: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3410		8007		0.43		60.3		14.1		B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3214		6721		0.48		68.2		15.6		B
Segment 6: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	3292	78	6620	1972	0.50	0.04	62.0	60.5	17.7	16.0	B
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3295		6688		0.49		67.4		16.3		B
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.847	3295	1054	6620	1878	0.50	0.56	57.5	53.5	19.1	22.8	C
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		2245		6688		0.34		66.7		11.1		B
Segment 10: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.794		4159		3926		1.14		47.2		22.0		C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3787		6688		0.57		66.8		18.8		C
Segment 12: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.769	3855	68	6620	1878	0.58	0.04	61.0	59.3	21.1	19.6	B

Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.787		3853		6688		0.58		67.1		19.1		C	
Segment 14: Diverge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.92	0.787	0.833	3853	140	6620	1878	0.58	0.07	60.3	55.6	21.3	22.3	C	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.787		3706		6688		0.55		67.1		18.4		C	
Segment 16: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.92	0.787	0.840	3791	85	6620	1878	0.57	0.05	61.3	59.7	20.6	18.1	B	
Segment 17: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.787		3797		6688		0.57		66.9		18.8		C	
Facility Analysis Results																
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS	
1	63.9				17.9				14.2				9.40		F	
Facility Overall Results																
Space Mean Speed, mi/h					63.9					Density, veh/mi/ln					14.2	
Average Travel Time, min					9.40					Density, pc/mi/ln					17.9	
Messages																
WARNING 1					Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 2					Merge capacity is less than merge demand for analysis period 1 on segment 10.											
Comments																



HCS7 Freeway Facilities Report

Project Information

Analyst	KAG	Date	6/14/2022
Agency	CDM Smith	Analysis Year	2022 Base Conditions
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Northbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	12.15		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	South of US 178	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 178	1500	2
3	Basic	Basic	Between US 178 Ramps	2855	2
4	Merge	Merge	I-95 On-Ramp from from US 178	1500	2
5	Basic	Basic	Between US 178 and I-26	13935	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	1500	2
7	Basic	Basic	Between I-26 Ramps	1650	2
8	Weaving	Weaving	Between I-26 Ramps	3000	3
9	Basic	Basic	Between I-26 Ramps	1770	2
10	Merge	Merge	I-95 On-Ramp from I-26	1500	2
11	Basic	Basic	Between I-26 and US 176	19895	2
12	Diverge	Diverge	I-95 Off-Ramp to US 176	1500	2
13	Basic	Basic	Between US 176 Ramps	5280	2
14	Merge	Merge	I-95 On-Ramp from US 176	1500	2
15	Basic	Basic	North of US 176	5280	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.794		4255		4473		0.95		53.1		40.1		E

Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.813	4255	231	4413	1878	0.96	0.12	55.8	55.8	38.1	38.8	E

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.794		4018		4473		0.90		56.5		35.6		E
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.719	4328	310	4413	1878	0.98	0.17	53.5	53.5	40.4	33.9	D
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4337		4473		0.97		51.9		41.8		E
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.781	4337	387	4413	1784	0.98	0.22	53.9	53.9	40.2	39.5	E
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3953		4473		0.88		57.3		34.5		D
Segment 8: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4047		4031		1.00		46.7		28.9		D
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1807		4473		0.40		67.7		13.3		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.847	2861	1054	4413	1878	0.65	0.56	59.7	59.7	24.0	21.4	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2865		4473		0.64		66.8		21.4		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.855	2865	126	4413	1878	0.65	0.07	56.1	56.1	25.5	21.7	C
Segment 13: Basic															

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2731		4473		0.61		67.3		20.3		C

Segment 14: Merge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.833	2788	57	4413	1878	0.63	0.03	59.5	59.5	23.4	22.3	C

Segment 15: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2790		4473		0.62		67.1		20.8		C

Facility Analysis Results

AP	Speed, mi/h	Density, pc/mi/ln	Density, veh/mi/ln	Travel Time, min	LOS
1	58.1	28.7	22.9	12.60	F

Facility Overall Results




Space Mean Speed, mi/h	58.1	Density, veh/mi/ln	22.9
Average Travel Time, min	12.60	Density, pc/mi/ln	28.7

Messages

WARNING 1	Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.
WARNING 2	Diverge capacity is less than diverge demand for analysis period 1 on segment 8. This may result in an off-ramp queue affecting the mainline flow. This is not currently modeled in HCM methodologies. Use caution when reviewing results.

Comments

--



HCS7 Freeway Facilities Report

Project Information

Analyst	KAG	Date	6/14/2022
Agency	CDM Smith	Analysis Year	2022 Base Conditions
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Southbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	11.04		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	North of US 176	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 176	1500	2
3	Basic	Basic	Between US 176 Ramps	3615	2
4	Merge	Merge	I-95 On-Ramp from US 176	1500	2
5	Basic	Basic	Between US 176 and I-26	19950	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	1500	2
7	Basic	Basic	Between I-26 Ramps	1555	2
8	Weaving	Weaving	Between I-26 Ramps	3000	3
9	Basic	Basic	Between I-26 Ramps	2240	2
10	Merge	Merge	I-95 On-Ramp from I-26	1500	2
11	Basic	Basic	Between I-26 and US 178	13330	2
12	Diverge	Diverge	I-95 Off-Ramp to US 178	1500	2
13	Basic	Basic	Between US 176 Ramps	2610	2
14	Merge	Merge	I-95 On-Ramp from US 176	1500	2
15	Basic	Basic	South of US 178	1500	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2789		4473		0.62		67.1		20.8		C




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.840	2789	58	4413	1878	0.63	0.03	56.2	56.2	24.8	25.6	C

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2729		4473		0.61		67.3		20.3		C
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	2859	130	4413	1878	0.65	0.07	59.8	59.8	23.9	21.5	C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2865		4473		0.64		66.8		21.4		C
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.769	2865	68	4413	1784	0.65	0.04	54.6	54.6	26.2	27.4	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2801		4473		0.63		67.0		20.9		C
Segment 8: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3135		4965		0.63		52.7		19.8		B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		2099		4473		0.47		68.0		15.4		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4071	1972	4413	1972	0.92	1.07	56.4	56.4	36.1	29.9	D
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4054		4473		0.91		56.0		36.2		E
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.763	4054	257	4413	1784	0.92	0.14	54.2	54.2	37.4	36.9	E
Segment 13: Basic															




AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		3808		4473		0.85		59.1		32.2		D
Segment 14: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.840	4052	244	4413	1784	0.92	0.14	55.4	55.4	36.6	30.6	D
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4066		4473		0.91		55.8		36.4		E
Facility Analysis Results															
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS
1	60.1				26.5				21.5				11.00		D
Facility Overall Results															
Space Mean Speed, mi/h					60.1				Density, veh/mi/ln				21.5		
Average Travel Time, min					11.00				Density, pc/mi/ln				26.5		
Messages															
WARNING 1					Merge capacity is less than merge demand for analysis period 1 on segment 10.										
Comments															



2050 NO BUILD




1	0.92	0.92	0.775	0.787	5980	108	6620	1878	0.90	0.06	60.1	55.7	33.2	31.8	D
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.775		5872		6688		0.88		57.4		34.1		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.775	0.877	6006	134	6620	1878	0.91	0.07	58.2	56.8	34.4	28.7	D
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		6006		6688		0.89		56.3		35.6		E
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.806	6006	2956	6620	1878	0.91	1.57	49.0	49.2	45.0	40.0	F
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		3050		6688		0.45		66.2		15.1		B
Segment 8: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4541		6296		0.70		50.4		22.5		C
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4452		6688		0.66		65.7		22.6		C
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.781	4974	522	6620	1972	0.75	0.26	60.2	58.9	27.5	25.0	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4974		6688		0.74		63.4		26.2		D
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	

1	0.92	0.92	0.781	0.781	4974	270	6620	1972	0.75	0.14	63.5	60.0	26.1	24.4	C
Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4704		6688		0.70		64.7		24.2		C
Segment 14: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4776		8166		0.58		59.8		20.0		B
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4630		6688		0.69		65.0		23.7		C
Segment 16: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.833	4905	275	6620	1878	0.74	0.15	60.0	58.6	27.2	24.0	C
Segment 17: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4905		6688		0.73		63.8		25.6		C
Facility Analysis Results															
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS
1	58.6				29.2				22.8				10.20		F
Facility Overall Results															
Space Mean Speed, mi/h					58.6					Density, veh/mi/ln					22.8
Average Travel Time, min					10.20					Density, pc/mi/ln					29.2
Messages															
WARNING 1					Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.										
WARNING 2					Diverge capacity is less than diverge demand for analysis period 1 on segment 6. This may result in an off-ramp queue affecting the mainline flow. This is not currently modeled in HCM methodologies. Use caution when reviewing results.										
Comments															



1	0.92	0.92	0.787	0.901	4915	81	6620	1972	0.74	0.04	63.9	60.5	25.6	27.1	C
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4823		6688		0.72		64.2		25.0		C
Segment 4: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		5129		7985		0.64		56.4		22.7		C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4824		6721		0.72		64.9		24.8		C
Segment 6: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.855	4951	127	6620	1972	0.75	0.06	60.4	59.2	27.3	23.9	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4963		6688		0.74		63.5		26.0		C
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.847	4963	1481	6620	1784	0.75	0.83	55.9	51.0	29.6	31.4	D
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		3486		6688		0.52		66.6		17.2		B
Segment 10: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.763		5287		4089		1.58		45.2		29.2		D
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.758		4864		6688		0.73		64.0		25.3		C
Segment 12: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.758	0.769	4963	99	6620	1972	0.75	0.05	60.1	58.8	27.5	24.8	C

Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.758		4964		6688		0.74		63.5		26.1		D	
Segment 14: Diverge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.92	0.758	0.833	4964	153	6620	1878	0.75	0.08	60.3	55.6	27.4	27.5	C	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.758		4797		6688		0.72		64.3		24.9		C	
Segment 16: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.92	0.758	0.840	4890	93	6620	1878	0.74	0.05	60.1	58.8	27.1	23.2	C	
Segment 17: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.758		4900		6688		0.73		63.8		25.6		C	
Facility Analysis Results																
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS	
1	61.1				25.9				19.6				9.80		F	
Facility Overall Results																
Space Mean Speed, mi/h					61.1				Density, veh/mi/ln				19.6			
Average Travel Time, min					9.80				Density, pc/mi/ln				25.9			
Messages																
WARNING 1					Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 2					Merge capacity is less than merge demand for analysis period 1 on segment 10.											
Comments																



HCS7 Freeway Facilities Report

Project Information

Analyst	KAG	Date	6/14/2022
Agency	CDM Smith	Analysis Year	2050 No Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Northbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	12.15		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	South of US 178	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 178	1500	2
3	Basic	Basic	Between US 178 Ramps	2855	2
4	Merge	Merge	I-95 On-Ramp from from US 178	1500	2
5	Basic	Basic	Between US 178 and I-26	13935	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	1500	2
7	Basic	Basic	Between I-26 Ramps	1650	2
8	Weaving	Weaving	Between I-26 Ramps	3000	3
9	Basic	Basic	Between I-26 Ramps	1770	2
10	Merge	Merge	I-95 On-Ramp from I-26	1500	2
11	Basic	Basic	Between I-26 and US 176	19895	2
12	Diverge	Diverge	I-95 Off-Ramp to US 176	1500	2
13	Basic	Basic	Between US 176 Ramps	5280	2
14	Merge	Merge	I-95 On-Ramp from US 176	1500	2
15	Basic	Basic	North of US 176	5280	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4110		4479		1.24		36.1		56.9		F

Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.813	4110	251	4413	1878	0.93	0.13	55.9	55.9	36.8	37.5	F

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3774		4479		1.18		34.3		55.0		F
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.719	4110	336	4413	1878	0.93	0.18	55.2	55.2	37.2	32.2	F
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4010		4479		1.25		43.5		46.1		F
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.781	3970	522	4413	1784	1.26	0.29	36.5	53.7	54.4	50.2	F
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3356		4479		1.13		22.5		74.7		F
Segment 8: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3445		3700		1.41		48.5		23.7		F
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.800		368		4479		0.47		68.1		2.7		A
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.800	0.847	1849	1481	4413	1972	0.42	0.75	61.7	61.7	15.0	13.3	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1849		4479		0.80		68.5		13.5		B
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.855	1849	134	4413	1972	0.42	0.07	61.1	61.1	15.1	13.0	B
Segment 13: Basic															

AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820	1715		4479		0.77		68.5		12.5		B

Segment 14: Merge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.833	1778	63	4413	1972	0.40	0.03	61.4	61.4	14.5	14.4	B

Segment 15: Basic

AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820	1778		4479		0.78		68.5		13.0		B

Facility Analysis Results

AP	Speed, mi/h	Density, pc/mi/ln	Density, veh/mi/ln	Travel Time, min	LOS
1	48.2	27.1	21.6	15.10	F

Facility Overall Results




Space Mean Speed, mi/h	48.2	Density, veh/mi/ln	21.6
Average Travel Time, min	15.10	Density, pc/mi/ln	27.1

Messages

WARNING 1	Oversaturated conditions currently exist in boundary segment 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.
WARNING 2	Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.
WARNING 3	Queue extends past the beginning of the facility on analysis period 1. Consider expanding the length of the facility to account for these vehicles performance and affect on upstream segments.
WARNING 4	Diverge capacity is less than diverge demand for analysis period 1 on segment 8. This may result in an off-ramp queue affecting the mainline flow. This is not currently modeled in HCM methodologies. Use caution when reviewing results.

Comments

--



HCS7 Freeway Facilities Report

Project Information

Analyst	KAG	Date	6/14/2022
Agency	CDM Smith	Analysis Year	2050 No Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Southbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	11.04		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	North of US 176	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 176	1500	2
3	Basic	Basic	Between US 176 Ramps	3615	2
4	Merge	Merge	I-95 On-Ramp from US 176	1500	2
5	Basic	Basic	Between US 176 and I-26	19950	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	1500	2
7	Basic	Basic	Between I-26 Ramps	1555	2
8	Weaving	Weaving	Between I-26 Ramps	3000	3
9	Basic	Basic	Between I-26 Ramps	2240	2
10	Merge	Merge	I-95 On-Ramp from I-26	1500	2
11	Basic	Basic	Between I-26 and US 178	13330	2
12	Diverge	Diverge	I-95 Off-Ramp to US 178	1500	2
13	Basic	Basic	Between US 176 Ramps	2610	2
14	Merge	Merge	I-95 On-Ramp from US 176	1500	2
15	Basic	Basic	South of US 178	1500	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3492		4479		0.78		62.6		27.9		D

Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.840	3492	63	4413	1878	0.79	0.03	56.4	56.4	31.0	31.7	D

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3429		4479		0.77		63.1		27.2		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	3570	141	4413	1878	0.81	0.08	58.1	58.1	30.7	27.0	C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3570		4479		0.80		61.8		28.9		D
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.769	3570	99	4413	1784	0.81	0.06	54.7	54.7	32.6	33.5	D
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3471		4479		0.78		62.8		27.6		D
Segment 8: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		3956		4463		0.88		48.8		27.0		C
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		2466		4479		0.55		68.2		18.1		C
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4408	1972	4413	1972	1.00	1.50	54.1	54.1	40.7	32.5	F
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4408		4479		0.99		50.9		43.3		E
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.763	4408	279	4413	1878	1.00	0.15	55.9	55.9	39.4	40.0	F
Segment 13: Basic															

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4129		4479		0.93		55.1		37.5		E

Segment 14: Merge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.840	4395	266	4413	1878	1.00	0.14	53.4	53.4	41.2	33.3	D

Segment 15: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4395		4479		0.99		51.1		43.0		E

Facility Analysis Results

AP	Speed, mi/h	Density, pc/mi/ln	Density, veh/mi/ln	Travel Time, min	LOS
1	56.3	33.2	27.1	11.80	F

Facility Overall Results




Space Mean Speed, mi/h	56.3	Density, veh/mi/ln	27.1
Average Travel Time, min	11.80	Density, pc/mi/ln	33.2

Messages

WARNING 1	Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.
WARNING 2	Merge capacity is less than merge demand for analysis period 1 on segment 10.

Comments




--



2030 BUILD ALTERNATIVE 1




1	0.92	0.92	0.806	0.787	4000	97	6620	1878	0.60	0.05	60.9	56.1	21.9	23.1	C
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		3905		6710		0.58		67.7		19.2		C
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.877	4028	123	6620	1878	0.61	0.07	61.7	60.1	21.8	19.4	B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4004		6710		0.60		67.5		19.8		C
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4004	2117	6620	3944	0.60	0.54	60.1	56.3	22.2	16.3	B
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1889		6710		0.28		68.1		9.2		A
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	1889	61	6620	1878	0.29	0.03	60.7	56.4	10.4	11.5	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1825		6761		0.27		70.1		8.5		A
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.826	3240	1415	6761	3944	0.48	0.36	66.3	65.0	16.3	14.7	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3282		6710		0.49		68.2		16.0		B
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS

	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.781	3282	166	6620	1972	0.50	0.08	64.6	60.9	16.9	20.3	C
Segment 13: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3124		6710		0.47	66.8		15.3		B		
Segment 14: Weaving															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.781	3320		8211		0.40	63.1		13.2		B		
Segment 15: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3083		6710		0.46	66.3		15.1		B		
Segment 16: Merge															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.833	3253	170	6620	1972	0.49	0.09	62.7	61.1	17.3	16.0	B
Segment 17: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.826	3232		6710		0.48	67.4		15.8		B		
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	66.4		17.3		14.1		7.60		C						
Facility Overall Results															
Space Mean Speed, mi/h				66.4				Density, veh/mi/ln				14.1			
Average Travel Time, min				7.60				Density, pc/mi/ln				17.3			
Messages															
WARNING 1				Ramp segment length is longer than 1500 feet for segment 6.											
WARNING 2				Ramp segment length is longer than 1500 feet for segment 10.											
WARNING 3				Weaving Segment (segment 14) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.											
Comments															



1	0.92	0.92	0.826	0.901	3266	49	6620	1972	0.49	0.03	64.4	60.7	16.9	19.2	B
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		3212		6693		0.48		66.5		15.8		B
Segment 4: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3410		8016		0.43		60.5		14.1		B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3214		6693		0.48		64.9		15.8		B
Segment 6: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	3292	78	6620	1972	0.50	0.04	62.2	60.6	17.6	16.0	B
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3295		6693		0.49		67.6		16.2		B
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.847	3295	1054	6620	1972	0.50	0.53	60.4	56.8	18.2	22.8	C
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		2245		6693		0.34		66.3		11.1		B
Segment 10: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.840	2245	360	6620	1878	0.34	0.19	59.4	55.4	12.6	14.1	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.847		1780		6693		0.27		67.3		8.8		A
Segment 12: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	

1	0.92	0.92	0.847	0.775	4049	2269	6620	3944	0.61	0.58	61.5	60.4	21.9	20.7	C
Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4150		6693		0.62		66.7		20.7		C
Segment 14: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.833	4150	140	6620	1878	0.63	0.07	60.5	55.7	22.9	23.8	C
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4003		6693		0.60		66.8		19.9		C
Segment 16: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.840	4088	85	6620	1878	0.62	0.05	61.2	59.7	22.3	19.5	B
Segment 17: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4094		6693		0.61		66.7		20.4		C
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	66.0		17.5		14.2		7.30		C						
Facility Overall Results															
Space Mean Speed, mi/h					66.0			Density, veh/mi/ln			14.2				
Average Travel Time, min					7.30			Density, pc/mi/ln			17.5				
Messages															
WARNING 1					Weaving Segment (segment 4) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.										
WARNING 2					Ramp segment length is longer than 1500 feet for segment 12.										
Comments															



HCS7 Freeway Facilities Report

Project Information

Analyst	CDM Smith	Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Northbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.69		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	South of US 178	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 178	230	2
3	Basic	Basic	Between US 178 Ramps	2855	2
4	Merge	Merge	I-95 On-Ramp from from US 178	840	2
5	Basic	Basic	Between US 178 and I-26	12135	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	2500	2
7	Basic	Basic	Between I-26 Ramps	2700	2
8	Merge	Merge	I-95 On-Ramp from I-26	1500	2
9	Basic	Basic	Between I-26 Ramps	1145	2
10	Merge	Merge	I-95 On-Ramp from I-26	950	2
11	Basic	Basic	Between I-26 and US 176	19895	2
12	Diverge	Diverge	I-95 Off-Ramp to US 176	275	2
13	Basic	Basic	Between US 176 Ramps	3770	2
14	Merge	Merge	I-95 On-Ramp from US 176	855	2
15	Basic	Basic	North of US 176	5280	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.794		4255		4473		0.95		53.1		40.1		E




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.813	4255	231	4413	1878	0.96	0.12	55.8	55.8	38.1	38.8	E

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4054		4473		0.91		56.0		36.2		E
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.719	4328	310	4413	1878	0.98	0.17	53.5	53.5	40.4	33.9	D
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4337		4473		0.97		51.9		41.8		E
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.775	4337	2592	4413	3944	0.98	0.66	55.1	55.1	39.4	28.1	D
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1742		4473		0.39		68.0		12.8		B
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.855	1803	61	4413	1878	0.41	0.03	61.6	61.6	14.6	11.9	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1807		4473		0.40		67.4		13.3		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.847	2861	1054	4413	1972	0.65	0.53	60.4	60.4	23.7	21.4	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2865		4473		0.64		66.8		21.4		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.855	2865	126	4413	1878	0.65	0.07	56.1	56.1	25.5	26.4	C

Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		2731		4473		0.61		67.3		20.3		C	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.820	0.833	2788	57	4413	1878	0.63	0.03	59.5	59.5	23.4	22.3	C	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		2790		4473		0.62		67.1		20.8		C	
Facility Analysis Results																
AP	Speed, mi/h			Density, pc/mi/ln			Density, veh/mi/ln			Travel Time, min			LOS			
1	59.5			27.4			22.0			10.80			D			
Facility Overall Results																
Space Mean Speed, mi/h					59.5					Density, veh/mi/ln					22.0	
Average Travel Time, min					10.80					Density, pc/mi/ln					27.4	
Messages																
WARNING 1					Ramp segment length is longer than 1500 feet for segment 6.											
Comments																



HCS7 Freeway Facilities Report

Project Information

Analyst		Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Southbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.07		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	North of US 176	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 176	290	2
3	Basic	Basic	Between US 176 Ramps	3615	2
4	Merge	Merge	I-95 On-Ramp from US 176	1010	2
5	Basic	Basic	Between US 176 and I-26	18465	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	690	2
7	Basic	Basic	Between I-26 Ramps	3645	2
8	Merge	Merge	I-95 On-ramp Loop from I-26 WB	1500	2
9	Basic	Basic	Between I-26 Ramps	950	2
10	Merge	Merge	I-95 On-Ramp from I-26 EB	2800	2
11	Basic	Basic	Between I-26 and US 178	13330	2
12	Diverge	Diverge	I-95 Off-Ramp to US 178	245	2
13	Basic	Basic	Between US 176 Ramps	2610	2
14	Merge	Merge	I-95 On-Ramp from US 176	1020	2
15	Basic	Basic	South of US 178	1500	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2789		4473		0.62		67.1		20.8		C




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.840	2789	58	4413	1878	0.63	0.03	56.2	56.2	24.8	25.6	C

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2729		4473		0.61		67.3		20.3		C
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	2859	130	4413	1878	0.65	0.07	59.8	59.8	23.9	21.5	C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2865		4473		0.64		66.8		21.4		C
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.833	2865	1134	4413	1972	0.65	0.58	58.6	58.6	24.4	25.4	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1742		4473		0.39		67.9		12.8		B
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.840	2102	360	4413	1878	0.48	0.19	61.4	61.4	17.1	14.1	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		2099		4473		0.47		67.3		15.4		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4216	2117	4413	3944	0.96	0.54	56.6	56.6	37.2	28.1	D
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4198		4473		0.94		54.0		38.9		E
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.763	4198	257	4413	1878	0.95	0.14	55.8	55.8	37.6	38.1	E




Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		3952		4473		0.88		57.3		34.5		D	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.813	0.840	4196	244	4413	1878	0.95	0.13	54.8	54.8	38.3	31.8	D	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		4210		4473		0.94		53.8		39.1		E	
Facility Analysis Results																
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS	
1	59.7				27.4				22.3				10.10		D	
Facility Overall Results																
Space Mean Speed, mi/h					59.7					Density, veh/mi/ln					22.3	
Average Travel Time, min					10.10					Density, pc/mi/ln					27.4	
Messages																
WARNING 1					Ramp segment length is longer than 1500 feet for segment 10.											
Comments																



2030 BUILD ALTERNATIVE 2




1	0.92	0.92	0.806	0.787	4000	97	6620	1878	0.60	0.05	60.9	56.1	21.9	23.1	C
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		3905		6710		0.58		67.7		19.2		C
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.877	4028	123	6620	1878	0.61	0.07	61.7	60.1	21.8	19.4	B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4004		6710		0.60		67.5		19.8		C
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4004	2117	6620	3944	0.60	0.54	60.1	56.3	22.2	16.3	B
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1889		6710		0.28		68.1		9.2		A
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	1889	61	6620	1878	0.29	0.03	60.7	56.4	10.4	11.5	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1825		6761		0.27		70.1		8.5		A
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.826	3240	1415	6761	3944	0.48	0.36	66.3	65.0	16.3	14.7	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3282		6710		0.49		68.2		16.0		B
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS

	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.781	3282	166	6620	1972	0.50	0.08	64.6	60.9	16.9	20.3	C
Segment 13: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3124		6710		0.47	66.8		15.3		B		
Segment 14: Weaving															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3168		8203		0.39	63.3		12.5		B		
Segment 15: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3083		6710		0.46	66.4		15.1		B		
Segment 16: Merge															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.833	3253	170	6620	1878	0.49	0.09	62.3	60.5	17.4	16.0	B
Segment 17: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.826	3232		6710		0.48	67.3		15.8		B		
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	66.4		17.3		14.1		7.60		C						
Facility Overall Results															
Space Mean Speed, mi/h				66.4				Density, veh/mi/ln				14.1			
Average Travel Time, min				7.60				Density, pc/mi/ln				17.3			
Messages															
WARNING 1				Ramp segment length is longer than 1500 feet for segment 6.											
WARNING 2				Ramp segment length is longer than 1500 feet for segment 10.											
WARNING 3				Weaving Segment (segment 14) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.											
Comments															



1	0.92	0.92	0.826	0.901	3266	49	6620	1972	0.49	0.03	64.9	61.1	16.8	19.2	B
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		3212		6710		0.48		67.0		15.7		B
Segment 4: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3410		8037		0.42		61.1		14.0		B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3214		6710		0.48		65.5		15.7		B
Segment 6: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	3292	78	6620	1972	0.50	0.04	62.7	61.1	17.5	16.0	B
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3295		6710		0.49		68.2		16.1		B
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.847	3295	1054	6620	1784	0.50	0.59	56.6	52.3	19.4	21.9	C
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		2245		6710		0.33		67.2		11.0		A
Segment 10: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.840	2245	360	6620	1878	0.34	0.19	59.8	55.7	12.5	14.1	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.847		1780		6710		0.27		67.7		8.7		A
Segment 12: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	

1	0.92	0.92	0.847	0.775	4049	2269	6620	3944	0.61	0.58	61.9	60.8	21.8	20.7	C
Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4150		6710		0.62		67.2		20.6		C
Segment 14: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.833	4150	140	6620	1972	0.63	0.07	64.6	60.9	21.4	23.8	C
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4003		6710		0.60		67.5		19.8		C
Segment 16: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.840	4088	85	6620	1878	0.62	0.05	61.7	60.1	22.1	19.5	B
Segment 17: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4094		6710		0.61		67.3		20.3		C
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	66.4		17.6		14.2		7.20		C						
Facility Overall Results															
Space Mean Speed, mi/h					66.4			Density, veh/mi/ln			14.2				
Average Travel Time, min					7.20			Density, pc/mi/ln			17.6				
Messages															
WARNING 1					Weaving Segment (segment 4) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.										
WARNING 2					Ramp segment length is longer than 1500 feet for segment 12.										
Comments															



HCS7 Freeway Facilities Report

Project Information

Analyst	CDM Smith	Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	AM Peak Hour
Project Description	I-95 Northbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.69		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	South of US 178	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 178	230	2
3	Basic	Basic	Between US 178 Ramps	2855	2
4	Merge	Merge	I-95 On-Ramp from from US 178	840	2
5	Basic	Basic	Between US 178 and I-26	12135	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	2500	2
7	Basic	Basic	Between I-26 Ramps	2700	2
8	Merge	Merge	Between I-26 Ramps	1500	2
9	Basic	Basic	Between I-26 Ramps	1145	2
10	Merge	Merge	I-95 On-Ramp from I-26	950	2
11	Basic	Basic	Between I-26 and US 176	19895	2
12	Diverge	Diverge	I-95 Off-Ramp to US 176	275	2
13	Basic	Basic	Between US 176 Ramps	3770	2
14	Merge	Merge	I-95 On-Ramp from US 176	855	2
15	Basic	Basic	North of US 176	5280	2

Facility Segment Data

Segment 1: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.794	4255	4473	0.95	53.1	40.1	E




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.813	4255	231	4413	1878	0.96	0.12	55.8	55.8	38.1	38.8	E

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.794		4018		4473		0.90		56.5		35.6		E
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.719	4328	310	4413	1878	0.98	0.17	53.5	53.5	40.4	33.9	D
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4337		4473		0.97		51.9		41.8		E
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.781	4337	2572	4413	3944	0.98	0.65	55.2	55.2	39.3	28.1	D
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1742		4473		0.39		68.0		12.8		B
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.855	1803	61	4413	1878	0.41	0.03	61.6	61.6	14.6	11.9	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1807		4473		0.40		67.4		13.3		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.847	2861	1054	4413	1972	0.65	0.53	60.4	60.4	23.7	21.4	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2865		4473		0.64		66.8		21.4		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.855	2865	126	4413	1878	0.65	0.07	56.1	56.1	25.5	26.4	C

Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		2731		4473		0.61		67.3		20.3		C	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.820	0.833	2788	57	4413	1878	0.63	0.03	59.5	59.5	23.4	22.3	C	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		2790		4473		0.62		67.1		20.8		C	
Facility Analysis Results																
AP	Speed, mi/h			Density, pc/mi/ln			Density, veh/mi/ln			Travel Time, min			LOS			
1	59.5			27.4			21.9			10.80			D			
Facility Overall Results																
Space Mean Speed, mi/h					59.5					Density, veh/mi/ln					21.9	
Average Travel Time, min					10.80					Density, pc/mi/ln					27.4	
Messages																
WARNING 1					Ramp segment length is longer than 1500 feet for segment 6.											
Comments																



HCS7 Freeway Facilities Report

Project Information

Analyst		Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Southbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.07		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	North of US 176	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 176	290	2
3	Basic	Basic	Between US 176 Ramps	3615	2
4	Merge	Merge	I-95 On-Ramp from US 176	1010	2
5	Basic	Basic	Between US 176 and I-26	18465	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	690	2
7	Basic	Basic	Between I-26 Ramps	3645	2
8	Merge	Merge	I-95 On-ramp Loop from I-26 WB	1500	2
9	Basic	Basic	Between I-26 Ramps	950	2
10	Merge	Merge	I-95 On-Ramp from I-26 EB	2800	2
11	Basic	Basic	Between I-26 and US 178	13330	2
12	Diverge	Diverge	I-95 Off-Ramp to US 178	245	2
13	Basic	Basic	Between US 176 Ramps	2610	2
14	Merge	Merge	I-95 On-Ramp from US 176	1020	2
15	Basic	Basic	South of US 178	1500	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2789		4473		0.62		67.1		20.8		C




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.840	2789	58	4413	1878	0.63	0.03	56.4	56.4	24.7	25.6	C

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2729		4473		0.61		67.3		20.3		C
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	2859	130	4413	1878	0.65	0.07	59.8	59.8	23.9	21.5	C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2865		4473		0.64		66.8		21.4		C
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.836	2865	1130	4413	1972	0.65	0.57	58.6	58.6	24.4	25.4	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1742		4473		0.39		67.9		12.8		B
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.840	2102	360	4413	1878	0.48	0.19	61.4	61.4	17.1	14.1	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		2099		4473		0.47		67.3		15.4		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4216	2117	4413	3944	0.96	0.54	56.6	56.6	37.2	28.1	D
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4198		4473		0.94		54.0		38.9		E
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.763	4198	257	4413	1878	0.95	0.14	55.8	55.8	37.6	38.1	E




Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		3952		4473		0.88		57.3		34.5		D	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.813	0.840	4196	244	4413	1878	0.95	0.13	54.8	54.8	38.3	31.8	D	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		4210		4473		0.94		53.8		39.1		E	
Facility Analysis Results																
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS	
1	59.7				27.4				22.3				10.10		D	
Facility Overall Results																
Space Mean Speed, mi/h					59.7					Density, veh/mi/ln					22.3	
Average Travel Time, min					10.10					Density, pc/mi/ln					27.4	
Messages																
WARNING 1					Ramp segment length is longer than 1500 feet for segment 10.											
Comments																



2030 BUILD ALTERNATIVE 3

1	0.92	0.92	0.806	0.787	4000	97	6620	1878	0.60	0.05	60.9	56.1	21.9	23.1	C
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		3905		6710		0.58		67.7		19.2		C
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.877	4028	123	6620	1878	0.61	0.07	61.7	60.1	21.8	19.4	B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4004		6710		0.60		67.5		19.8		C
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4004	2117	6620	3944	0.60	0.54	60.1	56.3	22.2	16.3	B
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1889		6710		0.28		68.1		9.2		A
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	1889	61	6620	1878	0.29	0.03	60.7	56.4	10.4	11.5	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		1825		6761		0.27		70.1		8.5		A
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.826	3240	1415	6761	3944	0.48	0.36	66.3	65.0	16.3	14.7	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3282		6710		0.49		68.2		16.0		B
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS

	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.781	3282	166	6620	1972	0.50	0.08	64.6	60.9	16.9	20.3	C
Segment 13: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3124		6710		0.47	66.8		15.3		B		
Segment 14: Weaving															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3168		8203		0.39	63.3		12.5		B		
Segment 15: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.820	3083		6710		0.46	66.4		15.1		B		
Segment 16: Merge															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.833	3253	170	6620	1878	0.49	0.09	62.3	60.5	17.4	16.0	B
Segment 17: Basic															
AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
1	0.92		0.826	3232		6710		0.48	67.3		15.8		B		
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	66.4		17.3		14.1		7.60		C						
Facility Overall Results															
Space Mean Speed, mi/h				66.4				Density, veh/mi/ln				14.1			
Average Travel Time, min				7.60				Density, pc/mi/ln				17.3			
Messages															
WARNING 1				Ramp segment length is longer than 1500 feet for segment 6.											
WARNING 2				Ramp segment length is longer than 1500 feet for segment 10.											
WARNING 3				Weaving Segment (segment 14) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.											
Comments															



HCS7 Freeway Facilities Report

Project Information

Analyst	CDM Smth	Date	9/9/2022
Agency	CDM Smith	Analysis Year	2030 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-26 Westbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	7.98		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	East of US 15	1500	3
2	Diverge	Diverge	I-26 Off-Ramp to US 15	465	3
3	Basic	Basic	Between US 15 Ramps	815	3
4	Weaving	Weaving	Between US 15 Ramps	405	4
5	Basic	Basic	Between US 15 Ramps	800	3
6	Merge	Merge	I-26 On-Ramp from US 15	825	3
7	Basic	Basic	Between US 15 and I-95	10065	3
8	Diverge	Diverge	I-26 Off-Ramp to I-95	690	3
9	Basic	Basic	Between I-95 Ramps	6715	3
10	Merge	Merge	I-26 On-Ramp from I-95	2800	3
11	Basic	Basic	Between I-95 and SC 210	12000	3
12	Diverge	Diverge	I-26 Off-Ramp to SC 210	455	3
13	Basic	Basic	Between SC 210 Ramps	2245	3
14	Merge	Merge	I-26 On-Ramp from SC 210	875	3
15	Basic	Basic	West of SC 210	1500	3

Facility Segment Data

Segment 1: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.826	3266	6710	0.49	68.2	16.0	B

Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.826	0.901	3266	49	6620	1972	0.49	0.03	63.6	59.5	17.1	19.2	B

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.826		3212		6710		0.48		66.6		15.7		B
Segment 4: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3410		8037		0.42		61.1		14.0		B
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3214		6710		0.48		65.5		15.7		B
Segment 6: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	3292	78	6620	1972	0.50	0.04	62.6	60.9	17.5	16.0	B
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3295		6710		0.49		68.2		16.1		B
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.847	3295	1410	6620	1972	0.50	0.72	59.6	56.3	18.4	22.8	C
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.800		1885		6710		0.28		68.2		9.2		A
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.800	0.775	4154	2269	6620	3944	0.63	0.58	61.8	60.6	22.4	21.2	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4150		6710		0.62		67.2		20.6		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.833	4150	140	6620	1878	0.63	0.07	60.8	56.0	22.8	23.8	C
Segment 13: Basic															

AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787	4003		6710		0.60	67.4		19.8		C

Segment 14: Merge

AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS		
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.840	4088	85	6620	1878	0.62	0.05	61.7	60.1	22.1	19.5	B

Segment 15: Basic

AP	PHF		fHV	Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787	4094		6710		0.61	67.3		20.3		C

Facility Analysis Results

AP	Speed, mi/h	Density, pc/mi/ln	Density, veh/mi/ln	Travel Time, min	LOS
1	66.5	17.3	13.8	7.20	C

Facility Overall Results




Space Mean Speed, mi/h	66.5	Density, veh/mi/ln	13.8
Average Travel Time, min	7.20	Density, pc/mi/ln	17.3

Messages

WARNING 1	Weaving Segment (segment 4) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.
WARNING 2	Ramp segment length is longer than 1500 feet for segment 10.

Comments

--



HCS7 Freeway Facilities Report

Project Information

Analyst	CDM Smith	Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Northbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.69		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	South of US 178	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 178	230	2
3	Basic	Basic	Between US 178 Ramps	2855	2
4	Merge	Merge	I-95 On-Ramp from from US 178	840	2
5	Basic	Basic	Between US 178 and I-26	12135	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	2500	2
7	Basic	Basic	Between I-26 Ramps	2700	2
8	Merge	Merge	Between I-26 Ramps	1500	2
9	Basic	Basic	Between I-26 Ramps	1145	2
10	Merge	Merge	I-95 On-Ramp from I-26	950	2
11	Basic	Basic	Between I-26 and US 176	19895	2
12	Diverge	Diverge	I-95 Off-Ramp to US 176	275	2
13	Basic	Basic	Between US 176 Ramps	3770	2
14	Merge	Merge	I-95 On-Ramp from US 176	855	2
15	Basic	Basic	North of US 176	5280	2

Facility Segment Data

Segment 1: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.794	4255	4473	0.95	53.1	40.1	E




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.813	4255	231	4413	1878	0.96	0.12	55.8	55.8	38.1	38.8	E

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.794		4018		4473		0.90		56.5		35.6		E
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.794	0.719	4328	310	4413	1878	0.98	0.17	53.5	53.5	40.4	33.9	D
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4337		4473		0.97		51.9		41.8		E
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.781	4337	2572	4413	3944	0.98	0.65	55.2	55.2	39.3	28.1	D
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1742		4473		0.39		68.0		12.8		B
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.855	1803	61	4413	1878	0.41	0.03	61.6	61.6	14.6	11.9	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1807		4473		0.40		67.4		13.3		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.847	2861	1054	4413	1972	0.65	0.53	60.4	60.4	23.7	21.4	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2865		4473		0.64		66.8		21.4		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.855	2865	126	4413	1878	0.65	0.07	56.1	56.1	25.5	26.4	C

Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		2731		4473		0.61		67.3		20.3		C	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.820	0.833	2788	57	4413	1878	0.63	0.03	59.5	59.5	23.4	22.3	C	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		2790		4473		0.62		67.1		20.8		C	
Facility Analysis Results																
AP	Speed, mi/h			Density, pc/mi/ln			Density, veh/mi/ln			Travel Time, min			LOS			
1	59.5			27.4			21.9			10.80			D			
Facility Overall Results																
Space Mean Speed, mi/h					59.5					Density, veh/mi/ln					21.9	
Average Travel Time, min					10.80					Density, pc/mi/ln					27.4	
Messages																
WARNING 1					Ramp segment length is longer than 1500 feet for segment 6.											
Comments																



HCS7 Freeway Facilities Report

Project Information

Analyst		Date	9/9/2022
Agency	CDM Smith	Analysis Year	2030 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Southbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	9.93		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	North of US 176	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 176	290	2
3	Basic	Basic	Between US 176 Ramps	3615	2
4	Merge	Merge	I-95 On-Ramp from US 176	1010	2
5	Basic	Basic	Between US 176 and I-26	18465	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	690	2
7	Basic	Basic	Between I-26 Ramps	3900	2
8	Merge	Merge	I-95 On-Ramp from I-26 WB	880	2
9	Basic	Basic	Between I-26 Ramps	575	2
10	Merge	Merge	I-95 On-Ramp from I-26 EB	2800	2
11	Basic	Basic	Between I-26 and US 178	13330	2
12	Diverge	Diverge	I-95 Off-Ramp to US 178	245	2
13	Basic	Basic	Between US 176 Ramps	2610	2
14	Merge	Merge	I-95 On-Ramp from US 176	1020	2
15	Basic	Basic	South of US 178	1500	2

Facility Segment Data

Segment 1: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.820	2789	4473	0.62	67.1	20.8	C




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.840	2789	58	4413	1878	0.63	0.03	56.2	56.2	24.8	25.6	C

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2729		4473		0.61		67.3		20.3		C
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	2859	130	4413	1878	0.65	0.07	59.8	59.8	23.9	21.5	C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2865		4473		0.64		66.8		21.4		C
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.836	2865	1130	4413	1972	0.65	0.57	58.6	58.6	24.4	25.4	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1742		4473		0.39		68.0		12.8		B
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.840	2102	360	4413	1878	0.48	0.19	60.2	60.2	17.5	18.1	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		2099		4473		0.47		65.7		15.4		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4216	2117	4413	3944	0.96	0.54	56.6	56.6	37.2	28.1	D
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4198		4473		0.94		54.0		38.9		E
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.763	4198	257	4413	1972	0.95	0.13	60.6	60.6	34.6	38.1	E

Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		3952		4473		0.88		57.3		34.5		D	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.813	0.840	4196	244	4413	1972	0.95	0.12	55.5	55.5	37.8	31.8	D	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		4210		4473		0.94		53.8		39.1		E	
Facility Analysis Results																
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS	
1	59.8				27.5				22.4				10.00		D	
Facility Overall Results																
Space Mean Speed, mi/h					59.8					Density, veh/mi/ln					22.4	
Average Travel Time, min					10.00					Density, pc/mi/ln					27.5	
Messages																
WARNING 1					Ramp segment length is longer than 1500 feet for segment 10.											
Comments																






2050 BUILD ALTERNATIVE 1

1	0.92	0.92	0.775	0.787	5980	108	6620	1878	0.90	0.06	60.7	56.1	32.8	31.8	D
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.775		5871		6710		0.87		57.8		33.9		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.775	0.877	6005	134	6620	1878	0.91	0.07	58.8	57.3	34.0	28.7	D
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		5976		6710		0.89		56.9		35.0		D
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.806	5976	2956	6620	3944	0.90	0.75	58.3	54.3	34.2	27.9	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		3038		6710		0.45		68.0		14.9		B
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.855	2925	89	6620	1878	0.44	0.05	61.1	56.4	16.0	17.3	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		2937		6761		0.43		70.1		13.8		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.752	0.826	4904	1967	6761	3944	0.73	0.50	63.6	61.9	25.7	23.7	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4953		6710		0.74		64.0		25.8		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS

	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.781	4953	270	6620	1972	0.75	0.14	64.2	60.6	25.7	28.3	D
Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.781		4683		6710		0.70	65.3		23.9		C	
Segment 14: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.781		4747		8195		0.58	60.6		19.6		B	
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.781		4612		6710		0.69	65.4		23.4		C	
Segment 16: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.833	4887	275	6620	1972	0.74	0.14	61.0	59.7	26.7	23.9	C
Segment 17: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.787		4869		6710		0.73	64.5		25.2		C	
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	60.2		28.7		22.3		8.30		D						
Facility Overall Results															
Space Mean Speed, mi/h					60.2			Density, veh/mi/ln			22.3				
Average Travel Time, min					8.30			Density, pc/mi/ln			28.7				
Messages															
WARNING 1					Ramp segment length is longer than 1500 feet for segment 6.										
WARNING 2					Ramp segment length is longer than 1500 feet for segment 10.										
WARNING 3					Weaving Segment (segment 14) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.										
Comments															

1	0.92	0.92	0.787	0.901	4915	81	6620	1972	0.74	0.04	64.0	60.6	25.6	27.1	C
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4823		6693		0.72		64.3		25.0		C
Segment 4: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		5129		7993		0.64		56.6		22.7		C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4824		6693		0.72		63.5		25.0		C
Segment 6: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.855	4951	127	6620	1972	0.75	0.06	60.5	59.3	27.3	23.9	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4963		6693		0.74		63.6		26.0		C
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.847	4963	1481	6620	1972	0.75	0.75	59.9	55.8	27.6	31.4	D
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		3486		6693		0.52		66.2		17.2		B
Segment 10: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.752	0.840	3486	485	6620	1878	0.53	0.26	59.8	55.1	19.4	20.8	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.763		2902		6693		0.43		67.3		14.3		B
Segment 12: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	

1	0.92	0.92	0.758	0.775	6096	3175	6620	3944	0.92	0.81	52.7	50.3	38.6	32.5	D
Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.758		6168		6693		0.92		54.9		37.4		E
Segment 14: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.758	0.833	6168	153	6620	1878	0.93	0.08	60.2	55.7	34.2	32.5	D
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.758		6000		6693		0.90		56.4		35.5		E
Segment 16: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.758	0.840	6093	93	6620	1878	0.92	0.05	58.2	56.8	34.9	28.9	D
Segment 17: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.758		6103		6693		0.91		55.5		36.6		E
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	58.7		29.8		22.8		8.20		E						
Facility Overall Results															
Space Mean Speed, mi/h					58.7			Density, veh/mi/ln			22.8				
Average Travel Time, min					8.20			Density, pc/mi/ln			29.8				
Messages															
WARNING 1					Weaving Segment (segment 4) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.										
WARNING 2					Ramp segment length is longer than 1500 feet for segment 12.										
Comments															



HCS7 Freeway Facilities Report

Project Information

Analyst	CDM Smith	Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Northbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.69		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	South of US 178	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 178	230	2
3	Basic	Basic	Between US 178 Ramps	2855	2
4	Merge	Merge	I-95 On-Ramp from from US 178	840	2
5	Basic	Basic	Between US 178 and I-26	12135	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	2500	2
7	Basic	Basic	Between I-26 Ramps	2700	2
8	Merge	Merge	I-95 On-Ramp from I-26	1500	2
9	Basic	Basic	Between I-26 Ramps	1145	2
10	Merge	Merge	I-95 On-Ramp from I-26	950	2
11	Basic	Basic	Between I-26 and US 176	19895	2
12	Diverge	Diverge	I-95 Off-Ramp to US 176	275	2
13	Basic	Basic	Between US 176 Ramps	3770	2
14	Merge	Merge	I-95 On-Ramp from US 176	855	2
15	Basic	Basic	North of US 176	5280	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4110		4473		1.24		36.2		56.8		F




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.813	4110	251	4413	1878	0.93	0.13	55.8	55.8	36.8	37.5	F

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3774		4473		1.18		34.3		55.0		F
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.719	4110	336	4413	1878	0.93	0.18	55.0	55.0	37.4	32.2	F
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4110		4473		1.25		55.2		37.2		F
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.775	4110	3603	4413	3944	0.93	0.91	52.7	52.7	39.0	26.1	F
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.800		507		4473		0.45		68.0		3.7		A
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.800	0.855	596	89	4413	1878	0.14	0.05	62.1	62.1	4.8	2.4	A
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.800		596		4473		0.47		67.5		4.4		A
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.800	0.847	2077	1481	4413	1972	0.47	0.75	61.3	61.3	16.9	15.1	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2077		4473		0.80		68.2		15.2		B
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.855	2077	134	4413	1878	0.47	0.07	56.1	56.1	18.5	19.6	B

Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		1943		4473		0.77		67.7		14.2		B	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.820	0.833	2006	63	4413	1878	0.45	0.03	60.4	60.4	16.6	16.1	B	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		2006		4473		0.78		68.1		14.7		B	
Facility Analysis Results																
AP	Speed, mi/h			Density, pc/mi/ln			Density, veh/mi/ln			Travel Time, min			LOS			
1	56.1			23.5			18.7			11.40			F			
Facility Overall Results																
Space Mean Speed, mi/h					56.1					Density, veh/mi/ln					18.7	
Average Travel Time, min					11.40					Density, pc/mi/ln					23.5	
Messages																
WARNING 1					Oversaturated conditions currently exist in boundary segment 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 2					Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 3					Oversaturated conditions currently exist on segment 2, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 4					Oversaturated conditions currently exist on segment 12, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 5					Queue extends past the beginning of the facility on analysis period 1. Consider expanding the length of the facility to account for these vehicles performance and affect on upstream segments.											
WARNING 6					Ramp segment length is longer than 1500 feet for segment 6.											
Comments																



HCS7 Freeway Facilities Report

Project Information

Analyst		Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Southbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.07		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	North of US 176	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 176	290	2
3	Basic	Basic	Between US 176 Ramps	3615	2
4	Merge	Merge	I-95 On-Ramp from US 176	1010	2
5	Basic	Basic	Between US 176 and I-26	18465	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	690	2
7	Basic	Basic	Between I-26 Ramps	3645	2
8	Merge	Merge	I-95 On-ramp Loop from I-26 WB	1500	2
9	Basic	Basic	Between I-26 Ramps	950	2
10	Merge	Merge	I-95 On-Ramp from I-26 EB	2800	2
11	Basic	Basic	Between I-26 and US 178	13330	2
12	Diverge	Diverge	I-95 Off-Ramp to US 178	245	2
13	Basic	Basic	Between US 176 Ramps	2610	2
14	Merge	Merge	I-95 On-Ramp from US 176	1020	2
15	Basic	Basic	South of US 178	1500	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3492		4473		0.78		62.4		28.0		D




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.840	3492	63	4413	1878	0.79	0.03	56.2	56.2	31.1	31.7	D

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3429		4473		0.77		63.0		27.2		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	3570	141	4413	1878	0.81	0.08	57.9	57.9	30.8	27.0	C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3570		4473		0.80		61.7		28.9		D
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.833	3570	1595	4413	1972	0.81	0.81	57.5	57.5	31.0	31.4	D
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1975		4473		0.44		67.9		14.5		B
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.840	2460	485	4413	1878	0.56	0.26	61.0	61.0	20.2	16.8	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		2460		4473		0.55		67.2		18.1		C
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4403	2956	4413	3944	1.00	0.75	55.2	55.2	39.9	29.1	F
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4403		4473		1.21		50.9		43.3		F
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.763	4403	279	4413	1878	1.00	0.15	55.7	55.7	39.5	39.9	F




Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		4124		4473		1.15		55.0		37.5		F	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.813	0.840	4390	266	4413	1878	0.99	0.14	53.3	53.3	41.2	33.3	F	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		4390		4473		1.21		51.1		43.0		F	
Facility Analysis Results																
AP	Speed, mi/h			Density, pc/mi/ln			Density, veh/mi/ln			Travel Time, min			LOS			
1	56.9			32.7			26.7			10.60			F			
Facility Overall Results																
Space Mean Speed, mi/h					56.9					Density, veh/mi/ln					26.7	
Average Travel Time, min					10.60					Density, pc/mi/ln					32.7	
Messages																
WARNING 1					Oversaturated conditions currently exist in boundary segment 15. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 2					Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 3					Oversaturated conditions currently exist on segment 2, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 4					Oversaturated conditions currently exist on segment 12, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 5					Ramp segment length is longer than 1500 feet for segment 10.											
Comments																



2050 BUILD ALTERNATIVE 2




1	0.92	0.92	0.775	0.787	5980	108	6620	1878	0.90	0.06	60.7	56.1	32.8	31.8	D
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.775		5871		6710		0.87		57.8		33.9		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.775	0.877	6005	134	6620	1878	0.91	0.07	58.8	57.3	34.0	28.7	D
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		5976		6710		0.89		56.9		35.0		D
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.806	5976	2956	6620	3944	0.90	0.75	58.3	54.3	34.2	27.9	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		3038		6710		0.45		68.0		14.9		B
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.855	2925	89	6620	1878	0.44	0.05	61.1	56.4	16.0	17.3	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		2937		6761		0.43		70.1		13.8		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.752	0.826	4904	1967	6761	3944	0.73	0.50	63.6	61.9	25.7	23.7	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4953		6710		0.74		64.0		25.8		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS

	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.781	4953	270	6620	1972	0.75	0.14	64.2	60.6	25.7	28.3	D
Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.781		4683		6710		0.70	65.3		23.9		C	
Segment 14: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.781		4747		8192		0.58	60.6		19.6		B	
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.781		4612		6710		0.69	65.4		23.4		C	
Segment 16: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.833	4887	275	6620	1878	0.74	0.15	60.6	59.1	26.9	23.9	C
Segment 17: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio	Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.787		4869		6710		0.73	64.5		25.2		C	
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	60.2		28.7		22.3		8.30		D						
Facility Overall Results															
Space Mean Speed, mi/h					60.2			Density, veh/mi/ln			22.3				
Average Travel Time, min					8.30			Density, pc/mi/ln			28.7				
Messages															
WARNING 1					Ramp segment length is longer than 1500 feet for segment 6.										
WARNING 2					Ramp segment length is longer than 1500 feet for segment 10.										
WARNING 3					Weaving Segment (segment 14) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.										
Comments															



1	0.92	0.92	0.787	0.901	4915	81	6620	1972	0.74	0.04	64.5	61.0	25.4	27.1	C
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4823		6710		0.72		64.7		24.9		C
Segment 4: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		5129		8016		0.64		57.1		22.5		C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4824		6710		0.72		64.0		24.9		C
Segment 6: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.855	4951	127	6620	1972	0.75	0.06	61.0	59.7	27.1	23.9	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4963		6710		0.74		64.0		25.8		C
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.847	4963	1481	6620	1784	0.75	0.83	56.3	51.3	29.4	30.5	D
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		3486		6710		0.52		67.2		17.0		B
Segment 10: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.752	0.840	3486	485	6620	1878	0.53	0.26	60.1	55.4	19.3	20.8	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.763		2902		6710		0.43		67.7		14.2		B
Segment 12: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	

1	0.92	0.92	0.758	0.775	6096	3175	6620	3944	0.92	0.81	53.0	50.5	38.3	32.5	D
Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.758		6168		6710		0.92		55.2		37.2		E
Segment 14: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.758	0.833	6168	153	6620	1972	0.93	0.08	63.9	60.9	32.2	32.5	D
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.758		6000		6710		0.89		56.7		35.3		E
Segment 16: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.758	0.840	6093	93	6620	1878	0.92	0.05	58.7	57.2	34.6	28.9	D
Segment 17: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.758		6103		6710		0.91		55.8		36.5		E
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	58.9		29.8		22.8		8.20		E						
Facility Overall Results															
Space Mean Speed, mi/h					58.9			Density, veh/mi/ln			22.8				
Average Travel Time, min					8.20			Density, pc/mi/ln			29.8				
Messages															
WARNING 1					Weaving Segment (segment 4) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.										
WARNING 2					Ramp segment length is longer than 1500 feet for segment 12.										
Comments															



HCS7 Freeway Facilities Report

Project Information

Analyst	CDM Smith	Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Northbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.69		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	South of US 178	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 178	230	2
3	Basic	Basic	Between US 178 Ramps	2855	2
4	Merge	Merge	I-95 On-Ramp from from US 178	840	2
5	Basic	Basic	Between US 178 and I-26	12135	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	2500	2
7	Basic	Basic	Between I-26 Ramps	2700	2
8	Merge	Merge	Between I-26 Ramps	1500	2
9	Basic	Basic	Between I-26 Ramps	1145	2
10	Merge	Merge	I-95 On-Ramp from I-26	950	2
11	Basic	Basic	Between I-26 and US 176	19895	2
12	Diverge	Diverge	I-95 Off-Ramp to US 176	275	2
13	Basic	Basic	Between US 176 Ramps	3770	2
14	Merge	Merge	I-95 On-Ramp from US 176	855	2
15	Basic	Basic	North of US 176	5280	2

Facility Segment Data

Segment 1: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.787	4110	4473	1.24	36.2	56.8	F




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.813	4110	251	4413	1878	0.93	0.13	55.8	55.8	36.8	37.5	F

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3774		4473		1.18		34.3		55.0		F
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.719	4110	336	4413	1878	0.93	0.18	55.0	55.0	37.4	32.2	F
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4110		4473		1.25		55.2		37.2		F
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.781	4110	3575	4413	3944	0.93	0.91	52.8	52.8	38.9	26.1	F
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		535		4473		0.44		68.0		3.9		A
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.855	624	89	4413	1878	0.14	0.05	62.0	62.0	5.0	2.7	A
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		624		4473		0.47		67.5		4.6		A
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.847	2105	1481	4413	1972	0.48	0.75	61.3	61.3	17.2	15.3	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2105		4473		0.80		68.2		15.4		B
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.855	2105	134	4413	1878	0.48	0.07	56.1	56.1	18.8	19.9	B

Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		1971		4473		0.77		67.7		14.5		B	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.820	0.833	2034	63	4413	1878	0.46	0.03	60.4	60.4	16.8	16.4	B	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		2034		4473		0.78		68.1		14.9		B	
Facility Analysis Results																
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS							
1	56.1		23.6		18.8		11.40		F							
Facility Overall Results																
Space Mean Speed, mi/h					56.1			Density, veh/mi/ln			18.8					
Average Travel Time, min					11.40			Density, pc/mi/ln			23.6					
Messages																
WARNING 1					Oversaturated conditions currently exist in boundary segment 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 2					Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 3					Oversaturated conditions currently exist on segment 2, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 4					Oversaturated conditions currently exist on segment 12, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 5					Queue extends past the beginning of the facility on analysis period 1. Consider expanding the length of the facility to account for these vehicles performance and affect on upstream segments.											
WARNING 6					Ramp segment length is longer than 1500 feet for segment 6.											
Comments																



HCS7 Freeway Facilities Report

Project Information

Analyst		Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Southbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.07		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	North of US 176	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 176	290	2
3	Basic	Basic	Between US 176 Ramps	3615	2
4	Merge	Merge	I-95 On-Ramp from US 176	1010	2
5	Basic	Basic	Between US 176 and I-26	18465	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	690	2
7	Basic	Basic	Between I-26 Ramps	3645	2
8	Merge	Merge	I-95 On-ramp Loop from I-26 WB	1500	2
9	Basic	Basic	Between I-26 Ramps	950	2
10	Merge	Merge	I-95 On-Ramp from I-26 EB	2800	2
11	Basic	Basic	Between I-26 and US 178	13330	2
12	Diverge	Diverge	I-95 Off-Ramp to US 178	245	2
13	Basic	Basic	Between US 176 Ramps	2610	2
14	Merge	Merge	I-95 On-Ramp from US 176	1020	2
15	Basic	Basic	South of US 178	1500	2

Facility Segment Data

Segment 1: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3492		4473		0.78		62.4		28.0		D




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.840	3492	63	4413	1878	0.79	0.03	56.4	56.4	31.0	31.7	D

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3429		4473		0.77		63.0		27.2		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	3570	141	4413	1878	0.81	0.08	57.9	57.9	30.8	27.0	C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3570		4473		0.80		61.7		28.9		D
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.836	3570	1589	4413	1972	0.81	0.81	57.5	57.5	31.0	31.4	D
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1981		4473		0.44		67.9		14.5		B
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.840	2466	485	4413	1878	0.56	0.26	61.0	61.0	20.2	16.8	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		2466		4473		0.55		67.2		18.1		C
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4403	2956	4413	3944	1.00	0.75	55.2	55.2	39.9	29.1	F
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4403		4473		1.21		50.9		43.3		F
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.763	4403	279	4413	1878	1.00	0.15	55.7	55.7	39.5	39.9	F




Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		4124		4473		1.15		55.0		37.5		F	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.813	0.840	4390	266	4413	1878	0.99	0.14	53.3	53.3	41.2	33.3	F	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.813		4390		4473		1.21		51.1		43.0		F	
Facility Analysis Results																
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS	
1	56.9				32.7				26.7				10.60		F	
Facility Overall Results																
Space Mean Speed, mi/h					56.9					Density, veh/mi/ln					26.7	
Average Travel Time, min					10.60					Density, pc/mi/ln					32.7	
Messages																
WARNING 1					Oversaturated conditions currently exist in boundary segment 15. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 2					Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 3					Oversaturated conditions currently exist on segment 2, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 4					Oversaturated conditions currently exist on segment 12, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 5					Ramp segment length is longer than 1500 feet for segment 10.											
Comments																



2050 BUILD ALTERNATIVE 3

1	0.92	0.92	0.775	0.787	5980	108	6620	1878	0.90	0.06	60.7	56.1	32.8	31.8	D
Segment 3: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.775		5871		6710		0.87		57.8		33.9		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.775	0.877	6005	134	6620	1878	0.91	0.07	58.8	57.3	34.0	28.7	D
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		5976		6710		0.89		56.9		35.0		D
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.806	5976	2956	6620	3944	0.90	0.75	58.3	54.3	34.2	27.9	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		3038		6710		0.45		68.0		14.9		B
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.855	2925	89	6620	1878	0.44	0.05	61.1	56.4	16.0	17.3	B
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.752		2937		6761		0.43		70.1		13.8		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.752	0.826	4904	1967	6761	3944	0.73	0.50	63.6	61.9	25.7	23.7	C
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4953		6710		0.74		64.0		25.8		C
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS

	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.781	4953	270	6620	1972	0.75	0.14	63.0	59.0	26.2	28.3	D
Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4683		6710		0.70		65.3		23.9		C
Segment 14: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4747		8195		0.58		60.6		19.6		B
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4612		6710		0.69		65.4		23.4		C
Segment 16: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.833	4887	275	6620	1972	0.74	0.14	60.9	59.5	26.7	23.9	C
Segment 17: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4869		6710		0.73		64.5		25.2		C
Facility Analysis Results															
AP	Speed, mi/h				Density, pc/mi/ln				Density, veh/mi/ln				Travel Time, min		LOS
1	60.2				28.7				22.3				8.30		D
Facility Overall Results															
Space Mean Speed, mi/h					60.2					Density, veh/mi/ln					22.3
Average Travel Time, min					8.30					Density, pc/mi/ln					28.7
Messages															
WARNING 1					Ramp segment length is longer than 1500 feet for segment 6.										
WARNING 2					Ramp segment length is longer than 1500 feet for segment 10.										
WARNING 3					Weaving Segment (segment 14) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.										
Comments															



HCS7 Freeway Facilities Report

Project Information

Analyst	CDM Smith	Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-26 Westbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	7.98		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	East of US 15	1500	3
2	Diverge	Diverge	I-26 Off-Ramp to US 15	465	3
3	Basic	Basic	Between US 15 Ramps	815	3
4	Weaving	Weaving	Between US 15 Ramps	405	4
5	Basic	Basic	Between US 15 Ramps	800	3
6	Merge	Merge	I-26 On-Ramp from US 15	825	3
7	Basic	Basic	Between US 15 and I-95	10065	3
8	Diverge	Diverge	I-26 Off-Ramp to I-95	690	3
9	Basic	Basic	Between I-95 Ramps	6715	3
10	Merge	Merge	I-26 On-Ramp from I-95	2800	3
11	Basic	Basic	Between I-95 and SC 210	12000	3
12	Diverge	Diverge	I-26 Off-Ramp to SC 210	455	3
13	Basic	Basic	Between SC 210 Ramps	2245	3
14	Merge	Merge	I-26 On-Ramp from SC 210	875	3
15	Basic	Basic	West of SC 210	1500	3

Facility Segment Data

Segment 1: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.787	4915	6710	0.73	64.2	25.5	C

Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.901	4915	81	6620	1972	0.74	0.04	63.3	59.4	25.9	27.1	C

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4823		6710		0.72		64.7		24.9		C
Segment 4: Weaving															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		5129		8016		0.64		57.1		22.5		C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4824		6710		0.72		64.0		24.9		C
Segment 6: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.855	4951	127	6620	1972	0.75	0.06	60.8	59.5	27.1	23.9	C
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.781		4963		6710		0.74		64.0		25.8		C
Segment 8: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.781	0.847	4963	1962	6620	1972	0.75	1.00	59.1	55.0	28.0	31.7	D
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.741		2988		6710		0.45		68.2		14.6		B
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.741	0.775	6163	3175	6620	3944	0.93	0.81	52.6	50.0	39.1	32.8	D
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.758		6168		6710		0.92		55.2		37.2		E
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.758	0.833	6168	153	6620	1878	0.93	0.08	60.5	56.0	34.0	32.5	D
Segment 13: Basic															

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.758	6000	6710	0.89	56.7	35.3	E

Segment 14: Merge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.758	0.840	6093	93	6620	1878	0.92	0.05	58.7	57.2	34.6	28.9	D

Segment 15: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.758	6103	6710	0.91	55.8	36.5	E

Facility Analysis Results

AP	Speed, mi/h	Density, pc/mi/ln	Density, veh/mi/ln	Travel Time, min	LOS
1	59.0	29.3	22.3	8.10	E

Facility Overall Results




Space Mean Speed, mi/h	59.0	Density, veh/mi/ln	22.3
Average Travel Time, min	8.10	Density, pc/mi/ln	29.3

Messages

WARNING 1	Weaving Segment (segment 4) is shorter than the segment short length allows. Weaving segments include 500 feet upstream and downstream of gore point. Short length is at a maximum the gore to gore length, and is reduced for any barrier markings (solid white lines) that prohibit or discourage lane changing. Review the values set for Segment length on the Segments page and Short Length on the details page.
WARNING 2	Ramp segment length is longer than 1500 feet for segment 10.

Comments

--



HCS7 Freeway Facilities Report

Project Information

Analyst	CDM Smith	Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Northbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	10.69		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	South of US 178	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 178	230	2
3	Basic	Basic	Between US 178 Ramps	2855	2
4	Merge	Merge	I-95 On-Ramp from from US 178	840	2
5	Basic	Basic	Between US 178 and I-26	12135	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	2500	2
7	Basic	Basic	Between I-26 Ramps	2700	2
8	Merge	Merge	Between I-26 Ramps	1500	2
9	Basic	Basic	Between I-26 Ramps	1145	2
10	Merge	Merge	I-95 On-Ramp from I-26	950	2
11	Basic	Basic	Between I-26 and US 176	19895	2
12	Diverge	Diverge	I-95 Off-Ramp to US 176	275	2
13	Basic	Basic	Between US 176 Ramps	3770	2
14	Merge	Merge	I-95 On-Ramp from US 176	855	2
15	Basic	Basic	North of US 176	5280	2

Facility Segment Data

Segment 1: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.787	4110	4473	1.24	36.2	56.8	F




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.813	4110	251	4413	1878	0.93	0.13	55.8	55.8	36.8	37.5	F

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		3774		4473		1.18		34.3		55.0		F
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.719	4110	336	4413	1878	0.93	0.18	55.0	55.0	37.4	32.2	F
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.787		4110		4473		1.25		55.2		37.2		F
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.787	0.781	4110	3575	4413	3944	0.93	0.91	52.8	52.8	38.9	26.1	F
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		535		4473		0.44		68.0		3.9		A
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.855	624	89	4413	1878	0.14	0.05	62.0	62.0	5.0	2.7	A
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		624		4473		0.47		67.5		4.6		A
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.847	2105	1481	4413	1972	0.48	0.75	61.3	61.3	17.2	15.3	B
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		2105		4473		0.80		68.2		15.4		B
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.820	0.855	2105	134	4413	1878	0.48	0.07	56.1	56.1	18.8	19.9	B

Segment 13: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		1971		4473		0.77		67.7		14.5		B	
Segment 14: Merge																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp		
1	0.92	0.94	0.820	0.833	2034	63	4413	1878	0.46	0.03	60.4	60.4	16.8	16.4	B	
Segment 15: Basic																
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS	
1	0.92		0.820		2034		4473		0.78		68.1		14.9		B	
Facility Analysis Results																
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS							
1	56.1		23.6		18.8		11.40		F							
Facility Overall Results																
Space Mean Speed, mi/h					56.1					Density, veh/mi/ln					18.8	
Average Travel Time, min					11.40					Density, pc/mi/ln					23.6	
Messages																
WARNING 1					Oversaturated conditions currently exist in boundary segment 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 2					Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.											
WARNING 3					Oversaturated conditions currently exist on segment 2, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 4					Oversaturated conditions currently exist on segment 12, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.											
WARNING 5					Queue extends past the beginning of the facility on analysis period 1. Consider expanding the length of the facility to account for these vehicles performance and affect on upstream segments.											
WARNING 6					Ramp segment length is longer than 1500 feet for segment 6.											
Comments																



HCS7 Freeway Facilities Report

Project Information

Analyst		Date	9/9/2022
Agency	CDM Smith	Analysis Year	2050 Build
Jurisdiction	SCDOT	Time Analyzed	Peak Hour
Project Description	I-95 Southbound HCS Analysis	Units	U.S. Customary

Facility Global Input

Jam Density, pc/mi/ln	190.0	Density at Capacity, pc/mi/ln	45.0
Queue Discharge Capacity Drop, %	7	Total Segments	15
Total Analysis Periods	1	Analysis Period Duration, min	15
Facility Length, mi	9.93		

Facility Segment Data

No.	Coded	Analyzed	Name	Length, ft	Lanes
1	Basic	Basic	North of US 176	1500	2
2	Diverge	Diverge	I-95 Off-Ramp to US 176	290	2
3	Basic	Basic	Between US 176 Ramps	3615	2
4	Merge	Merge	I-95 On-Ramp from US 176	1010	2
5	Basic	Basic	Between US 176 and I-26	18465	2
6	Diverge	Diverge	I-95 Off-Ramp to I-26	690	2
7	Basic	Basic	Between I-26 Ramps	3900	2
8	Merge	Merge	I-95 On-Ramp from I-26 WB	880	2
9	Basic	Basic	Between I-26 Ramps	575	2
10	Merge	Merge	I-95 On-Ramp from I-26 EB	2800	2
11	Basic	Basic	Between I-26 and US 178	13330	2
12	Diverge	Diverge	I-95 Off-Ramp to US 178	245	2
13	Basic	Basic	Between US 176 Ramps	2610	2
14	Merge	Merge	I-95 On-Ramp from US 176	1020	2
15	Basic	Basic	South of US 178	1500	2

Facility Segment Data

Segment 1: Basic

AP	PHF	fHV	Flow Rate (pc/h)	Capacity (pc/h)	d/c Ratio	Speed (mi/h)	Density (pc/mi/ln)	LOS
1	0.92	0.820	3492	4473	0.78	62.4	28.0	D




Segment 2: Diverge

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.840	3492	63	4413	1878	0.79	0.03	56.2	56.2	31.1	31.7	D

Segment 3: Basic

AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3429		4473		0.77		63.0		27.2		D
Segment 4: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.855	3570	141	4413	1878	0.81	0.08	57.9	57.9	30.8	27.0	C
Segment 5: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.820		3570		4473		0.80		61.7		28.9		D
Segment 6: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.820	0.836	3570	1589	4413	1972	0.81	0.81	57.5	57.5	31.0	31.4	D
Segment 7: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.806		1981		4473		0.44		67.9		14.5		B
Segment 8: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.806	0.840	2466	485	4413	1878	0.56	0.26	59.9	59.9	20.6	20.9	C
Segment 9: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		2466		4473		0.55		65.6		18.1		C
Segment 10: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.92	0.813	0.806	4403	2956	4413	3944	1.00	0.75	55.2	55.2	39.9	29.1	F
Segment 11: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4403		4473		1.21		50.9		43.3		F
Segment 12: Diverge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.763	4403	279	4413	1972	1.00	0.14	60.6	60.6	36.3	39.9	F

Segment 13: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4124		4473		1.15		55.0		37.5		F
Segment 14: Merge															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
	F	R	F	R	Freeway	Ramp	Freeway	Ramp	F	R	F	R	Freeway	Ramp	
1	0.92	0.94	0.813	0.840	4390	266	4413	1972	0.99	0.13	54.1	54.1	40.6	33.3	F
Segment 15: Basic															
AP	PHF		fHV		Flow Rate (pc/h)		Capacity (pc/h)		d/c Ratio		Speed (mi/h)		Density (pc/mi/ln)		LOS
1	0.92		0.813		4390		4473		1.21		51.1		43.0		F
Facility Analysis Results															
AP	Speed, mi/h		Density, pc/mi/ln		Density, veh/mi/ln		Travel Time, min		LOS						
1	56.9		32.9		26.8		10.50		F						
Facility Overall Results															
Space Mean Speed, mi/h					56.9			Density, veh/mi/ln			26.8				
Average Travel Time, min					10.50			Density, pc/mi/ln			32.9				
Messages															
WARNING 1					Oversaturated conditions currently exist in boundary segment 15. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.										
WARNING 2					Oversaturated conditions currently exist in boundary analysis period 1. Results may not be reliable. Consider expanding analysis in time and/or space to resolve this warning.										
WARNING 3					Oversaturated conditions currently exist on segment 2, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.										
WARNING 4					Oversaturated conditions currently exist on segment 12, which is less than 300 feet. Due to time step size, these segments may produce unreliable results. Consider reviewing facility segmentation to resolve this warning.										
WARNING 5					Ramp segment length is longer than 1500 feet for segment 10.										
Comments															



**APPENDIX F.
I-26 AT I-95 TRANSMODELER CALIBRATION
MEMO**

I-26 at I-95 Interchange Improvement
SCDOT Project P038677

Technical Memorandum
TransModeler Calibration

Prepared by:



September 2022

TABLE OF CONTENTS

1.0 PROJECT BACKGROUND	3
1.1 Introduction	3
1.2 Study Area.....	3
1.3 Data Collection.....	5
1.3.1 Traffic Counts.....	5
1.3.2 Travel Speed.....	7
2.0 STUDY METHODOLOGY	8
2.1 Model Development	8
2.2 Geometry	8
2.3 Speed Distributions and Functional Class.....	8
2.4 Vehicle Class Distribution.....	9
2.5 Origin Destination Matrix Development.....	10
3.0 EXISTING MODEL CALIBRATION	11
3.1 Calibration Criteria	11
3.1.1 Volume Calibration Criteria	11
3.1.2 Travel Speed Calibration Criteria	11
3.2 Calibration Process.....	11
3.2.1 Desired Speed Distribution	12
3.3 Volume Calibration	13
3.4 Travel Speed Calibration	14
4.0 2022 EXISTING TRAFFIC CONDITIONS	15
4.1 Freeway Network Analysis.....	15
4.1.1 Freeway Level of Service Criteria	15
4.1.2 Freeway Level of Service Results	16
4.2 Intersection Operations	19
4.2.1 Unsignalized Intersection Level of Service Criteria.....	19
4.2.2 Freeway Level of Service Results	19
4.3 Operations Summary	19
APPENDIX A 2022 EXISTING COLLECTED TRAFFIC COUNTS	4-1
APPENDIX B 2022 EXISTING COLLECTED TRAVEL SPEEDS	B-1
APPENDIX C BALANCED 2022 MID-DAY PEAK HOUR TRAFFIC VOLUMES	C-1
APPENDIX D 2022 EXISTING OD MATRIX	D-1
APPENDIX E 2022 EXISTING RAW TRANSMODELER OUTPUT	E-2
APPENDIX F NCDOT HIGH COMPLIANCE DESIRED SPEED DISTRIBUTION	F-3

LIST OF FIGURES

Figure 1: Study Area Location Map.....	4
Figure 2: Count Locations for Project	6
Figure 3: Default Distribution of Desired Speed on a Freeway.....	9
Figure 4: TransModeler Study Area	10
Figure 4: Adjusted Distribution of Desired Speed on a Freeway	12
Figure 5: 2022 Mid-Day I-26 and I-95 Corridor Travel Speeds.....	14

LIST OF TABLES

Table 1: I-26 at I-95 Project Corridor Collected Travel Speeds.....	7
Table 2: Default Distribution of Desired Speed on a Freeway.....	8
Table 3: 2022 Existing Conditions TransModeler Vehicle Class Distribution.....	9
Table 4: Volume Calibration Criteria.....	11
Table 5: Adjusted Distribution of Desired Speed on a Freeway	12
Table 6: 2022 MD Peak Hour Volume Calibration Results.....	13
Table 7: 2022 MD Peak Hour Calibration Criteria.....	13
Table 8: Basic Segment LOS Criteria	15
Table 9: Weave LOS Criteria.....	15
Table 10: Freeway Facility LOS Criteria (Rural)	16
Table 11: 2022 I-26 Freeway Segment Density Results: Eastbound.....	16
Table 12: 2022 I-26 Freeway Segment Density Results: Westbound	17
Table 13: 2022 I-95 Freeway Segment Density Results: Northbound	17
Table 14: 2022 I-26 Freeway Segment Density Results: Southbound	18
Table 15: Unsignalized Intersection LOS Criteria	19
Table 16: 2022 MD Peak Hour Intersection LOS and Delay.....	19

1.0 PROJECT BACKGROUND

The purpose of this memorandum is to present the 2022 existing conditions TransModeler calibration for the South Carolina Department of Transportation's (SCDOT) I-26 at I-95 Improvement Project Widening Project located in Orangeburg and Dorchester Counties (Exit 86 on I-95, Exit 169 on I-26). The following sections describe the calibration process, study area information, and data collected and used for calibration purposes.

1.1 INTRODUCTION

This memo documents the development process of the TransModeler traffic microsimulation existing calibration model. This model is intended to establish baseline traffic conditions, in the form of quantifiable performance measures for both the existing conditions and future no build conditions. Model calibration is the process of refining the model's operation, through the adjustment of network attributes, trip tables, and parameters to accurately match existing traffic conditions such as travel speeds and link flows. The process of model development and calibration for this project followed the resource guidance of *FHWA's Traffic Analysis Toolbox Volume III: Guidelines for Applying Traffic Microsimulation Modeling Software*, published in July 2004.

1.2 STUDY AREA

The study area for this widening project is shown in **Figure 1**. The study area is focused on the I-26 at I-95 intersection and four adjacent interchanges including:

- US 176 (Old State Road) at I-95 to the north
- US 178 (Charleston Highway) at I-95 to the south
- SC 210 (Vance Road) at I-26 to the west
- US 15 at I-26 to the east

I-95 is a north-south Interstate on the east coast that extends from the United States – Canada border in the north to Miami, Florida in the south. In the study area, I-95 is classified as a rural interstate that provides connectivity for local traffic, regional and freight traffic in South Carolina, and interstate traffic along the east coast. In South Carolina, I-95 links Florence in the north to Savannah, Georgia in the south in addition to providing access to multiple municipalities.

I-26 is an east-west Interstate that extends from I-81 in Kingsport, Tennessee south to Charleston. In the study area, I-95 is classified as a rural interstate that provides connectivity for local traffic, regional and freight traffic in South Carolina, and interstate traffic. In South Carolina, I-26 links three major municipalities: Spartanburg in the Upstate, Columbia in the Midlands, and Charleston in the coastal area of the Lowcountry.

Figure 1: Study Area Location Map



Source: Google Earth Pro Image, 03/2022, Project Study Area


1.3 DATA COLLECTION

1.3.1 Traffic Counts

Interstate volumes from SCDOT's Traffic Monitoring Program were obtained via SCDOT's traffic counts website for two permanent ATR count stations: station #0056 on I-95 and station #0020 on I-26. In addition, historic AADT data were utilized for all approaches to the interchanges on I-95 and I-26 as well as the ramps for the I-26 at I-95 interchange and the four adjacent interchanges.

Bi-directional interstate classification counts were also collected by DAD N Associates from Friday, March 1 to Thursday, March 7, 2022, on I-95 and I-26, the four local roads at adjacent interchanges, and ramps at each of the five interchanges. These counts identified the percentages of different vehicle types in the traffic stream. In addition, speed profiles were collected and summarized to be used in calibration of a traffic simulation. As part of the field effort, Intersection turning movement counts were collected at the study intersections on Friday, March 1, 2022. The reports for these counts are provided in **Appendix A**. An illustration of the count locations is shown in **Figure 2**.

Figure 2: Count Locations for Project



Source: Google Earth Pro Image, 03/2022, Project Count Locations

1.3.2 Travel Speed

Travel speed data was obtained with the collected count data. March 2022 data was analyzed for the calibration of the existing conditions TransModeler model. **Table 1** provides the existing conditions travel speeds that were averaged for the week of data collection and used for the TransModeler model calibration purposes. The reports for these travel speeds are provided in **Appendix B**.

Table 1: I-26 at I-95 Project Corridor Collected Travel Speeds

Location	Average Speed (mph)
I-26 Eastbound	70
I-26 Westbound	70
I-95 Northbound	69
I-95 Southbound	70

2.0 STUDY METHODOLOGY

2.1 MODEL DEVELOPMENT

This section presents the key elements for building the 2022 Mid-Day (MD) peak period TransModeler model. Analysis was based on a 15-minute seeding period and one hour of simulation to capture operations during the peak period. The TransModeler version 6.1 Build 8570 was used for this study.

2.2 GEOMETRY

The study area network for the TransModeler model was created by importing the 2015 TransCAD subarea network from the SCSWMv4 directly into TransModeler. This was done after reviewing the 2015 network to make sure all network project improvements between 2015 and 2022 were captured in this study area network using google earth images to review the number of lanes attribute and scan for new construction projects which may have been built in the study area between 2015 and 2022.

Once the network was imported into TransModeler, a few adjustments were done including centroid connector relocation to accurately reflect the traffic loading from the OD trip table in TransModeler.

2.3 SPEED DISTRIBUTIONS AND FUNCTIONAL CLASS

The desired speeds along the study corridor and on surface streets were developed based on posted speed limits observed from Google Earth/Streetview. The functional class for each segment of the freeways and surface streets were based on the SCDOT Functional Class ArcGIS website.

<https://scdot.maps.arcgis.com/apps/MinimalGallery/index.html?appid=e8ace63de0e6423394d04c9c091e893b#viewer=093bfb899141463cbacd879fc271a8c9>

Posted speed limits and functional classes for the study corridor are as follows:

- I-95: 70 mph – Rural Principal Arterial - Interstate
- I-26: 70 mph – Rural Principal Arterial - Interstate
- S.C. 210: 45 mph – Rural Major Collector
- U.S. 15: 45 mph – Rural Major Collector
- U.S. 176: 45 mph – Rural Major Collector
- U.S. 178: 45 mph – Rural Major Collector


The freeway speed distribution used as a starting point for the analysis, before calibration, is provided in **Table 2** and **Figure 3**.

Table 2: Default Distribution of Desired Speed on a Freeway

Deviation from Speed Limit (mph)	Driver Population (%)
-10	1
-5	4
0	25
5	30

Deviation from Speed Limit (mph)	Driver Population (%)
10	20
15	15
20	4
25	1
-10	1
-5	4

Figure 3: Default Distribution of Desired Speed on a Freeway



2.4 VEHICLE CLASS DISTRIBUTION

The TransModeler relative flow default for a vehicle class distribution is 98% passenger car and 2% heavy vehicle. The traffic composition flows for vehicles entering different parts of the network were customized, based on the 2022 MD peak hour traffic count data. The existing conditions vehicle class distribution for all vehicles entering the model network is provided in **Table 3**.

Table 3: 2022 Existing Conditions TransModeler Vehicle Class Distribution

Roadway	Passenger Car	Heavy Vehicle
I-95	78%	22%
I-26	78%	22%
S.C. 210	78%	22%
U.S. 15	70%	30%
U.S. 176	87%	13%
U.S. 178	71%	29%

2.5 ORIGIN DESTINATION MATRIX DEVELOPMENT

The South Carolina Statewide Model version 4 (SCSWMv4) was used as the tool for developing the Origin-Destination (OD) trip table for the I-26 and I-95 Interchange study. The SCSWV4 was developed in 2018 and is the latest available version of the Statewide model. It is a four-step model with a base year of 2015 and a forecast year of 2045.

To develop the 2022 OD Trip Table from the SCSWV4, a sub-area extraction procedure was used to extract a 2015 and 2045 Subarea OD trip tables for the study area of the project. The study area of the project can be found in **Figure 4** and includes the following interchanges:

1. I-26 at I-95 System-to-System
2. I-26 at S.C. 210 (Vance Road)
3. I-26 at U.S. 15
4. I-95 at U.S. 176 (Old State Road)
5. I-95 at U.S. 178 (Charleston Highway)

Figure 4: TransModeler Study Area



Once the 2015 and the 2045 Subarea OD trip tables were extracted from the SCSWmV4, the 2022 Study area OD trip table was developed using a Fratar growth rate procedure in TransCAD. The Fratar procedure uses the growth rates between the production and attraction trip ends of the 2015 and 2045 Subarea OD trips and applies them to the 2015 Subarea trip ends to grow them to 2022, and then adjusts the 2015 Subarea OD matrix so that the origin and destination demand between the zones in the study area match the 2022 production and attraction trip ends.

Once the 2022 subarea matrix was developed using the Fratar procedure, the matrix was adjusted using an Origin Destination Matrix Estimation (ODME) procedure to match the balanced 2022 peak hour traffic volumes. The 2022 ODME Adjusted Subarea matrix became the seed OD trip table which was calibrated and used in the TransModeler model for the project. Balanced 2022 MD peak hour traffic volumes are provided in **Appendix C** and the 2022 existing OD matrix is provided in **Appendix D**.

3.0 EXISTING MODEL CALIBRATION

This section presents the calibration criteria and process. Calibration of the 2022 Existing Conditions TransModeler microsimulation models was based on traffic volumes, travel times, and travel speeds. Raw TransModeler output can be found in **Appendix E**.

3.1 CALIBRATION CRITERIA

The 2022 MD peak period TransModeler models were calibrated in accordance with the FHWA targets found in the *Traffic Analysis Toolbox Volume III: Guidelines for Applying Traffic Microsimulation Modeling Software*.

3.1.1 Volume Calibration Criteria

Volume during the peak hours was calibrated for all roadway segments based on the criteria presented in **Table 5**.

Table 4: Volume Calibration Criteria

Criteria and Measures	Calibration Acceptance Targets
1. Sum of all link volumes	< 5% overall
2. Within 15%, for 700 veh/h < Flow < 2700 veh/h	> 85% of cases
3. Within 100 veh/h, for Flow < 700 veh/h	> 85% of cases
4. Within 400 veh/h, for Flow > 2700 veh/h	> 85% of cases
5. GEH Statistic < 5 for Individual Link Flows	> 85% of cases

Note: GEH Statistic is a statistical measure used to compare model output volume to observed volume and can be expressed as: $((2*(M-C)^2)/(M+C))^{1/2}$, where M is the simulation model output volume and C is the field counted volume.

3.1.2 Travel Speed Calibration Criteria

Travel speeds were calibrated for I-95 northbound, I-95 southbound, I-26 eastbound, and I-26 westbound. FHWA guidance for calibration of travel speeds is to “analyst’s satisfaction.” Travel speeds were calibrated for to achieve travel speeds with a difference of 15% for greater than 85% of the cases.

3.2 CALIBRATION PROCESS

The calibration process was an iterative process where the freeway desired speed distribution was adjusted to achieve the acceptable calibration targets.


3.2.1 Desired Speed Distribution

The TransModeler default freeway desired speed distribution was used as a starting point for calibration and was iteratively adjusted to meet the travel speed calibration targets. When the default TransModeler desired speed distribution of 70 mph was applied to the model, this resulted in output of lower travel speeds along I-26 and I-95. The collected travel speed data suggests that drivers tend to drive closer to the posted speed limit, so to meet travel speed calibration targets a high-compliance distribution was applied. The Freeway desired speed distribution, for both directions of travel along I-26 and I-95, were adjusted based on the NCDOT high-compliance distribution for 70 mph. This distribution is found in the *NCDOT Congestion Management Simulation Guidelines – TransModeler, October 2016*. This high-compliance distribution achieved calibration for travel speeds along I-26 and I-95. The final freeway speed distribution, after calibration, is provided in **Table 5** and **Figure 5**. The NCDOT high-compliance desired speed distribution is referenced in **Appendix F**.

Table 5: Adjusted Distribution of Desired Speed on a Freeway

Deviation from Speed Limit (mph)	Driver Population (%)
-10	1
-5	14
0	40
5	30
10	10
15	4
20	1

Figure 5: Adjusted Distribution of Desired Speed on a Freeway



3.3 VOLUME CALIBRATION

The models were calibrated to meet the criteria regarding volume throughput previously outlined in **Table 4**. The simulation results for the 2022 MD peak hour are shown in **Table 6**. Ramps and surface street volumes were also calibrated, which can be found in the raw TransModeler output in **Appendix E**.

Table 6: 2022 MD Peak Hour Volume Calibration Results

Mainline	Location	TransModeler Volume	Count Volume	% Difference	GEH Value
I-26 EB	West of SC 210	2,602	2,582	(20)	0.4
	West of I-26/I-95 Interchange	2,601	2,607	6	0.1
	I-26/I-95 Weave	1,958	1,956	(2)	0.0
	East of I-26/I-95 Interchange	2,144	2,156	12	0.3
	East of US 15	2,158	2,139	(19)	0.4
I-26 WB	East of US 15	2,173	2,157	(16)	0.4
	East of I-26/I-95 Interchange	2,152	2,161	9	0.2
	I-26/I-95 Weave	2,779	2,812	33	0.6
	West of I-26/I-95 Interchange	2,609	2,612	3	0.1
	West of SC 210	2,591	2,574	(17)	0.3
I-26 NB	South of US 178	2,694	2,700	6	0.1
	South of I-26/I-95 Interchange	2,712	2,731	19	0.4
	North of I-26/I-95 Interchange	1,896	1,880	(16)	0.4
	North of US 176	1,816	1,827	11	0.2
I-95 SB	North of US 176	1,812	1,826	14	0.3
	North of I-26/I-95 Interchange	1,894	1,880	(14)	0.3
	South of I-26/I-95 Interchange	2,710	2,731	21	0.4
	South of US 178	2,733	2,740	7	0.1
Total		42,034	42,071		

Table 6 shows the volume throughput All five calibration criteria targets were met, shown in **Table 7**.


Table 7: 2022 MD Peak Hour Calibration Criteria

FHWA Calibration Criteria	Metric	Met?
Sum of all link flows	1%	Met
Within 15%, for 700 veh/h < Flow < 2700 veh/h	100%	Met
Within 100 veh/h, for Flow < 700 veh/h	100%	Met
Within 400 veh/h, for Flow > 2700 veh/h	100%	Met
GEH Statistic < 5 for Individual Link Flows	100%	Met

3.4 TRAVEL SPEED CALIBRATION

Travel speeds were calibrated along I-26 and I-95 using collected field data for both directions of both freeways. Per FHWA criteria, travel speeds were calibrated with a difference of 15% for greater than 85% of the cases. **Figure 6** provides a graphical comparison of the collected field data and TransModeler results for the average travel speeds along the I-26 and I-95 corridors.

Figure 6: 2022 Mid-Day I-26 and I-95 Corridor Travel Speeds



The travel speed simulation output for the 2022 TransModeler model met the calibration criteria.

4.0 2022 EXISTING TRAFFIC CONDITIONS

The following sections include the TransModeler simulation network and intersection results for the 2022 Existing Conditions Mid-Day peak hour.

4.1 FREEWAY NETWORK ANALYSIS

The level of service (LOS) for each freeway segment was determined using HCM methodology, based on the segment density generated in TransModeler. LOS C was used as the minimum LOS threshold for this analysis based on the design criteria for rural freeways presented in SCDOT’s 2021 Roadway Design Manual.

4.1.1 Freeway Level of Service Criteria

Table 8 shows the HCM LOS criteria for basic freeway segments. LOS F occurs when either the segment density exceeds 45 pc/mi/ln or when the segment v/c ratio exceeds 1.0 (regardless of the segment density). The two are distinguished by color because a v/c > 1.0 indicates flow breakdown.

Table 8: Basic Segment LOS Criteria

LOS	Density (pc/mi/ln)
A	< 11
B	> 11 - 18
C	> 18 - 26
D	> 26 - 35
E	> 35 - 45
F	> 45

Table 9 shows the HCM LOS criteria for ramp merge and diverge segments.

Table 9: Weave LOS Criteria

LOS	Density (pc/mi/ln)
A	< 10
B	> 10 - 20
C	> 20 - 28
D	> 28 - 35
E	> 35
F	v/c > 1.0

Table 10 shows the HCM LOS criteria for weave segments.

Table 10: Freeway Facility LOS Criteria (Rural)

LOS	Density (pc/mi/ln)
A	< 10
B	> 10 - 20
C	> 20 - 28
D	> 28 - 35
E	> 35 - 43
F	> 43

4.1.2 Freeway Level of Service Results

The following section presents the TransModeler corridor analysis for 2022 existing conditions. LOS C is again used as the minimum LOS threshold. **Table 11** and **Table 12** show a summary of the freeway capacity analysis for the I-26 corridor in the eastbound and westbound directions, respectively. **Table 13** and **Table 14** show a summary of the freeway capacity analysis for the I-26 corridor in the eastbound and westbound directions, respectively.

Table 11: 2022 I-26 Freeway Segment Density Results: Eastbound

Segment Description	Segment Type	Density (pcmpl) LOS
West of SC 210	Basic	23.89 C
Off-Ramp to SC 210	Diverge	23.38 C
Between SC 210 Ramps	Basic	23.91 C
On-Ramp from SC 210	Merge	23.18 C
West of I-26/I-95 Interchange	Basic	24.63 C
Off-Ramp to I-95 SB	Diverge	36.72 E
Between Ramps	Basic	12.31 B
System-to-System Weave	Weave	11.94 B
Between Ramps	Basic	18.88 C
On-Ramp from I-95 NB	Merge	18.11 B
East of I-26/I-95 Interchange	Basic	19.70 C
Off-Ramp to US 15 SB	Diverge	18.84 B
Between Ramps	Basic	16.97 B
Weave to/from US 15	Weave	8.40 A
Between Ramps	Basic	20.44 C
On-Ramp from US 15 NB	Merge	18.95 B
East of US 15	Basic	19.78 C

Table 12: 2022 I-26 Freeway Segment Density Results: Westbound

Segment Description	Segment Type	Density (pcpmpl) LOS	
East of US 15	Basic	19.59	C
Off-Ramp to US 15 NB	Diverge	13.02	B
Between Ramps	Basic	19.19	C
Weave to/from US 15	Weave	9.38	A
Between Ramps	Basic	19.39	C
On-Ramp from US 15 SB	Merge	19.33	B
East of I-26/I-95 Interchange	Basic	19.77	C
Off-Ramp to I-95 NB	Diverge	19.89	B
Between Ramps	Basic	14.14	B
System-to-System Weave	Weave	27.30	C
Between Ramps	Basic	28.99	D
On-Ramp from I-95 SB	Merge	24.34	C
West of I-26/I-95 Interchange	Basic	24.19	C
Off-Ramp to SC 210	Diverge	29.06	D
Between SC 210 Ramps	Basic	24.45	C
On-Ramp from SC 210	Merge	22.61	C
West of SC 210	Basic	23.94	C

Table 13: 2022 I-95 Freeway Segment Density Results: Northbound

Segment Description	Segment Type	Density (pcpmpl) LOS	
South of US 178	Basic	24.71	C
Off-Ramp to US 178	Diverge	30.11	D
Between US 178 Ramps	Basic	23.39	C
On-Ramp from US 178	Merge	25.10	C
South of I-26/I-95 Interchange	Basic	25.28	C
Off-Ramp to I-26 EB	Diverge	26.00	C
Between Ramps	Basic	24.94	C
System-to-System Weave	Weave	27.41	C
Between Ramps	Basic	11.40	B
On-Ramp from I-26 WB	Merge	17.68	B
North of I-26/I-95 Interchange	Basic	17.41	B
Off-Ramp to US 176	Diverge	19.08	B
Between US 176 Ramps	Basic	16.33	B
On-Ramp from US 176	Merge	15.59	B
North of US 176	Basic	16.51	B

Table 14: 2022 I-26 Freeway Segment Density Results: Southbound

Segment Description	Segment Type	Density (pcpmpl) LOS	
North of US 176	Basic	16.18	B
Off-Ramp to US 176	Diverge	17.66	B
Between US 176 Ramps	Basic	15.91	B
On-Ramp from US 176	Merge	16.39	B
North of I-26/I-95 Interchange	Basic	17.31	B
Off-Ramp to I-26 WB	Diverge	16.76	B
Between Ramps	Basic	17.31	B
System-to-System Weave	Weave	16.38	B
Between Ramps	Basic	14.08	B
On-Ramp from I-26 EB	Merge	23.66	C
South of I-26/I-95 Interchange	Basic	25.51	C
Off-Ramp to US 178	Diverge	25.91	C
Between U 178 Ramps	Basic	24.63	C
On-Ramp from US 178	Merge	25.29	C
South of US 178	Basic	25.38	C

4.2 INTERSECTION OPERATIONS

The level of service (LOS) for each intersection was determined using HCM methodology, based on the movement delay generated in TransModeler. An LOS C was used as the corridor and intersection LOS threshold for this analysis based on the design criteria for rural freeways presented in SCDOT's 2021 Roadway Design Manual.

4.2.1 Unsignalized Intersection Level of Service Criteria

The LOS for unsignalized intersections is based on the average control delay per vehicle. **Table 15** shows the HCM LOS criteria for unsignalized intersections.

Table 15: Unsignalized Intersection LOS Criteria

LOS	Control Delay (s/veh)
A	< 10
B	>10 and <15
C	>15 and <25
D	>25 and <35
E	>35 and <50
F	> 50

4.2.2 Freeway Level of Service Results

Table 16 summarizes the intersection operations at each interchange ramp termini.

Table 16: 2022 MD Peak Hour Intersection LOS and Delay

Intersection	LOS (Delay)
SC 210 (Vance Road) at I-26 EB Ramps	C (24.0)
SC 210 (Vance Road) at I-26 WB Ramps	C (21.4)
US 176 (Old State Road) at I-95 SB Ramps	C (18.8)
US 176 (Old State Road) at I-95 NB Ramps	B (17.6)
US 178 (Old State Road) at I-95 SB Ramps	C (17.0)
US 178 (Old State Road) at I-95 NB Ramps	C (17.6)

4.3 OPERATIONS SUMMARY

The above sections indicate acceptable free-flow operations along I-26 and I-95 with freeway segments operating at acceptable density and LOS, with a few exceptions. The I-26 eastbound diverge to I-95 southbound operates at LOS E. The I-26 westbound basic segment east of the I-26/I-95 weave and the diverge to S.C. 210 operates at LOS D. The I-95 northbound diverge segment to U.S. 178 operates at LOS D. Additionally, all project study intersections operate at acceptable LOS.

Appendix A 2022 EXISTING COLLECTED TRAFFIC COUNTS



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1256
WEEKEND ADT:	1642

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694208
 Location: I-95 SB On Ramp from Charleston Hwy
 RR Crossing No: 0

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	23	18	17	34	35	18	27	19	23
1:00 AM	0	0	0	0	0	0	0	0	0	14	13	18	22	31	16	21	22	22
2:00 AM	0	0	0	0	0	0	0	0	0	13	15	13	23	34	14	21	17	19
3:00 AM	0	0	0	0	0	0	0	0	0	12	10	23	28	26	17	25	12	19
4:00 AM	0	0	0	0	0	0	0	0	0	15	25	25	24	42	25	25	18	22
5:00 AM	0	0	0	0	0	0	0	0	0	23	38	36	34	53	37	38	19	29
6:00 AM	0	0	0	0	0	0	0	0	0	40	55	58	51	62	57	57	37	47
7:00 AM	0	0	0	0	0	0	0	0	0	44	82	82	76	105	82	57	57	57
8:00 AM	0	0	0	0	0	0	0	0	0	77	57	69	73	107	63	74	61	68
9:00 AM	0	0	0	0	0	0	0	0	0	69	58	55	71	83	57	130	90	110
10:00 AM	0	0	0	0	0	0	0	0	0	77	72	61	104	89	67	115	126	121
11:00 AM	0	0	0	0	0	0	0	0	0	88	66	77	249	115	72	109	164	137
12:00 PM	0	0	0	0	0	0	0	0	0	102	96	77	627	128	87	129	130	130
1:00 PM	0	0	0	0	0	0	0	0	0	115	85	110	625	127	98	107	133	120
2:00 PM	0	0	0	0	0	0	0	0	0	125	79	96	770	120	88	108	112	110
3:00 PM	0	0	0	0	0	0	0	0	0	116	79	106	811	138	93	106	110	108
4:00 PM	0	0	0	0	0	0	0	0	0	107	74	85	218	123	80	93	101	97
5:00 PM	0	0	0	0	0	0	0	0	0	68	69	67	86	101	68	83	155	119
6:00 PM	0	0	0	0	0	0	0	0	0	73	62	53	70	100	58	67	91	79
7:00 PM	0	0	0	0	0	0	0	0	0	59	47	55	52	72	51	46	62	54
8:00 PM	0	0	0	0	0	0	0	0	0	57	29	40	43	61	35	51	43	47
9:00 PM	0	0	0	0	0	0	0	0	0	31	27	35	44	46	31	46	46	46
10:00 PM	0	0	0	0	0	0	0	0	0	29	24	20	35	55	22	35	39	37
11:00 PM	0	0	0	0	0	0	0	0	0	17	21	32	26	43	27	27	23	25

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	84	90	632	1,545	2,039	2,709	1,590	334	52	6	0	1	0	0	9,082
Percent		1%	1%	7%	17%	22%	30%	18%	4%	1%	0%	0%	0%	0%	0%	0%
Average Percent		0%	0%	3%	9%	11%	15%	9%	2%	0%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	160	4,866	1,465	175	320	98	4	358	1,470	19	70	14	3	60	9,082
Percent		2%	54%	16%	2%	4%	1%	0%	4%	16%	0%	1%	0%	0%	1%	
Average Percent		1%	27%	8%	1%	2%	1%	0%	2%	8%	0%	0%	0%	0%	0%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1014
WEEKEND ADT:	933

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694209
 Location: I-95 NB On Ramp from Charleston Hwy
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	10	20	14	7	14	14	12	8	10	0	0	0	0	0	0	0	0	0
1:00 AM	15	14	12	11	23	12	8	6	7	0	0	0	0	0	0	0	0	0
2:00 AM	7	9	9	22	22	13	17	10	14	0	0	0	0	0	0	0	0	0
3:00 AM	16	20	22	24	26	22	18	8	13	0	0	0	0	0	0	0	0	0
4:00 AM	34	32	38	44	30	38	28	5	17	0	0	0	0	0	0	0	0	0
5:00 AM	60	45	62	59	50	55	16	17	17	0	0	0	0	0	0	0	0	0
6:00 AM	63	53	63	70	66	62	50	22	36	0	0	0	0	0	0	0	0	0
7:00 AM	51	66	56	59	57	60	30	22	26	0	0	0	0	0	0	0	0	0
8:00 AM	47	60	39	78	58	59	46	34	40	0	0	0	0	0	0	0	0	0
9:00 AM	51	65	54	64	40	61	67	53	60	0	0	0	0	0	0	0	0	0
10:00 AM	36	52	64	52	76	56	49	61	55	0	0	0	0	0	0	0	0	0
11:00 AM	49	52	66	40	74	53	76	82	79	0	0	0	0	0	0	0	0	0
12:00 PM	88	66	65	64	75	65	62	81	72	0	0	0	0	0	0	0	0	0
1:00 PM	61	69	76	55	84	67	59	67	63	0	0	0	0	0	0	0	0	0
2:00 PM	85	82	61	53	74	65	61	65	63	0	0	0	0	0	0	0	0	0
3:00 PM	59	47	60	34	61	47	72	65	69	0	0	0	0	0	0	0	0	0
4:00 PM	81	65	58	68	87	64	43	74	59	0	0	0	0	0	0	0	0	0
5:00 PM	72	50	35	57	49	47	58	47	53	0	0	0	0	0	0	0	0	0
6:00 PM	62	48	28	44	36	40	38	75	57	0	0	0	0	0	0	0	0	0
7:00 PM	36	28	24	32	31	28	38	69	54	0	0	0	0	0	0	0	0	0
8:00 PM	33	31	26	33	24	30	32	31	32	0	0	0	0	0	0	0	0	0
9:00 PM	30	22	23	21	19	22	16	14	15	0	0	0	0	0	0	0	0	0
10:00 PM	13	9	16	17	21	14	16	17	17	0	0	0	0	0	0	0	0	0
11:00 PM	0	13	19	26	15	19	10	10	10	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0.0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	62	88	211	700	1,408	1,448	1,722	1,106	281	56	14	0	1	0	7,097
Percent		1%	1%	3%	10%	20%	20%	24%	16%	4%	1%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	1%	1%	5%	10%	10%	12%	8%	2%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	51	3,211	1,005	186	270	58	7	254	1,840	24	85	18	16	72	7,097
Percent		1%	45%	14%	3%	4%	1%	0%	4%	26%	0%	1%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	23%	7%	1%	2%	0%	0%	2%	13%	0%	1%	0%	0%	1%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1095
WEEKEND ADT:	1450

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694210
 Location: I-95 NB Exit Ramp to Charleston Hwy
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	8	25	14	21	19	20	12	12	12	0	0	0	0	0	0	0	0	0
1:00 AM	9	18	8	11	14	13	9	16	13	0	0	0	0	0	0	0	0	0
2:00 AM	5	17	12	19	14	15	15	11	13	0	0	0	0	0	0	0	0	0
3:00 AM	13	14	22	11	17	18	12	2	7	0	0	0	0	0	0	0	0	0
4:00 AM	24	21	26	33	18	24	10	8	9	0	0	0	0	0	0	0	0	0
5:00 AM	30	25	37	33	37	31	12	14	13	0	0	0	0	0	0	0	0	0
6:00 AM	36	31	45	50	46	38	28	10	19	0	0	0	0	0	0	0	0	0
7:00 AM	33	43	40	41	49	42	39	30	35	0	0	0	0	0	0	0	0	0
8:00 AM	49	42	25	50	53	34	41	34	38	0	0	0	0	0	0	0	0	0
9:00 AM	55	52	63	98	68	58	61	62	62	0	0	0	0	0	0	0	0	0
10:00 AM	45	61	64	367	74	63	80	75	78	0	0	0	0	0	0	0	0	0
11:00 AM	65	68	78	374	92	73	76	75	76	0	0	0	0	0	0	0	0	0
12:00 PM	111	101	86	317	95	94	62	92	77	0	0	0	0	0	0	0	0	0
1:00 PM	90	68	80	328	79	74	68	83	76	0	0	0	0	0	0	0	0	0
2:00 PM	86	70	76	286	80	73	64	81	73	0	0	0	0	0	0	0	0	0
3:00 PM	60	76	78	191	85	77	55	80	68	0	0	0	0	0	0	0	0	0
4:00 PM	99	88	62	317	82	75	64	291	178	0	0	0	0	0	0	0	0	0
5:00 PM	277	69	58	50	80	64	58	234	146	0	0	0	0	0	0	0	0	0
6:00 PM	195	64	47	40	48	56	58	296	177	0	0	0	0	0	0	0	0	0
7:00 PM	113	50	28	41	43	39	59	277	168	0	0	0	0	0	0	0	0	0
8:00 PM	71	47	28	35	34	38	34	94	64	0	0	0	0	0	0	0	0	0
9:00 PM	66	29	34	29	22	32	16	22	19	0	0	0	0	0	0	0	0	0
10:00 PM	24	18	31	26	27	25	30	20	25	0	0	0	0	0	0	0	0	0
11:00 PM	0	27	23	24	27	25	13	5	9	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	76	21	46	153	333	592	936	1,176	1,497	1,626	981	350	69	16	7,872
Percent	NB	1%	0%	1%	2%	4%	8%	12%	15%	19%	21%	12%	4%	1%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	0%	0%	1%	2%	4%	6%	7%	10%	10%	6%	2%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	49	3,984	1,286	137	342	73	3	283	1,521	22	74	18	7	75	7,874
Percent	NB	1%	51%	16%	2%	4%	1%	0%	4%	19%	0%	1%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	25%	8%	1%	2%	0%	0%	2%	10%	0%	0%	0%	0%	0%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	763
WEEKEND ADT:	993

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694211
 Location: I-26 NB Exit Ramp to Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	3	7	4	3	6	5	7	8	8	0	0	0	0	0	0	0	0	0
1:00 AM	0	4	5	4	4	4	5	7	6	0	0	0	0	0	0	0	0	0
2:00 AM	6	6	7	2	6	5	8	2	5	0	0	0	0	0	0	0	0	0
3:00 AM	8	5	10	8	5	8	5	5	5	0	0	0	0	0	0	0	0	0
4:00 AM	13	5	16	12	9	11	5	5	5	0	0	0	0	0	0	0	0	0
5:00 AM	13	11	15	23	17	16	17	6	12	0	0	0	0	0	0	0	0	0
6:00 AM	26	21	28	37	27	29	21	14	18	0	0	0	0	0	0	0	0	0
7:00 AM	38	27	36	54	39	39	31	21	26	0	0	0	0	0	0	0	0	0
8:00 AM	39	46	37	56	59	46	45	33	39	0	0	0	0	0	0	0	0	0
9:00 AM	32	37	44	39	46	40	47	38	43	0	0	0	0	0	0	0	0	0
10:00 AM	59	49	46	67	56	54	61	59	60	0	0	0	0	0	0	0	0	0
11:00 AM	74	65	44	68	56	59	65	63	64	0	0	0	0	0	0	0	0	0
12:00 PM	59	36	46	79	49	54	52	72	62	0	0	0	0	0	0	0	0	0
1:00 PM	67	55	55	73	68	61	38	61	50	0	0	0	0	0	0	0	0	0
2:00 PM	37	47	51	81	68	60	51	52	52	0	0	0	0	0	0	0	0	0
3:00 PM	57	62	57	57	78	59	36	105	71	0	0	0	0	0	0	0	0	0
4:00 PM	67	68	59	53	58	60	41	473	257	0	0	0	0	0	0	0	0	0
5:00 PM	45	61	41	45	52	49	36	181	109	0	0	0	0	0	0	0	0	0
6:00 PM	27	42	19	34	28	32	31	30	31	0	0	0	0	0	0	0	0	0
7:00 PM	16	27	18	28	26	24	26	21	24	0	0	0	0	0	0	0	0	0
8:00 PM	10	19	12	31	28	21	12	21	17	0	0	0	0	0	0	0	0	0
9:00 PM	13	12	10	11	11	11	19	16	18	0	0	0	0	0	0	0	0	0
10:00 PM	10	7	10	15	9	11	9	13	11	0	0	0	0	0	0	0	0	0
11:00 PM	0	5	6	8	9	6	4	8	6	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0.0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	84	35	96	129	328	800	1,526	1,766	887	150	12	3	0	0	5,816
Percent		1%	1%	2%	2%	6%	14%	26%	30%	15%	3%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		1%	0%	1%	1%	3%	7%	13%	15%	8%	1%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	48	3,465	1,076	40	237	200	8	119	504	10	28	7	3	71	5,816
Percent		1%	60%	19%	1%	4%	3%	0%	2%	9%	0%	0%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	30%	9%	0%	2%	2%	0%	1%	4%	0%	0%	0%	0%	1%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	368
WEEKEND ADT:	362

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694212
 Location: I-26 SB Exit Ramp to Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	3	6	3	8	1	5	5	5	5
1:00 AM	0	0	0	0	0	0	0	0	0	2	4	1	3	3	3	6	5	6
2:00 AM	0	0	0	0	0	0	0	0	0	2	2	2	6	1	2	6	4	5
3:00 AM	0	0	0	0	0	0	0	0	0	3	2	3	5	6	3	2	2	2
4:00 AM	0	0	0	0	0	0	0	0	0	7	10	7	7	7	9	2	5	4
5:00 AM	0	0	0	0	0	0	0	0	0	16	10	7	11	8	9	11	5	8
6:00 AM	0	0	0	0	0	0	0	0	0	9	18	15	13	8	17	4	5	5
7:00 AM	0	0	0	0	0	0	0	0	0	18	21	23	32	13	22	3	4	4
8:00 AM	0	0	0	0	0	0	0	0	0	11	25	13	19	21	19	22	10	16
9:00 AM	0	0	0	0	0	0	0	0	0	23	27	28	25	26	28	33	22	28
10:00 AM	0	0	0	0	0	0	0	0	0	22	28	22	22	31	25	30	21	26
11:00 AM	0	0	0	0	0	0	0	0	0	39	16	19	113	38	18	22	22	22
12:00 PM	0	0	0	0	0	0	0	0	0	27	26	26	69	28	26	32	28	30
1:00 PM	0	0	0	0	0	0	0	0	0	25	21	30	25	29	26	27	22	25
2:00 PM	0	0	0	0	0	0	0	0	0	30	27	23	119	47	25	26	30	28
3:00 PM	0	0	0	0	0	0	0	0	0	15	19	25	230	34	22	30	34	32
4:00 PM	0	0	0	0	0	0	0	0	0	34	27	28	31	37	28	30	22	26
5:00 PM	0	0	0	0	0	0	0	0	0	23	29	23	26	34	26	18	34	26
6:00 PM	0	0	0	0	0	0	0	0	0	18	20	20	18	19	20	18	22	20
7:00 PM	0	0	0	0	0	0	0	0	0	16	16	14	11	15	15	14	18	16
8:00 PM	0	0	0	0	0	0	0	0	0	10	5	9	12	11	7	5	10	8
9:00 PM	0	0	0	0	0	0	0	0	0	8	1	5	7	17	3	9	10	10
10:00 PM	0	0	0	0	0	0	0	0	0	4	11	7	11	11	9	7	6	7
11:00 PM	0	0	0	0	0	0	0	0	0	6	5	6	9	12	6	12	3	8

SPEED																
	DIRECTION	1.1-15.99	16.0-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	103	45	68	124	253	427	669	709	494	169	44	14	4	0	3,123
Percent	SB	3%	1%	2%	4%	8%	14%	21%	23%	16%	5%	1%	0%	0%	0%	0%
Average Percent		2%	1%	1%	2%	4%	7%	11%	11%	8%	3%	1%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	30	1,605	595	29	180	37	1	108	406	12	52	11	1	56	3,123
Percent	SB	1%	51%	19%	1%	6%	1%	0%	3%	13%	0%	2%	0%	0%	2%	0%
Average Percent		0%	26%	10%	0%	3%	1%	0%	2%	7%	0%	1%	0%	0%	1%	0%



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	659
WEEKEND ADT:	593

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694213
 Location: I-26 SB On Ramp from Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	4	6	1	7	3	4	8	2	5
1:00 AM	0	0	0	0	0	0	0	0	0	4	4	3	4	5	4	3	10	7
2:00 AM	0	0	0	0	0	0	0	0	0	2	5	2	7	0	4	10	1	6
3:00 AM	0	0	0	0	0	0	0	0	0	3	9	7	8	9	8	6	6	6
4:00 AM	0	0	0	0	0	0	0	0	0	13	22	27	28	24	25	4	7	6
5:00 AM	0	0	0	0	0	0	0	0	0	40	46	43	37	34	45	19	16	18
6:00 AM	0	0	0	0	0	0	0	0	0	34	61	47	59	52	54	18	6	12
7:00 AM	0	0	0	0	0	0	0	0	0	58	44	47	58	45	46	17	7	12
8:00 AM	0	0	0	0	0	0	0	0	0	42	49	48	63	47	49	27	11	19
9:00 AM	0	0	0	0	0	0	0	0	0	37	43	39	46	52	41	31	25	28
10:00 AM	0	0	0	0	0	0	0	0	0	54	47	38	50	37	43	41	31	36
11:00 AM	0	0	0	0	0	0	0	0	0	49	43	44	53	61	44	35	29	32
12:00 PM	0	0	0	0	0	0	0	0	0	40	50	41	119	51	46	50	39	45
1:00 PM	0	0	0	0	0	0	0	0	0	43	41	41	794	54	41	54	38	46
2:00 PM	0	0	0	0	0	0	0	0	0	42	37	39	405	50	38	58	37	48
3:00 PM	0	0	0	0	0	0	0	0	0	48	34	37	134	56	36	36	43	40
4:00 PM	0	0	0	0	0	0	0	0	0	51	43	31	82	62	37	40	50	45
5:00 PM	0	0	0	0	0	0	0	0	0	24	37	31	32	53	34	46	91	69
6:00 PM	0	0	0	0	0	0	0	0	0	30	21	23	36	31	22	32	49	41
7:00 PM	0	0	0	0	0	0	0	0	0	14	8	17	17	26	13	24	35	30
8:00 PM	0	0	0	0	0	0	0	0	0	10	5	10	18	19	8	11	13	12
9:00 PM	0	0	0	0	0	0	0	0	0	8	9	10	10	23	10	20	21	21
10:00 PM	0	0	0	0	0	0	0	0	0	10	9	9	17	12	9	13	5	9
11:00 PM	0	0	0	0	0	0	0	0	0	5	5	5	12	10	5	6	4	5

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	112	45	52	128	471	1,053	1,633	455	34	3	0	0	0	0	3,986
Percent	SB	3%	1%	1%	3%	12%	26%	41%	11%	1%	0%	0%	0%	0%	0%	0%
Average Percent		1%	1%	1%	2%	6%	13%	20%	6%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	54	2,287	687	50	126	65	2	96	476	18	34	7	3	77	3,982
Percent	SB	1%	57%	17%	1%	3%	2%	0%	2%	12%	0%	1%	0%	0%	2%	0%
Average Percent		1%	29%	9%	1%	2%	1%	0%	1%	6%	0%	0%	0%	0%	1%	0%



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	388
WEEKEND ADT:	504

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694214
 Location: I-26 NB On Ramp from Vance Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	1	4	5	2	3	5	8	3	6	0	0	0	0	0	0	0	0	0
1:00 AM	2	4	7	1	1	6	4	7	6	0	0	0	0	0	0	0	0	0
2:00 AM	2	2	2	2	10	2	6	3	5	0	0	0	0	0	0	0	0	0
3:00 AM	11	1	7	8	3	4	9	5	7	0	0	0	0	0	0	0	0	0
4:00 AM	8	5	7	10	12	6	4	7	6	0	0	0	0	0	0	0	0	0
5:00 AM	12	8	23	14	15	16	5	4	5	0	0	0	0	0	0	0	0	0
6:00 AM	26	15	18	24	23	17	13	4	9	0	0	0	0	0	0	0	0	0
7:00 AM	23	18	25	21	24	22	13	17	15	0	0	0	0	0	0	0	0	0
8:00 AM	28	26	23	34	41	25	21	27	24	0	0	0	0	0	0	0	0	0
9:00 AM	21	19	22	22	20	21	29	28	29	0	0	0	0	0	0	0	0	0
10:00 AM	37	45	27	35	40	36	33	43	38	0	0	0	0	0	0	0	0	0
11:00 AM	47	35	20	35	40	28	32	41	37	0	0	0	0	0	0	0	0	0
12:00 PM	26	34	24	46	28	29	39	60	50	0	0	0	0	0	0	0	0	0
1:00 PM	38	27	24	53	35	26	33	58	46	0	0	0	0	0	0	0	0	0
2:00 PM	27	24	31	58	34	28	42	53	48	0	0	0	0	0	0	0	0	0
3:00 PM	20	26	23	25	40	25	26	59	43	0	0	0	0	0	0	0	0	0
4:00 PM	36	30	28	27	36	29	34	36	35	0	0	0	0	0	0	0	0	0
5:00 PM	24	26	17	18	38	22	24	20	22	0	0	0	0	0	0	0	0	0
6:00 PM	19	16	10	27	14	13	19	35	27	0	0	0	0	0	0	0	0	0
7:00 PM	6	9	10	17	15	10	11	15	13	0	0	0	0	0	0	0	0	0
8:00 PM	14	11	5	16	24	8	14	16	15	0	0	0	0	0	0	0	0	0
9:00 PM	6	6	9	11	11	8	8	13	11	0	0	0	0	0	0	0	0	0
10:00 PM	14	3	7	10	4	5	6	11	9	0	0	0	0	0	0	0	0	0
11:00 PM	0	6	2	3	6	4	7	2	5	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0.0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	159	23	36	68	245	518	927	631	129	11	4	1	1	0	2,753
Percent		6%	1%	1%	2%	9%	19%	34%	23%	5%	0%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		3%	0%	1%	1%	4%	9%	17%	11%	2%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	22	1,542	540	45	148	36	1	56	193	7	23	7	1	134	2,755
Percent		1%	56%	20%	2%	5%	1%	0%	2%	7%	0%	1%	0%	0%	5%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	28%	10%	1%	3%	1%	0%	1%	4%	0%	0%	0%	0%	2%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	168
WEEKEND ADT:	164

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694215
 Location: I-95 SB Exit Ramp to Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	1	0	0	4	2	0	3	3	3
1:00 AM	0	0	0	0	0	0	0	0	0	1	1	1	4	0	1	1	5	3
2:00 AM	0	0	0	0	0	0	0	0	0	4	0	1	1	2	1	4	3	4
3:00 AM	0	0	0	0	0	0	0	0	0	1	2	6	3	1	4	0	0	0
4:00 AM	0	0	0	0	0	0	0	0	0	3	4	2	4	5	3	3	1	2
5:00 AM	0	0	0	0	0	0	0	0	0	5	5	3	6	1	4	1	1	1
6:00 AM	0	0	0	0	0	0	0	0	0	3	4	5	8	13	5	7	2	5
7:00 AM	0	0	0	0	0	0	0	0	0	2	13	6	6	9	10	9	3	6
8:00 AM	0	0	0	0	0	0	0	0	0	12	8	11	18	6	10	9	5	7
9:00 AM	0	0	0	0	0	0	0	0	0	10	9	16	9	9	13	11	1	6
10:00 AM	0	0	0	0	0	0	0	0	0	13	14	3	13	5	9	9	6	8
11:00 AM	0	0	0	0	0	0	0	0	0	15	8	18	69	14	13	8	14	11
12:00 PM	0	0	0	0	0	0	0	0	0	15	14	12	232	7	13	15	6	11
1:00 PM	0	0	0	0	0	0	0	0	0	13	6	12	330	19	9	12	13	13
2:00 PM	0	0	0	0	0	0	0	0	0	6	11	17	366	16	14	11	4	8
3:00 PM	0	0	0	0	0	0	0	0	0	10	13	9	259	16	11	11	14	13
4:00 PM	0	0	0	0	0	0	0	0	0	16	10	9	48	8	10	5	16	11
5:00 PM	0	0	0	0	0	0	0	0	0	1	10	12	11	13	11	11	19	15
6:00 PM	0	0	0	0	0	0	0	0	0	7	10	12	4	14	11	9	13	11
7:00 PM	0	0	0	0	0	0	0	0	0	13	3	6	7	6	5	10	12	11
8:00 PM	0	0	0	0	0	0	0	0	0	1	7	8	3	8	8	5	7	6
9:00 PM	0	0	0	0	0	0	0	0	0	3	1	4	7	2	3	6	5	6
10:00 PM	0	0	0	0	0	0	0	0	0	2	2	3	5	4	3	6	2	4
11:00 PM	0	0	0	0	0	0	0	0	0	1	1	3	1	3	2	6	1	4

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	10	11	21	54	123	239	276	183	69	13	3	1	0	0	1,003
Percent	SB	1%	1%	2%	5%	12%	24%	28%	18%	7%	1%	0%	0%	0%	0%	0%
Average Percent		0%	1%	1%	3%	6%	12%	14%	9%	3%	1%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	23	447	238	4	60	28	0	30	164	3	1	0	0	5	1,003
Percent	SB	2%	45%	24%	0%	6%	3%	0%	3%	16%	0%	0%	0%	0%	0%	0%
Average Percent		1%	22%	12%	0%	3%	1%	0%	1%	8%	0%	0%	0%	0%	0%	0%



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	560
WEEKEND ADT:	975

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694216
 Location: I-95 NB Exit Ramp to Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	5	12	3	4	7	6	6	8	7	0	0	0	0	0	0	0	0	0
1:00 AM	2	6	0	2	3	3	2	3	3	0	0	0	0	0	0	0	0	0
2:00 AM	6	8	6	5	5	6	9	4	7	0	0	0	0	0	0	0	0	0
3:00 AM	10	5	8	5	4	6	6	6	6	0	0	0	0	0	0	0	0	0
4:00 AM	10	9	8	13	13	10	5	6	6	0	0	0	0	0	0	0	0	0
5:00 AM	22	10	21	25	20	19	15	9	12	0	0	0	0	0	0	0	0	0
6:00 AM	19	22	24	19	21	22	19	17	18	0	0	0	0	0	0	0	0	0
7:00 AM	19	24	23	29	42	25	21	15	18	0	0	0	0	0	0	0	0	0
8:00 AM	35	29	36	33	37	33	44	38	41	0	0	0	0	0	0	0	0	0
9:00 AM	40	38	27	30	46	32	52	35	44	0	0	0	0	0	0	0	0	0
10:00 AM	43	34	26	22	43	27	43	41	42	0	0	0	0	0	0	0	0	0
11:00 AM	35	32	38	27	46	32	34	44	39	0	0	0	0	0	0	0	0	0
12:00 PM	42	37	41	23	56	34	53	45	49	0	0	0	0	0	0	0	0	0
1:00 PM	56	40	36	35	65	37	54	40	47	0	0	0	0	0	0	0	0	0
2:00 PM	53	30	41	36	61	36	52	47	50	0	0	0	0	0	0	0	0	0
3:00 PM	59	49	66	57	64	57	43	79	61	0	0	0	0	0	0	0	0	0
4:00 PM	58	41	54	37	71	44	51	546	299	0	0	0	0	0	0	0	0	0
5:00 PM	28	59	31	39	51	43	37	242	140	0	0	0	0	0	0	0	0	0
6:00 PM	32	33	17	25	32	25	17	28	23	0	0	0	0	0	0	0	0	0
7:00 PM	17	37	12	15	29	21	18	18	18	0	0	0	0	0	0	0	0	0
8:00 PM	7	17	14	20	17	17	18	15	17	0	0	0	0	0	0	0	0	0
9:00 PM	10	15	6	13	22	11	14	14	14	0	0	0	0	0	0	0	0	0
10:00 PM	13	8	6	10	24	8	10	11	11	0	0	0	0	0	0	0	0	0
11:00 PM	0	6	4	7	10	6	8	7	8	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	93	33	33	40	56	71	187	413	788	1,258	1,196	618	203	39		5,028
Percent		2%	1%	1%	1%	1%	1%	4%	8%	16%	25%	24%	12%	4%	1%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		1%	0%	0%	0%	1%	1%	2%	4%	8%	12%	12%	6%	2%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	23	2,993	1,054	65	255	40	5	161	362	5	4	1	2	74		5,044
Percent		0%	59%	21%	1%	5%	1%	0%	3%	7%	0%	0%	0%	0%	1%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	30%	10%	1%	3%	0%	0%	2%	4%	0%	0%	0%	0%	1%		



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	312
WEEKEND ADT:	311

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694217
 Location: I-95 NB On Ramp from Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	6	3	2	3	5	3	2	2	2	0	0	0	0	0	0	0	0	0
1:00 AM	2	2	1	1	0	1	0	3	2	0	0	0	0	0	0	0	0	0
2:00 AM	2	1	3	6	2	3	4	0	2	0	0	0	0	0	0	0	0	0
3:00 AM	7	5	5	7	1	6	3	1	2	0	0	0	0	0	0	0	0	0
4:00 AM	7	3	5	5	3	4	3	4	4	0	0	0	0	0	0	0	0	0
5:00 AM	7	3	10	11	10	8	4	4	4	0	0	0	0	0	0	0	0	0
6:00 AM	9	11	14	15	11	13	9	7	8	0	0	0	0	0	0	0	0	0
7:00 AM	15	20	16	16	28	17	11	10	11	0	0	0	0	0	0	0	0	0
8:00 AM	11	15	19	20	16	18	16	20	18	0	0	0	0	0	0	0	0	0
9:00 AM	15	22	22	22	15	22	15	19	17	0	0	0	0	0	0	0	0	0
10:00 AM	16	17	14	31	24	21	22	23	23	0	0	0	0	0	0	0	0	0
11:00 AM	14	18	18	17	23	18	13	18	16	0	0	0	0	0	0	0	0	0
12:00 PM	15	19	21	22	24	21	24	29	27	0	0	0	0	0	0	0	0	0
1:00 PM	29	16	21	42	26	26	21	17	19	0	0	0	0	0	0	0	0	0
2:00 PM	25	19	8	40	26	22	22	18	20	0	0	0	0	0	0	0	0	0
3:00 PM	20	15	36	25	28	25	27	35	31	0	0	0	0	0	0	0	0	0
4:00 PM	16	28	25	32	19	28	24	42	33	0	0	0	0	0	0	0	0	0
5:00 PM	14	22	16	16	22	18	20	29	25	0	0	0	0	0	0	0	0	0
6:00 PM	15	14	16	13	11	14	10	17	14	0	0	0	0	0	0	0	0	0
7:00 PM	13	10	7	7	7	8	7	19	13	0	0	0	0	0	0	0	0	0
8:00 PM	5	7	8	5	5	7	6	9	8	0	0	0	0	0	0	0	0	0
9:00 PM	3	3	3	1	3	2	2	5	4	0	0	0	0	0	0	0	0	0
10:00 PM	3	5	1	4	7	3	4	7	6	0	0	0	0	0	0	0	0	0
11:00 PM	0	3	2	2	3	2	4	10	7	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	61	19	61	172	287	623	647	233	38	5	0	0	0	0		2,146
Percent	NB	3%	1%	3%	8%	13%	29%	30%	11%	2%	0%	0%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		1%	0%	1%	4%	7%	15%	15%	5%	1%	0%	0%	0%	0%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	33	1,462	449	25	123	46	0	75	222	4	1	0	1	44		2,485
Percent	NB	1%	59%	18%	1%	5%	2%	0%	3%	9%	0%	0%	0%	0%	2%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		1%	29%	9%	1%	2%	1%	0%	2%	4%	0%	0%	0%	0%	1%		



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB On Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	427
WEEKEND ADT:	442

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694218
 Location: I-95 SB On Ramp from Old State Rd
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	3	3	3	2	7	3	8	2	5
1:00 AM	0	0	0	0	0	0	0	0	0	1	3	2	0	4	3	4	6	5
2:00 AM	0	0	0	0	0	0	0	0	0	2	4	4	2	3	4	3	5	4
3:00 AM	0	0	0	0	0	0	0	0	0	1	7	5	8	9	6	3	2	3
4:00 AM	0	0	0	0	0	0	0	0	0	13	18	17	16	8	18	8	2	5
5:00 AM	0	0	0	0	0	0	0	0	0	17	29	28	26	25	29	10	4	7
6:00 AM	0	0	0	0	0	0	0	0	0	33	35	39	42	42	37	12	6	9
7:00 AM	0	0	0	0	0	0	0	0	0	34	39	28	32	37	34	13	9	11
8:00 AM	0	0	0	0	0	0	0	0	0	29	18	24	32	36	21	24	12	18
9:00 AM	0	0	0	0	0	0	0	0	0	31	24	26	38	36	25	30	15	23
10:00 AM	0	0	0	0	0	0	0	0	0	29	22	18	26	31	20	29	18	24
11:00 AM	0	0	0	0	0	0	0	0	0	29	26	31	27	28	29	33	23	28
12:00 PM	0	0	0	0	0	0	0	0	0	20	27	14	26	32	21	34	15	25
1:00 PM	0	0	0	0	0	0	0	0	0	17	23	25	31	47	24	24	23	24
2:00 PM	0	0	0	0	0	0	0	0	0	30	28	21	40	34	25	23	30	27
3:00 PM	0	0	0	0	0	0	0	0	0	25	24	22	50	25	23	26	35	31
4:00 PM	0	0	0	0	0	0	0	0	0	39	20	26	30	30	23	25	24	25
5:00 PM	0	0	0	0	0	0	0	0	0	22	16	28	20	18	22	18	142	80
6:00 PM	0	0	0	0	0	0	0	0	0	13	17	24	26	20	21	25	29	27
7:00 PM	0	0	0	0	0	0	0	0	0	24	8	14	24	25	11	23	26	25
8:00 PM	0	0	0	0	0	0	0	0	0	14	12	7	12	15	10	12	13	13
9:00 PM	0	0	0	0	0	0	0	0	0	8	15	10	15	10	13	17	7	12
10:00 PM	0	0	0	0	0	0	0	0	0	9	6	10	9	10	8	11	10	11
11:00 PM	0	0	0	0	0	0	0	0	0	6	2	2	5	8	2	8	3	6

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	32	37	150	505	1,073	762	154	11	2	0	0	0	0	0	2,726
Percent	SB	1%	1%	6%	19%	39%	28%	6%	0%	0%	0%	0%	0%	0%	0%	0%
Average Percent		1%	1%	3%	9%	20%	14%	3%	0%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	14	1,567	569	28	110	46	5	70	288	4	4	1	2	18	2,726
Percent	SB	1%	57%	21%	1%	4%	2%	0%	3%	11%	0%	0%	0%	0%	1%	0%
Average Percent		0%	29%	10%	1%	2%	1%	0%	1%	5%	0%	0%	0%	0%	0%	0%



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	169
WEEKEND ADT:	169

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694219
 Location: I-95 SB Exit Ramp to I-26 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	2	3	3	2	2	3	7	0	4
1:00 AM	0	0	0	0	0	0	0	0	0	2	2	1	1	1	1	1	2	2
2:00 AM	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	1	2	2
3:00 AM	0	0	0	0	0	0	0	0	0	1	3	4	2	1	3	2	2	2
4:00 AM	0	0	0	0	0	0	0	0	0	3	2	2	2	3	2	4	3	4
5:00 AM	0	0	0	0	0	0	0	0	0	8	6	8	5	3	6	2	0	1
6:00 AM	0	0	0	0	0	0	0	0	0	8	3	5	5	2	4	2	3	3
7:00 AM	0	0	0	0	0	0	0	0	0	4	6	4	10	4	7	3	4	4
8:00 AM	0	0	0	0	0	0	0	0	0	3	2	10	9	10	7	11	4	8
9:00 AM	0	0	0	0	0	0	0	0	0	12	7	10	14	14	10	9	8	9
10:00 AM	0	0	0	0	0	0	0	0	0	1	11	10	10	17	10	12	7	10
11:00 AM	0	0	0	0	0	0	0	0	0	13	12	12	17	17	14	13	11	12
12:00 PM	0	0	0	0	0	0	0	0	0	10	5	9	23	7	12	18	3	11
1:00 PM	0	0	0	0	0	0	0	0	0	4	12	12	25	17	16	8	13	11
2:00 PM	0	0	0	0	0	0	0	0	0	26	14	9	13	9	12	11	14	13
3:00 PM	0	0	0	0	0	0	0	0	0	14	14	4	24	14	14	17	15	16
4:00 PM	0	0	0	0	0	0	0	0	0	19	6	10	11	10	9	9	17	13
5:00 PM	0	0	0	0	0	0	0	0	0	9	6	6	9	11	7	10	13	12
6:00 PM	0	0	0	0	0	0	0	0	0	9	6	6	11	6	8	6	12	9
7:00 PM	0	0	0	0	0	0	0	0	0	13	6	7	9	8	7	15	4	10
8:00 PM	0	0	0	0	0	0	0	0	0	7	6	3	4	9	4	7	7	7
9:00 PM	0	0	0	0	0	0	0	0	0	5	3	2	1	1	2	6	3	5
10:00 PM	0	0	0	0	0	0	0	0	0	5	5	7	5	3	6	7	4	6
11:00 PM	0	0	0	0	0	0	0	0	0	1	0	2	7	3	3	3	2	3

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	12	3	2	0	0	9	23	51	118	212	270	183	73	14	970
Percent	SB	1%	0%	0%	0%	0%	1%	2%	5%	12%	22%	28%	19%	7%	1%	
Average Percent		1%	0%	0%	0%	0%	0%	1%	3%	6%	11%	14%	9%	4%	1%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	13	632	189	28	49	15	1	38	212	2	2	0	1	13	1,195
Percent	SB	1%	53%	16%	2%	4%	1%	0%	3%	18%	0%	0%	0%	0%	1%	
Average Percent		1%	26%	8%	1%	2%	1%	0%	2%	9%	0%	0%	0%	0%	1%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	915
WEEKEND ADT:	828

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694220
 Location: I-95 NB Exit Ramp to I-26 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	14	7	10	9	12	9	13	14	14	0	0	0	0	0	0	0	0	0
1:00 AM	4	5	8	2	9	5	9	9	9	0	0	0	0	0	0	0	0	0
2:00 AM	7	5	12	9	5	9	5	9	7	0	0	0	0	0	0	0	0	0
3:00 AM	20	8	24	21	13	18	13	6	10	0	0	0	0	0	0	0	0	0
4:00 AM	35	19	47	47	55	38	20	12	16	0	0	0	0	0	0	0	0	0
5:00 AM	92	49	78	77	68	68	23	13	18	0	0	0	0	0	0	0	0	0
6:00 AM	70	72	41	65	67	59	27	14	21	0	0	0	0	0	0	0	0	0
7:00 AM	55	67	62	45	59	58	30	15	23	0	0	0	0	0	0	0	0	0
8:00 AM	54	57	36	49	57	47	42	33	38	0	0	0	0	0	0	0	0	0
9:00 AM	57	73	68	41	69	61	47	46	47	0	0	0	0	0	0	0	0	0
10:00 AM	44	66	68	24	72	53	51	51	51	0	0	0	0	0	0	0	0	0
11:00 AM	61	65	67	16	65	49	48	50	49	0	0	0	0	0	0	0	0	0
12:00 PM	75	63	73	17	79	51	47	64	56	0	0	0	0	0	0	0	0	0
1:00 PM	88	61	54	26	76	47	62	56	59	0	0	0	0	0	0	0	0	0
2:00 PM	77	83	75	22	78	60	67	57	62	0	0	0	0	0	0	0	0	0
3:00 PM	69	65	55	29	92	50	81	74	78	0	0	0	0	0	0	0	0	0
4:00 PM	67	62	70	24	97	52	52	66	59	0	0	0	0	0	0	0	0	0
5:00 PM	13	65	52	31	66	49	62	48	55	0	0	0	0	0	0	0	0	0
6:00 PM	17	53	32	14	57	33	68	20	44	0	0	0	0	0	0	0	0	0
7:00 PM	14	35	23	22	37	27	43	6	25	0	0	0	0	0	0	0	0	0
8:00 PM	18	29	24	29	44	27	33	18	26	0	0	0	0	0	0	0	0	0
9:00 PM	10	18	15	10	21	14	26	23	25	0	0	0	0	0	0	0	0	0
10:00 PM	11	20	20	17	24	19	22	30	26	0	0	0	0	0	0	0	0	0
11:00 PM	0	14	10	13	6	12	11	19	15	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	36	1	5	2	11	24	86	288	651	1,288	1,560	1,184	585	179	5,900
Percent	NB	1%	0%	0%	0%	0%	0%	1%	5%	11%	22%	26%	20%	10%	3%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0
Average Percent		0%	0%	0%	0%	0%	0%	1%	2%	5%	11%	13%	10%	5%	2%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	33	2,690	1,283	124	475	74	1	193	996	16	17	5	4	46	5,957
Percent	NB	1%	45%	22%	2%	8%	1%	0%	3%	17%	0%	0%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0
Average Percent		0%	23%	11%	1%	4%	1%	0%	2%	8%	0%	0%	0%	0%	0%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	4591
WEEKEND ADT:	4776

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694221
 Location: I-95 SB Exit Ramp to I-26 SB - SB Speed
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	71	33	34	47	63	34	61	31	46
1:00 AM	0	0	0	0	0	0	0	0	0	32	49	36	34	42	43	40	39	40
2:00 AM	0	0	0	0	0	0	0	0	0	45	38	40	53	54	39	37	13	25
3:00 AM	0	0	0	0	0	0	0	0	0	38	72	81	60	61	77	43	17	30
4:00 AM	0	0	0	0	0	0	0	0	0	62	146	152	171	123	149	66	40	53
5:00 AM	0	0	0	0	0	0	0	0	0	125	266	229	243	231	248	95	54	75
6:00 AM	0	0	0	0	0	0	0	0	0	230	277	288	292	290	283	108	66	87
7:00 AM	0	0	0	0	0	0	0	0	0	320	237	245	231	235	241	132	66	99
8:00 AM	0	0	0	0	0	0	0	0	0	273	246	294	279	273	270	183	123	153
9:00 AM	0	0	0	0	0	0	0	0	0	271	281	292	244	266	287	262	169	216
10:00 AM	0	0	0	0	0	0	0	0	0	337	245	281	232	319	263	290	208	249
11:00 AM	0	0	0	0	0	0	0	0	0	341	252	264	107	327	258	340	269	305
12:00 PM	0	0	0	0	0	0	0	0	0	329	302	264	101	325	283	328	329	329
1:00 PM	0	0	0	0	0	0	0	0	0	276	275	291	143	350	283	347	355	351
2:00 PM	0	0	0	0	0	0	0	0	0	315	229	294	69	462	262	371	420	396
3:00 PM	0	0	0	0	0	0	0	0	0	326	269	288	214	460	279	392	472	432
4:00 PM	0	0	0	0	0	0	0	0	0	321	318	268	332	464	293	386	437	412
5:00 PM	0	0	0	0	0	0	0	0	0	315	258	265	296	386	262	333	434	384
6:00 PM	0	0	0	0	0	0	0	0	0	264	223	230	225	373	227	269	338	304
7:00 PM	0	0	0	0	0	0	0	0	0	223	140	172	194	343	156	212	280	246
8:00 PM	0	0	0	0	0	0	0	0	0	152	99	140	203	261	120	155	269	212
9:00 PM	0	0	0	0	0	0	0	0	0	116	109	100	143	236	105	115	173	144
10:00 PM	0	0	0	0	0	0	0	0	0	92	78	81	107	148	80	111	123	117
11:00 PM	0	0	0	0	0	0	0	0	0	65	53	57	70	98	55	80	71	76

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	2,141	25	142	1,247	4,437	10,539	9,510	1,730	73	1	0	0	0	0	29,845
Percent	SB	7%	0%	0%	4%	15%	35%	32%	6%	0%	0%	0%	0%	0%	0%	0%
Average Percent		4%	0%	0%	2%	7%	18%	16%	3%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	368	15,645	5,585	563	3,258	108	1	1,890	534	7	41	13	11	1,821	29,845
Percent	SB	1%	52%	19%	2%	11%	0%	0%	6%	2%	0%	0%	0%	0%	6%	0%
Average Percent		1%	26%	9%	1%	5%	0%	0%	3%	1%	0%	0%	0%	0%	3%	0%



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-95 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	8442
WEEKEND ADT:	11304

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694222
 Location: I-95 NB Exit Ramp to I-26 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	102	177	116	113	123	135	106	83	95	0	0	0	0	0	0	0	0	0
1:00 AM	101	122	109	110	124	114	115	77	96	0	0	0	0	0	0	0	0	0
2:00 AM	87	113	112	133	139	119	109	82	96	0	0	0	0	0	0	0	0	0
3:00 AM	140	118	158	140	143	139	134	93	114	0	0	0	0	0	0	0	0	0
4:00 AM	181	153	187	201	220	180	150	90	120	0	0	0	0	0	0	0	0	0
5:00 AM	255	166	239	256	264	220	236	150	193	0	0	0	0	0	0	0	0	0
6:00 AM	355	265	345	331	362	314	351	257	304	0	0	0	0	0	0	0	0	0
7:00 AM	492	321	433	422	503	392	477	433	455	0	0	0	0	0	0	0	0	0
8:00 AM	629	473	426	508	567	469	634	635	635	0	0	0	0	0	0	0	0	0
9:00 AM	690	567	528	470	711	522	713	863	788	0	0	0	0	0	0	0	0	0
10:00 AM	451	659	601	445	723	568	862	1,134	998	0	0	0	0	0	0	0	0	0
11:00 AM	674	659	600	357	742	539	776	1,179	978	0	0	0	0	0	0	0	0	0
12:00 PM	1,023	649	610	357	844	539	784	1,137	961	0	0	0	0	0	0	0	0	0
1:00 PM	1,057	721	627	340	819	563	775	998	887	0	0	0	0	0	0	0	0	0
2:00 PM	936	681	607	339	769	542	842	1,110	976	0	0	0	0	0	0	0	0	0
3:00 PM	806	655	548	448	691	550	715	1,069	892	0	0	0	0	0	0	0	0	0
4:00 PM	705	620	488	553	698	554	629	625	627	0	0	0	0	0	0	0	0	0
5:00 PM	343	532	446	417	633	465	518	486	502	0	0	0	0	0	0	0	0	0
6:00 PM	357	447	331	360	547	379	445	403	424	0	0	0	0	0	0	0	0	0
7:00 PM	325	291	289	318	403	299	336	278	307	0	0	0	0	0	0	0	0	0
8:00 PM	335	305	259	282	334	282	253	351	302	0	0	0	0	0	0	0	0	0
9:00 PM	282	240	196	249	251	228	246	317	282	0	0	0	0	0	0	0	0	0
10:00 PM	198	203	141	203	206	182	142	198	170	0	0	0	0	0	0	0	0	0
11:00 PM	0	157	118	165	154	147	87	124	106	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	164	393	2,489	13,584	21,767	18,748	4,725	214	5	0	0	0	0	0	0	62,089
Percent		0%	1%	4%	22%	35%	30%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Average Percent		0%	0%	2%	11%	18%	15%	4%	0%	0%	0%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	185	31,492	8,447	1,247	2,231	578	14	3,277	10,562	754	691	379	660	1,572	62,089
Percent		0%	51%	14%	2%	4%	1%	0%	5%	17%	1%	1%	1%	1%	3%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Average Percent		0%	25%	7%	1%	2%	0%	0%	3%	9%	1%	1%	0%	1%	1%	

Division: N/A

Speed Limit: N/A

Contractor: DAD N ASSOCIATES LLC



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	4834
WEEKEND ADT:	5026

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694223
 Location: 15694223 - I-26 NB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	31	36	22	32	20	30	25	26	26	0	0	0	0	0	0	0	0	0
1:00 AM	35	30	29	25	23	28	34	19	27	0	0	0	0	0	0	0	0	0
2:00 AM	37	28	42	27	37	32	30	27	29	0	0	0	0	0	0	0	0	0
3:00 AM	73	27	58	65	61	50	36	27	32	0	0	0	0	0	0	0	0	0
4:00 AM	109	63	96	94	107	84	97	52	75	0	0	0	0	0	0	0	0	0
5:00 AM	218	99	169	196	196	155	157	127	142	0	0	0	0	0	0	0	0	0
6:00 AM	278	180	258	228	238	222	220	167	194	0	0	0	0	0	0	0	0	0
7:00 AM	309	258	268	242	297	256	277	261	269	0	0	0	0	0	0	0	0	0
8:00 AM	359	254	267	296	338	272	335	314	325	0	0	0	0	0	0	0	0	0
9:00 AM	349	310	283	319	394	304	334	473	404	0	0	0	0	0	0	0	0	0
10:00 AM	312	268	267	359	383	298	343	408	376	0	0	0	0	0	0	0	0	0
11:00 AM	291	296	305	474	390	358	303	450	377	0	0	0	0	0	0	0	0	0
12:00 PM	283	280	299	434	406	338	268	392	330	0	0	0	0	0	0	0	0	0
1:00 PM	310	282	317	553	452	384	256	444	350	0	0	0	0	0	0	0	0	0
2:00 PM	345	320	376	531	505	409	258	381	320	0	0	0	0	0	0	0	0	0
3:00 PM	355	306	375	501	476	394	238	414	326	0	0	0	0	0	0	0	0	0
4:00 PM	315	364	316	452	446	377	262	642	452	0	0	0	0	0	0	0	0	0
5:00 PM	284	300	228	272	340	267	202	318	260	0	0	0	0	0	0	0	0	0
6:00 PM	262	231	159	191	255	194	152	308	230	0	0	0	0	0	0	0	0	0
7:00 PM	151	147	105	142	164	131	151	284	218	0	0	0	0	0	0	0	0	0
8:00 PM	84	102	74	96	114	91	109	109	109	0	0	0	0	0	0	0	0	0
9:00 PM	53	63	57	50	90	57	87	74	81	0	0	0	0	0	0	0	0	0
10:00 PM	41	76	67	50	89	64	60	32	46	0	0	0	0	0	0	0	0	0
11:00 PM	0	53	31	31	55	38	41	27	34	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	164	1	2	6	27	64	339	1,126	2,842	5,633	8,122	6,944	3,164	983	29,690
Percent	NB	1%	0%	0%	0%	0%	0%	1%	4%	10%	19%	27%	23%	11%	3%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	0%	0%	0%	0%	0%	1%	2%	5%	9%	14%	12%	5%	2%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	55	17,683	5,417	448	2,047	277	7	716	2,734	79	33	34	9	151	29,690
Percent	NB	0%	60%	18%	2%	7%	1%	0%	2%	9%	0%	0%	0%	0%	1%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	30%	9%	1%	3%	0%	0%	1%	5%	0%	0%	0%	0%	0%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1047
WEEKEND ADT:	1002

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694223
 Location: I-26 NB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	7	8	7	12	11	9	10	11	11	0	0	0	0	0	0	0	0	0
1:00 AM	14	8	9	7	13	8	6	9	8	0	0	0	0	0	0	0	0	0
2:00 AM	9	11	7	9	11	9	16	9	13	0	0	0	0	0	0	0	0	0
3:00 AM	23	14	13	17	21	15	16	9	13	0	0	0	0	0	0	0	0	0
4:00 AM	25	14	19	20	20	18	22	10	16	0	0	0	0	0	0	0	0	0
5:00 AM	49	16	36	34	33	29	29	32	31	0	0	0	0	0	0	0	0	0
6:00 AM	72	36	50	56	69	47	55	31	43	0	0	0	0	0	0	0	0	0
7:00 AM	74	57	59	60	81	59	55	50	53	0	0	0	0	0	0	0	0	0
8:00 AM	104	69	67	73	91	70	67	69	68	0	0	0	0	0	0	0	0	0
9:00 AM	87	50	67	55	104	57	76	69	73	0	0	0	0	0	0	0	0	0
10:00 AM	63	66	65	64	106	65	93	65	79	0	0	0	0	0	0	0	0	0
11:00 AM	76	55	52	84	96	64	100	75	88	0	0	0	0	0	0	0	0	0
12:00 PM	93	48	65	55	99	56	51	70	61	0	0	0	0	0	0	0	0	0
1:00 PM	55	69	65	79	100	71	50	69	60	0	0	0	0	0	0	0	0	0
2:00 PM	60	58	64	136	90	86	61	100	81	0	0	0	0	0	0	0	0	0
3:00 PM	75	67	66	97	100	77	42	81	62	0	0	0	0	0	0	0	0	0
4:00 PM	63	70	84	112	96	89	53	59	56	0	0	0	0	0	0	0	0	0
5:00 PM	59	79	67	60	82	69	50	47	49	0	0	0	0	0	0	0	0	0
6:00 PM	42	55	40	48	58	48	40	33	37	0	0	0	0	0	0	0	0	0
7:00 PM	31	30	30	20	41	27	31	36	34	0	0	0	0	0	0	0	0	0
8:00 PM	17	30	22	36	34	29	28	23	26	0	0	0	0	0	0	0	0	0
9:00 PM	18	16	16	36	32	23	21	18	20	0	0	0	0	0	0	0	0	0
10:00 PM	10	13	7	23	15	14	24	13	19	0	0	0	0	0	0	0	0	0
11:00 PM	0	11	11	10	5	11	13	7	10	0	0	0	0	0	0	0	0	0

SPEED																
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	24	13	181	1,120	2,633	2,290	220	5	0	0	0	0	0	0	6,486
Percent	NB	0%	0%	3%	17%	41%	35%	3%	0%	0%	0%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	0%	1%	9%	20%	18%	2%	0%	0%	0%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	23	3,740	1,193	115	281	95	3	184	775	19	18	7	13	20	6,486
Percent	NB	0%	58%	18%	2%	4%	1%	0%	3%	12%	0%	0%	0%	0%	0%	
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	29%	9%	1%	2%	1%	0%	1%	6%	0%	0%	0%	0%	0%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	235
WEEKEND ADT:	307

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694225
 Location: I-26 SB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	1	2	3	1	3	2	3	8	6
1:00 AM	0	0	0	0	0	0	0	0	0	2	4	2	1	3	2	3	7	5
2:00 AM	0	0	0	0	0	0	0	0	0	5	1	0	5	2	2	3	3	3
3:00 AM	0	0	0	0	0	0	0	0	0	3	4	2	3	5	3	6	5	6
4:00 AM	0	0	0	0	0	0	0	0	0	4	3	1	2	6	2	5	3	4
5:00 AM	0	0	0	0	0	0	0	0	0	3	3	3	5	6	4	6	5	6
6:00 AM	0	0	0	0	0	0	0	0	0	5	5	7	7	2	6	6	10	8
7:00 AM	0	0	0	0	0	0	0	0	0	8	8	6	12	11	9	11	9	10
8:00 AM	0	0	0	0	0	0	0	0	0	17	9	8	22	11	13	15	14	15
9:00 AM	0	0	0	0	0	0	0	0	0	15	17	17	19	25	18	24	24	24
10:00 AM	0	0	0	0	0	0	0	0	0	20	16	13	11	31	13	25	19	22
11:00 AM	0	0	0	0	0	0	0	0	0	21	13	14	17	32	15	33	20	27
12:00 PM	0	0	0	0	0	0	0	0	0	25	13	14	18	26	15	38	21	30
1:00 PM	0	0	0	0	0	0	0	0	0	23	15	12	16	25	14	12	27	20
2:00 PM	0	0	0	0	0	0	0	0	0	22	10	19	19	37	16	18	27	23
3:00 PM	0	0	0	0	0	0	0	0	0	17	23	20	10	27	18	16	21	19
4:00 PM	0	0	0	0	0	0	0	0	0	20	12	11	13	21	12	13	12	13
5:00 PM	0	0	0	0	0	0	0	0	0	16	19	20	22	18	20	16	20	18
6:00 PM	0	0	0	0	0	0	0	0	0	8	13	13	12	19	13	8	24	16
7:00 PM	0	0	0	0	0	0	0	0	0	12	6	11	16	16	11	11	13	12
8:00 PM	0	0	0	0	0	0	0	0	0	14	2	10	10	10	7	7	9	8
9:00 PM	0	0	0	0	0	0	0	0	0	11	2	9	12	8	8	10	6	8
10:00 PM	0	0	0	0	0	0	0	0	0	3	3	2	18	14	8	5	6	6
11:00 PM	0	0	0	0	0	0	0	0	0	7	2	2	11	4	5	5	1	3

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	15	1	27	242	666	816	185	10	1	0	0	0	0	0	1,963
Percent	SB	1%	0%	1%	12%	34%	42%	9%	1%	0%	0%	0%	0%	0%	0%	0%
Average Percent		0%	0%	1%	6%	17%	21%	5%	0%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	6	1,249	352	29	68	17	1	58	162	3	1	0	2	15	1,963
Percent	SB	0%	64%	18%	1%	3%	1%	0%	3%	8%	0%	0%	0%	0%	1%	0%
Average Percent		0%	32%	9%	1%	2%	0%	0%	1%	4%	0%	0%	0%	0%	0%	0%



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	560
WEEKEND ADT:	479

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694225
 Location: I-26 SB Exit Ramp to I-95 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	3	9	3	4	3	5	3	3	3
1:00 AM	0	0	0	0	0	0	0	0	0	5	2	4	6	4	4	4	4	4
2:00 AM	0	0	0	0	0	0	0	0	0	2	4	3	3	5	3	5	1	3
3:00 AM	0	0	0	0	0	0	0	0	0	4	9	4	9	6	7	6	5	6
4:00 AM	0	0	0	0	0	0	0	0	0	7	7	9	15	5	10	5	0	3
5:00 AM	0	0	0	0	0	0	0	0	0	10	18	21	20	15	20	15	5	10
6:00 AM	0	0	0	0	0	0	0	0	0	16	20	27	23	18	23	18	4	11
7:00 AM	0	0	0	0	0	0	0	0	0	24	34	26	37	31	32	31	4	18
8:00 AM	0	0	0	0	0	0	0	0	0	33	29	26	29	38	28	38	12	25
9:00 AM	0	0	0	0	0	0	0	0	0	32	27	39	30	31	32	31	19	25
10:00 AM	0	0	0	0	0	0	0	0	0	34	35	37	42	21	38	21	28	25
11:00 AM	0	0	0	0	0	0	0	0	0	48	38	32	61	40	44	40	33	37
12:00 PM	0	0	0	0	0	0	0	0	0	42	41	34	63	35	46	35	34	35
1:00 PM	0	0	0	0	0	0	0	0	0	36	31	29	41	41	34	41	31	36
2:00 PM	0	0	0	0	0	0	0	0	0	39	35	38	46	40	40	40	24	32
3:00 PM	0	0	0	0	0	0	0	0	0	41	36	37	41	47	38	47	31	39
4:00 PM	0	0	0	0	0	0	0	0	0	23	24	25	54	26	34	26	37	32
5:00 PM	0	0	0	0	0	0	0	0	0	38	38	39	34	51	37	51	25	38
6:00 PM	0	0	0	0	0	0	0	0	0	42	18	24	12	34	18	34	23	29
7:00 PM	0	0	0	0	0	0	0	0	0	17	23	17	12	18	17	18	23	21
8:00 PM	0	0	0	0	0	0	0	0	0	19	22	9	21	18	17	18	15	17
9:00 PM	0	0	0	0	0	0	0	0	0	12	11	8	16	28	12	28	7	18
10:00 PM	0	0	0	0	0	0	0	0	0	14	13	13	6	9	11	9	9	9
11:00 PM	0	0	0	0	0	0	0	0	0	8	16	6	5	3	9	13	3	8

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	78	14	17	33	115	377	676	843	643	263	60	8	1	0	3,128
Percent	SB	2%	0%	1%	1%	4%	12%	22%	27%	21%	8%	2%	0%	0%	0%	0%
Average Percent		1%	0%	0%	1%	2%	6%	11%	13%	10%	4%	1%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	17	1,455	452	48	93	35	14	69	742	25	4	1	3	64	3,022
Percent	SB	1%	48%	15%	2%	3%	1%	0%	2%	25%	1%	0%	0%	0%	2%	0%
Average Percent		0%	24%	7%	1%	2%	1%	0%	1%	12%	0%	0%	0%	0%	1%	0%



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	259
WEEKEND ADT:	246

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694228
 Location: I-26 SB Exit Ramp to US 15 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	2	2	8	4	4	5	8	7	8
1:00 AM	0	0	0	0	0	0	0	0	0	5	2	2	5	2	3	6	5	6
2:00 AM	0	0	0	0	0	0	0	0	0	4	4	0	0	1	1	4	1	3
3:00 AM	0	0	0	0	0	0	0	0	0	1	3	5	3	3	4	2	2	2
4:00 AM	0	0	0	0	0	0	0	0	0	5	3	3	0	3	2	2	2	2
5:00 AM	0	0	0	0	0	0	0	0	0	4	6	8	11	7	8	2	3	3
6:00 AM	0	0	0	0	0	0	0	0	0	2	10	11	11	14	11	2	7	5
7:00 AM	0	0	0	0	0	0	0	0	0	10	24	19	15	7	19	2	6	4
8:00 AM	0	0	0	0	0	0	0	0	0	20	10	16	17	11	14	8	6	7
9:00 AM	0	0	0	0	0	0	0	0	0	23	16	14	10	12	13	12	19	16
10:00 AM	0	0	0	0	0	0	0	0	0	18	19	26	20	16	22	13	18	16
11:00 AM	0	0	0	0	0	0	0	0	0	20	15	14	11	20	13	14	18	16
12:00 PM	0	0	0	0	0	0	0	0	0	10	18	18	10	19	15	17	18	18
1:00 PM	0	0	0	0	0	0	0	0	0	20	17	14	6	20	12	12	15	14
2:00 PM	0	0	0	0	0	0	0	0	0	29	18	17	10	24	15	25	17	21
3:00 PM	0	0	0	0	0	0	0	0	0	16	18	21	14	20	18	18	15	17
4:00 PM	0	0	0	0	0	0	0	0	0	16	15	18	13	20	15	13	18	16
5:00 PM	0	0	0	0	0	0	0	0	0	18	21	20	13	23	18	23	13	18
6:00 PM	0	0	0	0	0	0	0	0	0	20	9	15	15	24	13	13	8	11
7:00 PM	0	0	0	0	0	0	0	0	0	11	8	9	8	13	8	17	9	13
8:00 PM	0	0	0	0	0	0	0	0	0	8	10	12	5	14	9	17	11	14
9:00 PM	0	0	0	0	0	0	0	0	0	5	5	9	13	13	9	13	3	8
10:00 PM	0	0	0	0	0	0	0	0	0	8	4	7	6	11	6	8	7	8
11:00 PM	0	0	0	0	0	0	0	0	0	5	3	4	7	6	5	10	2	6

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	28	14	54	348	899	474	41	0	0	0	0	0	0	0	1,858
Percent	SB	2%	1%	3%	19%	48%	26%	2%	0%	0%	0%	0%	0%	0%	0%	0%
Average Percent		1%	0%	1%	9%	24%	13%	1%	0%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	5	1,064	373	42	117	11	4	57	155	1	0	1	0	28	1,858
Percent	SB	0%	57%	20%	2%	6%	1%	0%	3%	8%	0%	0%	0%	0%	2%	0%
Average Percent		0%	29%	10%	1%	3%	0%	0%	2%	4%	0%	0%	0%	0%	1%	0%



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	659
WEEKEND ADT:	424

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694229
 Location: I-26 NB Exit Ramp to US 15 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	6	6	3	7	1	5	6	9	8	0	0	0	0	0	0	0	0	0
1:00 AM	5	2	4	3	4	3	1	3	2	0	0	0	0	0	0	0	0	0
2:00 AM	5	6	9	7	4	7	1	2	2	0	0	0	0	0	0	0	0	0
3:00 AM	9	7	7	6	8	7	3	3	3	0	0	0	0	0	0	0	0	0
4:00 AM	12	7	15	8	7	10	2	2	2	0	0	0	0	0	0	0	0	0
5:00 AM	20	15	18	16	17	16	9	1	5	0	0	0	0	0	0	0	0	0
6:00 AM	22	13	27	25	19	22	15	6	11	0	0	0	0	0	0	0	0	0
7:00 AM	23	20	29	24	21	24	25	8	17	0	0	0	0	0	0	0	0	0
8:00 AM	28	26	27	27	27	27	17	23	20	0	0	0	0	0	0	0	0	0
9:00 AM	21	30	16	27	32	24	26	18	22	0	0	0	0	0	0	0	0	0
10:00 AM	33	37	39	41	35	39	25	23	24	0	0	0	0	0	0	0	0	0
11:00 AM	38	37	35	34	36	35	24	31	28	0	0	0	0	0	0	0	0	0
12:00 PM	38	38	39	46	48	41	31	35	33	0	0	0	0	0	0	0	0	0
1:00 PM	41	33	40	48	35	40	27	39	33	0	0	0	0	0	0	0	0	0
2:00 PM	49	50	57	57	56	55	34	26	30	0	0	0	0	0	0	0	0	0
3:00 PM	77	50	63	72	65	62	34	36	35	0	0	0	0	0	0	0	0	0
4:00 PM	67	68	61	75	69	68	27	45	36	0	0	0	0	0	0	0	0	0
5:00 PM	47	76	47	41	44	55	19	30	25	0	0	0	0	0	0	0	0	0
6:00 PM	26	52	32	33	33	39	27	26	27	0	0	0	0	0	0	0	0	0
7:00 PM	26	37	16	36	22	30	25	13	19	0	0	0	0	0	0	0	0	0
8:00 PM	15	23	15	9	25	16	20	12	16	0	0	0	0	0	0	0	0	0
9:00 PM	11	13	13	14	16	13	18	11	15	0	0	0	0	0	0	0	0	0
10:00 PM	10	11	9	7	11	9	13	9	11	0	0	0	0	0	0	0	0	0
11:00 PM	0	16	7	13	7	12	4	4	4	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	20	30	308	1,143	2,000	555	44	4	0	0	0	0	0	0		4,104
Percent		0%	1%	8%	28%	49%	14%	1%	0%	0%	0%	0%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	0%	4%	14%	24%	7%	1%	0%	0%	0%	0%	0%	0%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	8	2,260	869	44	168	88	0	58	546	29	2	2	8	22		4,104
Percent		0%	55%	21%	1%	4%	2%	0%	1%	13%	1%	0%	0%	0%	1%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	28%	11%	1%	2%	1%	0%	1%	7%	0%	0%	0%	0%	0%		



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	236
WEEKEND ADT:	238

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694230
 Location: I-26 NB Exit Ramp to US 15 NB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	2	3	2	2	1	2	3	1	2	0	0	0	0	0	0	0	0	0
1:00 AM	1	2	1	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0
2:00 AM	0	1	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
3:00 AM	1	2	1	0	1	1	3	2	3	0	0	0	0	0	0	0	0	0
4:00 AM	2	0	3	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0
5:00 AM	3	0	6	4	6	3	3	2	3	0	0	0	0	0	0	0	0	0
6:00 AM	7	3	8	6	8	6	5	3	4	0	0	0	0	0	0	0	0	0
7:00 AM	8	7	8	7	11	7	15	1	8	0	0	0	0	0	0	0	0	0
8:00 AM	18	9	13	11	8	11	15	14	15	0	0	0	0	0	0	0	0	0
9:00 AM	15	5	17	5	22	9	16	13	15	0	0	0	0	0	0	0	0	0
10:00 AM	16	13	10	16	17	13	17	9	13	0	0	0	0	0	0	0	0	0
11:00 AM	13	17	10	18	16	15	15	22	19	0	0	0	0	0	0	0	0	0
12:00 PM	12	12	17	25	33	18	26	20	23	0	0	0	0	0	0	0	0	0
1:00 PM	14	14	13	23	21	17	13	29	21	0	0	0	0	0	0	0	0	0
2:00 PM	21	22	24	16	20	21	15	16	16	0	0	0	0	0	0	0	0	0
3:00 PM	16	14	26	18	28	19	26	22	24	0	0	0	0	0	0	0	0	0
4:00 PM	30	35	25	35	30	32	18	24	21	0	0	0	0	0	0	0	0	0
5:00 PM	18	27	17	16	13	20	16	12	14	0	0	0	0	0	0	0	0	0
6:00 PM	10	14	15	11	10	13	17	6	12	0	0	0	0	0	0	0	0	0
7:00 PM	7	16	10	9	8	12	13	5	9	0	0	0	0	0	0	0	0	0
8:00 PM	6	3	6	5	6	5	9	5	7	0	0	0	0	0	0	0	0	0
9:00 PM	1	2	1	3	5	2	8	8	8	0	0	0	0	0	0	0	0	0
10:00 PM	7	6	4	2	3	4	3	0	2	0	0	0	0	0	0	0	0	0
11:00 PM	0	7	1	2	2	3	2	1	2	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	14	8	11	9	21	63	151	379	524	364	112	21	4	0		1,681
Percent	NB	1%	0%	1%	1%	1%	4%	9%	23%	31%	22%	7%	1%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	0%	0%	0%	1%	2%	4%	11%	16%	11%	3%	1%	0%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	9	1,081	389	10	106	10	3	18	43	3	0	0	0	9		1,681
Percent	NB	1%	64%	23%	1%	6%	1%	0%	1%	3%	0%	0%	0%	0%	1%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	32%	12%	0%	3%	0%	0%	1%	1%	0%	0%	0%	0%	0%		



Division: N/A
 County: Dorchester
 City: N/A
 On Road: US 15 NB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1452
WEEKEND ADT:	523

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694232
 Location: US 15 NB Exit Ramp to I-26 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	1	6	3	4	2	9	2	3	3	0	0	0	0	0	0	0	0	0
1:00 AM	4	2	2	5	4	4	3	4	4	0	0	0	0	0	0	0	0	0
2:00 AM	15	1	6	10	7	7	1	3	2	0	0	0	0	0	0	0	0	0
3:00 AM	21	7	26	34	26	33	10	2	6	0	0	0	0	0	0	0	0	0
4:00 AM	42	36	57	63	47	93	19	10	15	0	0	0	0	0	0	0	0	0
5:00 AM	78	44	79	75	74	123	21	7	14	0	0	0	0	0	0	0	0	0
6:00 AM	57	74	76	56	58	150	16	6	11	0	0	0	0	0	0	0	0	0
7:00 AM	49	59	49	43	49	108	34	11	23	0	0	0	0	0	0	0	0	0
8:00 AM	42	38	53	44	46	91	39	20	30	0	0	0	0	0	0	0	0	0
9:00 AM	40	40	36	44	35	76	36	33	35	0	0	0	0	0	0	0	0	0
10:00 AM	36	41	44	48	26	85	36	38	37	0	0	0	0	0	0	0	0	0
11:00 AM	49	41	42	75	51	83	42	42	42	0	0	0	0	0	0	0	0	0
12:00 PM	42	58	28	95	47	86	30	34	32	0	0	0	0	0	0	0	0	0
1:00 PM	37	38	29	116	45	67	38	27	33	0	0	0	0	0	0	0	0	0
2:00 PM	26	36	33	235	56	69	36	37	37	0	0	0	0	0	0	0	0	0
3:00 PM	29	33	35	60	39	68	35	46	41	0	0	0	0	0	0	0	0	0
4:00 PM	40	35	41	46	41	76	32	40	36	0	0	0	0	0	0	0	0	0
5:00 PM	41	32	30	23	31	62	30	37	34	0	0	0	0	0	0	0	0	0
6:00 PM	25	32	19	22	28	51	25	36	31	0	0	0	0	0	0	0	0	0
7:00 PM	26	22	6	18	17	28	8	41	25	0	0	0	0	0	0	0	0	0
8:00 PM	7	11	13	14	16	24	10	23	17	0	0	0	0	0	0	0	0	0
9:00 PM	13	15	12	8	10	27	10	9	10	0	0	0	0	0	0	0	0	0
10:00 PM	8	4	9	6	11	13	4	5	5	0	0	0	0	0	0	0	0	0
11:00 PM	0	13	6	5	4	19	10	4	7	0	0	0	0	0	0	0	0	0

SPEED																	
	DIRECTION	0-9.99	10-14.99	20-24.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99		TOTAL
Total	NB	15	10	3	17	111	373	728	1,260	1,063	350	58	9	1	0		3,998
Percent	NB	0%	0%	0%	0%	3%	9%	18%	32%	27%	9%	1%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	0%	0%	0%	1%	5%	9%	16%	13%	4%	1%	0%	0%	0%		

CLASS																	
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.		Total
Total	NB	12	2,259	898	51	173	59	0	59	455	16	4	0	1	11		3,998
Percent	NB	0%	57%	22%	1%	4%	1%	0%	1%	11%	0%	0%	0%	0%	0%		
Total	SB	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Percent	SB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%		
Average Percent		0%	28%	11%	1%	2%	1%	0%	1%	6%	0%	0%	0%	0%	0%		



Division: N/A
 County: Dorchester
 City: N/A
 On Road: US 15 SB Exit Ramp
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	168
WEEKEND ADT:	136

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694233
 Location: US 15 SB Exit Ramp to I-26 SB
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	3
1:00 AM	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	0	1
2:00 AM	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0
3:00 AM	0	0	0	0	0	0	0	0	0	0	3	4	2	3	4	1	0	1
4:00 AM	0	0	0	0	0	0	0	0	0	2	5	4	2	3	5	1	0	1
5:00 AM	0	0	0	0	0	0	0	0	0	0	11	12	11	9	12	2	3	3
6:00 AM	0	0	0	0	0	0	0	0	0	13	18	25	22	22	22	8	2	5
7:00 AM	0	0	0	0	0	0	0	0	0	18	18	16	15	10	17	7	3	5
8:00 AM	0	0	0	0	0	0	0	0	0	15	13	10	16	9	12	6	5	6
9:00 AM	0	0	0	0	0	0	0	0	0	10	12	14	8	11	13	10	10	10
10:00 AM	0	0	0	0	0	0	0	0	0	8	8	7	7	9	8	12	3	8
11:00 AM	0	0	0	0	0	0	0	0	0	9	3	7	95	8	5	7	5	6
12:00 PM	0	0	0	0	0	0	0	0	0	4	5	8	178	9	7	11	12	12
1:00 PM	0	0	0	0	0	0	0	0	0	8	12	9	258	10	11	10	6	8
2:00 PM	0	0	0	0	0	0	0	0	0	6	11	8	245	11	10	9	8	9
3:00 PM	0	0	0	0	0	0	0	0	0	7	10	12	282	9	11	7	8	8
4:00 PM	0	0	0	0	0	0	0	0	0	8	6	7	81	8	7	14	10	12
5:00 PM	0	0	0	0	0	0	0	0	0	5	5	7	7	4	6	8	9	9
6:00 PM	0	0	0	0	0	0	0	0	0	4	4	8	6	11	6	9	12	11
7:00 PM	0	0	0	0	0	0	0	0	0	4	1	10	5	5	6	5	5	5
8:00 PM	0	0	0	0	0	0	0	0	0	1	5	2	4	6	4	4	8	6
9:00 PM	0	0	0	0	0	0	0	0	0	4	2	2	2	6	2	7	4	6
10:00 PM	0	0	0	0	0	0	0	0	0	1	2	1	3	3	2	4	4	4
11:00 PM	0	0	0	0	0	0	0	0	0	1	2	4	0	0	3	7	0	4

SPEED																
	DIRECTION	0.0-9.99	10.0-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	SB	38	1	5	57	365	371	60	6	0	0	0	0	0	0	903
Percent	SB	4%	0%	1%	6%	40%	41%	7%	1%	0%	0%	0%	0%	0%	0%	0%
Average Percent		2%	0%	0%	3%	20%	21%	3%	0%	0%	0%	0%	0%	0%	0%	0%

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Percent	NB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
Total	SB	2	572	194	4	59	7	0	11	16	0	0	0	0	38	903
Percent	SB	0%	63%	21%	0%	7%	1%	0%	1%	2%	0%	0%	0%	0%	4%	0%
Average Percent		0%	32%	11%	0%	3%	0%	0%	1%	1%	0%	0%	0%	0%	2%	0%



Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 N of I-95
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	45496
WEEKEND ADT:	57378

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694235
 Location: I-26 N of I-95 Interchange
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB										SB							
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	183	305	205	208	224	239	215	205	210	379	245	291	306	372	268	413	336	375
1:00 AM	210	216	202	195	209	204	209	150	180	262	206	199	303	333	203	349	264	307
2:00 AM	203	206	248	250	294	235	178	131	155	232	195	217	280	293	206	274	202	238
3:00 AM	328	239	330	333	326	301	210	147	179	230	306	300	331	390	303	316	149	233
4:00 AM	486	340	441	433	506	405	328	196	262	261	404	430	446	510	417	317	172	245
5:00 AM	818	461	692	728	696	627	545	284	415	427	606	594	618	666	600	476	208	342
6:00 AM	1,095	726	1,053	1,056	1,077	945	911	526	719	685	965	975	1,061	962	970	623	335	479
7:00 AM	1,392	1,113	1,319	1,320	1,397	1251	1,332	963	1148	1,109	1,033	1,044	1,111	1,177	1039	850	542	696
8:00 AM	1,586	1,386	1,296	1,421	1,565	1368	1,821	1,486	1654	1,150	1,183	1,228	1,237	1,422	1206	1,307	846	1077
9:00 AM	1,797	1,390	1,480	1,094	1,905	1321	2,039	2,174	2107	1,352	1,401	1,389	1,586	1,790	1395	1,787	1,382	1585
10:00 AM	1,551	1,610	1,554	1,165	2,091	1443	2,127	2,642	2385	1,695	1,503	1,419	1,242	1,888	1461	2,338	1,822	2080
11:00 AM	1,573	1,674	1,589	1,429	2,128	1564	1,951	2,706	2329	1,748	1,517	1,416	1,162	2,239	1467	2,499	2,277	2388
12:00 PM	1,857	1,667	1,592	1,651	2,368	1637	1,913	2,726	2320	2,048	1,472	1,565	1,370	2,276	1519	2,485	2,346	2416
1:00 PM	1,942	1,697	1,659	1,676	2,575	1677	1,718	2,603	2161	1,892	1,486	1,522	1,049	2,619	1504	2,372	2,602	2487
2:00 PM	1,981	1,717	1,697	1,720	2,504	1711	1,866	2,469	2168	1,808	1,498	1,677	1,626	2,595	1588	2,238	2,679	2459
3:00 PM	1,720	1,746	1,633	1,697	2,472	1692	1,760	2,758	2259	1,705	1,563	1,494	1,691	2,876	1529	2,024	2,476	2250
4:00 PM	1,616	1,706	1,466	1,607	2,424	1593	1,658	1,902	1780	1,599	1,531	1,655	2,029	2,700	1593	1,917	2,297	2107
5:00 PM	1,200	1,487	1,145	1,458	1,969	1363	1,049	1,254	1152	1,412	1,303	1,501	1,689	2,595	1402	1,654	1,791	1723
6:00 PM	991	1,189	870	1,073	1,447	1044	1,156	1,383	1270	1,363	944	1,086	1,314	2,206	1015	1,054	2,054	1554
7:00 PM	841	776	623	838	1,015	746	982	1,110	1046	982	739	841	1,108	1,837	790	1,213	1,464	1339
8:00 PM	650	727	581	628	734	645	742	809	776	770	272	684	975	1,615	478	988	1,306	1147
9:00 PM	494	549	402	435	558	462	569	585	577	639	598	709	899	1,167	654	778	1,004	891
10:00 PM	365	396	308	379	435	361	393	414	404	507	434	451	821	922	443	678	596	637
11:00 PM	0	311	236	301	311	283	245	266	256	392	303	365	554	693	334	470	379	425

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	3	3	3	5	7	17	85	441	2,112	9,038	27,466	40,683	47,715	53,946	181,524
Percent		0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	SB	6	5	23	44	90	213	634	1,529	3,836	10,971	28,062	33,213	36,105	49,703	164,434
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		0%	0%	0%	0%	0%	0%	0%	0%	1%	2%	8%	11%	13%	15%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	0	132,491	0	0	9,243	0	0	0	36,152	0	0	0	3,638	0	181,524
Percent		0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Total	SB	6	5	23	44	90	213	634	1,529	3,836	10,971	28,062	33,213	36,105	49,703	164,434
Percent		0%	0%	0%	0%	0%	0%	0%	0%	1%	2%	7%	17%	20%	22%	
Average Percent		0%	0%	0%	0%	0%	0%	0%	0%	1%	3%	9%	10%	11%	15%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Vance Rd W of I-26 SB Ramps
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	2048
WEEKEND ADT:	2013

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694239
 Location: Vance Rd W of I-26 SB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	1	1	2	2	3	2	6	10	8	3	5	2	13	8	4	11	8	10
1:00 AM	4	3	4	5	1	4	9	2	6	5	3	4	6	2	4	7	11	9
2:00 AM	8	5	10	9	8	8	6	3	5	6	9	6	7	5	8	8	3	6
3:00 AM	35	9	26	24	21	20	5	7	6	1	6	13	3	3	10	7	1	4
4:00 AM	44	21	47	41	44	36	17	16	17	6	5	5	7	8	5	3	5	4
5:00 AM	71	41	64	84	62	63	20	8	14	15	13	11	12	14	12	7	8	8
6:00 AM	75	77	78	90	73	82	26	11	19	13	29	21	32	18	25	19	9	14
7:00 AM	58	60	56	74	65	63	38	25	32	30	35	46	60	39	41	28	10	19
8:00 AM	56	54	49	59	66	54	54	45	50	41	48	33	60	56	41	46	23	35
9:00 AM	48	52	44	65	54	54	55	52	54	46	41	43	54	59	42	95	42	69
10:00 AM	56	63	60	74	85	66	63	44	54	47	51	43	53	61	47	77	45	61
11:00 AM	64	54	49	118	66	74	72	75	74	54	43	56	158	82	50	77	55	66
12:00 PM	69	45	55	346	69	149	103	74	89	68	43	55	121	69	49	68	78	73
1:00 PM	55	53	63	268	73	128	103	75	89	62	55	64	118	62	60	72	72	72
2:00 PM	65	52	68	139	80	86	69	98	84	72	62	88	255	96	75	65	78	72
3:00 PM	51	47	56	87	112	63	67	84	76	62	73	71	399	91	72	80	68	74
4:00 PM	68	68	71	75	88	71	78	117	98	68	95	97	108	131	96	64	92	78
5:00 PM	36	58	42	46	62	49	70	70	70	71	81	101	85	92	91	57	262	160
6:00 PM	20	44	23	41	38	36	36	57	47	80	72	53	65	61	63	60	137	99
7:00 PM	14	16	19	25	25	20	24	22	23	53	33	30	49	38	32	40	44	42
8:00 PM	14	14	14	27	27	18	28	34	31	32	25	21	28	28	23	25	27	26
9:00 PM	9	13	6	14	21	11	18	13	16	24	11	18	38	34	15	18	27	23
10:00 PM	6	8	7	6	10	7	6	11	9	10	14	10	10	20	12	24	12	18
11:00 PM	0	7	7	4	11	6	5	6	6	9	5	9	8	15	7	11	3	7

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	EB	93	20	48	233	610	698	940	1,256	1,101	605	157	41	7	3	5,812
Percent	EB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	WB	98	15	71	174	623	1,043	1,346	1,358	784	252	50	5	3	1	5,823
Percent	WB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Average Percent		1%	0%	0%	2%	5%	6%	8%	11%	9%	5%	1%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	90	3,955	1,860	56	548	105	7	185	525	27	0	1	3	170	7,532
Percent	EB	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
Total	WB	98	15	71	174	623	1,043	1,346	1,358	784	252	50	5	3	1	5,823
Percent	WB	2%	0%	1%	3%	11%	18%	23%	23%	13%	4%	1%	0%	0%	0%	
Average Percent		1%	0%	1%	1%	5%	9%	12%	12%	7%	2%	0%	0%	0%	0%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Vance Rd E of I-26
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	1629
WEEKEND ADT:	1709

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694240
 Location: Vance Rd E of I-26 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	4	1	2	3	5	2	4	2	3	5	3	2	6	6	3	9	11	10
1:00 AM	0	5	0	4	0	3	4	5	5	7	4	4	5	5	4	4	5	5
2:00 AM	6	0	5	3	9	3	2	2	2	2	3	5	3	1	4	6	1	4
3:00 AM	11	4	6	10	7	7	5	6	6	0	4	4	5	13	4	6	6	6
4:00 AM	18	11	26	23	13	20	12	7	10	4	12	5	2	6	9	4	7	6
5:00 AM	38	16	36	51	31	34	20	9	15	19	18	13	23	14	16	13	6	10
6:00 AM	62	39	68	72	70	60	32	14	23	13	42	44	41	37	43	25	6	16
7:00 AM	58	75	47	63	49	62	34	30	32	39	45	45	52	52	45	32	13	23
8:00 AM	48	41	49	68	64	53	44	47	46	52	46	49	65	49	48	37	23	30
9:00 AM	42	57	49	57	62	54	50	58	54	57	51	45	62	62	48	59	41	50
10:00 AM	68	56	45	107	64	69	63	58	61	54	51	49	54	57	50	55	52	54
11:00 AM	67	56	55	75	50	62	76	88	82	54	68	48	83	58	58	48	55	52
12:00 PM	53	44	51	71	60	55	76	65	71	63	44	55	202	51	50	61	81	71
1:00 PM	59	61	56	108	69	75	54	66	60	66	53	47	361	59	50	58	77	68
2:00 PM	59	56	61	98	82	72	48	71	60	43	63	60	338	63	62	52	61	57
3:00 PM	56	58	56	64	81	59	50	152	101	74	67	62	170	89	65	55	67	61
4:00 PM	69	64	51	56	67	57	44	316	180	54	55	66	70	88	61	43	70	57
5:00 PM	34	52	47	42	44	47	49	59	54	57	57	56	62	59	57	51	60	56
6:00 PM	18	27	15	24	27	22	25	38	32	46	29	27	40	39	28	40	45	43
7:00 PM	19	30	16	22	27	23	29	17	23	39	27	17	25	29	22	30	43	37
8:00 PM	8	12	7	16	14	12	18	11	15	18	12	19	22	26	16	17	17	17
9:00 PM	8	9	8	9	7	9	5	13	9	15	5	10	17	22	8	17	11	14
10:00 PM	8	5	10	8	10	8	8	7	8	8	3	5	11	8	4	7	6	7
11:00 PM	0	5	7	2	9	5	10	6	8	7	6	11	5	7	9	10	5	8

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	EB	82	35	230	824	1,020	952	1,225	703	122	5	0	1	0	0	5,199
Percent	EB	2%	1%	4%	16%	20%	18%	24%	14%	2%	0%	0%	0%	0%	0%	
Total	WB	153	81	301	809	800	651	853	710	271	74	15	4	0	0	4,722
Percent	WB	3%	2%	6%	17%	17%	14%	18%	15%	6%	2%	0%	0%	0%	0%	
Average Percent		2%	1%	5%	16%	18%	16%	21%	14%	4%	1%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	36	3,095	1,135	15	218	176	9	104	327	10	0	1	2	71	5,199
Percent	EB	1%	60%	22%	0%	4%	3%	0%	2%	6%	0%	0%	0%	0%	1%	
Total	WB	61	2,621	1,036	22	261	136	6	90	336	9	0	0	2	142	4,722
Percent	WB	1%	56%	22%	0%	6%	3%	0%	2%	7%	0%	0%	0%	0%	3%	
Average Percent		1%	58%	22%	0%	5%	3%	0%	2%	7%	0%	0%	0%	0%	2%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Old State Rd W of I-95
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	3297
WEEKEND ADT:	3057

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694241
 Location: Old State Rd W of I-95 SB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	7	6	4	6	9	5	8	7	8	14	7	4	5	10	6	16	13	15
1:00 AM	5	4	4	8	8	5	3	7	5	5	6	5	10	5	6	7	8	8
2:00 AM	6	2	4	12	6	6	3	0	2	12	10	7	11	4	9	5	7	6
3:00 AM	15	5	21	22	22	16	6	3	5	7	8	14	12	16	11	9	4	7
4:00 AM	43	22	34	46	35	34	21	9	15	7	28	31	17	30	7	5	6	
5:00 AM	73	47	83	90	89	73	15	10	13	32	46	38	42	49	42	6	6	6
6:00 AM	118	83	135	137	151	118	38	20	29	44	62	71	77	61	67	36	17	27
7:00 AM	88	132	76	92	78	100	61	40	51	66	117	117	100	107	117	42	27	35
8:00 AM	88	90	79	79	76	83	83	106	95	132	110	89	101	111	100	79	43	61
9:00 AM	91	72	76	86	98	78	106	69	88	120	95	84	99	90	90	101	69	85
10:00 AM	85	84	77	114	95	92	101	106	104	95	95	75	88	112	85	97	65	81
11:00 AM	87	78	78	187	108	114	90	93	92	91	78	91	116	110	85	101	86	94
12:00 PM	93	101	81	219	114	134	96	77	87	83	92	88	148	121	90	74	125	100
1:00 PM	106	87	97	341	132	175	109	84	97	88	93	91	277	114	92	110	127	119
2:00 PM	109	97	97	243	138	146	94	106	100	100	110	109	219	130	110	107	122	115
3:00 PM	109	82	125	146	150	118	83	107	95	92	118	118	202	156	118	98	103	101
4:00 PM	109	117	140	146	139	134	96	232	164	127	123	136	162	177	130	91	132	112
5:00 PM	93	132	104	96	96	111	84	91	88	130	162	142	142	148	152	116	636	376
6:00 PM	52	88	53	65	58	69	58	72	65	151	103	86	96	102	95	77	336	207
7:00 PM	32	64	35	44	40	48	33	32	33	91	62	49	64	61	56	60	68	64
8:00 PM	27	35	19	36	38	30	39	29	34	72	36	39	38	42	38	37	41	39
9:00 PM	33	21	13	21	28	18	26	16	21	38	13	25	28	29	19	40	35	38
10:00 PM	30	16	13	19	35	16	27	19	23	20	17	12	17	29	15	37	14	26
11:00 PM	0	12	8	8	13	9	20	4	12	0	9	8	4	23	9	19	14	17

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	EB	342	27	47	102	216	329	607	1,294	2,050	1,909	1,226	484	149	42	8,824
Percent	EB	4%	0%	1%	1%	2%	4%	7%	15%	23%	22%	14%	5%	2%	0%	
Total	WB	196	26	65	132	346	403	808	1,811	2,707	2,094	970	351	86	29	10,031
Percent	WB	2%	0%	1%	1%	3%	4%	8%	18%	27%	21%	10%	3%	1%	0%	
Average Percent		3%	0%	1%	1%	3%	4%	7%	16%	25%	21%	12%	4%	1%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	105	4,508	2,135	80	1,015	94	20	257	271	7	2	0	0	343	8,837
Percent	EB	1%	51%	24%	1%	11%	1%	0%	3%	3%	0%	0%	0%	0%	4%	
Total	WB	86	5,374	2,433	100	1,005	68	6	219	511	17	1	2	7	202	10,031
Percent	WB	1%	54%	24%	1%	10%	1%	0%	2%	5%	0%	0%	0%	0%	2%	
Average Percent		1%	52%	24%	1%	11%	1%	0%	3%	4%	0%	0%	0%	0%	3%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Old State Rd
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	3458
WEEKEND ADT:	2452

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694242
 Location: Old State Rd E of I-95 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	4	7	4	5	11	5	8	12	10	13	4	2	2	10	3	13	9	11
1:00 AM	3	6	2	6	9	5	3	8	6	5	7	4	4	7	6	6	9	8
2:00 AM	5	3	2	6	4	4	4	1	3	8	10	9	11	6	10	3	9	6
3:00 AM	10	3	9	10	19	7	3	3	3	8	10	10	10	13	10	9	3	6
4:00 AM	25	9	25	36	26	23	17	7	12	11	26	33	26	15	30	5	2	4
5:00 AM	63	36	72	71	67	60	18	10	14	36	54	47	43	56	51	11	9	10
6:00 AM	117	64	117	126	133	102	40	18	29	54	72	88	84	60	80	36	13	25
7:00 AM	77	118	81	88	72	96	53	37	45	77	123	128	122	111	126	37	27	32
8:00 AM	90	89	81	81	70	84	77	102	90	135	106	86	102	121	96	76	40	58
9:00 AM	90	68	74	84	94	75	121	63	92	130	94	81	108	90	88	87	68	78
10:00 AM	98	93	76	147	96	105	101	96	99	86	87	81	97	106	84	92	63	78
11:00 AM	88	75	78	397	93	183	86	90	88	82	76	82	93	104	79	90	67	79
12:00 PM	100	100	86	391	118	192	92	61	77	76	97	77	107	114	87	76	111	94
1:00 PM	114	83	90	581	127	251	118	73	96	85	83	80	91	109	82	91	114	103
2:00 PM	113	98	101	405	139	201	96	116	106	99	115	89	99	105	102	100	119	110
3:00 PM	110	94	126	183	154	134	75	95	85	89	107	113	126	143	110	83	91	87
4:00 PM	127	119	141	147	153	136	90	114	102	123	113	121	146	164	117	85	115	100
5:00 PM	91	144	95	97	101	112	86	73	80	123	148	132	139	110	140	97	97	97
6:00 PM	39	84	52	59	58	65	64	62	63	129	81	78	92	86	80	73	88	81
7:00 PM	24	62	33	42	40	46	34	31	33	83	44	54	61	56	49	67	58	63
8:00 PM	20	37	15	33	42	28	34	25	30	55	32	29	35	28	31	35	43	39
9:00 PM	19	24	16	29	38	23	33	15	24	30	13	19	25	25	16	37	28	33
10:00 PM	18	15	11	21	38	16	29	19	24	16	15	15	13	27	15	35	12	24
11:00 PM	0	15	11	9	13	12	20	3	12	15	7	2	5	15	5	16	13	15

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	EB	298	8	42	94	189	434	904	1,779	2,389	1,535	591	145	29	10	8,447
Percent	EB	4%	0%	0%	1%	2%	5%	11%	21%	28%	18%	7%	2%	0%	0%	
Total	WB	181	21	33	34	100	246	765	1,871	2,455	1,727	816	325	97	25	8,702
Percent	WB	2%	0%	0%	0%	1%	3%	9%	22%	28%	20%	9%	4%	1%	0%	
Average Percent		3%	0%	0%	1%	2%	4%	10%	21%	28%	19%	8%	3%	1%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	150	5,076	1,910	55	372	151	28	164	239	5	0	0	2	296	8,448
Percent	EB	2%	60%	23%	1%	4%	2%	0%	2%	3%	0%	0%	0%	0%	4%	
Total	WB	84	4,871	2,248	80	494	61	9	170	484	12	0	0	4	185	8,702
Percent	WB	1%	56%	26%	1%	6%	1%	0%	2%	6%	0%	0%	0%	0%	2%	
Average Percent		1%	58%	24%	1%	5%	1%	0%	2%	4%	0%	0%	0%	0%	3%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: US 15 N of I-26 NB Ramps
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	2319
WEEKEND ADT:	1814

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694243
 Location: US 15 N of I-26 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	NB									SB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	5	9	3	10	3	7	11	9	10	4	6	3	8	5	5	13	11	12
1:00 AM	4	5	2	7	3	5	6	4	5	5	1	4	1	2	3	7	9	8
2:00 AM	4	3	8	5	5	5	5	4	5	3	3	4	3	5	4	2	5	4
3:00 AM	6	5	7	4	7	5	9	8	9	5	7	6	3	12	7	6	5	6
4:00 AM	12	7	21	15	13	14	9	5	7	3	15	17	15	9	16	8	5	7
5:00 AM	38	14	47	40	46	34	8	5	7	11	35	38	37	27	37	8	5	7
6:00 AM	96	33	102	84	72	73	17	13	15	44	60	63	65	60	62	20	11	16
7:00 AM	71	99	55	66	60	73	36	26	31	64	94	95	97	99	95	35	15	25
8:00 AM	49	54	54	44	62	51	44	50	47	94	76	64	75	73	70	41	23	32
9:00 AM	73	47	74	75	78	65	60	36	48	69	59	71	73	62	65	51	48	50
10:00 AM	54	65	52	84	84	67	93	72	83	60	55	54	75	69	55	65	54	60
11:00 AM	65	66	67	93	79	75	66	82	74	49	69	52	323	81	61	67	50	59
12:00 PM	81	69	83	119	100	90	83	70	77	63	51	65	563	90	58	62	85	74
1:00 PM	85	73	79	138	101	97	68	70	69	66	68	71	583	78	70	64	68	66
2:00 PM	94	89	115	130	129	111	59	79	69	59	90	83	697	79	87	67	75	71
3:00 PM	95	106	102	117	110	108	77	96	87	79	80	89	658	91	85	51	81	66
4:00 PM	105	111	101	138	110	117	73	68	71	81	79	76	195	79	78	66	81	74
5:00 PM	78	88	72	73	93	78	57	48	53	68	77	85	85	83	81	71	62	67
6:00 PM	62	77	56	58	49	64	52	38	45	83	40	64	61	62	52	46	58	52
7:00 PM	26	37	32	39	49	36	43	55	49	39	25	37	42	45	31	47	37	42
8:00 PM	27	28	21	29	33	26	33	29	31	39	25	28	15	42	27	44	35	40
9:00 PM	19	24	13	11	31	16	27	15	21	33	11	19	24	30	15	30	21	26
10:00 PM	15	14	14	17	18	15	12	6	9	16	6	11	10	26	9	19	10	15
11:00 PM	0	10	7	8	14	8	13	8	11	12	10	14	7	9	12	22	4	13

SPEED																
	DIRECTION	1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	TOTAL
Total	NB	324	6	6	30	70	126	366	897	1,658	1,623	1,059	371	117	49	6,702
Percent	NB	5%	0%	0%	0%	1%	2%	5%	13%	25%	24%	16%	6%	2%	1%	
Total	SB	125	7	13	17	29	111	473	1,188	1,751	1,469	685	230	66	30	6,194
Percent	SB	2%	0%	0%	0%	0%	2%	8%	19%	28%	24%	11%	4%	1%	0%	
Average Percent		3%	0%	0%	0%	1%	2%	7%	16%	27%	24%	13%	5%	1%	1%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	NB	67	2,898	1,614	99	1,113	49	8	348	177	5	0	0	2	322	6,702
Percent	NB	1%	43%	24%	1%	17%	1%	0%	5%	3%	0%	0%	0%	0%	5%	
Total	SB	74	3,072	1,467	72	771	38	8	200	369	4	2	0	0	117	6,194
Percent	SB	1%	50%	24%	1%	12%	1%	0%	3%	6%	0%	0%	0%	0%	2%	
Average Percent		1%	46%	24%	1%	15%	1%	0%	4%	4%	0%	0%	0%	0%	3%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Charleston Hwy
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	3842
WEEKEND ADT:	3190

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694245
 Location: Charleston Hwy W of I-95 SB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	6	13	9	7	11	10	9	13	11	18	13	14	23	23	14	24	20	22
1:00 AM	9	5	9	9	12	8	9	6	8	10	8	15	7	9	12	14	17	16
2:00 AM	15	4	11	21	16	12	12	8	10	7	10	5	9	11	8	13	13	13
3:00 AM	31	14	27	33	32	25	16	8	12	4	7	10	18	9	9	14	11	13
4:00 AM	46	27	61	62	54	50	26	9	18	4	9	12	11	10	11	12	4	8
5:00 AM	88	52	98	94	95	81	45	20	33	10	22	12	24	23	17	17	6	12
6:00 AM	118	100	103	151	146	118	76	38	57	16	34	34	31	33	34	21	13	17
7:00 AM	86	109	90	107	87	102	78	42	60	27	88	75	84	92	82	39	25	32
8:00 AM	93	99	97	103	106	100	111	54	83	79	71	80	110	78	76	81	60	71
9:00 AM	98	82	76	102	77	87	109	93	101	70	78	57	91	95	68	89	63	76
10:00 AM	95	80	81	185	104	115	107	119	113	91	67	79	107	99	73	103	70	87
11:00 AM	88	80	105	520	105	235	116	90	103	84	99	81	258	97	90	94	94	94
12:00 PM	118	108	99	501	113	236	98	104	101	96	118	107	271	119	113	103	100	102
1:00 PM	91	99	94	618	110	270	108	85	97	105	95	90	217	110	93	100	96	98
2:00 PM	96	110	100	766	112	325	119	107	113	107	111	96	206	101	104	125	93	109
3:00 PM	102	91	103	171	134	122	117	100	109	104	147	131	264	140	139	95	92	94
4:00 PM	101	108	103	119	114	110	106	193	150	144	140	135	195	148	138	104	120	112
5:00 PM	73	106	66	106	96	93	97	97	97	118	142	129	220	148	136	110	313	212
6:00 PM	71	60	70	68	76	66	75	74	75	122	106	111	109	131	109	98	219	159
7:00 PM	33	52	41	58	65	50	49	60	55	162	67	70	73	91	69	80	141	111
8:00 PM	33	40	36	28	43	35	35	51	43	110	50	42	61	64	46	65	102	84
9:00 PM	14	29	27	47	32	34	45	29	37	64	32	36	42	65	34	56	62	59
10:00 PM	18	21	16	19	44	19	30	20	25	46	29	29	46	47	29	41	24	33
11:00 PM	0	16	19	23	13	19	25	23	24	24	23	25	22	39	24	44	18	31

SPEED																
	DIRECTION	1.00-10.99	11.00-15.99	16-20.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	EB	151	19	42	220	547	827	1,318	2,087	2,399	1,254	444	103	21	9	9,441
Percent		2%	0%	0%	2%	6%	9%	14%	22%	25%	13%	5%	1%	0%	0%	
Total	WB	166	25	77	238	676	1,204	1,623	2,236	2,102	1,027	293	68	22	1	9,761
Percent		2%	0%	1%	2%	7%	12%	17%	23%	22%	11%	3%	1%	0%	0%	
Average Percent		2%	0%	1%	2%	6%	11%	15%	23%	23%	12%	4%	1%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	115	5,475	2,158	59	420	82	231	154	570	22	1	1	3	151	9,442
Percent		1%	58%	23%	1%	4%	1%	2%	2%	6%	0%	0%	0%	0%	2%	
Total	WB	174	5,816	2,105	81	424	243	20	149	564	14	1	4	1	165	9,761
Percent		2%	60%	22%	1%	4%	2%	0%	2%	6%	0%	0%	0%	0%	2%	
Average Percent		2%	59%	22%	1%	4%	2%	1%	2%	6%	0%	0%	0%	0%	2%	



Division: N/A
 County: Dorchester
 City: N/A
 On Road: Charleston Hwy
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

WEEKDAY ADT:	4854
WEEKEND ADT:	3700

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694246
 Location: Charleston Hwy E of I-95 NB Ramps
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

Start Time	EB									WB								
	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak	Mon	Tue	Wed	Thu	Fri	Average Weekday Direction Hourly Peak	Sat	Sun	Average Weekend Direction Hourly Peak
12:00 AM	19	31	31	28	42	30	24	15	20	17	27	29	38	41	28	37	16	27
1:00 AM	11	28	22	23	34	24	29	14	22	19	25	22	20	37	24	23	22	23
2:00 AM	18	20	31	40	27	30	19	20	20	14	20	19	19	35	20	18	9	14
3:00 AM	40	36	51	40	51	42	21	13	17	8	20	24	36	29	22	21	16	19
4:00 AM	65	46	87	92	73	75	31	15	23	10	40	36	37	37	38	24	13	19
5:00 AM	96	60	100	101	99	87	57	32	45	21	58	57	53	53	58	29	19	24
6:00 AM	122	111	152	174	132	146	73	24	49	50	80	73	73	66	77	41	32	37
7:00 AM	99	122	107	95	95	108	90	47	69	74	124	150	114	120	137	87	35	61
8:00 AM	94	96	107	131	103	111	102	60	81	119	97	107	112	107	102	99	57	78
9:00 AM	107	97	100	152	95	116	95	103	99	100	106	92	116	103	99	122	73	98
10:00 AM	127	119	111	274	120	168	108	127	118	82	98	113	154	96	106	109	75	92
11:00 AM	120	141	142	378	155	220	128	113	121	94	129	121	252	130	125	101	123	112
12:00 PM	169	156	170	299	140	208	122	119	121	121	135	131	326	153	133	114	139	127
1:00 PM	146	149	147	367	157	221	144	117	131	134	121	130	319	136	124	105	111	108
2:00 PM	128	158	146	386	140	230	128	127	128	138	169	143	342	125	156	115	103	109
3:00 PM	144	121	162	281	165	188	123	128	126	148	159	163	294	164	161	97	119	108
4:00 PM	162	163	139	310	136	204	110	136	123	164	152	159	209	152	156	115	126	121
5:00 PM	262	152	116	145	108	138	110	181	146	129	154	145	142	181	150	115	136	126
6:00 PM	183	122	121	90	79	111	100	258	179	148	123	117	132	116	120	90	113	102
7:00 PM	110	106	73	84	91	88	88	238	163	132	86	92	95	102	89	79	94	87
8:00 PM	90	82	62	76	80	73	66	112	89	83	59	55	70	72	57	77	65	71
9:00 PM	65	53	60	55	49	56	63	53	58	72	39	52	62	59	46	63	57	60
10:00 PM	29	36	45	46	52	42	44	31	38	59	31	34	48	53	33	45	39	42
11:00 PM	0	47	41	40	39	43	26	34	30	49	37	37	26	36	37	46	17	32

SPEED																
	DIRECTION	1.00-10.99	11.00-15.99	16-20.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	TOTAL
Total	EB	1,100	1,457	3,304	2,126	1,381	1,206	1,075	902	506	160	63	12	2	1	13,295
Percent	EB	8%	11%	25%	16%	10%	9%	8%	7%	4%	1%	0%	0%	0%	0%	
Total	WB	709	1,224	3,077	2,019	1,115	866	1,100	967	500	158	38	10	3	0	11,787
Percent	WB	6%	10%	26%	17%	9%	7%	9%	8%	4%	1%	0%	0%	0%	0%	
Average Percent		7%	11%	25%	17%	10%	8%	9%	7%	4%	1%	0%	0%	0%	0%	

CLASS																
	DIRECTION	1	2	3	4	5	6	7	8	9	10	11	12	13	Und.	Total
Total	EB	1,380	5,228	1,933	170	494	1,249	159	256	1,404	36	70	25	4	887	13,295
Percent	EB	10%	39%	15%	1%	4%	9%	1%	2%	11%	0%	1%	0%	0%	7%	
Total	WB	175	5,108	1,813	223	341	371	31	352	2,612	66	90	19	17	569	11,787
Percent	WB	1%	43%	15%	2%	3%	3%	0%	3%	22%	1%	1%	0%	0%	5%	
Average Percent		6%	41%	15%	2%	3%	6%	1%	2%	16%	0%	1%	0%	0%	6%	

Appendix B 2022 EXISTING COLLECTED TRAVEL SPEEDS



Speed Data - 168 Hours (hour increments)

Division: N/A
 County: Dorchester
 City: N/A
 On Road: I-26 N of I-95
 Milepost: N/A

Speed Limit: N/A
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694235
 Location: I-26 N of I-95 Interchange
 RR Crossing No: N/A

Start Date: 3/1/22
 Start Time (24-hour clock): 0:00

SUMMARY

	<u>NB</u>	<u>SB</u>	<u>All Lanes</u>
Median Speed:	<u>72</u>	<u>71</u>	<u>72</u>
Mean Speed:	<u>71</u>	<u>70</u>	<u>71</u>
Pace Speed:	<u>66-75</u>	<u>66-75</u>	<u>66-75</u>
High Speed:	<u>75+</u>	<u>75+</u>	<u>75+</u>
Low Speed:	<u>55</u>	<u>55</u>	<u>55</u>
85th Percentile Speed:	<u>78</u>	<u>78</u>	<u>78</u>
% Vehicles above Speed Limit:	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>

Date	Start Time	NB														Total
		1.00-14.99	15.00-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	
3/1/22	0:00	0	0	0	0	0	0	0	0	12	27	87	63	55	61	305
3/1/22	1:00	1	1	0	1	1	0	0	8	8	22	67	39	44	24	216
3/1/22	2:00	0	0	0	0	0	0	0	1	6	13	42	57	46	41	206
3/1/22	3:00	0	0	0	0	0	0	0	1	2	7	52	60	66	51	239
3/1/22	4:00	0	0	0	0	0	0	0	2	10	34	66	94	74	60	340
3/1/22	5:00	0	0	0	0	0	0	0	1	11	35	82	124	110	98	461
3/1/22	6:00	0	0	0	1	0	0	0	2	14	38	95	171	195	210	726
3/1/22	7:00	0	0	0	0	0	0	0	1	15	40	143	219	284	411	1,113
3/1/22	8:00	0	0	0	0	0	0	0	1	12	67	181	324	356	445	1,386
3/1/22	9:00	0	0	0	0	0	0	0	1	17	80	215	389	368	320	1,390
3/1/22	10:00	0	0	0	0	0	0	0	4	14	77	285	456	462	312	1,610
3/1/22	11:00	0	0	0	0	0	0	1	4	24	127	395	447	459	217	1,674
3/1/22	12:00	0	0	0	1	0	0	0	9	27	124	311	444	447	304	1,667
3/1/22	13:00	0	0	0	0	0	2	1	2	25	112	364	461	439	291	1,697
3/1/22	14:00	0	0	0	0	1	0	0	3	28	103	325	512	448	297	1,717
3/1/22	15:00	0	0	0	0	0	0	9	23	38	147	349	454	415	311	1,746
3/1/22	16:00	0	0	0	0	0	0	1	0	15	90	292	451	467	390	1,706
3/1/22	17:00	0	0	1	0	0	0	0	5	13	91	300	369	349	359	1,487
3/1/22	18:00	0	0	0	0	0	0	0	1	9	71	218	301	268	321	1,189
3/1/22	19:00	0	0	0	0	0	0	0	1	17	57	141	188	184	188	776
3/1/22	20:00	0	0	0	0	0	0	7	1	10	24	83	100	121	381	727
3/1/22	21:00	0	0	0	0	0	0	0	4	6	49	117	147	112	114	549
3/1/22	22:00	0	0	0	0	0	0	0	2	7	38	78	101	83	87	396
3/1/22	23:00	0	0	0	0	0	0	0	0	6	28	80	77	67	53	311
3/2/22	0:00	0	0	0	0	0	2	2	4	7	28	65	60	53	38	259
3/2/22	1:00	0	0	0	0	0	0	0	1	3	16	49	58	47	31	205
3/2/22	2:00	0	0	0	0	0	0	0	1	5	19	49	58	43	27	202
3/2/22	3:00	0	0	0	0	0	0	0	2	7	18	55	65	64	37	248
3/2/22	4:00	0	0	0	0	0	0	0	3	7	23	68	87	84	58	330
3/2/22	5:00	0	0	0	0	0	0	1	2	9	35	82	127	110	75	441
3/2/22	6:00	0	0	0	1	0	0	0	1	12	41	122	157	181	177	692
3/2/22	7:00	0	0	0	0	0	0	0	1	13	37	143	197	295	367	1,053
3/2/22	8:00	0	0	0	0	0	0	0	2	20	70	202	288	320	417	1,319
3/2/22	9:00	0	0	0	0	0	0	1	2	7	57	182	292	381	374	1,296
3/2/22	10:00	0	0	0	0	0	0	0	3	8	66	277	403	417	306	1,480
3/2/22	11:00	0	0	0	0	0	0	0	2	12	89	288	428	398	337	1,554
3/2/22	12:00	0	0	0	0	0	1	0	1	11	121	294	434	424	303	1,589
3/2/22	13:00	0	0	0	0	1	0	0	1	26	104	330	461	400	269	1,592
3/2/22	14:00	0	0	0	0	0	0	0	0	22	99	332	420	445	341	1,659
3/2/22	15:00	0	0	0	0	0	0	1	9	12	79	263	413	508	412	1,697
3/2/22	16:00	0	0	0	0	0	0	1	5	15	74	263	413	446	416	1,633
3/2/22	17:00	2	0	0	0	0	2	12	52	118	155	321	323	285	196	1,466
3/2/22	18:00	0	0	1	0	0	0	0	3	15	100	295	338	256	137	1,145
3/2/22	19:00	0	0	0	0	0	0	4	3	13	54	146	212	202	236	870



Speed Data - 168 Hours (15-min increments)

Division: N/A
 County: Orangeburg
 City: Harleyville
 On Road: I-26
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694236
 Location: I-26 S of I-95 Interchange

RR Crossing No: N/A
 Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

SUMMARY

	<u>NB</u>	<u>SB</u>	<u>All Lanes</u>
Median Speed:	<u>69</u>	<u>70</u>	<u>70</u>
Mean Speed:	<u>69</u>	<u>70</u>	<u>69</u>
Pace Speed:	<u>66-75</u>	<u>66-75</u>	<u>66-75</u>
High Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
Low Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
85th Percentile Speed:	<u>73</u>	<u>73</u>	<u>73</u>
% Vehicles above Speed Limit:	<u>72.5</u>	<u>74.8</u>	<u>73.6</u>

Date	Start Time	NB														Total
		0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	
3/23/22	0:00	0	0	0	0	0	0	0	0	1	1	5	13	7	25	52
3/23/22	0:15	0	0	0	0	0	0	0	0	0	1	5	9	10	20	45
3/23/22	0:30	0	0	0	0	0	0	0	0	2	2	3	11	10	21	49
3/23/22	0:45	0	0	0	0	0	0	0	0	1	1	2	3	11	6	24
3/23/22	1:00	0	0	0	0	0	0	0	0	0	1	4	11	10	4	30
3/23/22	1:15	0	0	0	0	0	0	0	0	1	1	7	9	10	9	37
3/23/22	1:30	0	0	0	0	0	0	0	0	0	1	2	8	5	13	29
3/23/22	1:45	0	0	0	0	0	0	0	0	0	1	6	10	3	7	27
3/23/22	2:00	0	0	0	0	0	0	0	0	0	1	3	10	6	9	29
3/23/22	2:15	0	0	0	0	0	0	0	0	0	2	5	12	11	8	38
3/23/22	2:30	0	0	0	0	0	0	1	0	0	1	8	12	9	6	37
3/23/22	2:45	0	0	0	0	0	0	0	0	0	0	4	9	8	7	28
3/23/22	3:00	0	0	0	0	0	0	0	0	0	2	11	9	13	11	46
3/23/22	3:15	0	0	0	0	0	0	0	0	0	1	4	9	15	6	35
3/23/22	3:30	0	0	0	0	0	0	0	0	0	0	5	12	12	14	43
3/23/22	3:45	0	0	0	0	0	0	0	0	2	0	3	14	13	6	38
3/23/22	4:00	0	0	0	0	0	0	0	0	0	0	6	11	17	10	44



Speed Data - 168 Hours (15-min increments)

Division: N/A
 County: Orangeburg
 City: Bowman
 On Road: I-95 N of I-26 Interchange
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A

Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694237
 Location: I-95 N of I-26 Interchange

RR Crossing No: N/A
 Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

SUMMARY

	<u>NB</u>	<u>SB</u>	<u>All Lanes</u>
Median Speed:	<u>69</u>	<u>70</u>	<u>69</u>
Mean Speed:	<u>69</u>	<u>69</u>	<u>69</u>
Pace Speed:	<u>66-75</u>	<u>66-75</u>	<u>66-75</u>
High Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
Low Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
85th Percentile Speed:	<u>73</u>	<u>73</u>	<u>73</u>
% Vehicles above Speed Limit:	<u>75.4</u>	<u>77.5</u>	<u>76.4</u>

Date	Start Time	NB														Total
		0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	
3/23/22	0:00	0	0	0	0	0	0	1	0	1	4	5	12	9	18	50
3/23/22	0:15	0	0	0	0	0	0	0	0	0	0	1	12	10	23	46
3/23/22	0:30	0	0	0	0	0	0	0	0	0	1	5	20	13	17	56
3/23/22	0:45	0	0	0	0	0	0	0	0	0	0	6	18	11	22	57
3/23/22	1:00	0	0	0	0	0	0	0	0	0	0	10	12	14	8	44
3/23/22	1:15	0	0	0	0	0	0	0	0	0	1	5	12	9	13	40
3/23/22	1:30	0	0	0	0	0	0	0	1	0	1	3	15	6	12	38
3/23/22	1:45	0	0	0	0	0	0	0	0	1	0	3	15	10	12	41
3/23/22	2:00	0	0	0	0	0	0	0	0	1	1	6	10	5	9	32
3/23/22	2:15	0	0	0	0	0	0	0	0	1	0	4	2	5	14	26
3/23/22	2:30	0	0	0	0	0	0	0	0	1	3	5	11	17	21	58
3/23/22	2:45	0	0	0	0	0	0	1	0	0	4	6	8	7	7	33
3/23/22	3:00	0	0	0	0	0	0	0	0	0	1	10	6	13	13	43
3/23/22	3:15	0	0	0	0	0	0	0	0	0	0	1	6	7	16	30
3/23/22	3:30	0	0	0	0	0	0	0	0	0	0	3	10	16	8	37
3/23/22	3:45	0	0	0	0	0	0	0	0	0	1	4	13	11	9	38
3/23/22	4:00	0	0	0	0	0	0	0	0	0	1	9	13	12	9	44
3/23/22	4:15	0	0	0	0	0	0	0	0	0	0	8	14	15	18	55
3/23/22	4:30	0	0	0	0	0	0	0	2	1	0	7	11	12	12	45



Speed Data - 168 Hours (15-min increments)

Division: N/A
 County: Orangeburg
 City: Bowman
 On Road: I-95
 Milepost: N/A

Speed Limit: 70
 Advisory Speed: N/A


Contractor: DAD N ASSOCIATES LLC
 Count Number: 15694238
 Location: I-95 S of I-26 Interchange

RR Crossing No: N/A
 Start Date: 3/23/22
 Start Time (24-hour clock): 0:00

SUMMARY

	<u>NB</u>	<u>SB</u>	<u>All Lanes</u>
Median Speed:	<u>70</u>	<u>70</u>	<u>70</u>
Mean Speed:	<u>68</u>	<u>70</u>	<u>69</u>
Pace Speed:	<u>66-75</u>	<u>66-75</u>	<u>66-75</u>
High Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
Low Speed:	<u>n/a (radar)</u>	<u>n/a (radar)</u>	<u>n/a (radar)</u>
85th Percentile Speed:	<u>73</u>	<u>73</u>	<u>73</u>
% Vehicles above Speed Limit:	<u>72.8</u>	<u>72.8</u>	<u>72.8</u>

Date	Start Time	NB														Total
		0-14.99	15-19.99	20-24.99	25-29.99	30-34.99	35-39.99	40-44.99	45-49.99	50-54.99	55-59.99	60-64.99	65-69.99	70-74.99	75+	
3/23/22	0:00	0	0	0	0	0	0	0	0	0	1	4	14	24	28	71
3/23/22	0:15	0	0	0	0	0	0	0	0	2	2	3	12	17	14	50
3/23/22	0:30	0	0	0	0	0	0	0	1	1	0	1	15	18	40	76
3/23/22	0:45	0	0	0	0	0	0	0	0	1	3	9	17	21	20	71
3/23/22	1:00	0	0	0	0	2	1	1	0	4	4	9	15	24	8	68
3/23/22	1:15	0	0	0	0	0	0	0	1	0	1	1	9	24	24	60
3/23/22	1:30	0	0	0	0	0	0	0	0	0	1	2	11	22	28	64
3/23/22	1:45	0	0	0	0	0	0	0	0	1	0	9	16	24	23	73
3/23/22	2:00	0	0	0	0	1	0	0	0	0	1	3	13	27	19	64
3/23/22	2:15	0	0	0	0	0	0	0	1	3	3	4	22	25	22	80
3/23/22	2:30	0	0	0	0	0	0	0	0	0	0	4	15	32	24	75
3/23/22	2:45	0	0	0	0	0	0	0	0	1	0	1	13	25	29	69
3/23/22	3:00	0	0	0	0	0	0	0	0	0	1	4	12	29	28	74
3/23/22	3:15	0	0	0	0	0	0	0	0	0	2	3	21	28	40	94
3/23/22	3:30	0	0	0	0	0	0	0	0	0	2	11	22	36	39	110
3/23/22	3:45	0	0	0	0	0	0	0	0	0	1	6	14	41	46	108
3/23/22	4:00	0	0	0	0	0	0	0	0	1	4	4	24	41	46	120



I-26 at I-95 Interchange


Traffic Forecast

2022

Existing

Appendix D 2022 EXISTING OD MATRIX

	1	3	4	5	6	7	8	9	10	11	12	13	4570	4688	99140354	99140357	99141153	99141154	
1	0	0	0	0	1	0	0	0	0	0	0	66	84	0	0	104	0	0	255
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	38	0	0	0	0	29	34	0	78	0	29	15	0	0	1324	0	1054	2601
6	0	0	0	0	0	0	0	0	0	0	0	33	3	142	0	0	0	17	195
7	0	0	36	0	0	0	0	0	0	74	0	0	2	0	0	2	0	26	140
8	0	0	52	0	0	0	0	59	0	0	0	0	0	0	0	0	0	0	111
9	0	0	0	0	0	0	56	0	0	0	0	0	0	0	0	5	0	59	120
10	0	92	69	0	0	0	3	0	0	0	2	0	0	0	2	0	0	107	275
11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	11	0	40	0	0	0	5	0	0	0	0	0	0	1085	0	671	1812
13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4570	107	0	42	0	1	0	0	0	0	0	0	0	0	0	0	73	0	50	273
4688	0	0	21	0	0	0	0	0	0	0	0	0	0	0	0	81	0	0	102
99140354	143	1	1276	0	0	0	0	13	0	2	0	1055	0	34	0	0	0	169	2693
99140357	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
99141153	0	32	1085	0	80	0	0	55	0	104	0	626	134	0	0	57	0	0	2173
99141154	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sum	250	163	2592	0	122	0	85	164	0	263	0	1811	238	176	0	2733	0	2153	10750



Appendix E 2022 EXISTING RAW TRANSMODELER OUTPUT


Segment	AB Dir	BA Dir	Street	Narr	AB Flow	BA Flow	AB Avg	Spe	BA Avg	Spe	AB Std	Dev	BA Std	Dev	AB Density	BA Density
78126	NE		I-95 North	2691.867			69.38984		5.802744		25.12233					
78128	N		I-95 North	1912.8117			67.06387		6.452657		16.35697					
78124	NW		I-26 Westb	2580.35			67.95304		4.692631		25.80408					
78130	NW		I-26 Westb	2174.55			70.82942		4.852351		14.13539					
78119	SW		US 15 Sout	139.1833			43.55073		5.449544		2.693406					
78117	E		US 15 NB to	114.65			46.96593				2.970946					
78111	NW		I-26 Westb	2313.8			60.71336		14.17628		17.0568					
78074	SE		I-26 Eastbo	2159.333			69.79454		4.111376		19.3252					
78075	NW		I-26 Westb	2161.25			68.86454		8.430952		11.77317					
76157	SW		I-95 Southt	2760.267			68.58772		4.481861		25.29189					
76159	NE		I-95 Northt	2692.683			67.44381		9.472616		17.04147					
70276	E	NW	US 178 (Ch	271.8833	233.8	45.8082	46.24154	4.828113	5.152139	7.762967	6.6205					
76309	S		I-95 Southt	2191.23			66.42781		8.905796		19.43999					
76152	NE		I-95 Northt	2555.433			70.1513		4.812909		24.21371					
76153	NE		I-95 NB to l	140.1			30.39352		21.49009		5.835816					
76154	S		I-95 Southt	2588.867			66.86999		6.029286		24.48808					
78096	SE	NW	US 15 NB to	188	190.9667	30.12712	46.50358	16.78321	5.27443	5.934013	4.886342					
76158	SW		I-95 SB to l	145.0833			42.77423		6.857617		4.645052					
76308	N		I-95 Northt	2690.017			69.60218		4.413365		24.54533					
76156	S		US 178 to l	177.0167			40.53328		13.10425		6.891098					
76160	N		US 178 to l	151.8333			37.39787		14.82104		4.747952					
77356	SW		US 15 Sout	145.6833			50.05848		5.558884		4.820686					
77363	NE		US 15 Nort	157.65			42.56708				2.178471					
77364	N		I-26 WB to	31.81667			44.10551				0.618995					
77370	E		US 15 NB t	114.65							0					
78118	SW		US 15 Sout	277.3833			49.08973		6.35463		6.781378					
77372	SE		I-26 Eastbo	2059.717			65.45874		6.795586		20.43226					
78079	S		I-95 Southt	1804.2			71.44929		4.407376		16.29295					
77355	SW		US 15 Sout	272.8833			48.85637				5.526357					
77357	NW		I-26 Westb	2094.8			70.13819		6.765451		18.50672					
77358	W		US 15 SB t	36.18333			46.99555		7.755673		0.841760					
77359	SW		US 15 Sout	98.41667			45.5195				1.504039					
77361	S		I-26 WB to	100.6333			35.19114		6.813408		3.082889					
77366	NE		US 15 Nort	126.5333			47.78113		6.289737		1.575578					
77374	SE		I-26 Eastbo	2067.967			70.81231		4.64452		15.07165					
77375	SW		US 15 Sout	185.4			47.88652		5.784129		2.072525					
77376	S		I-26 EB to l	88.53333			44.14035		5.639213		2.09402					
77379	E		US 15 SB t	26.03333			35.92983				1.096952					
77360	NW		I-26 Westb	2209.433			67.30925		10.05304		14.24432					
77367	NW		US 15 NB t	76.9			38.34937		9.273154		2.485692					
77373	NE		I-26 EB to l	39.33333			32.8201				2.043002					
77377	SE		I-26 Eastbo	2086.2			68.31562		6.34147		10.58842					
68251	NE		US 15 Nort	208.8833			43.75404		4.571241		3.475631					
77354	SW		US 15 Sout	201.0167			44.47906		6.878535		3.253735					
77369	SE		I-26 Eastbo	2154.883			65.79021		9.137736		15.95775					
78075	SE		I-26 Eastbo	2195.5			66.43493		8.826096		14.4872					
76318	SW		I-95 Southt	1889.117			69.54179		4.006233		17.50471					
76315	N		I-95 Northt	1919.133			69.78418		4.29089		17.37892					
76166	SW		I-95 Southt	1872.75			68.32645		5.090299		16.50077					
76172	NW		I-26 Westb	1421.483			65.1502		11.7006		13.88036					
78102	NE		I-95 Northt	1741.033			69.95398		4.117029		16.54229					
78103	S		I-95 Southt	1901.233			70.26474		4.714817		18.04712					
78101	N		I-95 Northt	1901.667			67.35003		7.754589		17.60882					
76174	NE		I-26 WB to	706.0667			41.82593		5.864255		21.75303					
77402	E	W	SC 210 (Vai	88.75	107.8667	44.57429	41.16167	11.15384	18.43112	2.360648	3.200825					
78112	NW		I-26 Westb	2572			69.02255		3.873079		24.22683					
77403	NW		I-26 Westb	2517.2			68.7469		4.444785		22.07311					
77404	NW		I-26 WB to	31.35167			21.74108		18.7408		3.107823					
77405	SE		I-26 Eastbo	2530.367			67.97268		4.191933		23.7036					
77407	SE		SC 210 to l-	65.8			37.40691		5.649259		1.162025					
76161	SE		I-26 Eastbo	2625.15			66.63412		6.49633		15.97845					
76163	NW		I-26 Westb	2563.383			66.93645		8.00632		17.03971					
76313	NE		I-95 Northt	2691.233			67.37118		5.62157		25.37101					
76314	SW		I-95 Southt	2701.1			61.03044		10.11624		16.9298					
76311	SW		I-95 Southt	2763.033			69.46813		4.551698		26.25048					
76310	NE		I-95 Northt	2716.55			68.06426		3.575445		25.19989					
76178	NE		I-95 Northt	2454.1			61.94999		9.891719		25.77527					
76179	SE		I-26 Eastbo	1877.15			66.70777		7.939091		19.51882					
76183	N		I-26 NB to l	30.45			33.21599		7.402582		1.073953					
76185	SW		I-95 Southt	1356.15			67.65802		8.464987		14.8082					
76186	SW		I-26 EB to l	1319.883			40.03424		5.535724		42.84676					
76180	SE		I-95 NB to l	215.1			48.32547		9.795939		5.711447					
76162	NW		I-26 Westb	2770.433			45.02697		11.80944		26.12318					
64742	SW		I-95 Southt	2062.783			55.61333		15.92398		16.09511					
64745	SE		I-26 Eastbo	60.999883			60.92199		13.78263		16.5792					
75978	NE		I-95 Northt	2486.017			46.22865		18.48615		24.37984					
76168	NW		I-95 SB to l	39.56667			50.5824		5.51704		0.729915					
76169	SW		I-95 Southt	1844.717			66.52994		9.024729		17.64944					
76170	NW		I-26 Westb	2546.683			58.7563		10.23991		28.50477					
76171	S		I-26 WB to	195.3667			34.6846		12.57426		7.909911					
76176	NE		I-95 Northt	1162.383			68.38469		8.982997		11.08288					
76187	SE		I-26 Eastbo	1226.05			67.02831		8.460887		12.13035					
76189	SE		I-95 SB to l	709.2167			30.3528		10.1408		28.70333					
78084	SE		US 178 (Ch	248.6167	259.3333	34.02171	34.6499	10.59916	11.33567	10.56529	10.61791					
78085	E	NW	US 178 (Ch	256.1	237.3833	33.35948	37.95106	6.860056		7.076742	5.203908					
76177	NW		I-95 NB to l	1344.383			27.22404		7.979856		62.14554					

Mainline	Location	TM Segment ID	AB Avg Speed
I-26	I-26 EB West of SC 210	78076	70
I-26	I-26 EB West of I-26/I-95 Interchange	78105	67
I-26	I-26 EB East of I-26/I-95 Interchange	78074	70
I-26	I-26 EB East of US 15	78108	69
I-26	I-26 WB East of US 15	77362	71
I-26	I-26 WB East of I-26/I-95 Interchange	78110	70
I-26	I-26 WB West of I-26/I-95 Interchange	78112	69
I-26	I-26 WB West of SC 210	78113	69
I-95	I-95 NB South of US 178	76308	70
I-95	I-95 NB South of I-26/I-95 Interchange	76310	68
I-95	I-95 NB North of I-26/I-95 Interchange	76315	70
I-95	I-95 NB North of US 176	78102	70
I-95	I-95 SB North of US 176	78079	71
I-95	I-95 SB North of I-26/I-95 Interchange	76318	70
I-95	I-95 SB South of I-26/I-95 Interchange	76311	69
I-95	I-95 SB South of US 178	78098	68
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	76186	40
I-26/I-95	I-26 EB Loop On-Ramp from I-95 SB	76189	30
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	76183	33
I-26/I-95	I-26 EB On-Ramp from I-95 NB	76180	48
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	76174	42
I-26/I-95	I-26 WB Loop On-Ramp from I-95 NB	76177	27
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	76171	35
I-26/I-95	I-26 WB On-Ramp from I-95 SB	76168	51


Interstate Average Speeds			
	TransModeler	Collected Field Data	
I-26 Eastbound	69	70	
I-26 Westbound	70	70	
I-95 Northbound	69	69	
I-95 Southbound	70	70	

Collected Field Data		
Location	I-95 Northbound	I-95 Southbound
N of I-26	69	69
S of I-26	68	70



Location	I-26 Westbound (NB)	I-26 Eastbound (SB)
W of I-95 (N)	71	70
E of I-95 (S)	69	70





-10	1
-5	4
0	25
5	30
10	20
15	15
20	4
25	1



-10	0.5
-5	9.5
0	25
5	30
10	25
15	9.5
20	0.5




-10	1
-5	14
0	40
5	30
10	10
15	4
20	1



Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	Difference	% Difference	GEH Value	Individual Link Flow	Calibration Criteria 2?	Calibration Criteria 2	Calibration Criteria 3?	Calibration Criteria 3	Calibration Criteria 4?	Calibration Criteria 4	Calibration Criteria 5
I-26	I-26 EB West of SC 210	1	78076	2,602	2,582	(20)	-1%	0.4	1.0	yes	0.0					0.4
I-26	I-26 EB West of I-26/I-95 Interchange	2	78105	2,601	2,607	6	0%	0.1	1.0	yes	0.0					0.1
I-26	I-26 EB I-26 /I-95 Weave	61	64745	1,958	1,956	(2)	0%	0.0	1.0	yes	0.0					0.0
I-26	I-26 EB East of I-26/I-95 Interchange	3	78074	2,144	2,156	12	1%	0.3	1.0	yes	0.0					0.3
I-26	I-26 EB East of US 15	4	78108	2,158	2,139	(19)	-1%	0.4	1.0	yes	0.0					0.4
I-26	I-26 WB East of US 15	5	77362	2,173	2,157	(16)	-1%	0.4	1.0	yes	0.0					0.4
I-26	I-26 WB East of I-26/I-95 Interchange	6	78110	2,152	2,161	9	0%	0.2	1.0	yes	0.0					0.2
I-26	I-26 WB I-26 /I-95 Weave	62	76162	2,779	2,812	33	1%	0.6	1.0	yes	0.0					0.6
I-26	I-26 WB West of I-26/I-95 Interchange	7	78112	2,609	2,612	3	0%	0.1	1.0	yes	0.0					0.1
I-26	I-26 WB West of SC 210	8	78113	2,591	2,574	(17)	-1%	0.3	1.0	yes	0.0					0.3
I-95	I-95 NB South of US 178	17	76308	2,694	2,700	6	0%	0.1	1.0	yes	0.0					0.1
I-95	I-95 NB South of I-26/I-95 Interchange	18	76310	2,712	2,731	19	1%	0.4	1.0	yes	0.0					0.4
I-95	I-95 NB North of I-26/I-95 Interchange	19	76315	1,896	1,880	(16)	-1%	0.4	1.0	yes	0.0					0.4
I-95	I-95 NB North of US 176	20	78102	1,816	1,827	11	1%	0.2	1.0	yes	0.0					0.2
I-95	I-95 SB North of US 176	21	78079	1,812	1,826	14	1%	0.3	1.0	yes	0.0					0.3
I-95	I-95 SB North of I-26/I-95 Interchange	22	76318	1,894	1,880	(14)	-1%	0.3	1.0	yes	0.0					0.3
I-95	I-95 SB South of I-26/I-95 Interchange	23	76311	2,710	2,731	21	1%	0.4	1.0	yes	0.0					0.4
I-95	I-95 SB South of US 178	24	78098	2,733	2,740	7	0%	0.1	1.0	yes	0.0					0.1
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76186	1,342	1,365	23	2%	0.6	1.0	yes	0.0					0.6
I-26/I-95	I-26 EB On-Ramp from I-95 SB	10	76189	694	714	20	3%	0.7	1.0	yes	0.0					0.7
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	33	42	9	29%	1.5	0.8			yes	9.4			1.5
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	76180	222	242	20	9%	1.2	0.9			yes	19.6			1.3
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	76174	706	714	8	1%	0.3	1.0	yes	0.0					0.3
I-26/I-95	I-26 WB Loop On-Ramp from I-95 NB	14	76177	1,331	1,365	34	3%	0.9	1.0	yes	0.0					0.9
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	15	76171	201	242	41	21%	2.8	0.8			yes	41.4			2.8
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	33	42	9	27%	1.5	0.8			yes	9			1.5
SC 210	SC 210 NB North of I-26	25	77402	85	104	19	23%	2.0	0.8			yes	19.4			2.0
SC 210	SC 210 SB North of I-26	26	77402	111	115	4	4%	0.4	1.0			yes	4			0.4
SC 210	SC 210 NB South of I-26	27	78077	120	109	(11)	-9%	1.0	1.1			yes	10.8			1.0
SC 210	SC 210 SB South of I-26	28	78077	165	133	(32)	-19%	2.6	1.2			yes	32			2.6
SC 210	I-26 EB Off-Ramp to SC 210	31	77409	63	68	5	8%	0.6	0.9			yes	5			0.6
SC 210	I-26 EB On-Ramp from SC 210	30	77407	64	93	29	45%	3.2	0.7			yes	39			3.2
SC 210	I-26 WB Off-Ramp to SC 210	29	77404	72	101	29	41%	3.1	0.7			yes	29.2			3.1
SC 210	I-26 WB On-Ramp from SC 210	32	77411	52	63	11	21%	1.5	0.8			yes	11			1.5
US 15	US 15 SB North of I-26	35	77356	140	147	7	5%	0.6	1.0			yes	7			0.6
US 15	US 15 NB North of I-26	36	78115	162	160	(2)	-1%	0.2	1.0			yes	2.4			0.2
US 15	I-26 WB Off-Ramp to US 15 NB	37	77364	32	34	2	6%	0.3	0.9			yes	2			0.3
US 15	I-26 WB Loop On-Ramp from US 15 NB	38	77367	76	97	21	28%	2.2	0.8			yes	21.2			2.3
US 15	I-26 WB Loop Off-Ramp to US 15 SB	34	77361	104	110	6	6%	0.6	0.9			yes	6.2			0.6
US 15	I-26 WB On-Ramp from US 15 SB	33	77358	40	51	11	28%	1.6	0.8			yes	10.6			1.6
US 15	I-26 EB On-Ramp from US 15 NB	39	78117	107	108	1	1%	0.1	1.0			yes	1.4			0.1
US 15	I-26 EB Loop Off-Ramp to US 15 NB	40	77373	39	57	18	46%	2.6	0.7			yes	18			2.6
US 15	I-26 EB Off-Ramp to US 15 SB	41	77376	85	99	14	16%	1.4	0.9			yes	13.8			1.4
US 15	I-26 EB Loop On-Ramp from US 15 SB	42	77379	26	31	5	20%	1.0	0.8			yes	5.2			1.0
US 15	US 15 NB South of I-26	43	78078	275	274	(1)	0%	0.0	1.0			yes	0.8			0.0
US 15	US 15 SB South of I-26	44	78118	263	274	11	4%	0.7	1.0			yes	11.2			0.7
US 176	US 176 EB East of I-95	45	70329	177	194	17	10%	1.2	0.9			yes	17.2			1.3
US 176	US 176 WB East of I-95	46	70329	102	158	56	54%	4.9	0.6			yes	55.6			4.9
US 176	I-95 NB Off-Ramp to US 176	47	76192	117	96	(21)	-18%	2.1	1.2			yes	21.2			2.1
US 176	I-95 SB Off-Ramp to US 176	48	76197	40	43	3	8%	0.5	0.9			yes	3			0.5
US 176	I-95 NB On-Ramp from US 176	49	76199	33	43	10	31%	1.7	0.8			yes	10.2			1.7
US 176	I-95 SB On-Ramp from US 176	50	76195	125	97	(28)	-22%	2.6	1.3			yes	27.8			2.6
US 176	US 176 EB West of I-95	51	78093	194	205	11	6%	0.8	0.9			yes	10.8			0.8
US 176	US 176 WB West of I-95	52	78093	122	168	46	38%	3.8	0.7			yes	46			3.8
US 178	I-95 NB Off-Ramp to US 178	53	76153	143	164	21	15%	1.7	0.9			yes	21.4			1.7
US 178	US 178 EB West of I-95	54	70276	273	229	(44)	-16%	2.8	1.2			yes	44.2			2.8
US 178	US 178 WB West of I-95	55	70276	237	188	(49)	-21%	3.2	1.3			yes	48.6			3.2
US 178	I-95 SB On-Ramp from US 178	56	76156	177	184	7	4%	0.5	1.0			yes	6.6			0.5
US 178	I-95 SB Off-Ramp to US 178	57	76158	153	175	22	15%	1.7	0.9			yes	22.2			1.7
US 178	I-95 NB On-Ramp from US 178	58	76160	160	195	35	22%	2.6	0.8			yes	35.25			2.6
US 178	US 178 EB East of I-95	59	78097	251	264	13	5%	0.8	0.9			yes	13.25			0.8
US 178	US 178 WB East of I-95	60	78097	255	263	8	3%	0.5	1.0			yes	8			0.5
				Total	51,234	51,691										

FHWA Calibration Criteria		Metric	Met?
Sum of all link flows		1%	Met
Within 15%, for 700 veh/h < Flow < 2700 veh/h		100%	Met
Within 100 veh/h, for Flow < 700 veh/h		100%	Met
Within 400 veh/h, for Flow > 2700 veh/h		100%	Met
GEH Statistic < 5 for Individual Link Flows		100%	Met



Year	Country	Population (millions)	Population (thousands)	Population (millions)	Population (thousands)
1980	Algeria	14.2	14,200	14.2	14,200
1981	Algeria	14.3	14,300	14.3	14,300
1982	Algeria	14.4	14,400	14.4	14,400
1983	Algeria	14.5	14,500	14.5	14,500
1984	Algeria	14.6	14,600	14.6	14,600
1985	Algeria	14.7	14,700	14.7	14,700
1986	Algeria	14.8	14,800	14.8	14,800
1987	Algeria	14.9	14,900	14.9	14,900
1988	Algeria	15.0	15,000	15.0	15,000
1989	Algeria	15.1	15,100	15.1	15,100
1990	Algeria	15.2	15,200	15.2	15,200
1991	Algeria	15.3	15,300	15.3	15,300
1992	Algeria	15.4	15,400	15.4	15,400
1993	Algeria	15.5	15,500	15.5	15,500
1994	Algeria	15.6	15,600	15.6	15,600
1995	Algeria	15.7	15,700	15.7	15,700
1996	Algeria	15.8	15,800	15.8	15,800
1997	Algeria	15.9	15,900	15.9	15,900
1998	Algeria	16.0	16,000	16.0	16,000
1999	Algeria	16.1	16,100	16.1	16,100
2000	Algeria	16.2	16,200	16.2	16,200
2001	Algeria	16.3	16,300	16.3	16,300
2002	Algeria	16.4	16,400	16.4	16,400
2003	Algeria	16.5	16,500	16.5	16,500
2004	Algeria	16.6	16,600	16.6	16,600
2005	Algeria	16.7	16,700	16.7	16,700
2006	Algeria	16.8	16,800	16.8	16,800
2007	Algeria	16.9	16,900	16.9	16,900
2008	Algeria	17.0	17,000	17.0	17,000
2009	Algeria	17.1	17,100	17.1	17,100
2010	Algeria	17.2	17,200	17.2	17,200
2011	Algeria	17.3	17,300	17.3	17,300
2012	Algeria	17.4	17,400	17.4	17,400
2013	Algeria	17.5	17,500	17.5	17,500
2014	Algeria	17.6	17,600	17.6	17,600
2015	Algeria	17.7	17,700	17.7	17,700
2016	Algeria	17.8	17,800	17.8	17,800
2017	Algeria	17.9	17,900	17.9	17,900
2018	Algeria	18.0	18,000	18.0	18,000
2019	Algeria	18.1	18,100	18.1	18,100
2020	Algeria	18.2	18,200	18.2	18,200
2021	Algeria	18.3	18,300	18.3	18,300
2022	Algeria	18.4	18,400	18.4	18,400
2023	Algeria	18.5	18,500	18.5	18,500
2024	Algeria	18.6	18,600	18.6	18,600
2025	Algeria	18.7	18,700	18.7	18,700
2026	Algeria	18.8	18,800	18.8	18,800
2027	Algeria	18.9	18,900	18.9	18,900
2028	Algeria	19.0	19,000	19.0	19,000
2029	Algeria	19.1	19,100	19.1	19,100
2030	Algeria	19.2	19,200	19.2	19,200
2031	Algeria	19.3	19,300	19.3	19,300
2032	Algeria	19.4	19,400	19.4	19,400
2033	Algeria	19.5	19,500	19.5	19,500
2034	Algeria	19.6	19,600	19.6	19,600
2035	Algeria	19.7	19,700	19.7	19,700
2036	Algeria	19.8	19,800	19.8	19,800
2037	Algeria	19.9	19,900	19.9	19,900
2038	Algeria	20.0	20,000	20.0	20,000
2039	Algeria	20.1	20,100	20.1	20,100
2040	Algeria	20.2	20,200	20.2	20,200
2041	Algeria	20.3	20,300	20.3	20,300
2042	Algeria	20.4	20,400	20.4	20,400
2043	Algeria	20.5	20,500	20.5	20,500
2044	Algeria	20.6	20,600	20.6	20,600
2045	Algeria	20.7	20,700	20.7	20,700
2046	Algeria	20.8	20,800	20.8	20,800
2047	Algeria	20.9	20,900	20.9	20,900
2048	Algeria	21.0	21,000	21.0	21,000
2049	Algeria	21.1	21,100	21.1	21,100
2050	Algeria	21.2	21,200	21.2	21,200
2051	Algeria	21.3	21,300	21.3	21,300
2052	Algeria	21.4	21,400	21.4	21,400
2053	Algeria	21.5	21,500	21.5	21,500
2054	Algeria	21.6	21,600	21.6	21,600
2055	Algeria	21.7	21,700	21.7	21,700
2056	Algeria	21.8	21,800	21.8	21,800
2057	Algeria	21.9	21,900	21.9	21,900
2058	Algeria	22.0	22,000	22.0	22,000
2059	Algeria	22.1	22,100	22.1	22,100
2060	Algeria	22.2	22,200	22.2	22,200
2061	Algeria	22.3	22,300	22.3	22,300
2062	Algeria	22.4	22,400	22.4	22,400
2063	Algeria	22.5	22,500	22.5	22,500
2064	Algeria	22.6	22,600	22.6	22,600
2065	Algeria	22.7	22,700	22.7	22,700
2066	Algeria	22.8	22,800	22.8	22,800
2067	Algeria	22.9	22,900	22.9	22,900
2068	Algeria	23.0	23,000	23.0	23,000
2069	Algeria	23.1	23,100	23.1	23,100
2070	Algeria	23.2	23,200	23.2	23,200
2071	Algeria	23.3	23,300	23.3	23,300
2072	Algeria	23.4	23,400	23.4	23,400
2073	Algeria	23.5	23,500	23.5	23,500
2074	Algeria	23.6	23,600	23.6	23,600
2075	Algeria	23.7	23,700	23.7	23,700
2076	Algeria	23.8	23,800	23.8	23,800
2077	Algeria	23.9	23,900	23.9	23,900
2078	Algeria	24.0	24,000	24.0	24,000
2079	Algeria	24.1	24,100	24.1	24,100
2080	Algeria	24.2	24,200	24.2	24,200
2081	Algeria	24.3	24,300	24.3	24,300
2082	Algeria	24.4	24,400	24.4	24,400
2083	Algeria	24.5	24,500	24.5	24,500
2084	Algeria	24.6	24,600	24.6	24,600
2085	Algeria	24.7	24,700	24.7	24,700
2086	Algeria	24.8	24,800	24.8	24,800
2087	Algeria	24.9	24,900	24.9	24,900
2088	Algeria	25.0	25,000	25.0	25,000
2089	Algeria	25.1	25,100	25.1	25,100
2090	Algeria	25.2	25,200	25.2	25,200
2091	Algeria	25.3	25,300	25.3	25,300
2092	Algeria	25.4	25,400	25.4	25,400
2093	Algeria	25.5	25,500	25.5	25,500
2094	Algeria	25.6	25,600	25.6	25,600
2095	Algeria	25.7	25,700	25.7	25,700
2096	Algeria	25.8	25,800	25.8	25,800
2097	Algeria	25.9	25,900	25.9	25,900
2098	Algeria	26.0	26,000	26.0	26,000
2099	Algeria	26.1	26,100	26.1	26,100
2100	Algeria	26.2	26,200	26.2	26,200
2101	Algeria	26.3	26,300	26.3	26,300
2102	Algeria	26.4	26,400	26.4	26,400
2103	Algeria	26.5	26,500	26.5	26,500
2104	Algeria	26.6	26,600	26.6	26,600
2105	Algeria	26.7	26,700	26.7	26,700
2106	Algeria	26.8	26,800	26.8	26,800
2107	Algeria	26.9	26,900	26.9	26,900
2108	Algeria	27.0	27,000	27.0	27,000
2109	Algeria	27.1	27,100	27.1	27,100
2110	Algeria	27.2	27,200	27.2	27,200
2111	Algeria	27.3	27,300	27.3	27,300
2112	Algeria	27.4	27,400	27.4	27,400
2113	Algeria	27.5	27,500	27.5	27,500
2114	Algeria	27.6	27,600	27.6	27,600
2115	Algeria	27.7	27,700	27.7	27,700
2116	Algeria	27.8	27,800	27.8	27,800
2117	Algeria	27.9	27,900	27.9	27,900
2118	Algeria	28.0	28,000	28.0	28,000
2119	Algeria	28.1	28,100	28.1	28,100
2120	Algeria	28.2	28,200	28.2	28,200
2121	Algeria	28.3	28,300	28.3	28,300
2122	Algeria	28.4	28,400	28.4	28,400
2123	Algeria	28.5	28,500	28.5	28,500
2124	Algeria	28.6	28,600	28.6	28,600
2125	Algeria	28.7	28,700	28.7	28,700
2126	Algeria	28.8	28,800	28.8	28,800
2127	Algeria	28.9	28,900	28.9	28,900
2128	Algeria	29.0	29,000	29.0	29,000
2129	Algeria	29.1	29,100	29.1	29,100
2130	Algeria	29.2	29,200	29.2	29,200
2131	Algeria	29.3	29,300	29.3	29,300
2132	Algeria	29.4	29,400	29.4	29,400
2133	Algeria	29.5	29,500	29.5	29,500
2134	Algeria	29.6	29,600	29.6	29,600
2135	Algeria	29.7	29,700	29.7	29,700
2136	Algeria	29.8	29,800	29.8	29,800
2137	Algeria	29.9	29,900	29.9	29,900
2138	Algeria	30.0	30,000	30.0	30,000
2139	Algeria	30.1	30,100	30.1	30,100
2140	Algeria	30.2	30,200	30.2	30,200
2141	Algeria	30.3	30,300	30.3	30,300
2142	Algeria	30.4	30,400	30.4	30,400
2143	Algeria	30.5	30,500	30.5	30,500
2144	Algeria	30.6	30,600	30.6	30,600
2145	Algeria	30.7	30,700	30.7	30,700
2146	Algeria	30.8	30,800	30.8	30,800
2147	Algeria	30.9	30,900	30.9	30,900
2148	Algeria	31.0	31,000	31.0	31,000
2149	Algeria	31.1	31,100	31.1	31,100
2150	Algeria	31.2	31,200	31.2	31,200
2151	Algeria	31.3	31,300	31.3	31,300
2152	Algeria	31.4	31,400	31.4	31,400
2153	Algeria	31.5	31,500	31.5	31,500
2154	Algeria	31.6	31,600	31.6	31,600
2155	Algeria	31.7	31,700	31.7	31,700
2156	Algeria	31.8	31,800	31.8	31,800
2157	Algeria	31.9	31,900	31.9	31,900
2158	Algeria	32.0	32,000	32.0	32,000
2159	Algeria	32.1	32,100	32.1	32,100
2160	Algeria	32.2	32,200	32.2	32,200
2161	Algeria	32.3	32,300	32.3	32,300
2162	Algeria	32.4	32,400	32.4	32,400
2163	Algeria	32.5	32,500	32.5	32,500
2164	Algeria	32.6	32,600	32.6	32,600
2165	Algeria	32.7	32,700	32.7	32,700
2166	Algeria	32.8	32,800	32.8	32,800
2167	Algeria	32.9	32,900	32.9	32,900
2168	Algeria	33.0	33,000	33.0	33,000
2169	Algeria	33.1	33,100	33.1	33,100
2170	Algeria	33.2	33,200	33.2	33,200
2171	Algeria	33.3	33,300	33.3	33,300
2172	Algeria	33.4	33,400	33.4	33,400
2173	Algeria	33.5	33,500	33.5	33,500
2174	Algeria	33.6	33,600	33.6	33,600
2175	Algeria	33.7	33,700	33.7	33,700
2176	Algeria	33.8	33,800	33.8	33,800
2177	Algeria	33.9	33,900	33.9	33,900

Appendix C BALANCED 2022 MID-DAY PEAK HOUR TRAFFIC VOLUMES

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	23.89	C
	Off-Ramp to SC 210	78104	Diverge	23.38	C
	Between SC 210 Ramps	77405	Basic	23.91	C
	On-Ramp from SC 210	76161	Merge	23.18	C
	West of I-26/I-95 Interchange	78105	Basic	24.63	C
	Off-Ramp to I-95 SB	78131	Diverge	36.72	E
	Between Ramps	76187	Basic	12.31	B
	System-to-System Weave	64745	Weave	11.94	B
I-26 EB	Between Ramps	76179	Basic	18.88	C
	On-Ramp from I-95 NB	78073	Merge	18.11	B
	East of I-26/I-95 Interchange	78074	Basic	19.70	C
	Off-Ramp to US 15 SB	78107	Diverge	18.84	B
	Between Ramps	77374	Basic	16.97	B
	Weave to/from US 15	77377	Weave	8.40	A
	Between Ramps	77372	Basic	20.44	C
	On-Ramp from US 15 NB	77369	Merge	18.95	B
	East of US 15	78108	Basic	19.78	C
	East of US 15	77362	Basic	19.59	C
	Off-Ramp to US 15 NB	78130	Diverge	13.02	B
	Between Ramps	78123	Basic	19.19	C
	Weave to/from US 15	77360	Weave	9.38	A
	Between Ramps	77357	Basic	19.39	C
	On-Ramp from US 15 SB	78075	Merge	19.33	B
	East of I-26/I-95 Interchange	78110	Basic	19.77	C
	Off-Ramp to I-95 NB	78111	Diverge	19.89	B
I-26 WB	Between Ramps	76172	Basic	14.14	B
	System-to-System Weave	76162	Weave	27.30	C
	Between Ramps	76170	Basic	28.99	D
	On-Ramp from I-95 SB	76163	Merge	24.34	C
	West of I-26/I-95 Interchange	78112	Basic	24.19	C
	Off-Ramp to SC 210	78124	Diverge	29.06	D
	Between SC 210 Ramps	77403	Basic	24.45	C
	On-Ramp from SC 210	77410	Merge	22.61	C
	West of SC 210	78113	Basic	23.94	C
	South of US 178	76308	Basic	24.71	C
	I-26 NB Off-Ramp to US 178	78126	Diverge	30.11	D
	I-26 EB Between US 178 Ramps	76152	Basic	23.39	C
	I-26 EB On-Ramp from US 178	76159	Merge	25.10	C
	South of I-26/I-95 Interchange	76310	Basic	25.28	C
	Off-Ramp to I-26 EB	76313	Diverge	26.00	C
	Between Ramps	76178	Basic	24.94	C
I-95 NB	System-to-System Weave	75978	Weave	27.41	C
	Between Ramps	76176	Basic	11.40	B
	On-Ramp from I-26 WB	78099	Merge	17.68	B
	North of I-26/I-95 Interchange	76315	Basic	17.41	B
	Off-Ramp to US 176	78128	Diverge	19.08	B
	Between US 176 Ramps	76191	Basic	16.33	B
	On-Ramp from US 176	76198	Merge	15.59	B
	North of US 176	78102	Basic	16.51	B
	North of US 176	78079	Basic	16.18	B
	Off-Ramp to US 176	78127	Diverge	17.66	B
	Between US 176 Ramps	76193	Basic	15.91	B
	On-Ramp from US 176	76320	Merge	16.39	B
	North of I-26/I-95 Interchange	76318	Basic	17.31	B
	Off-Ramp to I-26 WB	76166	Diverge	16.76	B
	Between Ramps	76169	Basic	17.31	B
I-95 SB	System-to-System Weave	64742	Weave	16.38	B
	Between Ramps	76185	Basic	14.08	B
	On-Ramp from I-26 EB	76314	Merge	23.66	C
	South of I-26/I-95 Interchange	76311	Basic	25.51	C
	Off-Ramp to US 178	76157	Diverge	25.91	C
	Between U 178 Ramps	76154	Basic	24.63	C
	On-Ramp from US 178	76309	Merge	25.29	C
	South of US 178	78098	#N/A	25.38	C

should be diverge

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

Run	Node	Num Vehicles	Total Control Delay	Avg Control Delay	LOS	Control Type	Intersection
1	2	423	0.547669	4.661011	A	Stop	I-95 SB to US 176 Off-Ramp, US 176 to I-95 SB On-Ramp & US 176 (Old State Road)
1	14	600	0.369972	2.219831	A	Stop	I-95 NB to US 178 Off-Ramp, US 178 to I-95 NB On-Ramp & US 178 (Charleston Highway)
1	15	399	0.467084	4.214291	A	Stop	I-95 NB to US 176 Off-Ramp, US 176 to I-95 NB On-Ramp & US 176 (Old State Road)
1	99140260	612	0.841731	4.951357	A	Stop	I-95 SB to US 178 Off-Ramp, US 178 to I-95 SB On-Ramp & US 178 (Charleston Highway)
1	99141171	268	0.926043	12.439379	B	Stop	I-26 WB to SC 210 Off-Ramp, SC 210 to I-26 WB On-Ramp & SC 210 (Vance Road)
1	99141174	314	0.783315	8.980685	A	Stop	SC 210 (Vance Road), I-26 EB to SC 210 Off-Ramp & SC 210 to I-26 EB On-Ramp
2	2	420	0.491326	4.211362	A	Stop	I-95 SB to US 176 Off-Ramp, US 176 to I-95 SB On-Ramp & US 176 (Old State Road)
2	14	596	0.400311	2.417985	A	Stop	I-95 NB to US 178 Off-Ramp, US 178 to I-95 NB On-Ramp & US 178 (Charleston Highway)
2	15	394	0.398867	3.644472	A	Stop	I-95 NB to US 176 Off-Ramp, US 176 to I-95 NB On-Ramp & US 176 (Old State Road)
2	99140260	609	0.784425	4.636997	A	Stop	I-95 SB to US 178 Off-Ramp, US 178 to I-95 SB On-Ramp & US 178 (Charleston Highway)
2	99141171	267	0.989232	13.337957	B	Stop	I-26 WB to SC 210 Off-Ramp, SC 210 to I-26 WB On-Ramp & SC 210 (Vance Road)
2	99141174	311	0.861401	9.971197	A	Stop	SC 210 (Vance Road), I-26 EB to SC 210 Off-Ramp & SC 210 to I-26 EB On-Ramp
3	2	420	0.421153	3.609882	A	Stop	I-95 SB to US 176 Off-Ramp, US 176 to I-95 SB On-Ramp & US 176 (Old State Road)
3	14	598	0.393787	2.370622	A	Stop	I-95 NB to US 178 Off-Ramp, US 178 to I-95 NB On-Ramp & US 178 (Charleston Highway)
3	15	393	0.393909	3.608325	A	Stop	I-95 NB to US 176 Off-Ramp, US 176 to I-95 NB On-Ramp & US 176 (Old State Road)
3	99140260	613	0.798326	4.688373	A	Stop	I-95 SB to US 178 Off-Ramp, US 178 to I-95 SB On-Ramp & US 178 (Charleston Highway)
3	99141171	269	0.943197	12.622712	B	Stop	I-26 WB to SC 210 Off-Ramp, SC 210 to I-26 WB On-Ramp & SC 210 (Vance Road)
3	99141174	313	0.769454	8.84995	A	Stop	SC 210 (Vance Road), I-26 EB to SC 210 Off-Ramp & SC 210 to I-26 EB On-Ramp
4	2	422	0.515106	4.394271	A	Stop	I-95 SB to US 176 Off-Ramp, US 176 to I-95 SB On-Ramp & US 176 (Old State Road)
4	14	600	0.38397	2.303817	A	Stop	I-95 NB to US 178 Off-Ramp, US 178 to I-95 NB On-Ramp & US 178 (Charleston Highway)
4	15	395	0.437704	3.989197	A	Stop	I-95 NB to US 176 Off-Ramp, US 176 to I-95 NB On-Ramp & US 176 (Old State Road)
4	99140260	621	1.004597	5.82375	A	Stop	I-95 SB to US 178 Off-Ramp, US 178 to I-95 SB On-Ramp & US 178 (Charleston Highway)
4	99141171	267	0.976542	13.166852	B	Stop	I-26 WB to SC 210 Off-Ramp, SC 210 to I-26 WB On-Ramp & SC 210 (Vance Road)
4	99141174	316	0.835308	9.516166	A	Stop	SC 210 (Vance Road), I-26 EB to SC 210 Off-Ramp & SC 210 to I-26 EB On-Ramp
5	2	421	0.477713	4.084961	A	Stop	I-95 SB to US 176 Off-Ramp, US 176 to I-95 SB On-Ramp & US 176 (Old State Road)
5	14	600	0.397097	2.382579	A	Stop	I-95 NB to US 178 Off-Ramp, US 178 to I-95 NB On-Ramp & US 178 (Charleston Highway)
5	15	395	0.440862	4.017979	A	Stop	I-95 NB to US 176 Off-Ramp, US 176 to I-95 NB On-Ramp & US 176 (Old State Road)
5	99140260	617	0.920958	5.373501	A	Stop	I-95 SB to US 178 Off-Ramp, US 178 to I-95 SB On-Ramp & US 178 (Charleston Highway)
5	99141171	265	0.888708	12.073012	B	Stop	I-26 WB to SC 210 Off-Ramp, SC 210 to I-26 WB On-Ramp & SC 210 (Vance Road)
5	99141174	312	0.743848	8.582856	A	Stop	SC 210 (Vance Road), I-26 EB to SC 210 Off-Ramp & SC 210 to I-26 EB On-Ramp

Location	Node	Delay	Delay
SC 210 (Vance Road) at I-26 EB Ramps	99141174	24.0	C
SC 210 (Vance Road) at I-26 WB Ramps	99141171	21.4	C
US 176 (Old State Road) at I-95 SB Ramps	2	18.8	C
US 176 (Old State Road) at I-95 NB Ramps	15	17.6	C
US 178 (Old State Road) at I-95 SB Ramps	99140260	17.0	C
US 178 (Old State Road) at I-95 NB Ramps	14	17.6	C

Level Of Service	Unsignalized
A	10
B	15
C	25
D	35
E	50
F	>

Appendix F NCDOT HIGH COMPLIANCE DESIRED SPEED DISTRIBUTION

1716 [ATTACHMENT A – MODIFICATIONS TO DEFAULT TRANSMODELER FILES](#)

1717 [TransModeler Preferences \(tsm_user.xml\)](#)

1718 The following revisions were made to the default file:

- 1719 >Display Options>Feature Sizes>Centroids>Radius changed to 50 ft.
- 1720 >Display Options>Lane Markings and Medians>Turning Movement Arrows>Setback changed to 40 ft.
- 1721 >Display Options>Pedestrian Crosswalks>Color>Empty changed to color #2 (white)
- 1722 >Display Options>Minimum Scales> Turning Movement Arrows changed to 1:4000
- 1723 >Display Options>Other Options>Default Background Color changed to color #75 (dark grey)
- 1724 >Default Project Settings>Simulation Start Time changed to 07:45
- 1725 >Default Project Settings>Warm-up period changed to 15 minutes
- 1726 >Default Project Settings>Show Optional Settings>Routing Settings for Simulation Route Choice selected
- 1727 >Default Project Settings>Show Optional Settings>Project and Model Parameters selected
- 1728 >Default Project Settings>Output Options>Report Start Time set to 08:00 and End Time set to 09:00
- 1729 >Default Project Settings>Options>Travel Time and Delay> Enforce Free Flow Travel Time as Minimum selected
- 1730 >Default Project Settings>Options>Travel Time and Delay> Enforce Global Penalties as Minimum selected
- 1731 >Default Project Settings>Assignment>Maximum Number of Iterations set to 50
- 1732 >Default Project Settings>Assignment>Convergence set to 0.0001
- 1733 >Road Editor>Parameters>Other>Automatically Update Segment Elevation Based Elevation selected
- 1734 >Road Editor>Options>Transparent Links and Segments selected
- 1735 >Road Editor>Options>Fade Background changed to 25%
- 1736 >Intersection Control Editor>Phase Design>Controller Type changed to Type 170

1737 [TransModeler Parameters \(NCDOT Default Parameters 09-2016 Terrain.xml\)](#)

1738 The following revisions were made to the default file:

- 1739 >General>Model Mechanics>Geometry>Turn Capability>Maximum Vehicle Length Allowed for U-turn changed to 200 feet

1741 >General>Desired Speed>Distribution> Modified based on following Table:

Deviation from Speed Limit (mph)			% of Driver Population			
Level	Rolling	Mountainous	Freeway	Standard	High Compliance	Low compliance
-10	-7.5	-5	0.5	1	1	1
-5	-2.5	0	9.5	9	14	9
0	2.5	5	25	20	40	15
5	7.5	10	30	30	30	25
10	12.5	15	25	30	10	30
15	17.5	20	9.5	9	4	15
20	22.5	25	0.5	1	1	5

APPENDIX G. I-26 AT I-95 TRANSMODELER CORRIDOR FREEWAY OUTPUT

2022 Existing Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	23.89	C
	Off-Ramp to SC 210	78104	Diverge	23.38	C
	Between SC 210 Ramps	77405	Basic	23.91	C
	On-Ramp from SC 210	76161	Merge	23.18	C
	West of I-26/I-95 Interchange	78105	Basic	24.63	C
	Off-Ramp to I-95 SB	78131	Diverge	36.72	E
	Between Ramps	76187	Basic	12.31	B
	System-to-System Weave	64745	Weave	11.94	B
I-26 EB	Between Ramps	76179	Basic	18.88	C
	On-Ramp from I-95 NB	78073	Merge	18.11	B
	East of I-26/I-95 Interchange	78074	Basic	19.70	C
	Off-Ramp to US 15 SB	78107	Diverge	18.84	B
	Between Ramps	77374	Basic	16.97	B
	Weave to/from US 15	77377	Weave	8.40	A
	Between Ramps	77372	Basic	20.44	C
	On-Ramp from US 15 NB	77369	Merge	18.95	B
	East of US 15	78108	Basic	19.78	C
	East of US 15	77362	Basic	19.59	C
	Off-Ramp to US 15 NB	78130	Diverge	13.02	B
	Between Ramps	78123	Basic	19.19	C
	Weave to/from US 15	77360	Weave	9.38	A
	Between Ramps	77357	Basic	19.39	C
	On-Ramp from US 15 SB	78075	Merge	19.33	B
	East of I-26/I-95 Interchange	78110	Basic	19.77	C
	Off-Ramp to I-95 NB	78111	Diverge	19.89	B
I-26 WB	Between Ramps	76172	Basic	14.14	B
	System-to-System Weave	76162	Weave	27.30	C
	Between Ramps	76170	Basic	28.99	D
	On-Ramp from I-95 SB	76163	Merge	24.34	C
	West of I-26/I-95 Interchange	78112	Basic	24.19	C
	Off-Ramp to SC 210	78124	Diverge	29.06	D
	Between SC 210 Ramps	77403	Basic	24.45	C
	On-Ramp from SC 210	77410	Merge	22.61	C
	West of SC 210	78113	Basic	23.94	C
	South of US 178	76308	Basic	24.71	C
	I-26 NB Off-Ramp to US 178	78126	Diverge	30.11	D
	I-26 EB Between US 178 Ramps	76152	Basic	23.39	C
	I-26 EB On-Ramp from US 178	76159	Merge	25.10	C
	South of I-26/I-95 Interchange	76310	Basic	25.28	C
	Off-Ramp to I-26 EB	76313	Diverge	26.00	C
	Between Ramps	76178	Basic	24.94	C
I-95 NB	System-to-System Weave	75978	Weave	27.41	C
	Between Ramps	76176	Basic	11.40	B
	On-Ramp from I-26 WB	78099	Merge	17.68	B
	North of I-26/I-95 Interchange	76315	Basic	17.41	B
	Off-Ramp to US 176	78128	Diverge	19.08	B
	Between US 176 Ramps	76191	Basic	16.33	B
	On-Ramp from US 176	76198	Merge	15.59	B
	North of US 176	78102	Basic	16.51	B
	North of US 176	78079	Basic	16.18	B
	Off-Ramp to US 176	78127	Diverge	17.66	B
	Between US 176 Ramps	76193	Basic	15.91	B
	On-Ramp from US 176	76320	Merge	16.39	B
	North of I-26/I-95 Interchange	76318	Basic	17.31	B
	Off-Ramp to I-26 WB	76166	Diverge	16.76	B
	Between Ramps	76169	Basic	17.31	B
I-95 SB	System-to-System Weave	64742	Weave	16.38	B
	Between Ramps	76185	Basic	14.08	B
	On-Ramp from I-26 EB	76314	Merge	23.66	C
	South of I-26/I-95 Interchange	76311	Basic	25.51	C
	Off-Ramp to US 178	76157	Diverge	25.91	C
	Between U 178 Ramps	76154	Basic	24.63	C
	On-Ramp from US 178	76309	Merge	25.29	C
	South of US 178	78098	Basic	25.38	C

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 No Build Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS	
I-26 EB	West of SC 210	78076	Basic	17.96	B	
	Off-Ramp to SC 210	78104	Diverge	15.69	B	
	Between SC 210 Ramps	77405	Basic	17.81	B	
	On-Ramp from SC 210	76161	Merge	14.89	B	
	West of I-26/I-95 Interchange	78105	Basic	18.87	C	
	Off-Ramp to I-95 SB	78131	Diverge	26.32	C	
	Between Ramps	76187	Basic	8.59	A	
	System-to-System Weave	64745	Weave	11.76	B	
	Between Ramps	76179	Basic	13.80	B	
	On-Ramp from I-95 NB	78073	Merge	12.98	B	
	East of I-26/I-95 Interchange	78074	Basic	15.03	B	
	Off-Ramp to US 15 SB	78107	Diverge	11.82	B	
	Between Ramps	77374	Basic	14.22	B	
	Weave to/from US 15	77377	Weave	4.80	A	
	Between Ramps	77372	Basic	14.25	B	
	On-Ramp from US 15 NB	77369	Merge	11.85	B	
	East of US 15	78108	Basic	14.92	B	
	I-26 WB	East of US 15	77362	Basic	14.97	B
		Off-Ramp to US 15 NB	78130	Diverge	11.50	B
		Between Ramps	78123	Basic	14.66	B
Weave to/from US 15		77360	Weave	7.17	A	
Between Ramps		77357	Basic	14.82	B	
On-Ramp from US 15 SB		78075	Merge	13.42	B	
East of I-26/I-95 Interchange		78110	Basic	15.33	B	
Off-Ramp to I-95 NB		78111	Diverge	14.19	B	
Between Ramps		76172	Basic	11.04	B	
System-to-System Weave		76162	Weave	29.28	D	
Between Ramps		76170	Basic	20.55	C	
On-Ramp from I-95 SB		76163	Basic	13.55	B	
West of I-26/I-95 Interchange		78112	Basic	13.55	B	
Off-Ramp to SC 210		78124	Basic	14.73	B	
Between SC 210 Ramps	77403	Basic	18.06	C		
On-Ramp from SC 210	77410	Merge	16.19	B		
West of SC 210	78113	Basic	18.21	C		
I-95 NB	South of US 178	76308	Basic	29.21	D	
	I-26 NB Off-Ramp to US 178	78126	Diverge	35.27	E	
	I-26 EB Between US 178 Ramps	76152	Basic	27.41	D	
	I-26 EB On-Ramp from US 178	76159	Basic	22.00	C	
	South of I-26/I-95 Interchange	76310	Basic	22.00	C	
	Off-Ramp to I-26 EB	76313	Basic	22.00	C	
	Between Ramps	76178	Basic	52.69	F	
	System-to-System Weave	75978	Weave	45.73	F	
	Between Ramps	76176	Basic	14.60	B	
	On-Ramp from I-26 WB	78099	Merge	21.23	C	
	North of I-26/I-95 Interchange	76315	Basic	20.57	C	
	Off-Ramp to US 176	78128	Diverge	21.79	C	
	Between US 176 Ramps	76191	Basic	19.84	C	
	On-Ramp from US 176	76198	Merge	18.26	B	
North of US 176	78102	Basic	19.81	C		
I-95 SB	North of US 176	78079	Basic	19.18	C	
	Off-Ramp to US 176	78127	Diverge	20.94	C	
	Between US 176 Ramps	76193	Basic	18.64	C	
	On-Ramp from US 176	76320	Merge	19.62	B	
	North of I-26/I-95 Interchange	76318	Basic	20.47	C	
	Off-Ramp to I-26 WB	76166	Diverge	19.71	B	
	Between Ramps	76169	Basic	21.09	C	
	System-to-System Weave	64742	Weave	22.42	C	
	Between Ramps	76185	Basic	16.56	B	
	On-Ramp from I-26 EB	76314	Basic	19.78	B	
	South of I-26/I-95 Interchange	76311	Basic	19.78	C	
	Off-Ramp to US 178	76157	Basic	19.78	B	
	Between U 178 Ramps	76154	Basic	28.84	D	
	On-Ramp from US 178	76309	Merge	31.77	D	
South of US 178	78098	Basic	29.79	D		

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Alternative 1 Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	18.13	C
	Off-Ramp to SC 210	78104	Diverge	14.85	B
	Between SC 210 Ramps	77405	Basic	17.66	B
	On-Ramp from SC 210	76161	Merge	14.17	B
	West of I-26/I-95 Interchange	78105	Basic	18.31	C
	Off-Ramp to I-95 SB	78131	Diverge	12.24	B
	Between Ramps	76187	Basic	8.34	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	5.49	A
I-26 EB	Between Ramps	78106	Basic	8.39	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.12	B
	East of I-26/I-95 Interchange	78151	Basic	11.52	B
	Off-Ramp to US 15 SB	78107	Diverge	11.31	B
	Between Ramps	77374	Basic	14.50	B
	Weave to/from US 15	77377	Weave	5.90	A
	Between Ramps	77372	Basic	14.04	B
	On-Ramp from US 15 NB	77369	Merge	13.12	B
	East of US 15	78108	Basic	15.05	B
	East of US 15	77362	Basic	14.97	B
	Off-Ramp to US 15 NB	78130	Diverge	11.37	B
	Between Ramps	78123	Basic	14.83	B
	Weave to/from US 15	77360	Weave	7.04	A
	Between Ramps	77357	Basic	14.47	B
	On-Ramp from US 15 SB	78075	Merge	12.25	B
	East of I-26/I-95 Interchange	78072	Basic	15.19	B
	Off-Ramp to I-95 NB	78111	Diverge	15.34	B
I-26 WB	Between Ramps	76172	Basic	10.21	A
	Loop Off-Ramp to I-95 SB	76162	Diverge	7.88	A
	Between Ramps	76170	Basic	8.60	A
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	12.89	B
	West of I-26/I-95 Interchange	78159	Basic	13.72	B
	Off-Ramp to SC 210	78124	Basic	13.72	B
	Between SC 210 Ramps	77403	Basic	17.87	B
	On-Ramp from SC 210	77410	Merge	17.79	B
	West of SC 210	78113	Basic	18.26	C
	South of US 178	76308	Basic	29.05	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	35.23	E
	I-26 EB Between US 178 Ramps	76152	Basic	27.55	D
	I-26 EB On-Ramp from US 178	76159	Basic	19.71	B
	South of I-26/I-95 Interchange	76310	Basic	19.71	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	17.11	B
	Between Ramps	76178	Basic	12.45	B
I-95 NB	System-to-System Weave	75978	Merge	8.88	A
	Between Ramps	76176	Basic	12.86	B
	On-Ramp from I-26 WB	78099	Merge	21.17	C
	North of I-26/I-95 Interchange	76315	Basic	20.61	C
	Off-Ramp to US 176	78128	Diverge	23.05	C
	Between US 176 Ramps	76191	Basic	19.34	C
	On-Ramp from US 176	76198	Merge	18.84	B
	North of US 176	78102	Basic	19.72	C
	North of US 176	78079	Basic	19.09	C
	Off-Ramp to US 176	78127	Diverge	20.54	C
	Between US 176 Ramps	76193	Basic	19.03	C
	On-Ramp from US 176	76320	Merge	19.19	B
	North of I-26/I-95 Interchange	76318	Basic	20.47	C
	Off-Ramp to I-26 WB	78167	Diverge	19.24	B
	Between Ramps	76169	Basic	12.72	B
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	10.43	B
	Between Ramps	76185	Basic	15.07	B
	On-Ramp from I-26 EB	78100	Merge	18.00	B
	South of I-26/I-95 Interchange	76311	Basic	19.75	C
	Off-Ramp to US 178	76157	Basic	19.75	B
	Between U 178 Ramps	76154	Basic	29.97	D
	On-Ramp from US 178	76309	Merge	32.11	D
	South of US 178	78098	Basic	30.02	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Alternative 2 Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	18.10	C
	Off-Ramp to SC 210	78104	Diverge	14.82	B
	Between SC 210 Ramps	77405	Basic	17.71	B
	On-Ramp from SC 210	76161	Merge	14.00	B
	West of I-26/I-95 Interchange	78105	Basic	18.42	C
	Off-Ramp to I-95 SB	78131	Diverge	11.50	B
	Between Ramps	76187	Basic	8.46	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	5.25	A
I-26 EB	Between Ramps	78106	Basic	8.60	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.23	B
	East of I-26/I-95 Interchange	78151	Basic	11.05	B
	Off-Ramp to US 15 SB	78107	Diverge	11.70	B
	Between Ramps	77374	Basic	13.81	B
	Weave to/from US 15	77377	Weave	5.14	A
	Between Ramps	77372	Basic	13.85	B
	On-Ramp from US 15 NB	77369	Merge	12.73	B
	East of US 15	78108	Basic	15.40	B
	East of US 15	77362	Basic	14.93	B
	Off-Ramp to US 15 NB	78130	Diverge	10.86	B
	Between Ramps	78123	Basic	14.89	B
	Weave to/from US 15	77360	Weave	6.86	A
	Between Ramps	77357	Basic	14.90	B
	On-Ramp from US 15 SB	78075	Merge	11.90	B
	East of I-26/I-95 Interchange	78072	Basic	15.12	B
	Off-Ramp to I-95 NB	78111	Diverge	15.25	B
I-26 WB	Between Ramps	76172	Basic	10.18	A
	Loop Off-Ramp to I-95 SB	76162	Diverge	8.02	A
	Between Ramps	76170	Basic	8.60	A
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	12.63	B
	West of I-26/I-95 Interchange	78160	Basic	13.79	B
	Off-Ramp to SC 210	78124	Basic	13.06	B
	Between SC 210 Ramps	77403	Basic	17.93	B
	On-Ramp from SC 210	77410	Merge	17.70	B
	West of SC 210	78113	Basic	18.35	C
	South of US 178	76308	Basic	29.08	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	36.58	E
	I-26 EB Between US 178 Ramps	76152	Basic	27.89	D
	I-26 EB On-Ramp from US 178	76159	Basic	19.67	B
	South of I-26/I-95 Interchange	76310	Basic	19.67	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	16.92	B
	Between Ramps	76178	Basic	12.90	B
I-95 NB	System-to-System Weave	75978	Merge	8.80	A
	Between Ramps	76176	Basic	12.76	B
	On-Ramp from I-26 WB	78099	Merge	21.21	C
	North of I-26/I-95 Interchange	76315	Basic	20.65	C
	Off-Ramp to US 176	78128	Diverge	22.91	C
	Between US 176 Ramps	76191	Basic	19.54	C
	On-Ramp from US 176	76198	Merge	17.96	B
	North of US 176	78102	Basic	19.68	C
	North of US 176	78079	Basic	19.06	C
	Off-Ramp to US 176	78127	Diverge	20.37	C
	Between US 176 Ramps	76193	Basic	18.96	C
	On-Ramp from US 176	76320	Merge	19.16	B
	North of I-26/I-95 Interchange	76318	Basic	20.38	C
	Off-Ramp to I-26 WB	78167	Diverge	18.87	B
	Between Ramps	76169	Basic	12.52	B
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	11.53	B
	Between Ramps	76185	Basic	15.48	B
	On-Ramp from I-26 EB	78100	Merge	17.26	B
	South of I-26/I-95 Interchange	76319	Basic	20.51	C
	Off-Ramp to US 178	76157	Basic	19.84	B
	Between U 178 Ramps	76154	Basic	29.75	D
	On-Ramp from US 178	76309	Merge	31.81	D
	South of US 178	78098	Basic	30.38	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Alternative 3 Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	18.16	C
	Off-Ramp to SC 210	78104	Diverge	14.92	B
	Between SC 210 Ramps	77405	Basic	17.93	B
	On-Ramp from SC 210	76161	Merge	14.57	B
	West of I-26/I-95 Interchange	78105	Basic	18.29	C
	Off-Ramp to I-95 SB	78131	Diverge	11.57	B
	Between Ramps	76187	Basic	8.97	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	5.05	A
I-26 EB	Between Ramps	78106	Basic	8.55	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.29	B
	East of I-26/I-95 Interchange	78151	Basic	11.71	B
	Off-Ramp to US 15 SB	78107	Diverge	11.31	B
	Between Ramps	77374	Basic	14.06	B
	Weave to/from US 15	77377	Weave	6.35	A
	Between Ramps	77372	Basic	14.45	B
	On-Ramp from US 15 NB	77369	Merge	13.01	B
	East of US 15	78108	Basic	14.76	B
	East of US 15	77362	Basic	14.91	B
	Off-Ramp to US 15 NB	78130	Diverge	11.53	B
	Between Ramps	78123	Basic	14.84	B
	Weave to/from US 15	77360	Weave	6.71	A
	Between Ramps	77357	Basic	14.24	B
	On-Ramp from US 15 SB	78075	Merge	14.14	B
	East of I-26/I-95 Interchange	78072	Basic	15.21	B
I-26 WB	CD Off-Ramp to I-95 NB + I-95 SB	78111	Diverge	17.00	B
	Between Ramps	76170	Basic	8.68	A
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	12.51	B
	West of I-26/I-95 Interchange	78160	Basic	13.79	B
	Off-Ramp to SC 210	78124	Basic	14.65	B
	Between SC 210 Ramps	77403	Basic	17.78	B
	On-Ramp from SC 210	77410	Merge	17.44	B
	West of SC 210	78113	Basic	18.39	C
	South of US 178	76308	Basic	29.05	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	34.64	D
	I-26 EB Between US 178 Ramps	76152	Basic	27.62	D
	I-26 EB On-Ramp from US 178	76159	Basic	19.66	B
	South of I-26/I-95 Interchange	76310	Basic	19.66	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	17.05	B
	Between Ramps	76178	Basic	12.69	B
I-95 NB	System-to-System Weave	75978	Diverge	9.02	A
	Between Ramps	76176	Basic	12.94	B
	On-Ramp from I-26 WB	78099	Merge	21.05	C
	North of I-26/I-95 Interchange	76315	Basic	20.54	C
	Off-Ramp to US 176	78128	Diverge	23.26	C
	Between US 176 Ramps	76191	Basic	18.94	C
	On-Ramp from US 176	76198	Merge	19.23	B
	North of US 176	78102	Basic	19.42	C
	North of US 176	78079	Basic	19.05	B
	Off-Ramp to US 176	78127	Diverge	20.76	C
	Between US 176 Ramps	76193	Basic	19.01	C
	On-Ramp from US 176	76320	Merge	19.09	B
	North of I-26/I-95 Interchange	76318	Basic	20.36	C
	Off-Ramp to I-26 WB	78167	Diverge	18.63	B
	Between Ramps	76169	Basic	12.50	B
I-95 SB	On-Ramp from I-26 WB	78175	Merge	13.48	B
	Between Ramps	78176	Basic	13.48	B
	On-Ramp from I-26 EB	78100	Merge	14.62	B
	South of I-26/I-95 Interchange	78139	Basic	20.65	C
	Off-Ramp to US 178	76157	Basic	19.78	B
	Between U 178 Ramps	76154	Basic	29.35	D
	On-Ramp from US 178	76309	Merge	31.44	D
	South of US 178	78098	Basic	30.15	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 No Build Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	65.14	F
	Off-Ramp to SC 210	78104	Basic	42.34	E
	Between SC 210 Ramps	77405	Basic	88.33	F
	On-Ramp from SC 210	76161	Merge	90.88	E
	West of I-26/I-95 Interchange	78105	Basic	110.62	F
	Off-Ramp to I-95 SB	78131	Diverge	29.71	D
	Between Ramps	76187	Basic	10.62	A
	System-to-System Weave	64745	Weave	14.85	B
I-26 EB	Between Ramps	76179	Basic	17.24	B
	On-Ramp from I-95 NB	78073	Merge	15.55	B
	East of I-26/I-95 Interchange	78074	Basic	17.78	B
	Off-Ramp to US 15 SB	78107	Basic	13.65	B
	Between Ramps	77374	Basic	17.20	B
	Weave to/from US 15	77377	Weave	5.91	A
	Between Ramps	77372	Basic	16.86	B
	On-Ramp from US 15 NB	77369	Merge	14.91	B
	East of US 15	78108	Basic	17.94	B
	East of US 15	77362	Basic	22.81	C
	Off-Ramp to US 15 NB	78130	Diverge	17.09	B
	Between Ramps	78123	Basic	22.63	C
	Weave to/from US 15	77360	Weave	10.81	B
	Between Ramps	77357	Basic	21.46	C
	On-Ramp from US 15 SB	78075	Merge	18.90	B
	East of I-26/I-95 Interchange	78110	Basic	22.37	C
	Off-Ramp to I-95 NB	78111	Basic	18.42	B
I-26 WB	Between Ramps	76172	Basic	16.39	B
	System-to-System Weave	76162	Weave	34.71	D
	Between Ramps	76170	Basic	26.76	D
	On-Ramp from I-95 SB	76163	Basic	16.81	B
	West of I-26/I-95 Interchange	78112	Basic	16.81	B
	Off-Ramp to SC 210	78124	Basic	16.83	B
	Between SC 210 Ramps	77403	Basic	21.96	C
	On-Ramp from SC 210	77410	Merge	20.46	C
	West of SC 210	78113	Basic	22.53	C
	South of US 178	76308	Basic	86.42	F
	I-26 NB Off-Ramp to US 178	78126	Diverge	108.02	E
	I-26 EB Between US 178 Ramps	76152	Basic	92.55	F
	I-26 EB On-Ramp from US 178	76159	Basic	121.42	E
	South of I-26/I-95 Interchange	78090	Basic	121.42	F
	Off-Ramp to I-26 EB	76313	Basic	121.42	E
	Between Ramps	76178	Basic	86.84	F
I-95 NB	System-to-System Weave	75978	Weave	51.01	F
	Between Ramps	76176	Basic	11.10	B
	On-Ramp from I-26 WB	78099	Merge	22.41	C
	North of I-26/I-95 Interchange	76315	Basic	20.57	C
	Off-Ramp to US 176	78128	Diverge	22.96	C
	Between US 176 Ramps	76191	Basic	19.23	C
	On-Ramp from US 176	76198	Merge	19.11	B
	North of US 176	78102	Basic	19.45	C
	North of US 176	78079	Basic	24.00	C
	Off-Ramp to US 176	78127	Diverge	27.63	D
	Between US 176 Ramps	76193	Basic	24.10	C
	On-Ramp from US 176	76320	Merge	24.43	C
	North of I-26/I-95 Interchange	76318	Basic	25.61	C
	Off-Ramp to I-26 WB	76166	Diverge	26.09	C
	Between Ramps	76169	Basic	28.66	D
I-95 SB	System-to-System Weave	64742	Weave	30.52	D
	Between Ramps	76185	Basic	19.48	C
	On-Ramp from I-26 EB	76314	Basic	20.60	C
	South of I-26/I-95 Interchange	76311	Basic	20.60	C
	Off-Ramp to US 178	76157	Basic	20.60	C
	Between U 178 Ramps	76154	Basic	31.22	D
	On-Ramp from US 178	76309	Merge	34.36	D
	South of US 178	78098	#N/A	31.71	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 1 Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	26.10	D
	Off-Ramp to SC 210	78104	Diverge	21.54	C
	Between SC 210 Ramps	77405	Basic	25.25	C
	On-Ramp from SC 210	76161	Merge	20.87	C
	West of I-26/I-95 Interchange	78105	Basic	25.51	C
	Off-Ramp to I-95 SB	78131	Diverge	16.20	B
	Between Ramps	76187	Basic	13.40	B
	Loop Off-Ramp to I-95 NB	64745	Diverge	7.72	A
I-26 EB	Between Ramps	78106	Basic	12.73	B
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	16.46	B
	East of I-26/I-95 Interchange	78151	Basic	17.62	B
	Off-Ramp to US 15 SB	78107	Diverge	16.26	B
	Between Ramps	77374	Basic	21.02	C
	Weave to/from US 15	77377	Weave	8.54	A
	Between Ramps	77372	Basic	21.46	C
	On-Ramp from US 15 NB	77369	Merge	19.52	B
	East of US 15	78108	Basic	21.50	C
	East of US 15	77362	Basic	22.77	C
	Off-Ramp to US 15 NB	78130	Diverge	17.12	B
	Between Ramps	78123	Basic	22.34	C
	Weave to/from US 15	77360	Weave	11.01	B
	Between Ramps	77357	Basic	21.82	C
	On-Ramp from US 15 SB	78075	Merge	17.66	B
	East of I-26/I-95 Interchange	78072	Basic	22.16	C
	Off-Ramp to I-95 NB	78111	Diverge	22.12	C
I-26 WB	Between Ramps	76172	Basic	14.86	B
	Loop Off-Ramp to I-95 SB	76162	Diverge	11.01	B
	Between Ramps	76170	Basic	12.55	B
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	18.56	B
	West of I-26/I-95 Interchange	78160	Basic	20.39	C
	Off-Ramp to SC 210	78124	Basic	20.39	C
	Between SC 210 Ramps	77403	Basic	27.00	D
	On-Ramp from SC 210	77410	Merge	25.71	C
	West of SC 210	78113	Basic	27.32	D
	South of US 178	76308	Basic	38.80	E
	I-26 NB Off-Ramp to US 178	78126	Diverge	45.52	E
	I-26 EB Between US 178 Ramps	76152	Basic	35.74	E
	I-26 EB On-Ramp from US 178	76159	Basic	25.35	C
	South of I-26/I-95 Interchange	76310	Basic	25.35	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	23.65	C
	Between Ramps	76178	Basic	13.25	B
I-95 NB	System-to-System Weave	75978	Merge	9.58	A
	Between Ramps	76176	Basic	14.32	B
	On-Ramp from I-26 WB	78099	Merge	27.35	C
	North of I-26/I-95 Interchange	76315	Basic	25.31	C
	Off-Ramp to US 176	76319	Diverge	25.63	C
	Between US 176 Ramps	76191	Basic	24.49	C
	On-Ramp from US 176	76198	Merge	23.38	C
	North of US 176	78102	Basic	24.17	C
	North of US 176	78079	Basic	24.08	C
	Off-Ramp to US 176	78127	Diverge	26.11	C
	Between US 176 Ramps	76193	Basic	23.96	C
	On-Ramp from US 176	76320	Merge	24.53	C
	North of I-26/I-95 Interchange	76318	Basic	25.67	C
	Off-Ramp to I-26 WB	78167	Diverge	24.47	C
	Between Ramps	76169	Basic	14.34	B
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	13.93	B
	Between Ramps	76185	Basic	18.41	C
	On-Ramp from I-26 EB	78100	Merge	21.66	C
	South of I-26/I-95 Interchange	76157	Basic	24.17	C
	Off-Ramp to US 178	76157	Basic	24.17	C
	Between U 178 Ramps	76154	Basic	48.30	F
	On-Ramp from US 178	76309	Merge	49.91	E

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 2 Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	28.81	D
	Off-Ramp to SC 210	78104	Diverge	22.29	C
	Between SC 210 Ramps	77405	Basic	25.48	C
	On-Ramp from SC 210	76161	Merge	20.79	C
	West of I-26/I-95 Interchange	78105	Basic	25.37	C
	Off-Ramp to I-95 SB	78131	Diverge	15.19	B
	Between Ramps	76187	Basic	13.54	B
	Loop Off-Ramp to I-95 NB	64745	Diverge	8.45	A
I-26 EB	Between Ramps	78106	Basic	13.00	B
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	16.33	B
	East of I-26/I-95 Interchange	78151	Basic	17.17	B
	Off-Ramp to US 15 SB	78107	Diverge	16.45	B
	Between Ramps	77374	Basic	21.13	C
	Weave to/from US 15	77377	Weave	9.41	A
	Between Ramps	77372	Basic	20.67	C
	On-Ramp from US 15 NB	77369	Merge	19.16	B
	East of US 15	78108	Basic	21.99	C
	East of US 15	77362	Basic	22.45	C
	Off-Ramp to US 15 NB	78130	Diverge	17.26	B
	Between Ramps	78123	Basic	22.17	C
	Weave to/from US 15	77360	Weave	10.19	B
	Between Ramps	77357	Basic	21.81	C
	On-Ramp from US 15 SB	78075	Merge	17.99	B
	East of I-26/I-95 Interchange	78072	Basic	22.12	C
	Off-Ramp to I-95 NB	78111	Diverge	22.28	C
I-26 WB	Between Ramps	76172	Basic	14.61	B
	Loop Off-Ramp to I-95 SB	76162	Diverge	10.55	B
	Between Ramps	76170	Basic	12.84	B
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	18.69	B
	West of I-26/I-95 Interchange	78160	Basic	20.37	C
	Off-Ramp to SC 210	78124	Basic	21.60	C
	Between SC 210 Ramps	77403	Basic	26.91	D
	On-Ramp from SC 210	77410	Merge	24.93	C
	West of SC 210	78113	Basic	27.39	D
	South of US 178	76308	Basic	38.60	E
	Off-Ramp to US 178	78126	Diverge	43.53	E
	Between US 178 Ramps	76152	Basic	35.01	E
	On-Ramp from US 178	76159	Basic	25.20	C
	South of I-26/I-95 Interchange	76310	Basic	25.20	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	24.04	C
	Between Ramps	76178	Basic	13.54	B
I-95 NB	On-Ramp from I-26 EB	75978	Merge	9.87	A
	Between Ramps	76176	Basic	13.86	B
	On-Ramp from I-26 WB	78099	Merge	27.38	C
	North of I-26/I-95 Interchange	76315	Basic	25.32	C
	Off-Ramp to US 176	76319	Diverge	25.94	C
	Between US 176 Ramps	76191	Basic	24.45	C
	On-Ramp from US 176	76198	Merge	23.19	C
	North of US 176	78102	Basic	24.22	C
	North of US 176	78079	Basic	24.05	C
	Off-Ramp to US 176	78127	Diverge	25.92	C
	Between US 176 Ramps	76193	Basic	24.16	C
	On-Ramp from US 176	76320	Merge	24.23	C
	North of I-26/I-95 Interchange	76318	Basic	25.70	C
	Off-Ramp to I-26 WB	78167	Diverge	24.91	C
	Between Ramps	76169	Basic	14.48	B
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	12.57	B
	Between Ramps	76185	Basic	18.00	B
	On-Ramp from I-26 EB	78100	Merge	21.06	C
	South of I-26/I-95 Interchange	76319	Diverge	25.94	C
	Off-Ramp to US 178	76157	Basic	24.31	C
	Between U 178 Ramps	76154	Basic	46.65	F
	On-Ramp from US 178	76309	Merge	47.93	E
	South of US 178	78098	Basic	37.23	E

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 3 Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	26.25	D
	Off-Ramp to SC 210	78104	Diverge	20.28	C
	Between SC 210 Ramps	77405	Basic	25.55	C
	On-Ramp from SC 210	76161	Merge	20.89	C
	West of I-26/I-95 Interchange	78105	Basic	25.71	C
	Off-Ramp to I-95 SB	78131	Diverge	15.72	B
	Between Ramps	76187	Basic	13.41	B
	Loop Off-Ramp to I-95 NB	64745	Diverge	8.28	A
I-26 EB	Between Ramps	78106	Basic	13.15	B
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	16.52	B
	East of I-26/I-95 Interchange	78151	Basic	18.11	C
	Off-Ramp to US 15 SB	78107	Diverge	16.73	B
	Between Ramps	77374	Basic	21.41	C
	Weave to/from US 15	77377	Weave	9.03	A
	Between Ramps	77372	Basic	21.01	C
	On-Ramp from US 15 NB	77369	Merge	19.90	B
	East of US 15	78108	Basic	22.13	C
	East of US 15	77362	Basic	22.70	C
	Off-Ramp to US 15 NB	78130	Diverge	17.54	B
	Between Ramps	78123	Basic	22.67	C
	Weave to/from US 15	77360	Weave	10.75	B
	Between Ramps	77357	Basic	21.87	C
	On-Ramp from US 15 SB	78075	Merge	20.97	C
	East of I-26/I-95 Interchange	78072	Basic	22.12	C
I-26 WB	CD Off-Ramp to I-95 NB + I-95 SB	78111	Diverge	27.30	C
	Between Ramps	76170	Basic	12.72	B
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	18.42	B
	West of I-26/I-95 Interchange	78160	Basic	20.36	C
	Off-Ramp to SC 210	78124	Basic	22.26	C
	Between SC 210 Ramps	77403	Basic	26.68	D
	On-Ramp from SC 210	77410	Merge	25.54	C
	West of SC 210	78113	Basic	27.18	D
	South of US 178	76308	Basic	38.71	E
	I-26 NB Off-Ramp to US 178	78126	Diverge	48.19	E
	I-26 EB Between US 178 Ramps	76152	Basic	35.53	E
	I-26 EB On-Ramp from US 178	76159	Basic	25.19	C
	South of I-26/I-95 Interchange	76310	Basic	25.19	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	23.59	C
	Between Ramps	76178	Basic	13.82	B
I-95 NB	On-Ramp from I-26 EB	75978	Merge	9.41	A
	Between Ramps	76176	Basic	14.19	B
	On-Ramp from I-26 WB	78099	Merge	27.33	C
	North of I-26/I-95 Interchange	76315	Basic	25.21	C
	Off-Ramp to US 176	78128	Diverge	27.09	C
	Between US 176 Ramps	76191	Basic	24.00	C
	On-Ramp from US 176	76198	Merge	23.42	C
	North of US 176	78102	Basic	24.23	C
	North of US 176	78079	Basic	24.01	C
	Off-Ramp to US 176	78127	Diverge	26.33	C
	Between US 176 Ramps	76193	Basic	23.90	C
	On-Ramp from US 176	76320	Merge	24.15	C
	North of I-26/I-95 Interchange	76318	Basic	25.58	C
	Off-Ramp to I-26 WB	78167	Diverge	24.12	C
	Between Ramps	76169	Basic	14.57	B
I-95 SB	On-Ramp from I-26 WB	78175	Merge	15.30	B
	Between Ramps	78176	Basic	15.30	B
	On-Ramp from I-26 EB	78100	Merge	18.47	B
	South of I-26/I-95 Interchange	78139	Basic	24.89	C
	Off-Ramp to US 178	76157	Basic	24.09	C
	Between US 178 Ramps	76154	Basic	42.48	E
	On-Ramp from US 178	76309	Merge	47.01	E
	South of US 178	78098	Basic	37.39	E

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

**APPENDIX H.
I-26 AT I-95 TRANSMODELER 2022 EXISTING
CONDITIONS RAMP OUTPUT**

2022 Existing Conditions

Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	% Demand Served
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76186	1,342	1,365	98%
I-26/I-95	I-26 EB Loop On-Ramp from I-95 SB	10	76189	694	714	97%
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	35	42	82%
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	76180	222	242	92%
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	76174	706	714	99%
I-26/I-95	I-26 WB Loop On-Ramp from I-95 NB	14	76177	1,331	1,365	98%
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	15	76171	201	242	83%
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	37	42	88%

2022 Existing Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	76186	43.008	E
	I-26 EB On-Ramp from I-95 SB	76189	29.1715	D
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.24648	A
	I-26 EB On-Ramp from I-95 NB	76180	6.10638	A
	I-26 WB Off-Ramp to I-95 NB	76174	21.6344	C
	I-26 WB On-Ramp from I-95 NB	76177	62.6215	F
	I-26 WB Loop Off-Ramp to I-95 SB	76171	7.44775	A
	I-26 WB On-Ramp from I-95 SB	76168	0.88431	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

**APPENDIX I.
I-26 AT I-95 TRANSMODELER 2030 AND 2050 NO
BUILD CONDITIONS RAMP OUTPUT**

2030 No Build Conditions

Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	% Volume Served
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76186	1,516	1,570	97%
I-26/I-95	I-26 EB Loop On-Ramp from I-95 SB	10	76189	782	821	95%
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	49	48	101%
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	76180	264	278	95%
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	76174	791	821	96%
I-26/I-95	I-26 WB Loop On-Ramp from I-95 NB	14	76177	1,507	1,570	96%
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	15	76171	279	278	100%
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	45	48	93%

2050 No Build Conditions

Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	% Volume Served
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76186	1,378	2,192	63%
I-26/I-95	I-26 EB Loop On-Ramp from I-95 SB	10	76189	1,075	1,152	93%
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	50	70	71%
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	76180	236	375	63%
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	76174	1,100	1,154	95%
I-26/I-95	I-26 WB Loop On-Ramp from I-95 NB	14	76177	1,517	2,194	69%
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	15	76171	314	375	84%
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	59	70	85%

2030 No Build Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	76186	48.5273	F
	I-26 EB On-Ramp from I-95 SB	76189	32.9637	D
	I-26 EB Loop Off-Ramp to I-95 NB	76183	2.03355	A
	I-26 EB On-Ramp from I-95 NB	76180	7.57778	A
	I-26 WB Off-Ramp to I-95 NB	76174	24.8774	C
	I-26 WB On-Ramp from I-95 NB	76177	77.0179	F
	I-26 WB Loop Off-Ramp to I-95 SB	76171	10.7612	A
	I-26 WB On-Ramp from I-95 SB	76168	1.22749	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 No Build Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	76186	43.5265	E
	I-26 EB On-Ramp from I-95 SB	76189	47.0169	F
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.97457	A
	I-26 EB On-Ramp from I-95 NB	76180	6.50308	A
	I-26 WB Off-Ramp to I-95 NB	76174	36.5675	E
	I-26 WB On-Ramp from I-95 NB	76177	85.6911	F
	I-26 WB Loop Off-Ramp to I-95 SB	76171	12.9667	B
	I-26 WB On-Ramp from I-95 SB	76168	1.47153	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Alternative 1 Conditions

Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	% Volume Served
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76187	1,516	1,570	97%
I-26/I-95	I-26 EB On-Ramp from I-95 SB	63	78155	779	821	95%
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	46	48	96%
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	78144	266	278	96%
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	76174	789	821	96%
I-26/I-95	I-26 WB On-Ramp from I-95 NB	64	78149	1,529	1,570	97%
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	15	76171	281	278	101%
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	44	48	92%

2050 Build Alternative 1 Conditions

Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	% Volume Served
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76187	1,870	2,192	85%
I-26/I-95	I-26 EB On-Ramp from I-95 SB	63	78155	1,070	1,152	93%
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	65	70	92%
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	78144	338	375	90%
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	76174	1,159	1,154	100%
I-26/I-95	I-26 WB On-Ramp from I-95 NB	64	78149	2,218	2,194	101%
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	15	76171	333	375	89%
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	59	70	84%

2030 Build Alternative 1 Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	20.0496	C
	I-26 EB On-Ramp from I-95 SB	78155	20.4417	C
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.28547	A
	I-26 EB On-Ramp from I-95 NB	78144	7.46771	A
	I-26 WB Off-Ramp to I-95 NB	76174	21.6659	C
	I-26 WB On-Ramp from I-95 NB	78149	20.3686	C
	I-26 WB Loop Off-Ramp to I-95 SB	76171	8.84737	A
	I-26 WB On-Ramp from I-95 SB	76168	0.99566	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 1 Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	25.3377	C
	I-26 EB On-Ramp from I-95 SB	78155	28.8081	D
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.69166	A
	I-26 EB On-Ramp from I-95 NB	78144	9.06443	A
	I-26 WB Off-Ramp to I-95 NB	76174	33.4219	D
	I-26 WB On-Ramp from I-95 NB	78149	29.9493	D
	I-26 WB Loop Off-Ramp to I-95 SB	76171	10.0183	A
	I-26 WB On-Ramp from I-95 SB	76168	1.48208	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

**APPENDIX J.
I-26 AT I-95 TRANSMODELER 2030 AND 2050
BUILD ALTERNATIVE 1 CONDITIONS RAMP
OUTPUT**

2030 Build Alternative 2 Conditions

Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	% Volume Served
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76187	1,516	1,570	97%
I-26/I-95	I-26 EB On-Ramp from I-95 SB	63	78155	779	821	95%
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	46	48	96%
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	78144	268	278	96%
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	76174	789	821	96%
I-26/I-95	I-26 WB On-Ramp from I-95 NB	64	78149	1,528	1,570	97%
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	15	76171	279	278	101%
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	43	48	90%

2050 Build Alternative 2 Conditions

Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	% Volume Served
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76187	1,850	2,192	84%
I-26/I-95	I-26 EB On-Ramp from I-95 SB	63	78155	1,071	1,152	93%
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	64	70	91%
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	78144	336	375	90%
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	76174	1,160	1,154	101%
I-26/I-95	I-26 WB On-Ramp from I-95 NB	64	78149	2,218	2,194	101%
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	15	76171	333	375	89%
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	60	70	85%

2030 Build Alternative 2 Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	20.4026	C
	I-26 EB On-Ramp from I-95 SB	78155	20.3428	C
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.39538	A
	I-26 EB On-Ramp from I-95 NB	78144	6.98966	A
	I-26 WB Off-Ramp to I-95 NB	76174	21.8494	C
	I-26 WB On-Ramp from I-95 NB	78149	20.1019	C
	I-26 WB Loop Off-Ramp to I-95 SB	76171	8.09283	A
	I-26 WB On-Ramp from I-95 SB	76168	1.16764	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 2 Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	25.2135	C
	I-26 EB On-Ramp from I-95 SB	78155	28.8869	D
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.92582	A
	I-26 EB On-Ramp from I-95 NB	78144	10.0119	A
	I-26 WB Off-Ramp to I-95 NB	76174	33.6845	D
	I-26 WB On-Ramp from I-95 NB	78149	29.4201	D
	I-26 WB Loop Off-Ramp to I-95 SB	76171	9.96033	A
	I-26 WB On-Ramp from I-95 SB	76168	1.45472	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

**APPENDIX K.
I-26 AT I-95 TRANSMODELER 2030 AND 2050
BUILD ALTERNATIVE 2 CONDITIONS RAMP
OUTPUT**

2030 Build Alternative 3 Conditions

Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	% Volume Served
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76187	1,512	1,570	96%
I-26/I-95	I-26 EB On-Ramp from I-95 SB	63	78155	780	821	95%
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	47	48	98%
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	78144	269	278	97%
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	78173	790	821	96%
I-26/I-95	I-26 WB On-Ramp from I-95 NB	64	78149	1,531	1,570	97%
I-26/I-95	I-26 WB Flyover Off-Ramp to I-95 SB	15	76171	280	278	101%
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	43	48	90%

2050 Build Alternative 3 Conditions

Mainline	Location	TM Sensor ID	TM Segment ID	TransModeler Volume	Count Volume	% Volume Served
I-26/I-95	I-26 EB Off-Ramp to I-95 SB	9	76187	1,881	2,192	86%
I-26/I-95	I-26 EB On-Ramp from I-95 SB	63	78155	1,068	1,152	93%
I-26/I-95	I-26 EB Loop Off-Ramp to I-95 NB	11	76183	67	70	96%
I-26/I-95	I-26 EB On-Ramp from I-95 NB	12	78144	336	375	90%
I-26/I-95	I-26 WB Off-Ramp to I-95 NB	13	78173	1,157	1,154	100%
I-26/I-95	I-26 WB On-Ramp from I-95 NB	64	78149	2,211	2,194	101%
I-26/I-95	I-26 WB Loop Off-Ramp to I-95 SB	15	76171	328	375	87%
I-26/I-95	I-26 WB On-Ramp from I-95 SB	16	76168	59	70	84%

**APPENDIX L.
I-26 AT I-95 TRANSMODELER 2030 AND 2050
BUILD ALTERNATIVE 3 CONDITIONS RAMP
OUTPUT**

2030 Build Alternative 3 Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	20.9043	C
	I-26 EB On-Ramp from I-95 SB	78155	20.4507	C
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.44699	A
	I-26 EB On-Ramp from I-95 NB	78144	7.45683	A
	I-26 WB Off-Ramp to I-95 NB	78173	22.5144	C
	I-26 WB On-Ramp from I-95 NB	78149	20.1372	C
	I-26 WB Loop Off-Ramp to I-95 SB	76171	9.35048	A
	I-26 WB On-Ramp from I-95 SB	76168	1.10259	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 3 Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	26.1258	C
	I-26 EB On-Ramp from I-95 SB	78155	29.2633	D
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.87898	A
	I-26 EB On-Ramp from I-95 NB	78144	9.33773	A
	I-26 WB Off-Ramp to I-95 NB	78173	33.7457	D
	I-26 WB On-Ramp from I-95 NB	78149	29.4384	D
	I-26 WB Loop Off-Ramp to I-95 SB	76171	11.143	B
	I-26 WB On-Ramp from I-95 SB	76168	1.62895	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Alternative 1 Conditions

Mainline	Location	TM Segment ID	Density	LOS
CD Roads	I-95 NB to I-26	78148	19.5	C
	I-95 to I-26 EB	78154	12.9	B
	I-95 SB to I-26	78170	10.8	A
	I-95 to I-26 WB	78161	14.0	B

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 1 Conditions

Mainline	Location	TM Segment ID	Density	LOS
CD Roads	I-95 NB to I-26	78148	30.2593	D
	I-95 to I-26 EB	78154	16.3338	B
	I-95 SB to I-26	78170	13.7524	A
	I-95 to I-26 WB	78161	20.7297	C

Level Of Service	Weave	Merge	Diverge	Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Alternative 2 Conditions

Mainline	Location	TM Segment ID	Density	LOS
CD Roads	I-95 NB to I-26	78148	21.0	C
	I-95 to I-26 EB	78154	12.8	B
	I-95 SB to I-26	78170	10.8	A
	I-95 to I-26 WB	78161	13.7	B

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 2 Conditions

Mainline	Location	TM Segment ID	Density	LOS
CD Roads	I-95 NB to I-26	78148	30.0533	D
	I-95 to I-26 EB	78154	17.8684	B
	I-95 SB to I-26	78170	14.1709	B
	I-95 to I-26 WB	78161	21.3823	C

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

**APPENDIX M.
I-26 AT I-95 TRANSMODELER 2030 AND 2050
BUILD ALTERNATIVE CONDITIONS SHARED
RAMP SECTION OUTPUT**

2030 Build Alternative 3 Conditions

Mainline	Location	TM Segment ID	Density	LOS
CD Roads	I-95 NB to I-26	78148	20.7	C
	I-95 to I-26 EB	78154	12.7	B
	I-95 SB to I-26	78170	10.5	A
	I-95 to I-26 WB	78161	13.6	B
	I-26 WB to I-95	78174	43.2	E

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 3 Conditions

Mainline	Location	TM Segment ID	Density	LOS
CD Roads	I-95 NB to I-26	78148	29.0394	D
	I-95 to I-26 EB	78154	17.1227	B
	I-95 SB to I-26	78170	14.195	B
	I-95 to I-26 WB	78161	21.3524	C
	I-26 WB to I-95	78174	64.3754	F

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

APPENDIX N. I-26 AT I-95 TRANSMODELER CORRIDOR TRAVEL TIME OUTPUT

2022 Existing Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	
I-26 EB	West of Sys-to-Sys	78076	79.78	1.33	01:20	
		78104	2.08	0.03	00:02	
		77405	21.34	0.36	00:21	
		76161	2.27	0.04	00:02	
		78105	169.03	2.82	02:49	
	78131	2.78	0.05	00:03		
	Sys-to-Sys	76187	17.39	0.29	00:17	
		64745	3.74	0.06	00:04	
		76179	14.42	0.24	00:14	
	East of Sys-to-Sys	78073	2.60	0.04	00:03	
		78106	11.53	0.19	00:12	
		78074	111.72	1.86	01:52	
		78107	2.88	0.05	00:03	
		77374	7.95	0.13	00:08	
		77377	3.67	0.06	00:04	
		77372	8.09	0.13	00:08	
		77369	3.98	0.07	00:04	
		78108	29.26	0.49	00:29	
		Total Time				
	I-26 WB	East of Sys-to-Sys	77362	29.15	0.49	00:29
78130			3.25	0.05	00:03	
78123			7.70	0.13	00:08	
77360			3.92	0.07	00:04	
77357			7.67	0.13	00:08	
78075			1.85	0.03	00:02	
78110			112.28	1.87	01:52	
78072			7.47	0.12	00:07	
78111		2.12	0.04	00:02		
Sys-to-Sys		76172	20.35	0.34	00:20	
		76162	6.34	0.11	00:06	
		76170	16.54	0.28	00:17	
West of Sys-to-Sys		76163	1.71	0.03	00:02	
		78112	169.30	2.82	02:49	
		78124	1.38	0.02	00:01	
	77403	21.27	0.35	00:21		
77410	1.83	0.03	00:02			
78113	81.05	1.35	01:21			
Total Time					08:15	
I-95 NB	South of Sys-to-Sys	76308	53.65	0.89	00:54	
		78126	1.00	0.02	00:01	
		76152	20.16	0.34	00:20	
		76159	3.11	0.05	00:03	
		78080	117.73	1.96	01:58	
		76310	8.16	0.14	00:08	
	Sys-to-Sys	76313	30.33	0.51	00:30	
		76178	14.96	0.25	00:15	
		75978	6.58	0.11	00:07	
	North of Sys-to-Sys	76176	20.79	0.35	00:21	
		78099	1.53	0.03	00:02	
		76315	162.68	2.71	02:43	
		78128	2.99	0.05	00:03	
		76191	32.93	0.55	00:33	
		76198	1.87	0.03	00:02	
78102	60.95	1.02	01:01			
Total Time					08:59	
I-95 SB	North of Sys-to-Sys	78079	59.28	0.99	00:59	
		78127	2.52	0.04	00:03	
		76193	32.41	0.54	00:32	
		76320	2.17	0.04	00:02	
		78103	21.60	0.36	00:22	
		76318	163.04	2.72	02:43	
	76166	20.31	0.34	00:20		
	Sys-to-Sys	76169	20.45	0.34	00:20	
		64742	4.81	0.08	00:05	
		76185	18.07	0.30	00:18	
	South of Sys-to-Sys	76314	1.65	0.03	00:02	
		78100	8.47	0.14	00:08	
		78132	18.76	0.31	00:19	
		76311	7.60	0.13	00:08	
		76157	120.46	2.01	02:00	
		76154	21.12	0.35	00:21	
		76309	2.19	0.04	00:02	
		78098	53.51	0.89	00:54	
Total Time					09:38	
Sys-to-Sys Ramps	I-26 EB to I-95 SB	76186	53.11	0.89	00:53	
	I-95 NB to I-26 EB	76180	28.57	0.48	00:29	
	I-26 WB to I-95 NB	76174	60.52	1.01	01:01	
	I-95 SB to I-26 WB	76168	38.10	0.63	00:38	
	I-95 SB to I-26 EB (Loop)	76189	46.11	0.77	00:46	
	I-26 EB to I-95 NB (Loop)	76183	26.55	0.44	00:27	
	I-95 NB to I-26 WB (Loop)	76177	45.67	0.76	00:46	
I-26 WB to I-95 SB (Loop)	76171	29.54	0.49	00:30		

Travel Time Path		Total Travel Time
Start	End	
I-26 EB	I-26 EB	08:15
	I-95 NB	10:15
	I-95 SB	09:24
I-26 WB	I-26 WB	08:15
	I-95 NB	08:19
	I-95 SB	08:08
I-95 NB	I-26 EB	07:24
	I-26 WB	10:01
	I-95 NB	08:59
I-95 SB	I-26 EB	09:33
	I-26 WB	10:16
I-95 SB	I-95 SB	09:38

2030 No Build Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	
I-26 EB	West of Sys-to-Sys	78076	79.40	1.32	01:19	69.9482822	
		78104	2.07	0.03	00:02	60.1360906	
		77405	20.94	0.35	00:21	68.678208	
		76161	2.20	0.04	00:02	64.4604274	
		78105	169.86	2.83	02:50	67.2754422	
	78131	2.60	0.04	00:03	51.1728618		
	Sys-to-Sys	76187	16.42	0.27	00:16	70.1564442	
		64745	3.57	0.06	00:04	59.8981834	
		76179	13.93	0.23	00:14	67.8638224	
	East of Sys-to-Sys	78073	2.53	0.04	00:03	64.713887	
		78106	11.30	0.19	00:11	69.0241884	
		78074	111.88	1.86	01:52	69.5645188	
		78107	2.95	0.05	00:03	59.9186334	
		77374	7.88	0.13	00:08	66.9997678	
		77377	3.58	0.06	00:04	66.5983408	
		77372	7.84	0.13	00:08	67.3234862	
		77369	3.79	0.06	00:04	52.0124138	
		78108	28.75	0.48	00:29	70.5523208	
		Total Time				08:12	64.79429551
	I-26 WB	East of Sys-to-Sys	77362	29.11	0.49	00:29	69.4495798
78130			3.29	0.05	00:03	66.0796734	
78123			7.65	0.13	00:08	68.9970746	
77360			3.82	0.06	00:04	66.05366	
77357			7.57	0.13	00:08	69.6932486	
78075			1.83	0.03	00:02	66.5960794	
78110			112.31	1.87	01:52	69.8098932	
78072			7.61	0.13	00:08	63.902066	
78111		2.15	0.04	00:02	53.7692092		
Sys-to-Sys		76172	19.92	0.33	00:20	66.0527082	
		76162	6.23	0.10	00:06	44.1414092	
		76170	15.44	0.26	00:15	61.2857586	
West of Sys-to-Sys		76163	1.64	0.03	00:02	62.771253	
		78112	165.30	2.75	02:45	70.431024	
		78124	1.35	0.02	00:01	60.64072	
		77403	20.91	0.35	00:21	69.3743102	
		77410	1.78	0.03	00:02	65.1801622	
78113		79.98	1.33	01:20	69.4417592		
Total Time				08:08	64.64831049		
I-95 NB		South of Sys-to-Sys	76308	54.60	0.91	00:55	68.0690168
	78126		1.01	0.02	00:01	56.8263478	
	76152		20.36	0.34	00:20	68.4756478	
	76159		3.01	0.05	00:03	65.3122714	
	78080		116.12	1.94	01:56	69.41282	
	76310		8.67	0.14	00:09	64.237548	
	76313		46.90	0.78	00:47	53.780117	
	Sys-to-Sys	76178	26.00	0.43	00:26	39.0851386	
		75978	9.05	0.15	00:09	32.234965	
		76176	22.52	0.38	00:23	62.9926856	
	North of Sys-to-Sys	78099	1.67	0.03	00:02	46.5488366	
		76315	163.38	2.72	02:43	69.3363048	
		78128	3.02	0.05	00:03	62.4181196	
		76191	33.16	0.55	00:33	69.0372812	
		76198	1.89	0.03	00:02	65.4791534	
		78102	61.34	1.02	01:01	69.4638748	
	Total Time				09:33	60.16938303	
	I-95 SB	North of Sys-to-Sys	78079	59.66	0.99	01:00	70.5087882
			78127	2.54	0.04	00:03	64.9513678
			76193	32.69	0.54	00:33	70.0016542
76320			2.20	0.04	00:02	64.8511278	
78103			21.83	0.36	00:22	69.045911	
76318			164.48	2.74	02:44	68.8649498	
76166			20.52	0.34	00:21	67.526246	
Sys-to-Sys		76169	21.14	0.35	00:21	63.8952238	
		64742	5.14	0.09	00:05	49.134283	
		76185	18.62	0.31	00:19	65.0628318	
South of Sys-to-Sys		76314	1.64	0.03	00:02	54.6334486	
		78100	8.13	0.14	00:08	63.8805198	
		78132	17.88	0.30	00:18	69.0864866	
		76311	7.51	0.13	00:08	69.2579278	
		76157	120.34	2.01	02:00	68.6662362	
		76154	21.40	0.36	00:21	65.1311808	
		76309	2.33	0.04	00:02	56.296182	
78098		54.72	0.91	00:55	66.5353398		
Total Time				09:43	64.85165028		
Sys-to-Sys Ramps		I-26 EB to I-95 SB	76186	53.20	0.89	00:53	39.4909832
	I-95 NB to I-26 EB	76180	28.78	0.48	00:29	46.5760774	
	I-26 WB to I-95 NB	76174	61.18	1.02	01:01	41.135489	
	I-95 SB to I-26 WB	76168	38.17	0.64	00:38	47.3112256	
	I-95 SB to I-26 EB (Loop)	76189	46.28	0.77	00:46	29.8878412	
	I-26 EB to I-95 NB (Loop)	76183	27.88	0.46	00:28	33.2177154	
	I-95 NB to I-26 WB (Loop)	76177	49.30	0.82	00:49	24.9910242	
I-26 WB to I-95 SB (Loop)	76171	30.03	0.50	00:30	33.647362		

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:12	65
	I-95 NB	10:21	60
	I-95 SB	09:24	62
I-26 WB	I-26 WB	08:08	65
	I-95 NB	08:21	64
	I-95 SB	08:09	62
I-95 NB	I-26 EB	07:40	63
	I-26 WB	10:28	58
	I-95 SB	09:33	60
I-95 SB	I-26 EB	09:35	63
	I-26 WB	10:13	66
	I-95 SB	09:43	65

2030 Build Alternative 1 Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	
I-26 EB	West of Sys-to-Sys	78076	79.43	1.32	01:19	69.92607	
		78104	2.08	0.03	00:02	59.830093	
		77405	20.95	0.35	00:21	68.6447948	
		76161	2.20	0.04	00:02	64.5461728	
		78105	141.92	2.37	02:22	69.3575548	
		78135	13.07	0.22	00:13	66.9426475	
		78138	10.14	0.17	00:10	66.45745525	
		78131	2.30	0.04	00:02	56.10979475	
		76187	16.11	0.27	00:16	71.2343062	
	Sys-to-Sys	64745	4.28	0.07	00:04	59.6906396	
		78106	20.35	0.34	00:20	70.8458598	
		78150	5.56	0.09	00:06	66.0002105	
	East of Sys-to-Sys	78074	4.40	0.07	00:04	65.76312	
		78151	11.85	0.20	00:12	68.1681694	
		78152	95.46	1.59	01:35	69.82697975	
		78107	2.86	0.05	00:03	61.8397726	
		77374	7.79	0.13	00:08	67.7758868	
		77377	3.56	0.06	00:04	66.891373	
		77372	7.86	0.13	00:08	67.1112208	
		77369	3.83	0.06	00:04	51.474005	
		78108	28.92	0.48	00:29	70.1436286	
		Total Time				08:05	65.646655
	I-26 WB	East of Sys-to-Sys	77362	29.07	0.48	00:29	69.5274814
			78130	3.28	0.05	00:03	66.3259582
			78123	7.64	0.13	00:08	69.09172475
			77360	3.81	0.06	00:04	66.286499
			77357	7.56	0.13	00:08	69.8246304
78075			1.83	0.03	00:02	66.8261402	
78072			118.70	1.98	01:59	70.2119578	
78111		2.04	0.03	00:02	56.4996352		
Sys-to-Sys		76172	18.71	0.31	00:19	70.3014108	
		76162	5.69	0.09	00:06	56.4643296	
		76170	28.57	0.48	00:29	71.0725996	
West of Sys-to-Sys		78164	12.24	0.20	00:12	67.34203525	
		78159	15.60	0.26	00:16	69.58610025	
		78160	123.58	2.06	02:04	69.97397675	
		78124	1.38	0.02	00:01	59.1757852	
		77403	20.96	0.35	00:21	69.1945666	
		77410	1.78	0.03	00:02	65.0332602	
		78113	79.90	1.33	01:20	69.5119552	
Total Time				08:02	66.79166924		
I-95 NB		South of Sys-to-Sys	76308	54.64	0.91	00:55	68.01544
			78126	1.01	0.02	00:01	56.5801072
	76152		20.44	0.34	00:20	68.2335534	
	76159		3.02	0.05	00:03	65.0714382	
	78080		116.21	1.94	01:56	69.297125	
	76310		1.64	0.03	00:02	62.7116228	
	76313		9.77	0.16	00:10	66.3603372	
	78143	9.12	0.15	00:09	46.87420825		
	Sys-to-Sys	76178	12.14	0.20	00:12	68.2850436	
		75978	4.92	0.08	00:05	69.6672508	
		76176	20.25	0.34	00:20	70.0551274	
	North of Sys-to-Sys	78099	1.56	0.03	00:02	50.0748102	
		76315	163.95	2.73	02:44	69.0922172	
		78128	3.03	0.05	00:03	62.2181032	
		76191	33.27	0.55	00:33	68.8222492	
76198		1.90	0.03	00:02	65.3195364		
78102	61.51	1.03	01:02	69.2712986			
Total Time				08:38	64.4676158		
I-95 SB	North of Sys-to-Sys	78079	59.63	0.99	01:00	70.5412142	
		78127	2.54	0.04	00:03	65.0175715	
		76193	32.66	0.54	00:33	70.0757904	
		76320	2.20	0.04	00:02	64.8538528	
		78103	21.83	0.36	00:22	69.0534194	
		76318	164.34	2.74	02:44	68.8551058	
		76166	8.83	0.15	00:09	65.0436498	
	78167	6.87	0.11	00:07	60.85213725		
	Sys-to-Sys	76169	23.92	0.40	00:24	69.6292966	
		64742	4.44	0.07	00:04	65.287428	
		76185	17.82	0.30	00:18	67.967737	
	South of Sys-to-Sys	78100	9.87	0.16	00:10	63.3718545	
		78139	12.26	0.20	00:12	67.0979082	
		78140	5.80	0.10	00:06	68.02138625	
		76311	7.55	0.13	00:08	68.81962	
		76157	120.62	2.01	02:01	68.5077134	
		76154	21.43	0.36	00:21	65.0527858	
		76309	2.33	0.04	00:02	56.471621	
	78098	54.78	0.91	00:55	66.38302625		
	Total Time				09:40	66.36332201	
	Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	43.63	0.73	00:44	47.75527925
78172			13.51	0.23	00:14	26.7849344	
I-95 NB to I-26 EB		78148	12.61	0.21	00:13	36.503573	
		78144	28.73	0.48	00:29	45.71788425	
		78154	9.46	0.16	00:09	54.13162375	
I-26 WB to I-95 NB		76174	54.81	0.91	00:55	45.9168818	
		78165	7.55	0.13	00:08	47.21303325	
I-95 SB to I-26 WB		78170	6.57	0.11	00:07	47.7535115	
		76168	28.62	0.48	00:29	48.9013604	
		78161	10.24	0.17	00:10	47.05176775	
		78163	10.52	0.18	00:11	54.3435635	
I-95 SB to I-26 EB (Flyover)		78165	7.55	0.13	00:08	47.21303325	
		78170	6.57	0.11	00:07	47.7535115	
		78155	52.05	0.87	00:52	48.553445	
I-26 EB to I-95 NB (Loop)		78154	9.46	0.16	00:09	54.13162375	
		76183	28.12	0.47	00:28	42.9947952	
I-95 NB to I-26 WB (Flyover)		78172	13.51	0.23	00:14	26.7849344	
		78148	12.61	0.21	00:13	36.503573	
	78149	53.64	0.89	00:54	47.8898875		
	78161	10.24	0.17	00:10	47.05176775		
	78163	10.52	0.18	00:11	54.3435635		
I-26 WB to I-95 SB (Loop)	76171	27.28	0.45	00:27	41.259242		

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:05	66
	I-95 NB	10:11	64
I-26 WB	I-95 SB	09:10	64
	I-26 WB	08:02	67
I-95 NB	I-95 NB	08:14	64
	I-26 WB	08:03	65
I-95 SB	I-26 EB	07:32	60
	I-26 WB	09:32	59
I-95 SB	I-95 NB	08:38	63
	I-26 EB	09:07	63
	I-26 WB	10:18	62
I-95 SB	I-95 SB	09:40	66

2030 Build Alternative 2 Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	
I-26 EB	West of Sys-to-Sys	78076	79.47	1.32	01:19	69.8921394	
		78104	2.08	0.03	00:02	59.9606614	
		77405	20.97	0.35	00:21	68.5690694	
		76161	2.21	0.04	00:02	64.3149462	
		78105	142.07	2.37	02:22	69.2835378	
		78135	13.07	0.22	00:13	67.06354475	
		78138	10.12	0.17	00:10	66.613078	
		78131	2.30	0.04	00:02	56.1184265	
	Sys-to-Sys	76187	16.10	0.27	00:16	71.2875988	
		64745	4.27	0.07	00:04	59.7569776	
		78106	20.34	0.34	00:20	70.8866148	
	East of Sys-to-Sys	78150	5.59	0.09	00:06	65.66588475	
		78074	4.42	0.07	00:04	65.4679838	
		78151	11.87	0.20	00:12	68.0355542	
		78152	95.44	1.59	01:35	69.88125625	
		78107	2.86	0.05	00:03	61.8711158	
		77374	7.79	0.13	00:08	67.8281168	
		77377	3.56	0.06	00:04	66.8926454	
		77372	7.87	0.13	00:08	67.0828416	
		77369	3.84	0.06	00:04	51.3723206	
		78108	28.95	0.48	00:29	70.073769	
	Total Time				08:05	65.6151468	
	I-26 WB	East of Sys-to-Sys	77362	29.06	0.48	00:29	69.5463594
			78130	3.28	0.05	00:03	66.345499
			78123	7.64	0.13	00:08	69.1141246
			77360	3.82	0.06	00:04	66.1585446
			77357	7.58	0.13	00:08	69.6630024
			78075	1.83	0.03	00:02	66.6699832
78072			118.61	1.98	01:59	70.2648894	
78111		2.05	0.03	00:02	56.391176		
Sys-to-Sys		76172	18.69	0.31	00:19	70.3917422	
		76162	5.68	0.09	00:06	56.6158844	
		76170	28.54	0.48	00:29	71.1384862	
West of Sys-to-Sys		78164	12.25	0.20	00:12	67.35470125	
		78159	15.61	0.26	00:16	69.5577215	
		78160	123.56	2.06	02:04	69.9987625	
		78124	1.36	0.02	00:01	60.3431164	
		77403	20.91	0.35	00:21	69.3485372	
		77410	1.78	0.03	00:02	65.073356	
78113		79.87	1.33	01:20	69.5307312		
Total Time				08:02	66.86147875		
I-95 NB		South of Sys-to-Sys	76308	54.62	0.91	00:55	68.0424934
	78126		1.01	0.02	00:01	56.7925368	
	76152		20.39	0.34	00:20	68.396927	
	76159		3.01	0.05	00:03	65.234322	
	78080		116.07	1.93	01:56	69.3621508	
	76310		1.65	0.03	00:02	62.615677	
	76313		9.73	0.16	00:10	66.5857278	
	78143		9.11	0.15	00:09	46.95208925	
	Sys-to-Sys	76178	12.17	0.20	00:12	68.1202304	
		75978	4.93	0.08	00:05	69.5835592	
		76176	20.29	0.34	00:20	69.899999	
	North of Sys-to-Sys	78099	1.57	0.03	00:02	49.6490666	
		76315	163.85	2.73	02:44	69.136005	
		78128	3.01	0.05	00:03	62.5986788	
		76191	33.15	0.55	00:33	69.0592798	
		76198	1.89	0.03	00:02	65.563433	
		78102	61.35	1.02	01:01	69.448155	
Total Time				08:38	64.66121164		
I-95 SB	North of Sys-to-Sys	78079	59.60	0.99	01:00	70.5808666	
		78127	2.53	0.04	00:03	65.073071	
		76193	32.61	0.54	00:33	70.1892426	
		76320	2.19	0.04	00:02	65.2761734	
		78103	21.77	0.36	00:22	69.2381774	
		76318	164.19	2.74	02:44	68.9184662	
		76166	8.80	0.15	00:09	65.2292414	
	78167	6.85	0.11	00:07	60.88433425		
	Sys-to-Sys	76169	23.90	0.40	00:24	69.698988	
		64742	4.43	0.07	00:04	65.5268524	
		76185	17.76	0.30	00:18	68.2031844	
	South of Sys-to-Sys	78100	9.85	0.16	00:10	63.4799564	
		78139	12.27	0.20	00:12	67.0722934	
		76157	134.27	2.24	02:14	68.4756184	
		76154	21.57	0.36	00:22	64.613767	
		76309	2.35	0.04	00:02	55.9869522	
		78098	54.82	0.91	00:55	66.4134638	
Total Time				09:40	66.08454781		
Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	43.66	0.73	00:44	47.755469	
	I-95 NB to I-26 EB	78172	13.51	0.23	00:14	26.7757998	
		78148	12.71	0.21	00:13	36.1964362	
		78144	28.60	0.48	00:29	45.92334175	
		78154	9.68	0.16	00:10	52.9164535	
	I-26 WB to I-95 NB	76174	54.89	0.91	00:55	45.853834	
	I-95 SB to I-26 WB	78165	8.63	0.14	00:09	47.29639075	
		78170	7.57	0.13	00:08	45.026812	
		76168	23.67	0.39	00:24	48.9187708	
		78161	10.39	0.17	00:10	46.389987	
	I-95 SB to I-26 EB (Flyover)	78163	10.55	0.18	00:11	54.2352875	
		78165	8.63	0.14	00:09	47.29639075	
		78170	7.57	0.13	00:08	45.026812	
	I-26 EB to I-95 NB (Loop)	78155	69.21	1.15	01:09	48.4642474	
		78154	9.68	0.16	00:10	52.9164535	
		76183	28.35	0.47	00:28	42.6468238	
	I-95 NB to I-26 WB (Flyover)	78172	13.51	0.23	00:14	26.7757998	
		78148	12.71	0.21	00:13	36.1964362	
78149		69.67	1.16	01:10	48.543499		
78161		10.39	0.17	00:10	46.389987		
78163		10.55	0.18	00:11	54.2352875		
I-26 WB to I-95 SB (Loop)	76171	27.07	0.45	00:27	41.5771568		

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:05	66
	I-95 NB	10:11	64
I-26 WB	I-26 WB	08:02	67
	I-95 NB	08:14	64
I-95 NB	I-95 SB	08:03	64
	I-26 EB	07:32	60
I-95 SB	I-26 WB	09:48	59
	I-95 NB	08:38	65
	I-26 EB	09:26	63
I-95 SB	I-26 WB	10:15	62
	I-95 SB	09:40	66

2030 Build Alternative 3 Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Travel Time (mm:ss)	
I-26 EB	West of Sys-to-Sys	78076	79.40	1.32	01:19	69.9521654	
		78104	2.08	0.03	00:02	60.0272438	
		77405	20.94	0.35	00:21	68.6525234	
		76161	2.21	0.04	00:02	64.381105	
		78105	141.97	2.37	02:22	69.3313028	
		78135	12.91	0.22	00:13	67.7962094	
		78138	10.10	0.17	00:10	66.7681325	
		78131	2.30	0.04	00:02	56.1078416	
	Sys-to-Sys	76187	16.13	0.27	00:16	71.1802364	
		64745	4.29	0.07	00:04	59.5651648	
		78106	20.40	0.34	00:20	70.6744726	
	East of Sys-to-Sys	78150	5.59	0.09	00:06	65.6573115	
		78074	4.40	0.07	00:04	65.7377056	
		78151	11.83	0.20	00:12	68.303794	
		78152	95.45	1.59	01:35	69.86896	
		78107	2.86	0.05	00:03	61.8486828	
		77374	7.78	0.13	00:08	67.8674252	
		77377	3.56	0.06	00:04	66.970856	
		77372	7.84	0.13	00:08	67.2709408	
		77369	3.82	0.06	00:04	51.6872162	
		78108	28.88	0.48	00:29	70.2448964	
	Total Time					08:05	65.70924696
	I-26 WB	East of Sys-to-Sys	77362	29.07	0.48	00:29	69.5225512
			78130	3.28	0.05	00:03	66.4214956
			78123	7.64	0.13	00:08	69.1212262
			77360	3.82	0.06	00:04	66.2110956
77357			7.59	0.13	00:08	69.5829578	
78075			1.68	0.03	00:02	66.3999402	
Sys-to-Sys		78072	108.54	1.81	01:49	69.7083966	
		78111	5.07	0.08	00:05	42.3675932	
West of Sys-to-Sys		76170	61.80	1.03	01:02	70.9017046	
		78164	12.29	0.20	00:12	67.19749875	
		78159	15.65	0.26	00:16	69.4456155	
		78160	123.68	2.06	02:04	69.95088925	
		78124	1.36	0.02	00:01	60.280768	
		77403	20.94	0.35	00:21	69.2568304	
Sys-to-Sys	77410	1.78	0.03	00:02	65.0060204		
	78113	79.86	1.33	01:20	69.5556648		
Total Time					08:04	66.30814051	
I-95 NB	South of Sys-to-Sys	76308	54.55	0.91	00:55	68.1319114	
		78126	1.01	0.02	00:01	56.6880824	
		76152	20.38	0.34	00:20	68.405296	
		76159	3.01	0.05	00:03	65.2875668	
		78080	115.92	1.93	01:56	69.4559512	
		76310	1.64	0.03	00:02	62.7716814	
		76313	9.73	0.16	00:10	66.6172742	
		78143	9.08	0.15	00:09	47.076778	
	Sys-to-Sys	76178	12.15	0.20	00:12	68.2044958	
		75978	4.92	0.08	00:05	69.7559132	
	North of Sys-to-Sys	76176	20.34	0.34	00:20	69.7324164	
		78099	1.60	0.03	00:02	48.7972478	
		76315	163.70	2.73	02:44	69.1996338	
		78128	3.02	0.05	00:03	62.5588398	
Sys-to-Sys	76191	33.22	0.55	00:33	68.9220292		
	76198	1.90	0.03	00:02	65.3225882		
	78102	61.53	1.03	01:02	69.2384906		
	Total Time					08:38	64.48036448
I-95 SB	North of Sys-to-Sys	78079	59.68	0.99	01:00	70.487893	
		78127	2.54	0.04	00:03	64.9258862	
		76193	32.66	0.54	00:33	70.0781766	
		76320	2.19	0.04	00:02	65.1457768	
		78103	21.80	0.36	00:22	69.1613304	
		76318	164.12	2.74	02:44	68.9480174	
		76166	8.77	0.15	00:09	65.4983566	
	Sys-to-Sys	78167	6.84	0.11	00:07	61.191106	
		76169	40.91	0.68	00:41	70.5772712	
	South of Sys-to-Sys	78175	6.01	0.10	00:06	67.136936	
		78176	5.52	0.09	00:06	55.2851014	
		78100	13.78	0.23	00:14	63.7795132	
		78139	9.90	0.16	00:10	66.106697	
		76157	125.59	2.09	02:06	68.6646602	
76154		21.43	0.36	00:21	65.0569696		
76309		2.34	0.04	00:02	56.0015648		
Total Time					09:39	65.56065048	
Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	54.66	0.91	00:55	45.46071625	
	I-95 NB to I-26 EB	78172	13.47	0.22	00:13	26.8884596	
		78148	12.73	0.21	00:13	36.1845904	
		78144	28.51	0.48	00:29	46.088258	
		78154	9.67	0.16	00:10	52.20997	
	I-26 WB to I-95 NB	78174	19.77	0.33	00:20	30.8539132	
		78173	56.02	0.93	00:56	44.909748	
	I-95 SB to I-26 WB	78165	8.62	0.14	00:09	47.37783625	
		78170	7.62	0.13	00:08	44.78268475	
		76168	23.80	0.40	00:24	48.6605652	
		78161	10.39	0.17	00:10	46.470177	
	I-95 SB to I-26 EB (Flyover)	78163	10.56	0.18	00:11	54.2620355	
		78165	8.62	0.14	00:09	47.37783625	
		78170	7.62	0.13	00:08	44.78268475	
	I-26 EB to I-95 NB (Loop)	78155	69.17	1.15	01:09	48.4952418	
		78154	9.67	0.16	00:10	52.20997	
		76183	28.37	0.47	00:28	42.6318278	
	I-95 NB to I-26 WB (Flyover)	78172	13.47	0.22	00:13	26.8884596	
78148		12.73	0.21	00:13	36.1845904		
78149		69.41	1.16	01:09	48.75426125		
78161		10.39	0.17	00:10	46.470177		
78163		10.56	0.18	00:11	54.2620355		
I-26 WB to I-95 SB (Flyover)	78174	19.77	0.33	00:20	30.8539132		
	76171	105.47	1.76	01:45	37.7524266		

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:05	66
	I-95 NB	10:11	64
	I-95 SB	09:14	64
I-26 WB	I-26 WB	08:04	66
	I-95 NB	08:27	61
	I-95 SB	08:51	61
I-95 NB	I-26 EB	07:32	60
	I-26 WB	09:47	59
	I-95 NB	08:38	64
I-95 SB	I-26 EB	09:26	63
	I-26 WB	10:15	62
	I-95 SB	09:39	66

2050 No Build Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Hours	Travel Time (mm:ss)	Average Speed	
I-26 EB	West of Sys-to-Sys	78076	214.22	3.57	0.06	03:34	25.97281	
		78104	5.03	0.08	0.00	00:05	24.809168	
		77405	86.84	1.45	0.02	01:27	16.5718212	
		76161	9.80	0.16	0.00	00:10	14.51111156	
		78105	919.93	15.33	0.26	15:20	12.4228582	
	78131	3.06	0.05	0.00	00:03	43.4548202		
	Sys-to-Sys	76187	17.81	0.30	0.00	00:18	64.6688874	
		64745	3.82	0.06	0.00	00:04	55.930964	
		76179	14.30	0.24	0.00	00:14	66.0923746	
	East of Sys-to-Sys	78073	2.56	0.04	0.00	00:03	64.1372024	
		78106	11.37	0.19	0.00	00:11	68.645431	
		78074	112.65	1.88	0.03	01:53	69.091643	
		78107	3.03	0.05	0.00	00:03	58.2773888	
		77374	8.04	0.13	0.00	00:08	65.6134744	
		77377	3.64	0.06	0.00	00:04	65.4354156	
		77372	7.93	0.13	0.00	00:08	66.5033062	
		77369	3.88	0.06	0.00	00:04	50.8182328	
		78108	28.98	0.48	0.01	00:29	69.993012	
		Total Distance		Total Time	0.40469		24:17	50.16388474
	I-26 WB	East of Sys-to-Sys	77362	31.10	0.52	0.01	00:31	65.0257838
78130			3.62	0.06	0.00	00:04	60.1995328	
78123			8.15	0.14	0.00	00:08	64.8591916	
77360			4.05	0.07	0.00	00:04	62.350152	
77357			7.89	0.13	0.00	00:08	66.8773404	
78075			1.90	0.03	0.00	00:02	64.310873	
78110			199.19	3.32	0.06	03:19	42.1295134	
78072			9.99	0.17	0.00	00:10	48.8183048	
78111		2.41	0.04	0.00	00:02	47.951911		
Sys-to-Sys		76172	21.17	0.35	0.01	00:21	62.1454684	
		76162	6.52	0.11	0.00	00:07	42.162639	
		76170	16.00	0.27	0.00	00:16	59.137768	
West of Sys-to-Sys		76163	1.67	0.03	0.00	00:02	61.6096634	
		78112	166.45	2.77	0.05	02:46	69.9440104	
		78124	1.36	0.02	0.00	00:01	60.174809	
		77403	21.11	0.35	0.01	00:21	68.7053002	
		77410	1.80	0.03	0.00	00:02	64.3978908	
		78113	80.59	1.34	0.02	01:21	68.9145212	
		Total Distance		Total Time	0.16249		09:45	59.98414851
		I-95 NB	South of Sys-to-Sys	76308	161.39	2.69	0.04	02:41
	78126			3.18	0.05	0.00	00:03	17.9999282
76152	70.14			1.17	0.02	01:10	19.8852388	
76159	11.42			0.19	0.00	00:11	17.2168618	
78080	803.46			13.39	0.22	13:23	10.0328844	
76310	62.76			1.05	0.02	01:03	8.7129184	
76313	188.55			3.14	0.05	03:09	10.7528778	
Sys-to-Sys	76178		48.75	0.81	0.01	00:49	18.6624648	
	75978		10.83	0.18	0.00	00:11	26.8528318	
	76176		23.05	0.38	0.01	00:23	61.5298988	
North of Sys-to-Sys	78099		1.81	0.03	0.00	00:02	43.0243812	
	76315		163.29	2.72	0.05	02:43	69.3741226	
	78128		3.02	0.05	0.00	00:03	62.3897424	
	76191		33.20	0.55	0.01	00:33	68.9600132	
	76198		1.89	0.03	0.00	00:02	65.4777372	
	78102		61.36	1.02	0.02	01:01	69.43926	
Total Distance			Total Time	0.46		27:28	37.08421288	
I-95 SB	North of Sys-to-Sys		78079	60.39	1.01	0.02	01:00	69.657049
			78127	2.56	0.04	0.00	00:03	64.3413846
			76193	33.08	0.55	0.01	00:33	69.1930042
		76320	2.26	0.04	0.00	00:02	63.2251118	
		78103	22.21	0.37	0.01	00:22	67.8756372	
		76318	166.16	2.77	0.05	02:46	68.168675	
	76166	20.83	0.35	0.01	00:21	66.538903		
	Sys-to-Sys	76169	23.13	0.39	0.01	00:23	58.4004848	
		64742	6.00	0.10	0.00	00:06	42.1058782	
		76185	19.39	0.32	0.01	00:19	62.4818034	
	South of Sys-to-Sys	76314	1.62	0.03	0.00	00:02	55.3551926	
		78100	8.09	0.13	0.00	00:08	64.1650668	
		78132	17.88	0.30	0.00	00:18	69.0959588	
		76311	7.50	0.12	0.00	00:07	69.3150516	
		76157	120.51	2.01	0.03	02:01	68.5721796	
		76154	21.76	0.36	0.01	00:22	64.049477	
		76309	2.45	0.04	0.00	00:02	53.6403882	
		78098	55.40	0.92	0.02	00:55	65.7220762	
	Total Distance		Total Time	0.16		09:51	63.43907344	
	Sys-to-Sys Ramps	I-26 EB to I-95 SB	76186	52.11	0.87	0.01	00:52	40.314911
I-95 NB to I-26 EB		76180	29.39	0.49	0.01	00:29	45.6132394	
I-26 WB to I-95 NB		76174	62.02	1.03	0.02	01:02	40.5826694	
I-95 SB to I-26 WB		76168	38.62	0.64	0.01	00:39	46.783728	
I-95 SB to I-26 EB (Loop)		76189	48.08	0.80	0.01	00:48	28.7711268	
I-26 EB to I-95 NB (Loop)		76183	29.54	0.49	0.01	00:30	31.3480708	
I-95 NB to I-26 WB (Loop)		76177	54.65	0.91	0.02	00:55	22.5312386	
I-26 WB to I-95 SB (Loop)	76171	30.90	0.52	0.01	00:31	32.6989722		

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	24:17	50
	I-95 NB	26:29	45
I-26 WB	I-95 SB	25:26	46
	I-26 WB	09:45	60
I-95 NB	I-95 NB	09:55	59
	I-95 SB	09:47	58
I-95 SB	I-26 EB	25:12	43
	I-26 WB	28:31	37
I-95 SB	I-95 NB	27:28	37
	I-26 EB	09:45	62
	I-26 WB	10:19	65
	I-95 SB	09:51	63

2050 Build Alternative 1 Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	
I-26 EB	West of Sys-to-Sys	78076	86.37	1.44	01:26	64.5962124	
		78104	2.27	0.04	00:02	55.2749828	
		77405	21.67	0.36	00:22	66.371837	
		76161	2.24	0.04	00:02	63.330375	
		78105	144.10	2.40	02:24	68.3078982	
		78135	13.49	0.22	00:13	64.81879275	
		78138	10.32	0.17	00:10	65.240906	
		78131	2.31	0.04	00:02	55.83137225	
	Sys-to-Sys	76187	16.26	0.27	00:16	70.5941054	
		64745	4.31	0.07	00:04	59.2028806	
		78106	20.59	0.34	00:21	70.0062888	
		78150	5.68	0.09	00:06	64.748785	
	East of Sys-to-Sys	78074	4.56	0.08	00:05	63.4330276	
		78151	12.34	0.21	00:12	65.4401466	
		78152	97.19	1.62	01:37	68.57787175	
		78107	2.91	0.05	00:03	60.6331288	
		77374	8.03	0.13	00:08	65.7812954	
		77377	3.69	0.06	00:04	64.5997104	
		77372	8.08	0.13	00:08	65.2651026	
		77369	3.97	0.07	00:04	49.7217896	
		78108	29.48	0.49	00:29	68.8135122	
		Total Time					08:20
	I-26 WB	East of Sys-to-Sys	77362	30.64	0.51	00:31	65.968292
			78130	3.50	0.06	00:03	62.2116948
			78123	8.04	0.13	00:08	65.6703584
			77360	4.01	0.07	00:04	62.949222
			77357	7.86	0.13	00:08	67.1253828
			78075	1.90	0.03	00:02	64.3718834
78072			121.02	2.02	02:01	68.8667044	
78111			2.11	0.04	00:02	54.5796434	
Sys-to-Sys		76172	18.95	0.32	00:19	69.4293366	
		76162	5.66	0.09	00:06	56.7465922	
		76170	28.85	0.48	00:29	70.3825662	
West of Sys-to-Sys		78164	12.56	0.21	00:13	65.6119045	
		78159	15.88	0.26	00:16	68.3481395	
		78160	125.71	2.10	02:06	68.79576325	
		78124	1.42	0.02	00:01	57.7583196	
		77403	21.61	0.36	00:22	67.1203408	
		77410	1.84	0.03	00:02	63.1025138	
		78113	81.50	1.36	01:21	68.1436024	
		Total Time					08:13
I-95 NB		South of Sys-to-Sys	76308	58.04	0.97	00:58	64.0368854
	78126		1.03	0.02	00:01	55.3281734	
	76152		20.95	0.35	00:21	66.5590716	
	76159		3.11	0.05	00:03	63.2812682	
	78080		117.46	1.96	01:57	68.5434594	
	76310		1.69	0.03	00:02	61.0271868	
	76313		10.44	0.17	00:10	62.06697	
	78143		9.92	0.17	00:10	43.0753875	
	Sys-to-Sys	76178	12.17	0.20	00:12	68.1053842	
		75978	4.94	0.08	00:05	69.3850038	
		76176	20.70	0.35	00:21	68.5096996	
	North of Sys-to-Sys	78099	1.85	0.03	00:02	42.0459108	
		76315	165.01	2.75	02:45	68.6487864	
		78128	3.08	0.05	00:03	61.313948	
		76191	33.61	0.56	00:34	68.117474	
		76198	1.91	0.03	00:02	64.7666472	
		78102	61.88	1.03	01:02	68.8521946	
		Total Time					08:48
I-95 SB	North of Sys-to-Sys	78079	60.41	1.01	01:00	69.6397808	
		78127	2.56	0.04	00:03	64.3310158	
		76193	33.07	0.55	00:33	69.2023844	
		76320	2.26	0.04	00:02	63.2261818	
		78103	22.20	0.37	00:22	67.9064494	
		76318	165.94	2.77	02:46	68.1883714	
		76166	9.19	0.15	00:09	62.5162352	
		78167	7.12	0.12	00:07	58.778362	
	Sys-to-Sys	76169	24.04	0.40	00:24	69.2831036	
		64742	4.49	0.07	00:04	64.6425336	
		76185	17.93	0.30	00:18	67.573033	
	South of Sys-to-Sys	78100	10.11	0.17	00:10	61.861726	
		78139	12.50	0.21	00:13	65.830063	
		76157	138.11	2.30	02:18	66.597478	
		76154	28.91	0.48	00:29	49.532981	
		76309	3.37	0.06	00:03	40.0863872	
		78098	59.41	0.99	00:59	61.329396	
		Total Time					10:02
Sys-to-Sys Ramps	I-26 EB to I-95 SB		78137	43.94	0.73	00:44	47.3988255
	I-95 NB to I-26 EB	78172	14.15	0.24	00:14	25.565782	
		78148	13.27	0.22	00:13	34.674204	
		78144	28.89	0.48	00:29	45.49925925	
		78154	9.88	0.16	00:10	51.889018	
	I-26 WB to I-95 NB		76174	56.88	0.95	00:57	44.2491864
	I-95 SB to I-26 WB	78165	8.83	0.15	00:09	46.26118525	
		78170	7.77	0.13	00:08	43.92199875	
		76168	23.94	0.40	00:24	48.3663438	
		78161	10.66	0.18	00:11	45.2149325	
	I-95 SB to I-26 EB (Flyover)	78163	10.84	0.18	00:11	52.71594975	
		78165	8.83	0.15	00:09	46.26118525	
		78170	7.77	0.13	00:08	43.92199875	
	I-26 EB to I-95 NB (Loop)		78155	70.95	1.18	01:11	47.2812212
	I-95 NB to I-26 WB (Flyover)	78154	9.88	0.16	00:10	51.889018	
		76183	28.38	0.47	00:28	42.6149718	
		78172	14.15	0.24	00:14	25.565782	
		78148	13.27	0.22	00:13	34.674204	
78149		70.78	1.18	01:11	47.795954		
78161		10.66	0.18	00:11	45.2149325		
I-26 WB to I-95 SB (Loop)		78163	10.84	0.18	00:11	52.71594975	
		76171	27.27	0.45	00:27	41.2681868	

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:20	64
	I-95 NB	10:25	63
	I-95 SB	09:39	60
I-26 WB	I-26 WB	08:13	65
	I-95 NB	08:23	62
	I-95 SB	08:26	61
I-95 NB	I-26 EB	07:45	58
	I-26 WB	10:03	57
	I-95 NB	08:48	63
I-95 SB	I-26 EB	09:36	61
	I-26 WB	10:25	61
	I-95 SB	10:02	63

2050 Build Alternative 2 Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	
I-26 EB	West of Sys-to-Sys	78076	109.31	1.82	01:49	58.5274806	
		78104	2.42	0.04	00:02	52.9937564	
		77405	22.09	0.37	00:22	65.2541344	
		76161	2.25	0.04	00:02	63.0388296	
		78105	144.00	2.40	02:24	68.3554902	
		78135	13.43	0.22	00:13	65.022795	
		78138	10.32	0.17	00:10	65.18981275	
		78131	2.31	0.04	00:02	55.837332	
	Sys-to-Sys	76187	16.28	0.27	00:16	70.4939896	
		64745	4.32	0.07	00:04	59.11139	
		78106	20.60	0.34	00:21	69.9717486	
	East of Sys-to-Sys	78150	5.67	0.09	00:06	64.703201	
		78074	4.58	0.08	00:05	63.2176134	
		78151	12.35	0.21	00:12	65.4326928	
		78152	97.19	1.62	01:37	68.61269475	
		78107	2.91	0.05	00:03	60.6822116	
		77374	8.02	0.13	00:08	65.8584646	
		77377	3.68	0.06	00:04	64.6998252	
		77372	8.08	0.13	00:08	65.267295	
		77369	3.98	0.07	00:04	49.5941526	
		78108	29.49	0.49	00:29	68.780499	
	Total Time					08:43	63.3640671
	I-26 WB	East of Sys-to-Sys	77362	30.52	0.51	00:31	66.2405136
			78130	3.46	0.06	00:03	62.9898332
			78123	7.99	0.13	00:08	66.125195
			77360	3.99	0.07	00:04	63.249761
77357			7.83	0.13	00:08	67.4279588	
78075			1.89	0.03	00:02	64.6870222	
78072			120.94	2.02	02:01	68.9122422	
78111		2.10	0.04	00:02	54.844813		
Sys-to-Sys		76172	18.90	0.32	00:19	69.6051182	
		76162	5.66	0.09	00:06	56.7559776	
		76170	28.85	0.48	00:29	70.3766802	
West of Sys-to-Sys		78164	13.04	0.22	00:13	63.3489625	
		78159	16.41	0.27	00:16	66.28410075	
		78160	125.53	2.09	02:06	68.920681	
		78124	1.54	0.03	00:02	53.309503	
		77403	22.32	0.37	00:22	65.0033802	
		77410	1.85	0.03	00:02	62.6826736	
		78113	81.39	1.36	01:21	68.2323244	
Total Time					08:14	64.3887078	
I-95 NB		South of Sys-to-Sys	76308	58.14	0.97	00:58	63.9311024
	78126		1.04	0.02	00:01	55.080334	
	76152		21.04	0.35	00:21	66.2666044	
	76159		3.11	0.05	00:03	63.185907	
	78080		117.57	1.96	01:58	68.4788942	
	76310		1.69	0.03	00:02	61.0392132	
	76313		10.38	0.17	00:10	62.4463744	
	78143	9.93	0.17	00:10	43.10066025		
	Sys-to-Sys	76178	12.19	0.20	00:12	68.0152538	
		75978	4.95	0.08	00:05	69.2999894	
	76176	20.72	0.35	00:21	68.4681548		
	North of Sys-to-Sys	78099	1.85	0.03	00:02	42.1930808	
		76315	165.30	2.75	02:45	68.5312696	
		78128	3.08	0.05	00:03	61.2471368	
		76191	33.70	0.56	00:34	67.9391656	
76198		1.92	0.03	00:02	64.5463946		
78102	62.05	1.03	01:02	68.6635884			
Total Time					08:49	62.60121286	
I-95 SB	North of Sys-to-Sys	78079	60.34	1.01	01:00	69.7143024	
		78127	2.56	0.04	00:03	64.3711942	
		76193	33.05	0.55	00:33	69.2492854	
		76320	2.26	0.04	00:02	63.3610316	
		78103	22.17	0.37	00:22	68.002836	
		76318	165.71	2.76	02:46	68.2867952	
		76166	9.15	0.15	00:09	62.7541392	
	78167	7.09	0.12	00:07	59.1849445		
	Sys-to-Sys	76169	24.01	0.40	00:24	69.3674162	
		64742	4.48	0.07	00:04	64.7462074	
	76185	17.93	0.30	00:18	67.5796988		
	South of Sys-to-Sys	78100	10.09	0.17	00:10	61.9971272	
		78139	12.49	0.21	00:12	65.8635638	
		76157	136.99	2.28	02:17	67.1219362	
76154		26.13	0.44	00:26	53.8877174		
76309		3.15	0.05	00:03	42.31681		
78098	58.79	0.98	00:59	61.9466926			
Total Time					09:56	63.46405061	
Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	43.94	0.73	00:44	47.431809	
	I-95 NB to I-26 EB	78172	14.12	0.24	00:14	25.6294704	
		78148	13.26	0.22	00:13	34.7139286	
		78144	28.44	0.47	00:28	46.20850325	
		78154	9.87	0.16	00:10	51.9119055	
	I-26 WB to I-95 NB	76174	56.90	0.95	00:57	44.2319182	
	I-95 SB to I-26 WB	78165	8.80	0.15	00:09	46.552289	
		78170	7.75	0.13	00:08	44.14434575	
		76168	23.74	0.40	00:24	48.7763358	
		78161	10.67	0.18	00:11	45.230797	
		78163	10.87	0.18	00:11	52.6749075	
	I-95 SB to I-26 EB (Flyover)	78165	8.80	0.15	00:09	46.552289	
		78170	7.75	0.13	00:08	44.14434575	
		78155	70.71	1.18	01:11	47.4393474	
	78154	9.87	0.16	00:10	51.9119055		
	I-26 EB to I-95 NB (Loop)	76183	28.61	0.48	00:29	42.2702082	
	I-95 NB to I-26 WB (Flyover)	78172	14.12	0.24	00:14	25.6294704	
		78148	13.26	0.22	00:13	34.7139286	
78149		70.99	1.18	01:11	47.7057485		
78161		10.67	0.18	00:11	45.230797		
78163		10.87	0.18	00:11	52.6749075		
I-26 WB to I-95 SB (Loop)	76171	27.24	0.45	00:27	41.3102942		

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:43	63
	I-95 NB	10:49	62
I-26 WB	I-95 SB	09:58	60
	I-26 WB	08:14	64
	I-95 NB	08:24	62
I-95 NB	I-95 SB	08:21	61
	I-26 EB	07:45	58
I-95 SB	I-26 WB	10:05	57
	I-95 NB	08:49	63
	I-26 EB	09:35	61
I-26 WB	I-26 WB	10:26	61
	I-95 SB	09:56	63

2050 Build Alternative 3 Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Travel Time (mm:ss)	
I-26 EB	West of Sys-to-Sys	78076	83.33	1.39	01:23	66.6543674	
		78104	2.18	0.04	00:02	57.2718758	
		77405	21.48	0.36	00:21	66.9492986	
		76161	2.25	0.04	00:02	63.1694906	
		78105	144.15	2.40	02:24	68.2866605	
		78135	13.20	0.22	00:13	66.3404082	
		78138	10.26	0.17	00:10	65.70422975	
		78131	2.31	0.04	00:02	55.8427142	
	Sys-to-Sys	76187	16.29	0.27	00:16	70.4682918	
		64745	4.32	0.07	00:04	59.1235654	
		78106	20.59	0.34	00:21	70.004912	
	East of Sys-to-Sys	78150	5.68	0.09	00:06	64.733801	
		78074	4.55	0.08	00:05	63.5851092	
		78151	12.36	0.21	00:12	65.3560652	
		78152	97.31	1.62	01:37	68.5422325	
		78107	2.91	0.05	00:03	60.6513662	
		77374	8.04	0.13	00:08	65.7242248	
		77377	3.69	0.06	00:04	64.4865726	
		77372	8.10	0.14	00:08	65.130621	
		77369	3.99	0.07	00:04	49.4241542	
		78108	29.61	0.49	00:30	68.4991682	
	Total Time					08:17	64.09281303
	I-26 WB	East of Sys-to-Sys	77362	30.81	0.51	00:31	65.6215384
			78130	3.52	0.06	00:04	61.8513372
			78123	8.06	0.13	00:08	65.5588214
			77360	4.03	0.07	00:04	62.7603458
			77357	7.87	0.13	00:08	67.0672236
			78075	1.73	0.03	00:02	64.317508
78072			111.43	1.86	01:51	67.9019628	
78111		5.60	0.09	00:06	38.324277		
Sys-to-Sys		76170	62.41	1.04	01:02	70.1935086	
West of Sys-to-Sys		78164	12.61	0.21	00:13	65.3766645	
		78159	15.91	0.27	00:16	68.1995595	
		78160	125.61	2.09	02:06	68.869509	
		78124	1.41	0.02	00:01	58.060473	
		77403	21.56	0.36	00:22	67.2627732	
		77410	1.84	0.03	00:02	62.8939902	
	78113	81.64	1.36	01:22	68.0288968		
	Total Time					08:16	63.89302431
I-95 NB	South of Sys-to-Sys	76308	58.16	0.97	00:58	63.9069962	
		78126	1.04	0.02	00:01	55.0276486	
		76152	21.05	0.35	00:21	66.242795	
		76159	3.12	0.05	00:03	62.9649752	
		78080	117.55	1.96	01:58	68.4891244	
		76310	1.69	0.03	00:02	60.9726356	
		76313	10.34	0.17	00:10	62.6981326	
		78143	9.91	0.17	00:10	43.1028965	
	Sys-to-Sys	76178	12.17	0.20	00:12	68.089263	
		75978	4.94	0.08	00:05	69.476274	
		76176	20.78	0.35	00:21	68.262673	
	North of Sys-to-Sys	78099	1.87	0.03	00:02	41.6735446	
		76315	164.64	2.74	02:45	68.8042656	
		78128	3.06	0.05	00:03	61.758131	
		76191	33.52	0.56	00:34	68.303417	
76198	1.92	0.03	00:02	64.662612			
78102	61.89	1.03	01:02	68.842376			
Total Time					08:48	62.54575061	
I-95 SB	North of Sys-to-Sys	78079	60.35	1.01	01:00	69.706993	
		78127	2.56	0.04	00:03	64.3644672	
		76193	33.06	0.55	00:33	69.2168424	
		76320	2.26	0.04	00:02	63.2905484	
		78103	22.21	0.37	00:22	67.8852882	
		76318	165.99	2.77	02:46	68.171925	
		76166	9.24	0.15	00:09	62.1384118	
	78167	7.11	0.12	00:07	58.95759		
	Sys-to-Sys	76169	40.99	0.68	00:41	70.4407316	
		78175	6.06	0.10	00:06	66.5927812	
		78176	5.60	0.09	00:06	54.4517096	
	South of Sys-to-Sys	78100	14.12	0.24	00:14	62.2364816	
		78139	10.05	0.17	00:10	65.0709088	
		76157	128.09	2.13	02:08	67.324984	
		76154	25.95	0.43	00:26	54.448595	
76309		3.18	0.05	00:03	41.9054056		
78098	59.48	0.99	00:59	61.2391046			
Total Time					09:56	62.79075106	
Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	55.30	0.92	00:55	44.92713825	
		78172	14.19	0.24	00:14	25.52109	
	I-95 NB to I-26 EB	78148	13.31	0.22	00:13	34.6054038	
		78144	28.62	0.48	00:29	45.7753475	
		78154	9.89	0.16	00:10	51.067037	
	I-26 WB to I-95 NB	78174	21.56	0.36	00:22	28.290585	
		78173	57.47	0.96	00:57	43.7768326	
	I-95 SB to I-26 WB	78165	8.85	0.15	00:09	46.15637125	
		78170	7.84	0.13	00:08	43.603661	
		76168	23.65	0.39	00:24	48.964062	
		78161	10.66	0.18	00:11	45.249724	
		78163	10.88	0.18	00:11	52.61679675	
	I-95 SB to I-26 EB (Flyover)	78165	8.85	0.15	00:09	46.15637125	
		78170	7.84	0.13	00:08	43.603661	
		78155	71.29	1.19	01:11	47.05283	
	78154	9.89	0.16	00:10	51.067037		
	I-26 EB to I-95 NB (Loop)	76183	28.30	0.47	00:28	42.724184	
		78172	14.19	0.24	00:14	25.52109	
	I-95 NB to I-26 WB (Flyover)	78148	13.31	0.22	00:13	34.6054038	
		78149	70.74	1.18	01:11	47.80794325	
78161		10.66	0.18	00:11	45.249724		
78163		10.88	0.18	00:11	52.61679675		
78174		21.56	0.36	00:22	28.290585		
I-26 WB to I-95 SB (Flyover)	76171	105.26	1.75	01:45	37.8265414		

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:17	64
	I-95 NB	10:21	63
	I-95 SB	09:35	60
I-26 WB	I-26 WB	08:16	64
	I-95 NB	08:39	59
	I-95 SB	09:12	57
I-95 NB	I-26 EB	07:45	58
	I-26 WB	10:03	57
	I-95 NB	08:48	63
I-95 SB	I-26 EB	09:37	61
	I-26 WB	10:25	61
	I-95 SB	09:56	63

APPENDIX O. I-26 AT I-95 TRANSMODELER CORRIDOR YEAR OF FAILURE OUTPUT

2030 Year of Failure Analysis

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	18.04	C
	Off-Ramp to SC 210	78104	Diverge	14.29	B
	Between SC 210 Ramps	77405	Basic	17.73	B
	On-Ramp from SC 210	76161	Merge	14.30	B
	West of I-26/I-95 Interchange	78105	Basic	18.34	C
	Off-Ramp to I-95 SB	78131	Diverge	11.27	B
	Between Ramps	76187	Basic	8.49	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	5.75	A
I-26 EB	Between Ramps	78106	Basic	8.47	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.46	B
	East of I-26/I-95 Interchange	78151	Basic	11.54	B
	Off-Ramp to US 15 SB	78107	Diverge	11.57	B
	Between Ramps	77374	Basic	14.44	B
	Weave to/from US 15	77377	Weave	6.37	A
	Between Ramps	77372	Basic	14.07	B
	On-Ramp from US 15 NB	77369	Merge	12.98	B
	East of US 15	78108	Basic	14.84	B
	East of US 15	77362	Basic	15.04	B
	Off-Ramp to US 15 NB	78130	Diverge	11.02	B
	Between Ramps	78123	Basic	15.12	B
	Weave to/from US 15	77360	Weave	6.57	A
	Between Ramps	77357	Basic	14.62	B
	On-Ramp from US 15 SB	78075	Merge	11.72	B
	East of I-26/I-95 Interchange	78072	Basic	15.18	B
	Off-Ramp to I-95 NB	78111	Diverge	15.13	B
I-26 WB	Between Ramps	76172	Basic	10.23	A
	Loop Off-Ramp to I-95 SB	76162	Diverge	7.31	A
	Between Ramps	76170	Basic	8.68	A
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	13.55	B
	West of I-26/I-95 Interchange	78159	Basic	14.01	B
	Off-Ramp to SC 210	78124	Diverge	21.60	C
	Between SC 210 Ramps	77403	Basic	18.28	C
	On-Ramp from SC 210	77410	Merge	13.71	B
	West of SC 210	78113	Basic	18.25	C
	South of US 178	76308	Basic	29.14	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	38.36	E
	I-26 EB Between US 178 Ramps	76152	Basic	27.84	D
	I-26 EB On-Ramp from US 178	76159	Merge	26.86	C
	South of I-26/I-95 Interchange	76310	Basic	30.03	D
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	20.10	C
	Between Ramps	76178	Basic	12.81	B
I-95 NB	System-to-System Weave	75978	Merge	8.65	A
	Between Ramps	76176	Basic	13.09	B
	On-Ramp from I-26 WB	78099	Merge	21.35	C
	North of I-26/I-95 Interchange	76315	Basic	20.77	C
	Off-Ramp to US 176	78128	Diverge	23.98	C
	Between US 176 Ramps	76191	Basic	19.48	C
	On-Ramp from US 176	76198	Merge	18.50	B
	North of US 176	78102	Basic	19.86	C
	North of US 176	78079	Basic	19.12	C
	Off-Ramp to US 176	78127	Diverge	21.46	C
	Between US 176 Ramps	76193	Basic	18.97	C
	On-Ramp from US 176	76320	Merge	19.46	B
	North of I-26/I-95 Interchange	76318	Basic	20.50	C
	Off-Ramp to I-26 WB	78167	Diverge	18.55	B
	Between Ramps	76169	Basic	12.89	B
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	11.37	B
	Between Ramps	76185	Basic	15.42	B
	On-Ramp from I-26 EB	78100	Merge	25.39	C
	South of I-26/I-95 Interchange	76311	Basic	36.14	E
	Off-Ramp to US 178	76157	Diverge	29.77	D
	Between U 178 Ramps	76154	Basic	29.68	D
	On-Ramp from US 178	76309	Merge	32.01	D
	South of US 178	78098	Basic	29.69	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

I-26 Westbound Segment - West of the I-26 and I-95 System Interchange

I-95 Southbound Segment - South of I-26 and I-95 System Interchange

2040 Year of Failure Analysis

Mainline	Location	TM Segment ID	Segment Type	Density	LOS	
I-26 EB	West of SC 210	78076	Basic	21.93	C	
	Off-Ramp to SC 210	78104	Diverge	17.70	B	
	Between SC 210 Ramps	77405	Basic	21.54	C	
	On-Ramp from SC 210	76161	Merge	17.46	B	
	West of I-26/I-95 Interchange	78105	Basic	23.39	C	
	Off-Ramp to I-95 SB	78131	Diverge	39.23	E	
	Between Ramps	76187	Basic	11.93	B	
	Loop Off-Ramp to I-95 NB	64745	Diverge	6.90	A	
	Between Ramps	78106	Basic	10.52	A	
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	13.75	B	
	East of I-26/I-95 Interchange	78151	Basic	14.73	B	
	Off-Ramp to US 15 SB	78107	Diverge	13.99	B	
	Between Ramps	77374	Basic	17.43	B	
	Weave to/from US 15	77377	Weave	6.28	A	
	Between Ramps	77372	Basic	18.40	C	
	On-Ramp from US 15 NB	77369	Merge	15.92	B	
	East of US 15	78108	Basic	18.46	C	
	I-26 WB	East of US 15	77362	Basic	18.74	C
		Off-Ramp to US 15 NB	78130	Diverge	13.81	B
Between Ramps		78123	Basic	18.95	C	
Weave to/from US 15		77360	Weave	8.12	A	
Between Ramps		77357	Basic	18.50	C	
On-Ramp from US 15 SB		78075	Merge	15.34	B	
East of I-26/I-95 Interchange		78072	Basic	18.81	C	
Off-Ramp to I-95 NB		78111	Diverge	18.79	B	
Between Ramps		76172	Basic	12.76	B	
Loop Off-Ramp to I-95 SB		76162	Diverge	9.58	A	
Between Ramps		76170	Basic	10.83	A	
CD On-Ramp from I-95 NB + I-95 SB		78164	Merge	16.62	B	
West of I-26/I-95 Interchange		78160	Basic	24.16	C	
Off-Ramp to SC 210		78124	Diverge	26.07	C	
Between SC 210 Ramps		77403	Basic	23.92	C	
On-Ramp from SC 210		77410	Merge	18.22	B	
West of SC 210		78113	Basic	22.42	C	
I-95 NB		South of US 178	76308	Basic	30.14	D
		I-26 NB Off-Ramp to US 178	78126	Diverge	38.80	E
	I-26 EB Between US 178 Ramps	76152	Basic	28.69	D	
	I-26 EB On-Ramp from US 178	76159	Basic	22.57	C	
	South of I-26/I-95 Interchange	76310	Basic	22.57	C	
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	19.49	B	
	Between Ramps	76178	Basic	12.95	B	
	System-to-System Weave	75978	Merge	9.95	A	
	Between Ramps	76176	Basic	14.50	B	
	On-Ramp from I-26 WB	78099	Merge	24.00	C	
	North of I-26/I-95 Interchange	76315	Basic	23.30	C	
	Off-Ramp to US 176	78128	Diverge	25.63	C	
	Between US 176 Ramps	76191	Basic	22.48	C	
	On-Ramp from US 176	76198	Merge	20.19	C	
North of US 176	78102	Basic	22.32	C		
I-95 SB	North of US 176	78079	Basic	21.69	C	
	Off-Ramp to US 176	78127	Diverge	21.52	C	
	Between US 176 Ramps	76193	Basic	21.59	C	
	On-Ramp from US 176	76320	Merge	22.15	C	
	North of I-26/I-95 Interchange	76318	Basic	23.26	C	
	Off-Ramp to I-26 WB	78167	Diverge	21.05	C	
	Between Ramps	76169	Basic	14.21	B	
	Loop On-Ramp from I-26 WB	64742	Merge	11.91	B	
	Between Ramps	76185	Basic	19.96	C	
	On-Ramp from I-26 EB	78100	Merge	75.99	E	
	South of I-26/I-95 Interchange	76311	Basic	50.53	F	
	Off-Ramp to US 178	76157	Diverge	31.25	D	
	Between US 178 Ramps	76154	Basic	29.36	D	
	On-Ramp from US 178	76309	Merge	29.98	D	
South of US 178	78098	Basic	30.28	D		

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

I-26 Westbound Segment - West of the I-26 and I-95 System Interchange

I-95 Southbound Segment - South of I-26 and I-95 System Interchange

2045 Year of Failure Analysis

Mainline	Location	TM Segment ID	Segment Type	Density	LOS	Level Of Service	Weave	Merge	Diverge	Basic Freeway	
I-26 EB	West of SC 210	78076	Basic	24.03	C						
	Off-Ramp to SC 210	78104	Diverge	18.50	B						
	Between SC 210 Ramps	77405	Basic	23.56	C						
	On-Ramp from SC 210	76161	Merge	19.46	B	A	10	10	10	11	
	West of I-26/I-95 Interchange	78105	Basic	47.57	F	B	20	20	20	18	
	Off-Ramp to I-95 SB	78131	Diverge	68.33	E	C	28	28	28	26	
	Between Ramps	76187	Basic	12.42	B	D	35	35	35	35	
	Loop Off-Ramp to I-95 NB	64745	Diverge	6.57	A	E	43			45	
	Between Ramps	78106	Basic	10.37	A	F	>	Demand Exceeds Capacity		>	
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	14.15	B						
	East of I-26/I-95 Interchange	78151	Basic	14.89	B						
	Off-Ramp to US 15 SB	78107	Diverge	14.04	B						
	Between Ramps	77374	Basic	16.92	B						
	Weave to/from US 15	77377	Weave	8.31	A						
	Between Ramps	77372	Basic	18.44	C						
	On-Ramp from US 15 NB	77369	Merge	16.70	B						
	East of US 15	78108	Basic	18.38	C						
	I-26 WB	East of US 15	77362	Basic	20.69	C					
		Off-Ramp to US 15 NB	78130	Diverge	15.74	B					
Between Ramps		78123	Basic	20.61	C						
Weave to/from US 15		77360	Weave	9.81	A						
Between Ramps		77357	Basic	20.34	C						
On-Ramp from US 15 SB		78075	Merge	16.55	B						
East of I-26/I-95 Interchange		78072	Basic	20.81	C						
Off-Ramp to I-95 NB		78111	Diverge	20.27	C						
Between Ramps		76172	Basic	14.35	B						
Loop Off-Ramp to I-95 SB		76162	Diverge	10.31	B						
Between Ramps		76170	Basic	12.16	B						
CD On-Ramp from I-95 NB + I-95 SB		78164	Merge	17.77	B						
West of I-26/I-95 Interchange		78160	Basic	56.03	F					I-26 Westbound Segment - West of the I-26 and I-95 System Interchange	
Off-Ramp to SC 210		78124	Diverge	30.83	D						
Between SC 210 Ramps		77403	Basic	25.82	C						
On-Ramp from SC 210		77410	Merge	18.66	B						
West of SC 210		78113	Basic	22.50	C						
I-95 NB		South of US 178	76308	Basic	30.90	D					
		I-26 NB Off-Ramp to US 178	78126	Diverge	39.36	E					
	I-26 EB Between US 178 Ramps	76152	Basic	29.00	D						
	I-26 EB On-Ramp from US 178	76159	Basic	23.46	C						
	South of I-26/I-95 Interchange	76310	Basic	23.46	C						
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	20.14	C						
	Between Ramps	76178	Basic	14.40	B						
	System-to-System Weave	75978	Merge	9.66	A						
	Between Ramps	76176	Basic	15.17	B						
	On-Ramp from I-26 WB	78099	Merge	25.93	C						
	North of I-26/I-95 Interchange	76315	Basic	24.59	C						
	Off-Ramp to US 176	78128	Diverge	26.88	C						
	Between US 176 Ramps	76191	Basic	23.21	C						
	On-Ramp from US 176	76198	Merge	23.32	C						
North of US 176	78102	Basic	23.42	C							
I-95 SB	North of US 176	78079	Basic	22.87	C						
	Off-Ramp to US 176	78127	Diverge	23.98	C						
	Between US 176 Ramps	76193	Basic	22.80	C						
	On-Ramp from US 176	76320	Merge	23.85	C						
	North of I-26/I-95 Interchange	76318	Basic	24.53	C						
	Off-Ramp to I-26 WB	78167	Diverge	22.62	C						
	Between Ramps	76169	Basic	14.90	B						
	Loop On-Ramp from I-26 WB	64742	Merge	12.52	B						
	Between Ramps	76185	Basic	22.05	C						
	On-Ramp from I-26 EB	78100	Merge	91.14	E						
	South of I-26/I-95 Interchange	76311	Basic	52.03	F					I-95 Southbound Segment - South of I-26 and I-95 System Interchange	
	Off-Ramp to US 178	76157	Diverge	29.98	D						
	Between US 178 Ramps	76154	Basic	29.32	D						
	On-Ramp from US 178	76309	Merge	29.57	D						
South of US 178	78098	Basic	29.08	D							

**APPENDIX P.
I-26 AT I-95 TRANSMODELER SOUTHBOUND
SOUTH OF THE SYSTEM INTERCHANGE OUTPUT**

2030 Build Alternative 1 Conditions - No I-95 Widening

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	18.04	C
	Off-Ramp to SC 210	78104	Diverge	14.29	B
	Between SC 210 Ramps	77405	Basic	17.73	B
	On-Ramp from SC 210	76161	Merge	14.30	B
	West of I-26/I-95 Interchange	78105	Basic	18.34	C
	Off-Ramp to I-95 SB	78131	Diverge	11.27	B
	Between Ramps	76187	Basic	8.49	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	5.75	A
I-26 EB	Between Ramps	78106	Basic	8.47	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.46	B
	East of I-26/I-95 Interchange	78151	Basic	11.54	B
	Off-Ramp to US 15 SB	78107	Diverge	11.57	B
	Between Ramps	77374	Basic	14.44	B
	Weave to/from US 15	77377	Weave	6.37	A
	Between Ramps	77372	Basic	14.07	B
	On-Ramp from US 15 NB	77369	Merge	12.98	B
	East of US 15	78108	Basic	14.84	B
	East of US 15	77362	Basic	15.04	B
	Off-Ramp to US 15 NB	78130	Diverge	11.02	B
	Between Ramps	78123	Basic	15.12	B
	Weave to/from US 15	77360	Weave	6.57	A
	Between Ramps	77357	Basic	14.62	B
	On-Ramp from US 15 SB	78075	Merge	11.72	B
	East of I-26/I-95 Interchange	78072	Basic	15.18	B
	Off-Ramp to I-95 NB	78111	Diverge	15.13	B
I-26 WB	Between Ramps	76172	Basic	10.23	A
	Loop Off-Ramp to I-95 SB	76162	Diverge	7.31	A
	Between Ramps	76170	Basic	8.68	A
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	13.55	B
	West of I-26/I-95 Interchange	78159	Basic	14.01	B
	Off-Ramp to SC 210	78124	Diverge	21.60	C
	Between SC 210 Ramps	77403	Basic	18.28	C
	On-Ramp from SC 210	77410	Merge	13.71	B
	West of SC 210	78113	Basic	18.25	C
	South of US 178	76308	Basic	29.14	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	38.36	E
	I-26 EB Between US 178 Ramps	76152	Basic	27.84	D
	I-26 EB On-Ramp from US 178	76159	Merge	26.86	C
	South of I-26/I-95 Interchange	76310	Basic	30.03	D
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	20.10	C
	Between Ramps	76178	Basic	12.81	B
I-95 NB	System-to-System Weave	75978	Merge	8.65	A
	Between Ramps	76176	Basic	13.09	B
	On-Ramp from I-26 WB	78099	Merge	21.35	C
	North of I-26/I-95 Interchange	76315	Basic	20.77	C
	Off-Ramp to US 176	78128	Diverge	23.98	C
	Between US 176 Ramps	76191	Basic	19.48	C
	On-Ramp from US 176	76198	Merge	18.50	B
	North of US 176	78102	Basic	19.86	C
	North of US 176	78079	Basic	19.12	C
	Off-Ramp to US 176	78127	Diverge	21.46	C
	Between US 176 Ramps	76193	Basic	18.97	C
	On-Ramp from US 176	76320	Merge	19.46	B
	North of I-26/I-95 Interchange	76318	Basic	20.50	C
	Off-Ramp to I-26 WB	78167	Diverge	18.55	B
	Between Ramps	76169	Basic	12.89	B
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	11.37	B
	Between Ramps	76185	Basic	15.42	B
	On-Ramp from I-26 EB	78100	Merge	25.39	C
	South of I-26/I-95 Interchange	76311	Basic	36.14	E
	Off-Ramp to US 178	76157	Diverge	29.77	D
	Between U 178 Ramps	76154	Basic	29.68	D
	On-Ramp from US 178	76309	Merge	32.01	D
	South of US 178	78098	Basic	29.69	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Alternative 1 Conditions - No I-95 Widening

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L	
I-26 EB	West of Sys-to-Sys	78076	79.31	1.32	01:19	70.030622	1.545991	108.2658	
		78104	2.08	0.03	00:02	59.95638725	0.03471	2.081086	
		77405	20.94	0.35	00:21	68.6770546	0.400254	27.48827	
		76161	2.20	0.04	00:02	64.5112146	0.039546	2.55116	
		78105	141.98	2.37	02:22	69.3266712	2.739932	189.9504	
		78135	12.92	0.22	00:13	67.73203025	0.243723	16.50785	
		78138	10.12	0.17	00:10	66.57551025	0.187705	12.49656	
		78131	2.30	0.04	00:02	55.974119	0.035936	2.011486	
		76187	16.12	0.27	00:16	71.2183704			
	64745	4.28	0.07	00:04	59.6790494				
	78106	20.35	0.34	00:20	70.8516986				
	East of Sys-to-Sys	78150	5.56	0.09	00:06	66.094843			
		78074	4.38	0.07	00:04	66.1100882			
		78151	11.81	0.20	00:12	68.3670062			
		78152	95.55	1.59	01:36	69.7598575			
		78107	2.86	0.05	00:03	61.7732588			
		77374	7.80	0.13	00:08	67.7122666			
		77377	3.56	0.06	00:04	66.8811366			
		77372	7.85	0.13	00:08	67.2098376			
		77369	3.81	0.06	00:04	51.7664404			
		78108	28.88	0.48	00:29	70.2442746			
	Total Time			08:05	65.73577035				
	I-26 WB	East of Sys-to-Sys	77362	29.10	0.48	00:29	69.4710962		
			78130	3.28	0.05	00:03	66.2728648		
78123			7.64	0.13	00:08	69.1032145			
77360			3.82	0.06	00:04	66.1967064			
77357			7.57	0.13	00:08	69.7103914			
78075			1.83	0.03	00:02	66.6954122			
78072		118.61	1.98	01:59	70.2688324				
78111		2.04	0.03	00:02	56.5957026				
Sys-to-Sys		76172	18.70	0.31	00:19	70.3519564			
		76162	5.68	0.09	00:06	56.5548508			
		76170	28.58	0.48	00:29	71.0278464			
West of Sys-to-Sys		78164	12.39	0.21	00:12	66.57613575			
		78159	16.06	0.27	00:16	67.7280325			
		78160	127.38	2.12	02:07	67.9662415			
		78124	1.47	0.02	00:01	55.7369418			
	77403	21.30	0.36	00:21	68.0911732				
	77410	1.77	0.03	00:02	65.4807922				
78113	79.47	1.32	01:19	69.8794276					
Total Time			08:07	66.31708993					
I-95 NB	South of Sys-to-Sys	76308	54.66	0.91	00:55	67.9990714			
		78126	1.02	0.02	00:01	56.365926			
		76152	20.58	0.34	00:21	67.7498144			
		76159	3.31	0.06	00:03	59.3218			
		78080	119.64	1.99	02:00	67.27852725			
		76310	1.71	0.03	00:02	60.4397474			
		76313	10.21	0.17	00:10	63.4881406			
	78143	9.18	0.15	00:09	46.6212745				
	Sys-to-Sys	76178	12.13	0.20	00:12	68.3045746			
		75978	4.92	0.08	00:05	69.7024138			
		76176	20.24	0.34	00:20	70.0572706			
	North of Sys-to-Sys	78099	1.54	0.03	00:02	50.4791308			
		76315	164.47	2.74	02:44	68.8777432			
		78128	3.04	0.05	00:03	62.0286448			
		76191	33.37	0.56	00:33	68.6231636			
		76198	1.90	0.03	00:02	65.1165512			
		78102	61.54	1.03	01:02	69.2363528			
		Total Time			08:43	63.77817983			
I-95 SB		North of Sys-to-Sys	78079	59.69	0.99	01:00	70.4766192		
	78127		2.54	0.04	00:03	64.99668075			
	76193		32.65	0.54	00:33	70.0879216			
	76320		2.20	0.04	00:02	65.11084			
	78103		21.81	0.36	00:22	69.1206458			
	76318		164.54	2.74	02:45	68.7700484			
	76166		8.83	0.15	00:09	65.0557194			
	78167		6.89	0.11	00:07	60.76157175			
	Sys-to-Sys	76169	23.96	0.40	00:24	69.5122464			
		64742	4.44	0.07	00:04	65.306357			
	South of Sys-to-Sys	76185	17.81	0.30	00:18	68.0286886			
		78100	10.08	0.17	00:10	61.992968	0.173952	10.7838	
		78139	14.07	0.23	00:14	58.4794254	0.228613	13.36916	
		78140	7.50	0.12	00:07	52.194407	0.10989	5.735643	
		76311	8.73	0.15	00:09	59.5576256	0.144474	8.604528	
		76157	122.07	2.03	02:02	67.6909146	0.465046	31.47939	
		76154	21.66	0.36	00:22	64.3389278	0.388017	24.9646	
		76309	2.28	0.04	00:02	57.5301676	0.036536	2.101922	
78098	54.40	0.91	00:54	66.87911925	1.013358	67.77249			
Total Time			09:46	64.73665484					
Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	43.49	0.72	00:43	47.9039835	0.579881	27.77861	
		78172	13.21	0.22	00:13	27.388216			
	I-95 NB to I-26 EB	78148	12.49	0.21	00:12	36.850381			
		78144	28.53	0.48	00:29	45.987951			
		78154	9.46	0.16	00:09	54.1743215			
	I-26 WB to I-95 NB	76174	54.68	0.91	00:55	46.0313324			
		78165	7.60	0.13	00:08	47.09210125			
	I-95 SB to I-26 WB	78170	6.61	0.11	00:07	47.6609935			
		76168	29.36	0.49	00:29	47.6612934			
		78161	10.22	0.17	00:10	47.213405			
	I-95 SB to I-26 EB (Flyover)	78163	10.50	0.17	00:10	54.48953875			
		78165	7.60	0.13	00:08	47.09210125			
		78170	6.61	0.11	00:07	47.6609935			
		78155	52.36	0.87	00:52	48.2672918			
	I-26 EB to I-95 NB (Loop)	78154	9.46	0.16	00:09	54.1743215			
		76183	28.24	0.47	00:28	42.8185422			
	I-95 NB to I-26 WB (Flyover)	78172	13.21	0.22	00:13	27.388216			
		78148	12.49	0.21	00:12	36.850381			
78149		53.44	0.89	00:53	48.123953				
78161		10.22	0.17	00:10	47.213405				
78163		10.50	0.17	00:10	54.48953875				
I-26 WB to I-95 SB (Loop)	76171	27.08	0.45	00:27	41.5580412				

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:05	66
I-26 EB	I-95 NB	10:12	64
I-26 EB	I-95 SB	09:16	62
I-26 WB	I-26 WB	08:07	66
I-26 WB	I-95 NB	08:14	64
I-26 WB	I-95 SB	08:08	63
I-95 NB	I-26 EB	07:36	60
I-95 NB	I-26 WB	09:40	58
I-95 NB	I-95 NB	08:43	64
I-95 SB	I-26 EB	09:07	63
I-95 SB	I-26 WB	10:23	62
I-95 SB	I-95 SB	09:46	65

66

2030 Build Alternative 1 Conditions - No I-95 Widening + Extended Merge

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	18.03	C
	Off-Ramp to SC 210	78104	Diverge	14.83	B
	Between SC 210 Ramps	77405	Basic	18.06	C
	On-Ramp from SC 210	76161	Merge	14.13	B
	West of I-26/I-95 Interchange	78105	Basic	18.25	C
	Off-Ramp to I-95 SB	78131	Diverge	12.11	B
	Between Ramps	76187	Basic	8.58	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	5.16	A
I-26 EB	Between Ramps	78106	Basic	8.26	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.24	B
	East of I-26/I-95 Interchange	78151	Basic	12.15	B
	Off-Ramp to US 15 SB	78107	Diverge	11.42	B
	Between Ramps	77374	Basic	14.01	B
	Weave to/from US 15	77377	Weave	5.74	A
	Between Ramps	77372	Basic	14.91	B
	On-Ramp from US 15 NB	77369	Merge	12.96	B
	East of US 15	78108	Basic	14.50	B
	East of US 15	77362	Basic	14.88	B
	Off-Ramp to US 15 NB	78130	Diverge	11.30	B
	Between Ramps	78123	Basic	15.12	B
	Weave to/from US 15	77360	Weave	6.89	A
	Between Ramps	77357	Basic	14.55	B
	On-Ramp from US 15 SB	78075	Merge	12.08	B
	East of I-26/I-95 Interchange	78072	Basic	15.10	B
	Off-Ramp to I-95 NB	78111	Diverge	15.20	B
I-26 WB	Between Ramps	76172	Basic	10.34	A
	Loop Off-Ramp to I-95 SB	76162	Diverge	8.00	A
	Between Ramps	76170	Basic	8.45	A
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	13.64	B
	West of I-26/I-95 Interchange	78159	Basic	13.95	B
	Off-Ramp to SC 210	78124	Diverge	18.03	B
	Between SC 210 Ramps	77403	Basic	18.29	C
	On-Ramp from SC 210	77410	Merge	14.20	B
	West of SC 210	78113	Basic	18.16	C
	South of US 178	76308	Basic	29.09	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	35.35	E
	I-26 EB Between US 178 Ramps	76152	Basic	27.97	D
	I-26 EB On-Ramp from US 178	76159	Merge	25.15	C
	South of I-26/I-95 Interchange	76310	Basic	30.03	D
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	16.98	B
	Between Ramps	76178	Basic	12.39	B
I-95 NB	System-to-System Weave	75978	Merge	8.89	A
	Between Ramps	76176	Basic	13.10	B
	On-Ramp from I-26 WB	78099	Merge	21.06	C
	North of I-26/I-95 Interchange	76315	Basic	20.68	C
	Off-Ramp to US 176	78128	Diverge	21.03	C
	Between US 176 Ramps	76191	Basic	19.96	C
	On-Ramp from US 176	76198	Merge	18.47	B
	North of US 176	78102	Basic	19.73	C
	North of US 176	78079	Basic	19.13	C
	Off-Ramp to US 176	78127	Diverge	21.24	C
	Between US 176 Ramps	76193	Basic	18.76	C
	On-Ramp from US 176	76320	Merge	19.45	B
	North of I-26/I-95 Interchange	76318	Basic	20.43	C
	Off-Ramp to I-26 WB	78167	Diverge	19.64	B
	Between Ramps	76169	Basic	12.09	B
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	10.83	B
	Between Ramps	76185	Basic	16.20	B
	On-Ramp from I-26 EB	78100	Merge	18.60	B
	South of I-26/I-95 Interchange	76311	Basic	19.98	C
	Off-Ramp to US 178	76157	Basic	19.98	B
	Between U 178 Ramps	76154	Basic	29.96	D
	On-Ramp from US 178	76309	Merge	32.37	D
	South of US 178	78098	Basic	29.93	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Alternative 1 Conditions - No I-95 Widening + Extended Merge

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L	
I-26 EB	West of Sys-to-Sys	78076	79.48	1.32	01:19	69.883281	1.545991	108.0389	
		78104	2.08	0.03	00:02	59.9252635	0.03471	2.080006	
		77405	20.96	0.35	00:21	68.611683	0.400254	27.4621	
		76161	2.20	0.04	00:02	64.5160824	0.039546	2.551353	
		78105	142.09	2.37	02:22	69.2746436	2.739932	189.8078	
		78135	12.91	0.22	00:13	67.8867945	0.243723	16.54557	
		78138	10.11	0.17	00:10	66.68912325	0.187705	12.51788	
		78131	2.31	0.04	00:02	55.9893855	0.035936	2.012035	
		76187	16.13	0.27	00:16	71.179067			
	64745	4.28	0.07	00:04	59.6655398				
	78106	20.36	0.34	00:20	70.8030084				
	East of Sys-to-Sys	78150	5.57	0.09	00:06	65.957333			
		78074	4.39	0.07	00:04	65.9158			
		78151	11.83	0.20	00:12	68.2869508			
		78152	95.66	1.59	01:36	69.68480275			
		78107	2.86	0.05	00:03	61.79229175			
		77374	7.79	0.13	00:08	67.7554364			
		77377	3.56	0.06	00:04	66.8996872			
		77372	7.86	0.13	00:08	67.1671138			
		77369	3.82	0.06	00:04	51.7054636			
		78108	28.91	0.48	00:29	70.159439			
	Total Time					08:05	65.70229477		
	I-26 WB	East of Sys-to-Sys	77362	29.07	0.48	00:29	69.5455674		
			78130	3.28	0.05	00:03	66.3690314		
78123			7.64	0.13	00:08	69.1121565			
77360			3.82	0.06	00:04	66.144768			
77357			7.58	0.13	00:08	69.6815732			
78075			1.83	0.03	00:02	66.6858554			
78072		118.55	1.98	01:59	70.3016854				
78111		2.04	0.03	00:02	56.6520034				
Sys-to-Sys		76172	18.68	0.31	00:19	70.4137074			
		76162	5.68	0.09	00:06	56.6206414			
		76170	28.56	0.48	00:29	71.0804742			
West of Sys-to-Sys		78164	12.34	0.21	00:12	66.85546875			
		78159	16.00	0.27	00:16	67.880929			
		78160	127.24	2.12	02:07	67.96716275			
		78124	1.46	0.02	00:01	56.0053016			
	77403	21.27	0.35	00:21	68.1779074				
	77410	1.77	0.03	00:02	65.5844256				
78113	79.43	1.32	01:19	69.9153714					
Total Time					08:06	66.38855723			
I-95 NB	South of Sys-to-Sys	76308	54.58	0.91	00:55	68.1008846			
		78126	1.01	0.02	00:01	56.7092496			
		76152	20.57	0.34	00:21	67.7743008			
		76159	3.34	0.06	00:03	58.8354202			
		78080	119.58	1.99	02:00	67.33296			
		76310	1.70	0.03	00:02	60.5058038			
		76313	9.61	0.16	00:10	67.4634516			
		78143	9.02	0.15	00:09	47.4133325			
	Sys-to-Sys	76178	12.12	0.20	00:12	68.3872592			
		75978	4.91	0.08	00:05	69.8464948			
		76176	20.24	0.34	00:20	70.0910718			
	North of Sys-to-Sys	78099	1.56	0.03	00:02	49.798818			
		76315	163.87	2.73	02:44	69.1289682			
		78128	3.02	0.05	00:03	62.3914276			
		76191	33.24	0.55	00:33	68.8769286			
		76198	1.90	0.03	00:02	65.3290766			
		78102	61.42	1.02	01:01	69.3689606			
		Total Time					08:42	64.09683143	
I-95 SB	North of Sys-to-Sys	78079	59.68	0.99	01:00	70.4901842			
		78127	2.54	0.04	00:03	64.97697875			
		76193	32.66	0.54	00:33	70.0806956			
		76320	2.20	0.04	00:02	65.0168698			
		78103	21.83	0.36	00:22	69.0714428			
		76318	164.22	2.74	02:44	68.9057622			
		76166	8.81	0.15	00:09	65.1676064			
		78167	6.86	0.11	00:07	60.92922575			
		76169	23.94	0.40	00:24	69.5668778			
	Sys-to-Sys	64742	4.44	0.07	00:04	65.3292284			
		76185	17.76	0.30	00:18	68.2283354			
		78100	10.06	0.17	00:10	62.203336	0.173952	10.82039	
	South of Sys-to-Sys	78139	12.60	0.21	00:13	65.2931494	0.228613	14.92686	
		78140	5.87	0.10	00:06	67.346422	0.10989	7.400698	
		76311	7.64	0.13	00:08	68.0516018	0.144474	9.831687	
		76157	13.99	0.23	00:14	68.832392	0.465046	32.01023	
		76154	21.68	0.36	00:22	64.306623	0.388017	24.95206	
		76309	2.33	0.04	00:02	56.4139384	0.036536	2.06114	
78098		54.69	0.91	00:55	66.4847825	1.013358	67.37289		
Total Time					07:54	66.54939237			
Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	43.52	0.73	00:44	47.8834205	0.579881	27.76669	
		78172	13.37	0.22	00:13	27.0629704			
		78148	12.56	0.21	00:13	36.637682			
	I-95 NB to I-26 EB	78144	28.87	0.48	00:29	45.42529575			
		78154	9.45	0.16	00:09	54.26784925			
		76174	54.82	0.91	00:55	45.9057424			
	I-26 WB to I-95 NB	78165	7.54	0.13	00:08	47.2643625			
		78170	6.56	0.11	00:07	47.8712835			
		76168	28.82	0.48	00:29	48.5723196			
	I-95 SB to I-26 WB	78161	10.20	0.17	00:10	47.30890875			
		78163	10.48	0.17	00:10	54.5677215			
		78165	7.54	0.13	00:08	47.2643625			
	I-95 SB to I-26 EB (Flyover)	78170	6.56	0.11	00:07	47.8712835			
		78155	52.03	0.87	00:52	48.5754508			
		78154	9.45	0.16	00:09	54.26784925			
I-26 EB to I-95 NB (Loop)	76183	28.01	0.47	00:28	43.1662178				
	78172	13.37	0.22	00:13	27.0629704				
	78148	12.56	0.21	00:13	36.637682				
	78149	53.53	0.89	00:54	48.0722295				
	78161	10.20	0.17	00:10	47.30890875				
	78163	10.48	0.17	00:10	54.5677215				
I-95 NB to I-26 WB (Flyover)	78161	10.20	0.17	00:10	47.30890875				
	78163	10.48	0.17	00:10	54.5677215				
	76171	27.08	0.45	00:27	41.5644172				

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:05	66
I-26 EB	I-95 NB	10:11	64
I-26 EB	I-95 SB	07:25	64
I-26 WB	I-26 WB	08:06	66
I-26 WB	I-95 NB	08:14	64
I-26 WB	I-95 SB	06:16	65
I-95 NB	I-26 EB	07:36	60
I-95 NB	I-26 WB	09:39	59
I-95 NB	I-95 NB	08:42	64
I-95 SB	I-26 EB	09:07	63
I-95 SB	I-26 WB	10:22	62
I-95 SB	I-95 SB	07:54	67

67

2030 Build Alternative 1 Conditions - I-95 Widening

Mainline	Location	TM Segment ID	Segment Type	Density	LOS	Weave	Merge	Diverge	Basic Freeway	
I-26 EB	West of SC 210	78076	Basic	18.10	C					
	Off-Ramp to SC 210	78104	Diverge	14.37	B					
	Between SC 210 Ramps	77405	Basic	17.90	B					
	On-Ramp from SC 210	76161	Merge	14.49	B	10	10	10	11	
	West of I-26/I-95 Interchange	78105	Basic	18.23	C	20	20	20	18	
	Off-Ramp to I-95 SB	78131	Diverge	12.14	B	28	28	28	26	
	Between Ramps	76187	Basic	9.08	A	35	35	35	35	
	Loop Off-Ramp to I-95 NB	64745	Diverge	5.52	A	43			45	
	Between Ramps	78106	Basic	7.87	A	>	Demand Exceeds Capacity		>	
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.57	B					
	East of I-26/I-95 Interchange	78151	Basic	12.24	B					
	Off-Ramp to US 15 SB	78107	Diverge	11.40	B					
	Between Ramps	77374	Basic	14.00	B					
	Weave to/from US 15	77377	Weave	6.54	A					
	Between Ramps	77372	Basic	15.40	B					
	On-Ramp from US 15 NB	77369	Merge	12.92	B					
	East of US 15	78108	Basic	14.66	B					
	I-26 WB	East of US 15	77362	Basic	14.91	B				
		Off-Ramp to US 15 NB	78130	Diverge	11.41	B				
		Between Ramps	78123	Basic	14.96	B				
Weave to/from US 15		77360	Weave	6.77	A					
Between Ramps		77357	Basic	14.69	B					
On-Ramp from US 15 SB		78075	Merge	11.77	B					
East of I-26/I-95 Interchange		78072	Basic	15.20	B					
Off-Ramp to I-95 NB		78111	Diverge	14.70	B					
Between Ramps		76172	Basic	10.58	A					
Loop Off-Ramp to I-95 SB		76162	Diverge	7.16	A					
Between Ramps		76170	Basic	8.53	A					
CD On-Ramp from I-95 NB + I-95 SB		78164	Merge	13.17	B					
West of I-26/I-95 Interchange		78159	Basic	13.75	B					
Off-Ramp to SC 210		78124	Basic	14.10	B					
Between SC 210 Ramps		77403	Basic	17.39	B					
On-Ramp from SC 210	77410	Merge	17.92	B						
West of SC 210	78113	Basic	18.24	C						
I-95 NB	South of US 178	76308	Basic	18.78	C					
	I-26 NB Off-Ramp to US 178	78126	Diverge	23.02	C					
	I-26 EB Between US 178 Ramps	76152	Basic	17.74	B					
	I-26 EB On-Ramp from US 178	76159	Merge	18.74	B					
	South of I-26/I-95 Interchange	76310	Basic	19.57	C					
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	13.36	B					
	Between Ramps	76178	Basic	8.24	A					
	System-to-System Weave	75978	Merge	4.90	A					
	Between Ramps	76176	Basic	8.45	A					
	On-Ramp from I-26 WB	78099	Merge	13.87	B					
	North of I-26/I-95 Interchange	76315	Basic	13.64	B					
	Off-Ramp to US 176	78128	Diverge	13.65	B					
	Between US 176 Ramps	76191	Basic	12.72	B					
On-Ramp from US 176	76198	Merge	11.06	B						
North of US 176	78102	Basic	12.92	B						
I-95 SB	North of US 176	78079	Basic	12.58	B					
	Off-Ramp to US 176	78127	Diverge	13.09	B					
	Between US 176 Ramps	76193	Basic	12.45	B					
	On-Ramp from US 176	76320	Merge	11.99	B					
	North of I-26/I-95 Interchange	76318	Basic	13.40	B					
	Off-Ramp to I-26 WB	78167	Diverge	13.52	B					
	Between Ramps	76169	Basic	8.24	A					
	Loop On-Ramp from I-26 WB	64742	Merge	6.65	A					
	Between Ramps	76185	Basic	9.86	A					
	On-Ramp from I-26 EB	78100	Merge	18.88	B					
	South of I-26/I-95 Interchange	76311	Basic	19.67	C					
	Off-Ramp to US 178	76157	Basic	19.67	B					
	Between U 178 Ramps	76154	Basic	18.36	C					
On-Ramp from US 178	76309	Merge	18.43	B						
South of US 178	78098	Basic	19.46	C						

2030 Build Alternative 1 Conditions - I-95 Widening + Extended Merge

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	18.05	C
	Off-Ramp to SC 210	78104	Diverge	14.45	B
	Between SC 210 Ramps	77405	Basic	18.14	C
	On-Ramp from SC 210	76161	Merge	14.04	B
	West of I-26/I-95 Interchange	78105	Basic	18.26	C
	Off-Ramp to I-95 SB	78131	Diverge	12.49	B
	Between Ramps	76187	Basic	8.94	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	4.62	A
I-26 EB	Between Ramps	78106	Basic	8.30	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.29	B
	East of I-26/I-95 Interchange	78151	Basic	11.48	B
	Off-Ramp to US 15 SB	78107	Diverge	11.78	B
	Between Ramps	77374	Basic	13.33	B
	Weave to/from US 15	77377	Weave	5.83	A
	Between Ramps	77372	Basic	14.69	B
	On-Ramp from US 15 NB	77369	Merge	12.99	B
	East of US 15	78108	Basic	14.90	B
	East of US 15	77362	Basic	14.94	B
	Off-Ramp to US 15 NB	78130	Diverge	11.43	B
	Between Ramps	78123	Basic	14.64	B
	Weave to/from US 15	77360	Weave	7.18	A
	Between Ramps	77357	Basic	14.70	B
	On-Ramp from US 15 SB	78075	Merge	11.82	B
	East of I-26/I-95 Interchange	78072	Basic	15.19	B
	Off-Ramp to I-95 NB	78111	Diverge	14.62	B
I-26 WB	Between Ramps	76172	Basic	10.12	A
	Loop Off-Ramp to I-95 SB	76162	Diverge	7.66	A
	Between Ramps	76170	Basic	8.70	A
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	13.26	B
	West of I-26/I-95 Interchange	78159	Basic	13.75	B
	Off-Ramp to SC 210	78124	Basic	13.88	B
	Between SC 210 Ramps	77403	Basic	17.58	B
	On-Ramp from SC 210	77410	Merge	17.69	B
	West of SC 210	78113	Basic	18.32	C
	South of US 178	76308	Basic	18.80	C
	I-26 NB Off-Ramp to US 178	78126	Diverge	21.92	C
	I-26 EB Between US 178 Ramps	76152	Basic	17.94	B
	I-26 EB On-Ramp from US 178	76159	Merge	18.65	B
	South of I-26/I-95 Interchange	76310	Basic	19.67	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	13.90	B
	Between Ramps	76178	Basic	8.02	A
I-95 NB	System-to-System Weave	75978	Merge	4.78	A
	Between Ramps	76176	Basic	8.62	A
	On-Ramp from I-26 WB	78099	Merge	14.18	B
	North of I-26/I-95 Interchange	76315	Basic	13.64	B
	Off-Ramp to US 176	78128	Diverge	15.20	B
	Between US 176 Ramps	76191	Basic	13.04	B
	On-Ramp from US 176	76198	Merge	10.55	B
	North of US 176	78102	Basic	12.95	B
	North of US 176	78079	Basic	12.59	B
	Off-Ramp to US 176	78127	Diverge	13.13	B
	Between US 176 Ramps	76193	Basic	12.43	B
	On-Ramp from US 176	76320	Merge	12.41	B
	North of I-26/I-95 Interchange	76318	Basic	13.44	B
	Off-Ramp to I-26 WB	78167	Diverge	13.62	B
	Between Ramps	76169	Basic	8.31	A
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	6.78	A
	Between Ramps	76185	Basic	10.09	A
	On-Ramp from I-26 EB	78100	Merge	15.69	B
	South of I-26/I-95 Interchange	76311	Basic	14.58	B
	Off-Ramp to US 178	76157	Basic	14.58	B
	Between U 178 Ramps	76154	Basic	18.89	C
	On-Ramp from US 178	76309	Merge	18.80	B
	South of US 178	78098	Basic	19.67	C

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Alternative 1 Conditions - I-95 Widening + Extended Merge

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L	
I-26 EB	West of Sys-to-Sys	78076	79.44	1.32	01:19	69.91618	1.545991	108.0898	
		78104	2.08	0.03	00:02	59.902611	0.03471	2.07922	
		77405	20.96	0.35	00:21	68.5893674	0.400254	27.45317	
		76161	2.20	0.04	00:02	64.5343654	0.039546	2.552076	
		78105	141.95	2.37	02:22	69.3424238	2.739932	189.9935	
		78135	12.90	0.21	00:13	67.8124855	0.243723	16.52746	
		78138	10.09	0.17	00:10	66.7773725	0.187705	12.53444	
		78131	2.30	0.04	00:02	55.9567225	0.035936	2.010861	
		Sys-to-Sys	76187	16.13	0.27	00:16	71.1818588		
			64745	4.28	0.07	00:04	59.6378032		
	78106		20.36	0.34	00:20	70.8198368			
	78150		5.55	0.09	00:06	66.0984255			
	78074		4.38	0.07	00:04	66.0337084			
	East of Sys-to-Sys	78151	11.82	0.20	00:12	68.3529526			
		78152	95.57	1.59	01:36	69.76993325			
		78107	2.86	0.05	00:03	61.798352			
		77374	7.79	0.13	00:08	67.8317786			
		77377	3.56	0.06	00:04	66.9702298			
		77372	7.85	0.13	00:08	67.2420276			
		77369	3.82	0.06	00:04	51.6768258			
		78108	28.90	0.48	00:29	70.179065			
		Total Time			08:05	65.73449001			
		I-26 WB	East of Sys-to-Sys	77362	29.04	0.48	00:29	69.6072324	
	78130			3.27	0.05	00:03	66.4781024		
	78123			7.63	0.13	00:08	69.2319305		
77360	3.81			0.06	00:04	66.358368			
77357	7.57			0.13	00:08	69.7552898			
78075	1.83			0.03	00:02	66.6755288			
Sys-to-Sys	78072		118.64	1.98	01:59	70.250524			
	78111		2.04	0.03	00:02	56.6798904			
	76172		18.68	0.31	00:19	70.4445988			
West of Sys-to-Sys	76162		5.68	0.09	00:06	56.594689			
	76170		28.59	0.48	00:29	71.0262642			
	78164		12.22	0.20	00:12	67.42823975			
	78159		15.61	0.26	00:16	69.584518			
	78160		123.61	2.06	02:04	69.98977625			
	78124		1.36	0.02	00:01	60.205529			
Sys-to-Sys	77403	20.93	0.35	00:21	69.288738				
	77410	1.78	0.03	00:02	65.183053				
	78113	79.93	1.33	01:20	69.4847872				
Total Time			08:02	66.90372553					
I-95 NB	South of Sys-to-Sys	76308	52.82	0.88	00:53	70.3738804			
		78126	0.99	0.02	00:01	57.5822492			
		76152	19.98	0.33	00:20	69.8208402			
		76159	3.01	0.05	00:03	65.4569522			
		78080	116.19	1.94	01:56	69.280438			
		76310	1.67	0.03	00:02	61.92625			
		76313	9.60	0.16	00:10	67.4666734			
	Sys-to-Sys	78143	8.93	0.15	00:09	47.760535			
		76178	11.98	0.20	00:12	69.1075108			
		75978	4.89	0.08	00:05	70.213763			
	North of Sys-to-Sys	76176	19.98	0.33	00:20	70.9720956			
		78099	1.43	0.02	00:01	54.39844325			
		76315	162.52	2.71	02:43	69.7061214			
		78128	2.94	0.05	00:03	64.2117958			
		76191	32.68	0.54	00:33	70.0752684			
Sys-to-Sys	76198	1.87	0.03	00:02	66.458463				
	78102	60.63	1.01	01:01	70.3312916				
	Total Time			08:32	65.66923871				
I-95 SB	North of Sys-to-Sys	78079	58.94	0.98	00:59	71.325404			
		78127	2.51	0.04	00:03	65.682423			
		76193	32.24	0.54	00:32	70.9821874			
		76320	2.14	0.04	00:02	66.8980804			
		78103	21.47	0.36	00:21	70.219689			
		76318	161.73	2.70	02:42	69.9430766			
		76166	8.55	0.14	00:09	67.2674456			
		78167	6.82	0.11	00:07	60.76321625			
	Sys-to-Sys	76169	23.74	0.40	00:24	70.1760992			
		64742	4.34	0.07	00:04	66.7778936			
		76185	17.45	0.29	00:17	69.4390312			
	South of Sys-to-Sys	78100	9.90	0.17	00:10	63.04626675	0.173952	10.96702	
		78139	12.33	0.21	00:12	66.6139756	0.228613	15.22882	
		78140	5.77	0.10	00:06	68.478952	0.10989	7.525152	
		76311	7.49	0.12	00:07	69.310775	0.144474	10.0136	
76157		23.87	0.40	00:24	69.9876902	0.465046	32.5475		
76154		20.52	0.34	00:21	67.9301288	0.388017	26.35804		
76309		2.08	0.03	00:02	63.195201	0.036536	2.3089		
Sys-to-Sys	78098	52.59	0.88	00:53	69.28119325	1.013358	70.20665		
	Total Time			07:54	67.80619852				
	I-26 EB to I-95 SB	78137	43.53	0.73	00:44	47.85583	0.579881	27.75069	
Sys-to-Sys Ramps	I-26 EB to I-95 NB	78172	13.50	0.22	00:13	26.8127532			
		78148	12.60	0.21	00:13	36.5354914			
		78144	28.70	0.48	00:29	45.72347525			
	I-26 WB to I-95 NB	78154	9.43	0.16	00:09	54.33957			
		76174	54.70	0.91	00:55	46.0128186			
		78165	7.60	0.13	00:08	46.94183725			
	I-95 SB to I-26 WB	78170	6.59	0.11	00:07	47.6974485			
		76168	29.06	0.48	00:29	48.1609922			
		78161	10.21	0.17	00:10	47.23120575			
	I-95 SB to I-26 EB (Flyover)	78163	10.50	0.18	00:11	54.38482425			
		78165	7.60	0.13	00:08	46.94183725			
		78170	6.59	0.11	00:07	47.6974485			
	I-95 NB to I-26 WB (Flyover)	78155	52.09	0.87	00:52	48.5211402			
		78154	9.43	0.16	00:09	54.33957			
		76183	28.50	0.47	00:28	42.431281			
78172		13.50	0.22	00:13	26.8127532				
78148		12.60	0.21	00:13	36.5354914				
78149		53.60	0.89	00:54	47.95967775				
I-26 WB to I-95 SB (Loop)	78161	10.21	0.17	00:10	47.23120575				
	78163	10.50	0.18	00:11	54.38482425				
	76171	27.13	0.45	00:27	41.4904778				

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:05	66
I-26 EB	I-95 NB	10:08	65
I-26 EB	I-95 SB	07:30	65
I-26 WB	I-26 WB	08:02	67
I-26 WB	I-95 NB	08:11	65
I-26 WB	I-95 SB	06:22	66
I-95 NB	I-26 EB	07:29	60
I-95 NB	I-26 WB	09:29	60
I-95 NB	I-95 NB	08:32	66
I-95 SB	I-26 EB	09:02	63
I-95 SB	I-26 WB	10:14	63
I-95 SB	I-95 SB	07:54	68

67

2050 Build Alternative 1 Conditions - No I-95 Widening

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	29.02	D
	Off-Ramp to SC 210	78104	Diverge	26.60	C
	Between SC 210 Ramps	77405	Basic	42.72	E
	On-Ramp from SC 210	76161	Merge	44.62	F
	West of I-26/I-95 Interchange	78105	Basic	73.47	F
	Off-Ramp to I-95 SB	78131	Diverge	76.89	E
	Between Ramps	76187	Basic	12.64	B
	Loop Off-Ramp to I-95 NB	64745	Diverge	6.51	A
	Between Ramps	78106	Basic	10.49	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	14.12	B
	East of I-26/I-95 Interchange	78151	Basic	14.55	B
	Off-Ramp to US 15 SB	78107	Diverge	14.84	B
	Between Ramps	77374	Basic	17.23	B
	Weave to/from US 15	77377	Weave	8.51	A
	Between Ramps	77372	Basic	17.71	B
	On-Ramp from US 15 NB	77369	Merge	15.69	B
	East of US 15	78108	Basic	20.25	C
	East of US 15	77362	Basic	22.53	C
	Off-Ramp to US 15 NB	78130	Diverge	17.28	B
	Between Ramps	78123	Basic	22.09	C
	Weave to/from US 15	77360	Weave	11.71	B
	Between Ramps	77357	Basic	22.32	C
	On-Ramp from US 15 SB	78075	Merge	18.52	B
	East of I-26/I-95 Interchange	78072	Basic	22.54	C
	Off-Ramp to I-95 NB	78111	Diverge	22.70	C
	Between Ramps	76172	Basic	15.18	B
	Loop Off-Ramp to I-95 SB	76162	Diverge	11.36	B
	Between Ramps	76170	Basic	12.57	B
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	16.39	B
	West of I-26/I-95 Interchange	78160	Basic	44.56	E
	Off-Ramp to SC 210	78124	Diverge	30.51	D
	Between SC 210 Ramps	77403	Basic	25.73	C
	On-Ramp from SC 210	77410	Merge	19.16	B
	West of SC 210	78113	Basic	22.60	C
	South of US 178	76308	Basic	94.32	F
	I-26 NB Off-Ramp to US 178	78126	Diverge	117.04	E
	I-26 EB Between US 178 Ramps	76152	Basic	97.36	F
	I-26 EB On-Ramp from US 178	76159	Merge	80.41	E
	South of I-26/I-95 Interchange	76310	Basic	89.60	F
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	26.61	C
	Between Ramps	76178	Basic	10.48	A
	System-to-System Weave	75978	Merge	7.41	A
	Between Ramps	76176	Basic	11.30	B
	On-Ramp from I-26 WB	78099	Merge	23.71	C
	North of I-26/I-95 Interchange	76315	Basic	22.18	C
	Off-Ramp to US 176	78128	Diverge	26.21	C
	Between US 176 Ramps	76191	Basic	20.87	C
	On-Ramp from US 176	76198	Merge	20.45	C
	North of US 176	78102	Basic	21.35	C
	North of US 176	78079	Basic	24.14	C
	Off-Ramp to US 176	78127	Diverge	27.17	C
	Between US 176 Ramps	76193	Basic	23.98	C
	On-Ramp from US 176	76320	Merge	24.29	C
	North of I-26/I-95 Interchange	76318	Basic	25.74	C
	Off-Ramp to I-26 WB	78167	Diverge	23.65	C
	Between Ramps	76169	Basic	15.08	B
	Loop On-Ramp from I-26 WB	64742	Merge	13.58	B
	Between Ramps	76185	Basic	23.95	C
	On-Ramp from I-26 EB	78100	Merge	93.78	E
	South of I-26/I-95 Interchange	76311	Basic	51.40	F
	Off-Ramp to US 178	76157	Diverge	29.73	D
	Between US 178 Ramps	76154	Basic	29.37	D
	On-Ramp from US 178	76309	Merge	30.81	D
	South of US 178	78098	Basic	29.66	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 1 Conditions - No I-95 Widening

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L	
I-26 EB	West of Sys-to-Sys	78076	88.05	1.47	01:28	63.1310758	1.545991	97.60008	
		78104	2.86	0.05	00:03	44.37985775	0.03471	1.540425	
		77405	34.99	0.58	00:35	41.6942316	0.400254	16.68828	
		76161	4.29	0.07	00:04	33.3407254	0.039546	1.318492	
		78105	385.46	6.42	06:25	25.7162672	2.739932	70.46082	
		78135	53.57	0.89	00:54	16.46574375	0.243723	4.01308	
		78138	71.12	1.19	01:11	9.602671	0.187705	1.802469	
		78131	14.39	0.24	00:14	9.03436725	0.035936	0.324659	
		Sys-to-Sys	76187	18.53	0.31	00:19	61.9659798		
			64745	4.42	0.07	00:04	57.7805888		
	East of Sys-to-Sys	78150	5.61	0.09	00:06	65.3692415			
		78074	4.46	0.07	00:04	64.888125			
		78151	12.03	0.20	00:12	67.1456582			
		78152	96.25	1.60	01:36	69.3028405			
		78107	2.90	0.05	00:03	60.9163052			
		77374	7.96	0.13	00:08	66.3245456			
		77377	3.66	0.06	00:04	65.0374384			
		77372	8.00	0.13	00:08	65.9218196			
		77369	3.92	0.07	00:04	50.330022			
		78108	29.25	0.49	00:29	69.346105			
Total Time			14:32		51.3254674				
I-26 WB	East of Sys-to-Sys	77362	30.60	0.51	00:31	66.0635412			
		78130	3.48	0.06	00:03	62.5546532			
		78123	8.06	0.13	00:08	65.33507625			
		77360	4.06	0.07	00:04	62.1571878			
		77357	7.92	0.13	00:08	66.6428456			
		78075	1.91	0.03	00:02	64.0776444			
	Sys-to-Sys	78072	121.16	2.02	02:01	68.7849458			
		78111	2.10	0.04	00:02	54.827488			
		76172	18.93	0.32	00:19	69.5139384			
	West of Sys-to-Sys	76162	5.72	0.10	00:06	56.1984852			
		76170	28.82	0.48	00:29	70.4514724			
		78164	12.42	0.21	00:12	66.44053975			
		78159	16.37	0.27	00:16	66.4058505			
		78160	234.22	3.90	03:54	34.9639185			
		78124	2.11	0.04	00:02	38.8356904			
Sys-to-Sys	77403	24.02	0.40	00:24	60.3829702				
	77410	1.82	0.03	00:02	63.8650776				
	78113	79.66	1.33	01:20	69.7167796				
Total Time			10:03		61.5121186				
I-95 NB	South of Sys-to-Sys	76308	176.97	2.95	02:57	21.018719			
		78126	3.27	0.05	00:03	17.5439426			
		76152	72.21	1.20	01:12	19.3314188			
		76159	10.32	0.17	00:10	19.0676198			
		78080	349.96	5.83	05:50	22.985496			
		76310	4.82	0.08	00:05	21.407993			
		76313	35.38	0.59	00:35	18.3295314			
		78143	11.77	0.20	00:12	36.26574025			
	Sys-to-Sys	76178	12.30	0.21	00:12	67.3773474			
		75978	4.93	0.08	00:05	69.5893066			
		76176	20.50	0.34	00:20	69.193597			
	North of Sys-to-Sys	78099	1.78	0.03	00:02	43.7364114			
		76315	164.16	2.74	02:44	69.0050742			
		78128	3.03	0.05	00:03	62.2158678			
		76191	33.36	0.56	00:33	68.6400206			
Sys-to-Sys	76198	1.91	0.03	00:02	65.002157				
	78102	61.60	1.03	01:02	69.1594502				
Total Time			16:08		45.63232287				
I-95 SB	North of Sys-to-Sys	78079	60.41	1.01	01:00	69.6379744			
		78127	2.57	0.04	00:03	64.20157175			
		76193	33.09	0.55	00:33	69.168477			
		76320	2.26	0.04	00:02	63.3767634			
		78103	22.18	0.37	00:22	67.9724386			
		76318	166.00	2.77	02:46	68.1649418			
		76166	9.20	0.15	00:09	62.42			
		78167	7.10	0.12	00:07	58.71744225			
	Sys-to-Sys	76169	24.11	0.40	00:24	69.0880066			
		64742	4.58	0.08	00:05	63.39191			
	South of Sys-to-Sys	76185	22.89	0.38	00:23	52.9269842			
		78100	71.25	1.19	01:11	8.74010925	0.173952	1.520359	
		78139	73.37	1.22	01:13	11.215809	0.228613	2.56408	
		78140	12.57	0.21	00:13	31.41962025	0.10989	3.452702	
		76311	10.94	0.18	00:11	47.504552	0.144474	6.863173	
76157		122.67	2.04	02:03	67.3630478	0.465046	31.32692		
76154		21.50	0.36	00:22	64.8293244	0.388017	25.15488		
Sys-to-Sys	76309	2.29	0.04	00:02	57.3959198	0.036536	2.097017		
	78098	54.31	0.91	00:54	67.10245875	1.013358	67.99881		
Total Time			12:03		54.76507198				
Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	429.87	7.16	07:10	4.8526035	0.579881	2.813933	
		78172	13.18	0.22	00:13	27.4481372			
	I-95 NB to I-26 EB	78148	12.57	0.21	00:13	36.6201072			
		78144	28.48	0.47	00:28	46.01330875			
		78154	9.58	0.16	00:10	53.42529825			
	I-26 WB to I-95 NB	76174	56.70	0.95	00:57	44.3848752			
		78165	7.68	0.13	00:08	46.441714			
	I-95 SB to I-26 WB	78170	6.69	0.11	00:07	46.9245895			
		76168	28.87	0.48	00:29	48.473038			
		78161	10.28	0.17	00:10	46.97898625			
	I-95 SB to I-26 EB (Flyover)	78163	10.59	0.18	00:11	54.1054825			
		78165	7.68	0.13	00:08	46.441714			
		78170	6.69	0.11	00:07	46.9245895			
		78155	53.02	0.88	00:53	47.6601862			
	I-26 EB to I-95 NB (Loop)	78154	9.58	0.16	00:10	53.42529825			
76183		28.54	0.48	00:29	42.370038				
I-95 NB to I-26 WB (Flyover)	78172	13.18	0.22	00:13	27.4481372				
	78148	12.57	0.21	00:13	36.6201072				
	78149	53.79	0.90	00:54	47.82692				
	78161	10.28	0.17	00:10	46.97898625				
	78163	10.59	0.18	00:11	54.1054825				
I-26 WB to I-95 SB (Loop)	76171	27.62	0.46	00:28	40.7468858				

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	14:32	51
I-26 EB	I-95 NB	16:37	49
I-26 EB	I-95 SB	24:14	36
I-26 WB	I-26 WB	10:03	62
I-26 WB	I-95 NB	08:22	62
I-26 WB	I-95 SB	10:28	54
I-95 NB	I-26 EB	15:03	45
I-95 NB	I-26 WB	18:56	39
I-95 NB	I-95 NB	16:08	46
I-95 SB	I-26 EB	09:14	62
I-95 SB	I-26 WB	12:18	58
I-95 SB	I-95 SB	12:03	55

40

2050 Build Alternative 1 Conditions - No I-95 Widening + Extended Merge

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	26.35	D
	Off-Ramp to SC 210	78104	Diverge	21.54	C
	Between SC 210 Ramps	77405	Basic	25.67	C
	On-Ramp from SC 210	76161	Merge	21.76	C
	West of I-26/I-95 Interchange	78105	Basic	38.38	E
	Off-Ramp to I-95 SB	78131	Diverge	49.21	E
	Between Ramps	76187	Basic	13.21	B
	Loop Off-Ramp to I-95 NB	64745	Diverge	7.77	A
	Between Ramps	78106	Basic	12.01	B
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	15.45	B
	East of I-26/I-95 Interchange	78151	Basic	16.45	B
	Off-Ramp to US 15 SB	78107	Diverge	15.57	B
	Between Ramps	77374	Basic	19.91	C
	Weave to/from US 15	77377	Weave	9.58	A
	Between Ramps	77372	Basic	20.19	C
	On-Ramp from US 15 NB	77369	Merge	18.04	B
	East of US 15	78108	Basic	20.84	C
	East of US 15	77362	Basic	22.37	C
	Off-Ramp to US 15 NB	78130	Diverge	17.09	B
	Between Ramps	78123	Basic	22.35	C
	Weave to/from US 15	77360	Weave	10.25	B
	Between Ramps	77357	Basic	22.04	C
	On-Ramp from US 15 SB	78075	Merge	17.99	B
	East of I-26/I-95 Interchange	78072	Basic	22.26	C
	Off-Ramp to I-95 NB	78111	Diverge	22.43	C
	Between Ramps	76172	Basic	15.08	B
	Loop Off-Ramp to I-95 SB	76162	Diverge	10.77	B
	Between Ramps	76170	Basic	12.45	B
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	28.66	D
	West of I-26/I-95 Interchange	78160	Basic	86.77	F
	Off-Ramp to SC 210	78124	Diverge	28.08	D
	Between SC 210 Ramps	77403	Basic	25.84	C
	On-Ramp from SC 210	77410	Merge	19.04	B
	West of SC 210	78113	Basic	22.47	C
	South of US 178	76308	Basic	80.15	F
	I-26 NB Off-Ramp to US 178	78126	Diverge	97.40	E
	I-26 EB Between US 178 Ramps	76152	Basic	82.02	E
	I-26 EB On-Ramp from US 178	76159	Merge	41.35	E
	South of I-26/I-95 Interchange	76310	Basic	37.77	E
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	21.17	C
	Between Ramps	76178	Basic	12.03	B
	System-to-System Weave	75978	Merge	8.82	A
	Between Ramps	76176	Basic	13.44	B
	On-Ramp from I-26 WB	78099	Merge	25.87	C
	North of I-26/I-95 Interchange	76315	Basic	24.25	C
	Off-Ramp to US 176	78128	Diverge	26.09	C
	Between US 176 Ramps	76191	Basic	23.35	C
	On-Ramp from US 176	76198	Merge	21.78	C
	North of US 176	78102	Basic	23.33	C
	North of US 176	78079	Basic	24.15	C
	Off-Ramp to US 176	78127	Diverge	26.46	C
	Between US 176 Ramps	76193	Basic	24.12	C
	On-Ramp from US 176	76320	Merge	23.90	C
	North of I-26/I-95 Interchange	76318	Basic	25.70	C
	Off-Ramp to I-26 WB	78167	Diverge	24.08	C
	Between Ramps	76169	Basic	15.11	B
	Loop On-Ramp from I-26 WB	64742	Merge	13.11	B
	Between Ramps	76185	Basic	22.01	C
	On-Ramp from I-26 EB	78100	Merge	109.26	E
	South of I-26/I-95 Interchange	76311	Basic	115.41	F
	Off-Ramp to US 178	76157	Basic	115.41	F
	Between U 178 Ramps	76154	Basic	38.83	D
	On-Ramp from US 178	76309	Merge	30.74	D
	South of US 178	78098	Basic	29.87	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 1 Conditions - No I-95 Widening + Extended Merge

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L	
I-26 EB	West of Sys-to-Sys	78076	83.45	1.39	01:23	66.71311375	1.545991	103.1379	
		78104	2.23	0.04	00:02	56.899525	0.03471	1.974983	
		77405	21.62	0.36	00:22	66.517214	0.400254	26.62378	
		76161	2.25	0.04	00:02	63.0611154	0.039546	2.493815	
		78105	189.84	3.16	03:10	53.660946	2.739932	147.0273	
		78135	29.79	0.50	00:30	32.64671625	0.243723	7.956756	
		78138	35.82	0.60	00:36	21.4661575	0.187705	4.029305	
		78131	8.08	0.13	00:08	17.79860675	0.035936	0.639611	
		76187	17.45	0.29	00:17	65.7996084			
	64745	4.37	0.07	00:04	58.3774706				
	78106	20.58	0.34	00:21	70.0321688				
	East of Sys-to-Sys	78150	5.62	0.09	00:06	65.3327635			
		78074	4.49	0.07	00:04	64.4027234			
		78151	12.19	0.20	00:12	66.2847936			
		78152	96.85	1.61	01:37	68.868089			
		78107	2.91	0.05	00:03	60.7103985			
		77374	8.01	0.13	00:08	65.950908			
		77377	3.68	0.06	00:04	64.7448254			
		77372	8.06	0.13	00:08	65.4391754			
		77369	3.96	0.07	00:04	49.853664			
		78108	29.43	0.49	00:29	68.9156888			
		Total Time			09:51	57.78455975			
	I-26 WB	East of Sys-to-Sys	77362	30.48	0.51	00:30	66.3113112		
			78130	3.47	0.06	00:03	62.6945584		
			78123	8.02	0.13	00:08	65.8024505		
77360			4.02	0.07	00:04	62.7761348			
77357			7.88	0.13	00:08	66.9912874			
78075			1.90	0.03	00:02	64.2322534			
78072		121.02	2.02	02:01	68.8648866				
78111		2.10	0.04	00:02	54.9331776				
Sys-to-Sys		76172	18.91	0.32	00:19	69.5665588			
		76162	5.69	0.09	00:06	56.5304296			
		76170	28.86	0.48	00:29	70.3442506			
West of Sys-to-Sys		78164	16.24	0.27	00:16	57.5267955			
		78159	35.78	0.60	00:36	34.1487335			
		78160	447.20	7.45	07:27	19.749711			
		78124	2.12	0.04	00:02	38.5288936			
	77403	24.03	0.40	00:24	60.3647828				
	77410	1.81	0.03	00:02	63.9438104				
78113	79.63	1.33	01:20	69.7428432					
Total Time			13:59	58.50293716					
I-95 NB	South of Sys-to-Sys	76308	130.39	2.17	02:10	28.5165056			
		78126	2.38	0.04	00:02	24.1174714			
		76152	52.47	0.87	00:52	26.5863892			
		76159	7.55	0.13	00:08	26.0211976			
		78080	133.61	2.23	02:14	59.98907025			
		76310	2.06	0.03	00:02	53.1570968			
		76313	10.16	0.17	00:10	63.931216			
	78143	9.64	0.16	00:10	44.30992675				
	Sys-to-Sys	76178	12.14	0.20	00:12	68.2878274			
		75978	4.93	0.08	00:05	69.6117788			
		76176	20.57	0.34	00:21	68.9486384			
	North of Sys-to-Sys	78099	1.80	0.03	00:02	43.1475325			
		76315	165.01	2.75	02:45	68.649672			
		78128	3.05	0.05	00:03	61.831316			
		76191	33.52	0.56	00:34	68.2965442			
		76198	1.91	0.03	00:02	64.7617118			
		78102	61.86	1.03	01:02	68.8779808			
		Total Time			10:53	53.75248959			
I-95 SB	North of Sys-to-Sys	78079	60.45	1.01	01:00	69.5946044			
		78127	2.56	0.04	00:03	64.278738			
		76193	33.13	0.55	00:33	69.085263			
		76320	2.26	0.04	00:02	63.2691894			
		78103	22.22	0.37	00:22	67.8484886			
		76318	166.35	2.77	02:46	68.0218956			
		76166	9.24	0.15	00:09	62.1306218			
	78167	7.13	0.12	00:07	58.53476125				
	Sys-to-Sys	76169	24.06	0.40	00:24	69.235516			
		64742	4.53	0.08	00:05	64.0346164			
		76185	21.61	0.36	00:22	56.1332386			
	South of Sys-to-Sys	78100	53.62	0.89	00:54	12.4086635	0.173952	2.158512	
		78139	61.21	1.02	01:01	13.7267678	0.228613	3.138118	
		78140	31.33	0.52	00:31	13.12015525	0.10989	1.441774	
		76311	41.79	0.70	00:42	12.6327428	0.144474	1.825103	
76157		82.45	1.37	01:22	11.7940138	0.465046	5.484759		
76154		21.42	0.36	00:21	65.067934	0.388017	25.24746		
76309		2.30	0.04	00:02	57.1805038	0.036536	2.089147		
78098	54.32	0.91	00:54	66.9495335	1.013358	67.84385			
Total Time			11:42	49.70387221					
Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	227.60	3.79	03:48	10.23012775	0.579881	5.932257	
		78172	13.87	0.23	00:14	26.0850188			
	I-95 NB to I-26 EB	78148	12.99	0.22	00:13	35.4257758			
		78144	28.68	0.48	00:29	45.812057			
		78154	9.57	0.16	00:10	53.49983425			
	I-26 WB to I-95 NB	76174	56.67	0.94	00:57	44.4104032			
		78165	7.72	0.13	00:08	46.155705			
	I-95 SB to I-26 WB	78170	6.73	0.11	00:07	46.67444575			
		76168	29.08	0.48	00:29	48.1243748			
		78161	10.42	0.17	00:10	46.41871225			
	I-95 SB to I-26 EB (Flyover)	78163	11.07	0.18	00:11	53.12254475			
		78165	7.72	0.13	00:08	46.155705			
		78170	6.73	0.11	00:07	46.67444575			
		78155	53.19	0.89	00:53	47.5098874			
	I-26 EB to I-95 NB (Loop)	78154	9.57	0.16	00:10	53.49983425			
76183		28.40	0.47	00:28	42.576638				
I-95 NB to I-26 WB (Flyover)	78172	13.87	0.23	00:14	26.0850188				
	78148	12.99	0.22	00:13	35.4257758				
	78149	54.41	0.91	00:54	47.30580975				
	78161	10.42	0.17	00:10	46.41871225				
	78163	11.07	0.18	00:11	53.12254475				
I-26 WB to I-95 SB (Loop)	76171	27.60	0.46	00:28	40.7757506				

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	09:51	58
	I-95 NB	11:56	56
	I-95 SB	15:49	38
I-26 WB	I-26 WB	13:59	59
	I-95 NB	08:23	62
I-95 NB	I-95 SB	10:06	49
	I-26 EB	09:49	51
I-95 SB	I-26 WB	17:38	44
	I-95 NB	10:53	54
I-95 SB	I-26 EB	09:16	62
	I-26 WB	16:15	55
I-95 SB	I-95 SB	11:42	50

49

2050 Build Alternative 1 Conditions - I-95 Widening

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	26.30	D
	Off-Ramp to SC 210	78104	Diverge	20.92	C
	Between SC 210 Ramps	77405	Basic	25.27	C
	On-Ramp from SC 210	76161	Merge	20.89	C
	West of I-26/I-95 Interchange	78105	Basic	25.68	C
	Off-Ramp to I-95 SB	78131	Diverge	17.74	B
	Between Ramps	76187	Basic	13.26	B
	Loop Off-Ramp to I-95 NB	64745	Diverge	8.52	A
I-26 EB	Between Ramps	78106	Basic	13.09	B
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	16.50	B
	East of I-26/I-95 Interchange	78151	Basic	17.48	B
	Off-Ramp to US 15 SB	78107	Diverge	16.60	B
	Between Ramps	77374	Basic	21.08	C
	Weave to/from US 15	77377	Weave	9.01	A
	Between Ramps	77372	Basic	20.87	C
	On-Ramp from US 15 NB	77369	Merge	19.05	B
	East of US 15	78108	Basic	21.96	C
	East of US 15	77362	Basic	22.50	C
	Off-Ramp to US 15 NB	78130	Diverge	17.37	B
	Between Ramps	78123	Basic	22.30	C
	Weave to/from US 15	77360	Weave	9.86	A
	Between Ramps	77357	Basic	21.90	C
	On-Ramp from US 15 SB	78075	Merge	17.90	B
	East of I-26/I-95 Interchange	78072	Basic	22.12	C
	Off-Ramp to I-95 NB	78111	Diverge	22.03	C
I-26 WB	Between Ramps	76172	Basic	14.76	B
	Loop Off-Ramp to I-95 SB	76162	Diverge	11.17	B
	Between Ramps	76170	Basic	12.55	B
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	18.92	B
	West of I-26/I-95 Interchange	78160	Basic	20.34	C
	Off-Ramp to SC 210	78124	Basic	21.26	C
	Between SC 210 Ramps	77403	Basic	26.75	D
	On-Ramp from SC 210	77410	Merge	25.30	C
	West of SC 210	78113	Basic	27.10	D
	South of US 178	76308	Basic	23.62	C
	I-26 NB Off-Ramp to US 178	78126	Diverge	25.83	C
	I-26 EB Between US 178 Ramps	76152	Basic	23.14	C
	I-26 EB On-Ramp from US 178	76159	Merge	26.25	C
	South of I-26/I-95 Interchange	76310	Basic	25.10	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	18.55	B
	Between Ramps	76178	Basic	8.94	A
I-95 NB	System-to-System Weave	75978	Merge	5.42	A
	Between Ramps	76176	Basic	9.10	A
	On-Ramp from I-26 WB	78099	Merge	18.34	B
	North of I-26/I-95 Interchange	76315	Basic	16.76	B
	Off-Ramp to US 176	78128	Diverge	17.23	B
	Between US 176 Ramps	76191	Basic	15.70	B
	On-Ramp from US 176	76198	Merge	13.54	B
	North of US 176	78102	Basic	15.91	B
	North of US 176	78079	Basic	15.68	B
	Off-Ramp to US 176	78127	Diverge	16.95	B
	Between US 176 Ramps	76193	Basic	15.52	B
	On-Ramp from US 176	76320	Merge	14.94	B
	North of I-26/I-95 Interchange	76318	Basic	16.74	B
	Off-Ramp to I-26 WB	78167	Diverge	17.45	B
	Between Ramps	76169	Basic	9.48	A
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	8.73	A
	Between Ramps	76185	Basic	12.14	B
	On-Ramp from I-26 EB	78100	Merge	23.12	C
	South of I-26/I-95 Interchange	76311	Basic	24.51	C
	Off-Ramp to US 178	76157	Basic	24.51	C
	Between U 178 Ramps	76154	Basic	23.52	C
	On-Ramp from US 178	76309	Merge	21.04	C
	South of US 178	78098	Basic	24.04	C

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Alternative 1 Conditions - I-95 Widening

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L		
I-26 EB	West of Sys-to-Sys	78076	83.25	1.39	01:23	66.7170058	1.545991	103.1439		
		78104	2.18	0.04	00:02	57.16778	0.03471	1.984294		
		77405	21.47	0.36	00:21	66.9841854	0.400254	26.81069		
		76161	2.25	0.04	00:02	63.2508454	0.039546	2.501318		
		78105	144.12	2.40	02:24	68.301073	2.739932	187.1403		
		78135	13.15	0.22	00:13	66.54003425	0.243723	16.21734		
		78138	10.25	0.17	00:10	65.75653925	0.187705	12.34283		
		78131	2.32	0.04	00:02	55.65996425	0.035936	2.000196		
	Sys-to-Sys	76187	16.26	0.27	00:16	70.589193				
		64745	4.31	0.07	00:04	59.2425764				
		78106	20.54	0.34	00:21	70.1799394				
		78150	5.62	0.09	00:06	65.424464				
		78074	4.50	0.07	00:04	64.34564				
		78151	12.22	0.20	00:12	66.1189346				
	East of Sys-to-Sys	78152	97.08	1.62	01:37	68.74647775				
		78107	2.91	0.05	00:03	60.69315975				
		77374	8.01	0.13	00:08	65.9255006				
		77377	3.67	0.06	00:04	64.8097894				
		77372	8.06	0.13	00:08	65.4267014				
		77369	3.97	0.07	00:04	49.6798566				
		78108	29.47	0.49	00:29	68.8334182				
		Total Time			08:16	64.30443231				
		I-26 WB	East of Sys-to-Sys	77362	30.70	0.51	00:31	65.8451442		
				78130	3.50	0.06	00:03	62.2206508		
78123	8.02			0.13	00:08	65.728666				
77360	4.00			0.07	00:04	63.1677558				
77357	7.85			0.13	00:08	67.2733244				
78075	1.89			0.03	00:02	64.5050722				
Sys-to-Sys	78072		121.07	2.02	02:01	68.8418402				
	78111		2.10	0.04	00:02	54.8953856				
	76172		18.93	0.32	00:19	69.5035114				
West of Sys-to-Sys	76162		5.66	0.09	00:06	56.7668876				
	76170		28.86	0.48	00:29	70.354607				
	78164		12.58	0.21	00:13	65.5250415				
	78159		15.88	0.26	00:16	68.3259145				
	78160		125.64	2.09	02:06	68.85249925				
	78124		1.42	0.02	00:01	57.7549972				
	77403		21.64	0.36	00:22	67.0371898				
	77410		1.84	0.03	00:02	62.985054				
	78113		81.53	1.36	01:22	68.1196398				
Total Time			08:13	64.87238986						
I-95 NB	South of Sys-to-Sys	76308	53.41	0.89	00:53	69.592919				
		78126	1.00	0.02	00:01	57.2134264				
		76152	20.30	0.34	00:20	68.6979898				
		76159	3.13	0.05	00:03	62.9147412				
		78080	117.83	1.96	01:58	68.3565915				
		76310	1.73	0.03	00:02	59.5565816				
		76313	10.02	0.17	00:10	64.69132				
		78143	9.80	0.16	00:10	43.3584325				
	Sys-to-Sys	76178	12.00	0.20	00:12	69.0108448				
		75978	4.90	0.08	00:05	69.9689478				
		76176	20.09	0.33	00:20	70.5972008				
	North of Sys-to-Sys	78099	1.53	0.03	00:02	50.8078395				
		76315	163.46	2.72	02:43	69.304684				
		78128	2.97	0.05	00:03	63.6181652				
		76191	32.96	0.55	00:33	69.4918216				
		76198	1.88	0.03	00:02	65.9581036				
		78102	61.02	1.02	01:01	69.8762252				
		Total Time			08:38	64.32712408				
		I-95 SB	North of Sys-to-Sys	78079	59.34	0.99	00:59	70.8464654		
				78127	2.52	0.04	00:03	65.26408225		
				76193	32.50	0.54	00:32	70.4125752		
76320	2.17			0.04	00:02	65.8810568				
78103	21.67			0.36	00:22	69.589641				
76318	162.97			2.72	02:43	69.409368				
76166	8.77			0.15	00:09	65.616391				
78167	7.02			0.12	00:07	59.03311275				
Sys-to-Sys	76169		23.79	0.40	00:24	70.040013				
	64742		4.37	0.07	00:04	66.291459				
	76185		17.53	0.29	00:18	69.1122418				
South of Sys-to-Sys	78100		10.47	0.17	00:10	59.5392555	0.173952	10.35697		
	78139		13.47	0.22	00:13	60.962582	0.228613	13.93684		
	78140		6.58	0.11	00:07	59.672012	0.10989	6.557357		
	76311		7.97	0.13	00:08	65.0911934	0.144474	9.403985		
	76157		24.31	0.41	00:24	68.7346702	0.465046	31.96478		
	76154		20.79	0.35	00:21	67.0435792	0.388017	26.01405		
	76309		2.11	0.04	00:02	62.0625358	0.036536	2.267517		
	78098		53.05	0.88	00:53	68.58905525	1.013358	69.50527		
	Total Time			08:01	65.9370457					
	Sys-to-Sys Ramps		I-26 EB to I-95 SB	78137	44.02	0.73	00:44	47.30961525	0.579881	27.43395
78172		14.18		0.24	00:14	25.5134854				
I-95 NB to I-26 EB		78148	13.24	0.22	00:13	34.7502612				
		78144	28.72	0.48	00:29	45.76720925				
		78154	9.57	0.16	00:10	53.517705				
I-26 WB to I-95 NB		76174	56.35	0.94	00:56	44.6618566				
		78165	7.76	0.13	00:08	45.956445				
I-95 SB to I-26 WB		78170	6.73	0.11	00:07	46.71801525				
		76168	28.76	0.48	00:29	48.6681248				
		78161	10.46	0.17	00:10	46.148981				
I-95 SB to I-26 EB (Flyover)		78163	10.86	0.18	00:11	52.71364575				
		78165	7.76	0.13	00:08	45.956445				
		78170	6.73	0.11	00:07	46.71801525				
		78155	52.95	0.88	00:53	47.7252494				
I-26 EB to I-95 NB (Loop)		78154	9.57	0.16	00:10	53.517705				
		76183	28.57	0.48	00:29	42.3247566				
I-95 NB to I-26 WB (Flyover)		78172	14.18	0.24	00:14	25.5134854				
		78148	13.24	0.22	00:13	34.7502612				
	78149	54.73	0.91	00:55	46.99710475					
	78161	10.46	0.17	00:10	46.148981					
	78163	10.86	0.18	00:11	52.71364575					
I-26 WB to I-95 SB (Loop)	76171	27.35	0.46	00:27	41.1483174					

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:16	64
I-26 EB	I-95 NB	10:17	64
I-26 EB	I-95 SB	07:42	63
I-26 WB	I-26 WB	08:13	65
I-26 WB	I-95 NB	08:19	63
I-26 WB	I-95 SB	06:32	63
I-95 NB	I-26 EB	07:38	59
I-95 NB	I-26 WB	09:41	58
I-95 NB	I-95 NB	08:38	64
I-95 SB	I-26 EB	09:09	62
I-95 SB	I-26 WB	10:22	62
I-95 SB	I-95 SB	08:01	66

66

2050 Build Alternative 1 Conditions - I-95 Widening + Extended Merge

Mainline	Location	TM Segment ID	Segment Type	Density	LOS					
I-26 EB	West of SC 210	78076	Basic	26.32	D					
	Off-Ramp to SC 210	78104	Diverge	20.61	C					
	Between SC 210 Ramps	77405	Basic	25.53	C					
	On-Ramp from SC 210	76161	Merge	20.60	C	Weave	Merge	Diverge	Basic Freeway	
	West of I-26/I-95 Interchange	78105	Basic	25.77	C	10	10	10	11	
	Off-Ramp to I-95 SB	78131	Diverge	16.28	B	20	20	20	18	
	Between Ramps	76187	Basic	13.04	B	28	28	28	26	
	Loop Off-Ramp to I-95 NB	64745	Diverge	8.51	A	35	35	35	35	
	Between Ramps	78106	Basic	13.46	B	43			45	
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	16.44	B	>	Demand Exceeds Capacity		>	
	East of I-26/I-95 Interchange	78151	Basic	17.18	B					
	Off-Ramp to US 15 SB	78107	Diverge	16.50	B					
	Between Ramps	77374	Basic	20.97	C					
	Weave to/from US 15	77377	Weave	9.24	A					
	Between Ramps	77372	Basic	20.57	C					
	On-Ramp from US 15 NB	77369	Merge	19.18	B					
	East of US 15	78108	Basic	22.20	C					
	I-26 WB	East of US 15	77362	Basic	22.63	C				
		Off-Ramp to US 15 NB	78130	Diverge	17.42	B				
		Between Ramps	78123	Basic	22.14	C				
Weave to/from US 15		77360	Weave	10.26	B					
Between Ramps		77357	Basic	21.79	C					
On-Ramp from US 15 SB		78075	Merge	18.03	B					
East of I-26/I-95 Interchange		78072	Basic	22.02	C					
Off-Ramp to I-95 NB		78111	Diverge	22.45	C					
Between Ramps		76172	Basic	14.86	B					
Loop Off-Ramp to I-95 SB		76162	Diverge	9.42	A					
Between Ramps		76170	Basic	12.59	B					
CD On-Ramp from I-95 NB + I-95 SB		78164	Merge	18.62	B					
West of I-26/I-95 Interchange		78160	Basic	20.24	C					
Off-Ramp to SC 210		78124	Basic	20.67	C					
Between SC 210 Ramps		77403	Basic	26.91	D					
On-Ramp from SC 210	77410	Merge	25.44	C						
West of SC 210	78113	Basic	26.97	D						
I-95 NB	South of US 178	76308	Basic	23.66	C					
	I-26 NB Off-Ramp to US 178	78126	Diverge	27.18	C					
	I-26 EB Between US 178 Ramps	76152	Basic	23.11	C					
	I-26 EB On-Ramp from US 178	76159	Merge	26.09	C					
	South of I-26/I-95 Interchange	76310	Basic	25.16	C					
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	17.59	B					
	Between Ramps	76178	Basic	9.23	A					
	System-to-System Weave	75978	Merge	5.67	A					
	Between Ramps	76176	Basic	9.02	A					
	On-Ramp from I-26 WB	78099	Merge	18.10	B					
	North of I-26/I-95 Interchange	76315	Basic	16.69	B					
	Off-Ramp to US 176	78128	Diverge	18.43	B					
Between US 176 Ramps	76191	Basic	15.47	B						
On-Ramp from US 176	76198	Merge	13.59	B						
North of US 176	78102	Basic	15.90	B						
I-95 SB	North of US 176	78079	Basic	15.78	B					
	Off-Ramp to US 176	78127	Diverge	16.67	B					
	Between US 176 Ramps	76193	Basic	15.51	B					
	On-Ramp from US 176	76320	Merge	14.68	B					
	North of I-26/I-95 Interchange	76318	Basic	16.75	B					
	Off-Ramp to I-26 WB	78167	Diverge	17.13	B					
	Between Ramps	76169	Basic	9.75	A					
	Loop On-Ramp from I-26 WB	64742	Merge	7.97	A					
	Between Ramps	76185	Basic	12.02	B					
	On-Ramp from I-26 EB	78100	Merge	18.86	B					
	South of I-26/I-95 Interchange	76311	Basic	17.81	B					
	Off-Ramp to US 178	76157	Basic	17.81	B					
Between U 178 Ramps	76154	Basic	22.88	C						
On-Ramp from US 178	76309	Merge	22.17	C						
South of US 178	78098	Basic	23.82	C						

2050 Build Alternative 1 Conditions - I-95 Widening + Extended Merge

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L
I-26 EB	West of Sys-to-Sys	78076	83.37	1.39	01:23	66.61657	1.545991	102.9886
		78104	2.20	0.04	00:02	56.8305355	0.03471	1.972588
		77405	21.52	0.36	00:22	66.8062476	0.400254	26.73947
		76161	2.25	0.04	00:02	63.0916508	0.039546	2.495022
		78105	144.32	2.41	02:24	68.2057268	2.739932	186.8791
		78135	13.23	0.22	00:13	66.18746475	0.243723	16.13141
		78138	10.29	0.17	00:10	65.4585335	0.187705	12.28689
		78131	2.32	0.04	00:02	55.63967925	0.035936	1.999468
		76187	16.30	0.27	00:16	70.42682		
		64745	4.32	0.07	00:04	59.1207718		
	78106	20.58	0.34	00:21	70.0560958			
	East of Sys-to-Sys	78150	5.61	0.09	00:06	65.43513875		
		78074	4.50	0.08	00:05	64.251013		
		78151	12.29	0.20	00:12	65.7269724		
		78152	97.30	1.62	01:37	68.58499275		
		78107	2.92	0.05	00:03	60.52109125		
		77374	8.06	0.13	00:08	65.5560574		
		77377	3.70	0.06	00:04	64.4012194		
		77372	8.12	0.14	00:08	65.0099342		
		77369	3.99	0.07	00:04	49.4444004		
78108		29.58	0.49	00:30	68.5822816			
Total Time			08:17	64.09300938				
I-26 WB	East of Sys-to-Sys	77362	30.81	0.51	00:31	65.6471274		
		78130	3.49	0.06	00:03	62.3526818		
		78123	8.02	0.13	00:08	66.17774775		
		77360	4.00	0.07	00:04	63.2160046		
		77357	7.83	0.13	00:08	67.4515308		
		78075	1.89	0.03	00:02	64.665232		
	78072	120.76	2.01	02:01	69.0157548			
	78111	2.10	0.04	00:02	54.9347256			
	Sys-to-Sys	76172	18.88	0.31	00:19	69.6985764		
		76162	5.65	0.09	00:06	56.8588088		
		76170	28.79	0.48	00:29	70.5291338		
	West of Sys-to-Sys	78164	12.53	0.21	00:13	65.77239425		
		78159	15.84	0.26	00:16	68.5635035		
		78160	125.35	2.09	02:05	69.0152775		
		78124	1.40	0.02	00:01	58.244412		
77403		21.52	0.36	00:22	67.3917974			
77410		1.83	0.03	00:02	63.2811978			
78113	81.34	1.36	01:21	68.2809226				
Total Time			08:12	65.06093493				
I-95 NB	South of Sys-to-Sys	76308	53.41	0.89	00:53	69.5932246		
		78126	1.00	0.02	00:01	57.154039		
		76152	20.31	0.34	00:20	68.6597558		
		76159	3.14	0.05	00:03	62.8067008		
		78080	117.98	1.97	01:58	68.2627655		
		76310	1.76	0.03	00:02	58.6135248		
		76313	10.06	0.17	00:10	64.4243244		
		78143	9.79	0.16	00:10	43.4351075		
	Sys-to-Sys	76178	11.97	0.20	00:12	69.148297		
		75978	4.89	0.08	00:05	70.0725332		
		76176	20.05	0.33	00:20	70.7458688		
	North of Sys-to-Sys	78099	1.53	0.03	00:02	50.86713175		
		76315	163.24	2.72	02:43	69.3993354		
		78128	2.96	0.05	00:03	63.6997246		
		76191	32.96	0.55	00:33	69.4890942		
		76198	1.89	0.03	00:02	65.8561394		
		78102	61.04	1.02	01:01	69.8563074		
		Total Time			08:38	64.28582273		
I-95 SB	North of Sys-to-Sys	78079	59.37	0.99	00:59	70.808267		
		78127	2.52	0.04	00:03	65.265277		
		76193	32.51	0.54	00:33	70.3777894		
		76320	2.17	0.04	00:02	66.1127596		
		78103	21.66	0.36	00:22	69.613608		
		76318	163.08	2.72	02:43	69.3630624		
		76166	8.79	0.15	00:09	65.4123916		
		78167	7.02	0.12	00:07	58.96680225		
	Sys-to-Sys	76169	23.83	0.40	00:24	69.9214462		
		64742	4.37	0.07	00:04	66.2348222		
		76185	17.54	0.29	00:18	69.0683632		
	South of Sys-to-Sys	78100	10.25	0.17	00:10	60.99625975	0.173952	10.61042
		78139	12.64	0.21	00:13	64.9673742	0.228613	14.85239
		78140	5.82	0.10	00:06	67.74397175	0.10989	7.444385
		76311	7.55	0.13	00:08	68.7633548	0.144474	9.934517
76157		24.16	0.40	00:24	69.1622484	0.465046	32.16363	
76154		20.79	0.35	00:21	67.0460844	0.388017	26.01502	
76309		2.13	0.04	00:02	61.524228	0.036536	2.247849	
78098	53.20	0.89	00:53	68.43299625	1.013358	69.34712		
Total Time			07:59	66.8949836				
Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	43.97	0.73	00:44	47.38356725	0.579881	27.47683
		78172	14.17	0.24	00:14	25.5446492		
		78148	13.23	0.22	00:13	34.7793186		
	I-95 NB to I-26 EB	78144	28.65	0.48	00:29	45.76596925		
		78154	9.56	0.16	00:10	53.58556825		
		76174	56.51	0.94	00:57	44.5338194		
	I-26 WB to I-95 NB	78165	7.78	0.13	00:08	45.80090925		
		78170	6.74	0.11	00:07	46.617063		
		76168	28.70	0.48	00:29	48.772554		
	I-95 SB to I-26 WB	78161	10.46	0.17	00:10	46.11319525		
		78163	10.82	0.18	00:11	52.80579975		
		78165	7.78	0.13	00:08	45.80090925		
	I-95 SB to I-26 EB (Flyover)	78170	6.74	0.11	00:07	46.617063		
		78155	53.08	0.88	00:53	47.6110568		
		78154	9.56	0.16	00:10	53.58556825		
	I-26 EB to I-95 NB (Loop)	76183	28.49	0.47	00:28	42.4504858		
		78172	14.17	0.24	00:14	25.5446492		
		78148	13.23	0.22	00:13	34.7793186		
I-95 NB to I-26 WB (Flyover)	78149	54.76	0.91	00:55	46.9475185			
	78161	10.46	0.17	00:10	46.11319525			
	78163	10.82	0.18	00:11	52.80579975			
I-26 WB to I-95 SB (Loop)	76171	27.34	0.46	00:27	41.1599958			

Travel Time Path		Total Travel Time	Average Speed
Start	End		
I-26 EB	I-26 EB	08:17	64
I-26 EB	I-95 NB	10:17	64
I-26 EB	I-95 SB	07:40	64
I-26 WB	I-26 WB	08:12	65
I-26 WB	I-95 NB	08:19	63
I-26 WB	I-95 SB	06:29	64
I-95 NB	I-26 EB	07:39	59
I-95 NB	I-26 WB	09:41	58
I-95 NB	I-95 NB	08:38	64
I-95 SB	I-26 EB	09:10	62
I-95 SB	I-26 WB	10:21	62
I-95 SB	I-95 SB	07:59	67

66

2030 No Build Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	18.00	C
	Off-Ramp to SC 210	78104	Diverge	15.23	B
	Between SC 210 Ramps	77405	Basic	17.94	B
	On-Ramp from SC 210	76161	Merge	14.71	B
	West of I-26/I-95 Interchange	78105	Basic	18.99	C
	Off-Ramp to I-95 SB	78131	Diverge	26.99	C
	Between Ramps	76187	Basic	9.18	A
	System-to-System Weave	64745	Weave	10.40	B
I-26 EB	Between Ramps	76179	Basic	13.14	B
	On-Ramp from I-95 NB	78073	Merge	13.30	B
	East of I-26/I-95 Interchange	78074	Basic	14.98	B
	Off-Ramp to US 15 SB	78107	Diverge	11.16	B
	Between Ramps	77374	Basic	14.22	B
	Weave to/from US 15	77377	Weave	4.43	A
	Between Ramps	77372	Basic	15.18	B
	On-Ramp from US 15 NB	77369	Merge	11.96	B
	East of US 15	78108	Basic	14.18	B
	East of US 15	77362	Basic	15.06	B
	Off-Ramp to US 15 NB	78130	Diverge	11.16	B
	Between Ramps	78123	Basic	14.48	B
	Weave to/from US 15	77360	Weave	6.89	A
	Between Ramps	77357	Basic	15.29	B
	On-Ramp from US 15 SB	78075	Merge	13.23	B
	East of I-26/I-95 Interchange	78110	Basic	15.37	B
	Off-Ramp to I-95 NB	78111	Diverge	13.97	B
I-26 WB	Between Ramps	76172	Basic	10.85	A
	System-to-System Weave	76162	Weave	28.99	D
	Between Ramps	76170	Basic	21.31	C
	On-Ramp from I-95 SB	76163	Merge	17.01	B
	West of I-26/I-95 Interchange	78112	Basic	18.53	C
	Off-Ramp to SC 210	78124	Diverge	16.50	B
	Between SC 210 Ramps	77403	Basic	17.70	B
	On-Ramp from SC 210	77410	Merge	13.85	B
	West of SC 210	78113	Basic	18.23	C
	South of US 178	76308	Basic	29.33	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	37.93	E
	I-26 EB Between US 178 Ramps	76152	Basic	27.34	D
	I-26 EB On-Ramp from US 178	76159	Basic	21.62	C
	South of I-26/I-95 Interchange	76310	Basic	21.62	C
	Off-Ramp to I-26 EB	76313	Basic	21.62	C
	Between Ramps	76178	Basic	66.01	F
I-95 NB	System-to-System Weave	75978	Weave	48.61	F
	Between Ramps	76176	Basic	14.88	B
	On-Ramp from I-26 WB	78099	Merge	21.09	C
	North of I-26/I-95 Interchange	76315	Basic	20.49	C
	Off-Ramp to US 176	78128	Diverge	21.66	C
	Between US 176 Ramps	76191	Basic	19.54	C
	On-Ramp from US 176	76198	Merge	17.80	B
	North of US 176	78102	Basic	19.78	C
	North of US 176	78079	Basic	19.09	C
	Off-Ramp to US 176	78127	Diverge	23.49	C
	Between US 176 Ramps	76193	Basic	19.00	C
	On-Ramp from US 176	76320	Merge	19.56	B
	North of I-26/I-95 Interchange	76318	Basic	20.50	C
	Off-Ramp to I-26 WB	76166	Diverge	20.52	C
	Between Ramps	76169	Basic	22.07	C
I-95 SB	System-to-System Weave	64742	Weave	19.53	B
	Between Ramps	76185	Basic	15.90	B
	On-Ramp from I-26 EB	76314	Merge	28.96	D
	South of I-26/I-95 Interchange	76311	Basic	30.86	D
	Off-Ramp to US 178	76157	Diverge	30.37	D
	Between U 178 Ramps	76154	Basic	29.92	D
	On-Ramp from US 178	76309	Merge	31.40	D
	South of US 178	78098	Basic	29.67	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 No Build Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	76186	48.702	F
	I-26 EB On-Ramp from I-95 SB	76189	33.3874	D
	I-26 EB Loop Off-Ramp to I-95 NB	76183	2.12202	A
	I-26 EB On-Ramp from I-95 NB	76180	7.23422	A
	I-26 WB Off-Ramp to I-95 NB	76174	24.6052	C
	I-26 WB On-Ramp from I-95 NB	76177	75.757	F
	I-26 WB Loop Off-Ramp to I-95 SB	76171	10.5741	A
	I-26 WB On-Ramp from I-95 SB	76168	1.07256	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 No Build Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L	
I-26 EB	West of Sys-to-Sys	78076	79.44	1.32	01:19	69.9166438	1.545991	108.0905021	
		78104	2.08	0.03	00:02	60.0496996	0.03471	2.084325073	
		77405	20.97	0.35	00:21	68.5847114	0.400276	27.45281394	
		76161	2.20	0.04	00:02	64.4916676	0.039546	2.550387487	
		78105	170.84	2.85	02:51	66.8914162	3.180857	212.7720295	
		78131	2.65	0.04	00:03	50.2838804	0.037053	1.86316862	
	Sys-to-Sys	76187	16.54	0.28	00:17	69.664007	0.32068	22.33985376	
		64745	3.57	0.06	00:04	59.8696616	0.059514	3.56308304	
		76179	13.93	0.23	00:14	67.8538488	0.263146	17.8554689	
	East of Sys-to-Sys	78073	2.53	0.04	00:03	64.8382146	0.045661	2.960577717	
		78106	11.29	0.19	00:11	69.1324378	0.217201	15.01563462	
		78074	111.59	1.86	01:52	69.7499504	2.166471	151.1112448	
		78107	2.93	0.05	00:03	60.2084826	0.049144	2.958885669	
		77374	7.86	0.13	00:08	67.1043812	0.146898	9.85749939	
		77377	3.58	0.06	00:04	66.5566094	0.066282	4.411505184	
		77372	7.84	0.13	00:08	67.281888	0.146868	9.881556327	
		77369	3.80	0.06	00:04	51.9557358	0.054924	2.853616833	
		78108	28.77	0.48	00:29	70.508703	0.564635	39.81168152	
		Total Time			08:12		64.7189662	9.339857	637.4338344
		I-26 WB	East of Sys-to-Sys	77362	29.07	0.48	00:29	69.5296774	0.562657
	78130			3.29	0.05	00:03	66.2322334	0.06059	4.013011022
	78123			7.65	0.13	00:08	69.0438956	0.146991	10.14883126
	77360			3.83	0.06	00:04	66.0284364	0.070324	4.643383761
	77357			7.58	0.13	00:08	69.6515332	0.146935	10.23424803
78075	1.83			0.03	00:02	66.6025894	0.033981	2.26322259	
78110	112.12			1.87	01:52	69.9294114	2.182443	152.6169544	
78072	7.58			0.13	00:08	64.0957304	0.13527	8.670229451	
78111	2.15			0.04	00:02	53.7489874	0.032118	1.726309977	
Sys-to-Sys	76172		19.93	0.33	00:20	66.0291984	0.366213	24.18075083	
	76162		6.26	0.10	00:06	43.892881	0.076524	3.358858826	
	76170		15.45	0.26	00:15	61.216677	0.263288	16.11761645	
West of Sys-to-Sys	76163		1.64	0.03	00:02	62.809739	0.02859	1.795730438	
	78112		169.14	2.82	02:49	68.8263102	3.24049	223.0309699	
	78124		1.43	0.02	00:01	57.0524814	0.022767	1.298913844	
	77403		21.19	0.35	00:21	68.4512604	0.403734	27.63610117	
	77410		1.77	0.03	00:02	65.5376678	0.032277	2.115359304	
	78113		79.67	1.33	01:20	69.7085916	1.545997	107.7692735	
Total Time			08:12		64.35485008	9.351189	640.7411245		
I-95 NB	South of Sys-to-Sys	76308	54.69	0.91	00:55	67.9545172	1.034563	70.30322918	
		78126	1.01	0.02	00:01	56.6926378	0.015936	0.903453876	
		76152	20.40	0.34	00:20	68.3476642	0.388154	26.52941925	
		76159	3.02	0.05	00:03	65.1986734	0.054721	3.567736607	
		78080	116.39	1.94	01:56	69.254087	2.243634	155.3808242	
		76310	8.04	0.13	00:08	67.9924978	0.15221	10.34913809	
	Sys-to-Sys	76313	43.85	0.73	00:44	51.8675326	0.564328	29.27030094	
		76178	32.83	0.55	00:33	28.0731626	0.253229	7.108938892	
		75978	9.68	0.16	00:10	30.0767872	0.080978	2.435558074	
	North of Sys-to-Sys	76176	22.94	0.38	00:23	61.8258592	0.39479	24.40823095	
		78099	1.67	0.03	00:02	46.7093548	0.021676	1.012471975	
		78101	20.39	0.34	00:20	64.6917174	0.367172	23.75298726	
		76315	163.44	2.72	02:43	69.3090872	3.153217	218.546592	
		76319	21.05	0.35	00:21	67.3302584	0.394605	26.56885662	
		78128	3.01	0.05	00:03	62.615958	0.05252	3.288590114	
		76191	33.13	0.55	00:33	69.1020538	0.637323	44.04032823	
		76198	1.89	0.03	00:02	65.6844844	0.03451	2.266771557	
		78102	61.28	1.02	01:01	69.5291036	1.185951	82.45810994	
Total Time			10:19		60.12530203	11.02952	732.1915378		
I-95 SB	North of Sys-to-Sys	78079	59.68	0.99	01:00	70.493701	1.170968	82.54586807	
		78127	2.55	0.04	00:03	64.7091766	0.045876	2.968598186	
		76193	32.68	0.54	00:33	70.0346398	0.637056	44.61598749	
		76320	2.19	0.04	00:02	65.2683268	0.039784	2.596635113	
		78103	21.79	0.36	00:22	69.1927486	0.419619	29.03459197	
		76318	164.20	2.74	02:44	68.9821574	3.152917	217.4950168	
	Sys-to-Sys	76166	20.50	0.34	00:20	67.6057158	0.385741	26.07829642	
		76169	21.19	0.35	00:21	63.737044	0.375997	23.96493733	
		64742	5.16	0.09	00:05	48.9979868	0.070345	3.446763381	
	South of Sys-to-Sys	76185	18.65	0.31	00:19	64.9567182	0.337205	21.90373016	
		76314	1.66	0.03	00:02	53.8155128	0.024913	1.34070587	
		78100	8.85	0.15	00:09	58.693113	0.144563	8.484852495	
		78132	19.53	0.33	00:20	63.2725554	0.343887	21.75860926	
		76311	7.76	0.13	00:08	66.9791596	0.144688	9.691080644	
		76157	121.93	2.03	02:02	67.773066	2.300157	155.8886922	
		76154	21.78	0.36	00:22	63.9947412	0.388003	24.83015157	
		76309	2.32	0.04	00:02	56.5462178	0.036537	2.06602916	
		78098	54.55	0.91	00:55	66.7436308	1.013395	67.63766173	
Total Time			09:47		63.98867842	11.03165	746.3482078		
Sys-to-Sys Ramps	I-26 EB to I-95 SB	76186	53.18	0.89	00:53	39.5070196	0.584783	23.10303344	
	I-95 NB to I-26 EB	76180	28.77	0.48	00:29	46.3946696	0.372234	17.26967344	
	I-26 WB to I-95 NB	76174	61.05	1.02	01:01	41.226806	0.700539	28.88098545	
	I-95 SB to I-26 WB	76168	38.47	0.64	00:38	46.9529046	0.502597	23.59838899	
	I-95 SB to I-26 EB (Loop)	76189	46.02	0.77	00:46	30.0556348	0.385004	11.57153962	
	I-26 EB to I-95 NB (Loop)	76183	28.72	0.48	00:29	32.2444352	0.257708	8.309648907	
	I-95 NB to I-26 WB (Loop)	76177	48.90	0.81	00:49	25.1618602	0.342374	8.614766724	
I-26 WB to I-95 SB (Loop)	76171	30.24	0.50	00:30	33.4211232	0.281245	9.399523794		

Travel Time Path		Total Travel Time	Average Speed	Weighted Avg Speeds
Start	End			
I-26 EB	I-26 EB	08:12	65	68
	I-95 NB	11:05	60	67
	I-95 SB	09:30	61	66
I-26 WB	I-26 WB	08:12	64	69
	I-95 NB	09:02	64	67
	I-95 SB	08:14	61	66
I-95 NB	I-26 EB	07:36	64	67
	I-26 WB	10:35	57	65
I-95 SB	I-26 EB	09:34	64	67
	I-26 WB	10:17	65	68
	I-95 SB	09:47	64	68

2030 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	18.05	C
	Off-Ramp to SC 210	78104	Diverge	13.94	B
	Between SC 210 Ramps	77405	Basic	18.02	C
	On-Ramp from SC 210	76161	Merge	14.16	B
	West of I-26/I-95 Interchange	78105	Basic	18.31	C
	Off-Ramp to I-95 SB	78131	Diverge	12.19	B
	Between Ramps	76187	Basic	8.60	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	4.62	A
I-26 EB	Between Ramps	78106	Basic	8.36	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.56	B
	East of I-26/I-95 Interchange	78151	Basic	11.54	B
	Off-Ramp to US 15 SB	78107	Diverge	11.43	B
	Between Ramps	77374	Basic	14.14	B
	Weave to/from US 15	77377	Weave	6.13	A
	Between Ramps	77372	Basic	14.90	B
	On-Ramp from US 15 NB	77369	Merge	13.16	B
	East of US 15	78108	Basic	14.30	B
	East of US 15	77362	Basic	14.99	B
	Off-Ramp to US 15 NB	78130	Diverge	11.18	B
	Between Ramps	78123	Basic	14.83	B
	Weave to/from US 15	77360	Weave	5.75	A
	Between Ramps	77357	Basic	14.96	B
	On-Ramp from US 15 SB	78075	Merge	12.18	B
	East of I-26/I-95 Interchange	78072	Basic	15.02	B
	Off-Ramp to I-95 NB	78111	Diverge	15.41	B
	Between Ramps	76172	Basic	10.30	A
I-26 WB	Loop Off-Ramp to I-95 SB	76162	Diverge	7.79	A
	Between Ramps	76170	Basic	8.57	A
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	13.99	B
	West of I-26/I-95 Interchange - 4 Lanes	78159	Basic	13.77	B
	West of I-26/I-95 Interchange - 3 Lanes	78174	Basic	18.99	C
	Off-Ramp to SC 210	78124	Diverge	18.12	B
	Between SC 210 Ramps	77403	Basic	18.56	C
	On-Ramp from SC 210	77410	Merge	13.83	B
	West of SC 210	78113	Basic	18.15	C
	South of US 178	76308	Basic	29.20	D
I-26 NB Off-Ramp to US 178		78126	Diverge	34.49	D
I-26 EB Between US 178 Ramps		76152	Basic	27.63	D
I-26 EB On-Ramp from US 178		76159	Basic	19.76	B
South of I-26/I-95 Interchange		76310	Basic	19.76	C
CD Off-Ramp to I-26 EB + I-26 WB		78143	Diverge	16.95	B
Between Ramps		76178	Basic	12.44	B
I-95 NB System-to-System Weave		75978	Merge	8.17	A
Between Ramps		76176	Basic	12.95	B
On-Ramp from I-26 WB		78099	Merge	21.10	C
North of I-26/I-95 Interchange		76315	Basic	20.63	C
Off-Ramp to US 176		78128	Diverge	21.81	C
Between US 176 Ramps		76191	Basic	19.54	C
On-Ramp from US 176		76198	Merge	18.92	B
North of US 176		78102	Basic	19.55	C
North of US 176		78079	Basic	19.00	C
Off-Ramp to US 176		78127	Diverge	22.43	C
Between US 176 Ramps		76193	Basic	18.89	C
On-Ramp from US 176		76320	Merge	19.72	B
North of I-26/I-95 Interchange		76318	Basic	20.50	C
Off-Ramp to I-26 WB		78167	Diverge	18.64	B
Between Ramps		76169	Basic	12.23	B
Loop On-Ramp from I-26 WB		64742	Merge	11.18	B
Between Ramps		76185	Basic	16.31	B
On-Ramp from I-26 EB		78100	Merge	20.29	C
South of I-26/I-95 Interchange - 3 Lane		76157	Basic	20.17	C
South of I-26/I-95 Interchange - 2 Lane		78173	Basic	30.47	D
Off-Ramp to US 178		78175	Diverge	19.95	B
Between U 178 Ramps		76154	Basic	30.45	D
On-Ramp from US 178		76309	Merge	31.32	D
South of US 178		78098	Basic	30.15	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	20.4295	C
	I-26 EB On-Ramp from I-95 SB	78155	20.354	C
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.34568	A
	I-26 EB On-Ramp from I-95 NB	78144	7.57848	A
	I-26 WB Off-Ramp to I-95 NB	76174	21.7019	C
	I-26 WB On-Ramp from I-95 NB	78149	20.088	C
	I-26 WB Loop Off-Ramp to I-95 SB	76171	7.9727	A
	I-26 WB On-Ramp from I-95 SB	76168	1.09547	A
	CD Roads	I-95 NB to I-26	78148	19.9
I-95 to I-26 EB		78154	12.8	B
I-95 SB to I-26		78165	19.9	C
I-95 to I-26 WB		78161	13.6	B

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L		
I-26 EB	West of Sys-to-Sys	78076	79.45	1.32	01:19	69.85680325	1.545991	107.9979891		
		78104	2.08	0.03	00:02	59.93727525	0.03471	2.080422824		
		77405	20.95	0.35	00:21	68.6388342	0.400254	27.47296794		
		76161	2.20	0.04	00:02	64.4583888	0.039546	2.549071443		
		78105	142.10	2.37	02:22	69.2703126	2.739932	189.7959461		
		78135	12.95	0.22	00:13	67.59615675	0.243723	16.47473811		
		78138	10.13	0.17	00:10	66.51526925	0.187705	12.48524861		
		78131	2.31	0.04	00:02	56.00643275	0.035934	2.012535154		
	Sys-to-Sys	76187	16.13	0.27	00:16	71.1838198	0.319508	22.7437999		
		64745	4.28	0.07	00:04	59.6504738	0.071049	4.238106513		
		78106	20.37	0.34	00:20	70.7627028	0.401276	28.39537433		
		78150	5.58	0.09	00:06	65.75660975	0.102209	6.720917326		
		78074	4.40	0.07	00:04	65.832906	0.080563	5.303696406		
	East of Sys-to-Sys	78151	11.83	0.20	00:12	68.2585206	0.224843	15.34745055		
		78152	95.57	1.59	01:36	69.75708575	1.856376	129.4953798		
		78107	2.86	0.05	00:03	61.7954545	0.049189	3.039656611		
		77374	7.79	0.13	00:08	67.7797856	0.147006	9.964035162		
		77377	3.56	0.06	00:04	66.9116958	0.066282	4.435041021		
		77372	7.85	0.13	00:08	67.2525138	0.146868	9.877242197		
		77369	3.81	0.06	00:04	51.788346	0.054924	2.844423116		
		78108	28.87	0.48	00:29	70.272628	0.564635	39.67838531		
		Total Time				08:05	65.68009595	9.312523	642.9524276	
		I-26 WB	East of Sys-to-Sys	77362	29.05	0.48	00:29	69.576981	0.562657	39.1479754
				78130	3.27	0.05	00:03	66.468585	0.06059	4.027331565
				78123	7.63	0.13	00:08	69.27804725	0.146991	10.18324944
77360	3.81			0.06	00:04	66.3240772	0.070324	4.664174405		
77357	7.57			0.13	00:08	69.7249058	0.146935	10.24502903		
Sys-to-Sys	78075		1.83	0.03	00:02	66.7361684	0.033981	2.267761738		
	78072		118.51	1.98	01:59	70.323434	2.319893	163.1428423		
	78111		2.03	0.03	00:02	56.8514554	0.032118	1.825955045		
	76172		18.67	0.31	00:19	70.4658486	0.366213	25.80550981		
	76162		5.69	0.09	00:06	56.530634	0.089473	5.057965416		
West of Sys-to-Sys	76170		28.59	0.48	00:29	70.9988142	0.56512	40.12284988		
	78164		12.39	0.21	00:12	66.63064675	0.229565	15.29606442		
	78159		15.76	0.26	00:16	68.92569375	0.302228	20.83127457		
	78160		38.61	0.64	00:39	70.10688125	0.753206	52.8049236		
	78124		1.46	0.02	00:01	56.0006042	0.022767	1.274965756		
Total Time	77403	21.29	0.35	00:21	68.1292664	0.403712	27.5046024			
	77410	1.77	0.03	00:02	65.5220186	0.032275	2.11472315			
	78113	79.55	1.33	01:20	69.8107502	1.545881	107.9191123			
	Total Time			06:37	66.57804511	7.683929	534.2363102			
	I-95 NB	South of Sys-to-Sys	76308	54.68	0.91	00:55	67.97500774	1.034563	70.3245	
78126			1.01	0.02	00:01	56.5727268	0.015936	0.901542974		
76152			20.44	0.34	00:20	68.2153152	0.388147	26.47756995		
76159			3.02	0.05	00:03	65.0998682	0.054699	3.560897691		
78080			116.31	1.94	01:56	69.21055625	2.241046	155.1040402		
76310			1.65	0.03	00:02	62.4806916	0.028705	1.793508252		
76313			9.75	0.16	00:10	66.4754674	0.180396	11.99190842		
Sys-to-Sys		78143	9.13	0.15	00:09	46.75068625	0.118979	5.562349899		
		76178	12.16	0.20	00:12	68.1682236	0.230691	15.72579567		
		75978	4.93	0.08	00:05	69.5453406	0.095474	6.639771848		
North of Sys-to-Sys		76176	20.29	0.34	00:20	69.8991886	0.39479	27.59550067		
		78099	1.56	0.03	00:02	49.693563	0.021676	1.077157672		
		78101	20.04	0.33	00:20	65.8044934	0.367064	24.15446057		
		76315	164.35	2.74	02:44	68.9251628	3.153217	217.3359951		
		76319	21.18	0.35	00:21	66.942773	0.394605	26.41595294		
Total Time	76191	33.33	0.56	00:33	68.6951042	0.637323	43.78096989			
	76198	1.90	0.03	00:02	65.2605658	0.03451	2.252142126			
	78102	61.57	1.03	01:02	69.1949738	1.185951	82.06184837			
	Total Time			09:17	64.81514858	10.57777	722.7559122			
	I-95 SB	North of Sys-to-Sys	78079	59.67	0.99	01:00	70.4979698	1.170968	82.5508667	
78127			2.54	0.04	00:03	64.9157695	0.045876	2.978075842		
76193			32.63	0.54	00:33	70.143472	0.637056	44.6853197		
76320			2.19	0.04	00:02	65.1445116	0.039784	2.591709249		
78103			21.79	0.36	00:22	69.1955476	0.419619	29.03576649		
76318			164.18	2.74	02:44	68.9229588	3.149738	217.0892624		
Sys-to-Sys		76166	8.84	0.15	00:09	64.9944132	0.159834	10.38831704		
		78167	6.87	0.11	00:07	60.73051425	0.116355	7.066298986		
		76169	23.94	0.40	00:24	69.5673356	0.463654	32.25517342		
South of Sys-to-Sys		64742	4.44	0.07	00:04	65.2727298	0.080744	5.270381295		
		76185	17.79	0.30	00:18	68.0815374	0.337194	22.95668592		
		78100	10.07	0.17	00:10	62.10266775	0.174129	10.81387543		
		78139	12.62	0.21	00:13	65.2211986	0.229061	14.93963297		
		78140	5.88	0.10	00:06	67.0871395	0.10989	7.37220576		
		78131	2.31	0.04	00:02	56.00643275	0.035934	2.012535154		
	76157	25.02	0.42	00:25	66.9003308	0.465882	31.16765991			
	78173	99.08	1.65	01:39	66.4164986	1.831769	121.6596832			
	76154	21.69	0.36	00:22	64.2637098	0.387996	24.93406235			
Total Time	76309	2.32	0.04	00:02	56.7094706	0.036536	2.071937218			
	78098	54.71	0.91	00:55	66.40917925	1.013379	67.29766766			
	Total Time			09:39	65.39993028	10.9054	739.1371167			
	Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	43.54	0.73	00:44	47.8471895	0.579881	27.74567609	
			78172	13.54	0.23	00:14	26.715737	0.100719	2.690782315	
78148			12.66	0.21	00:13	36.3587206	0.128096	4.657406674		
I-95 NB to I-26 EB		78144	28.58	0.48	00:29	45.9180205	0.365388	16.77789367		
		78154	9.67	0.16	00:10	53.0157255	0.142577	7.558823095		
I-26 WB to I-95 NB		76174	54.57	0.91	00:55	46.1213314	0.700539	32.30979138		
		78165	8.65	0.14	00:09	47.20374625	0.113746	5.369237321		
I-95 SB to I-26 WB		78170					0.095021	0		
		76168	23.81	0.40	00:24	48.6422656	0.322242	15.67458095		
		78161	10.42	0.17	00:10	46.3431015	0.134299	6.223832188		
I-95 SB to I-26 EB (Flyover)		78163	10.55	0.18	00:11	54.2788835	0.159276	8.645323448		
		78165	8.65	0.14	00:09	47.20374625	0.113746	5.369237321		
		78170					0.095021	0		
I-26 EB to I-95 NB (Loop)		78155	69.37	1.16	01:09	48.3524398	0.933615	45.14256308		
		78154	9.67	0.16	00:10	53.0157255	0.142577	7.558823095		
	76183	28.37	0.47	00:28	42.6161618	0.336545	14.34225617			
I-95 NB to I-26 WB (Flyover)	78172	13.54	0.23	00:14	26.715737	0.100719	2.690782315			
	78148	12.66	0.21	00:13	36.3587206	0.128096	4.657406674			
	78149	69.64	1.16	01:10	48.640799	0.942263	45.83242519			
	78161	10.42	0.17	00:10	46.3431015	0.134299	6.223832188			
	78163	10.55	0.18	00:11	54.2788835	0.159276	8.645323448			
I-26 WB to I-95 SB (Loop)	76171	27.16	0.45	00:27	41.4365706	0.313275	12.98104165			

Travel Time Path		Total Travel Time	Average Speed	Weighted Avg Speeds
Start	End			
I-26 EB	I-26 EB	08:05	66	69
	I-95 NB	10:50	64	68
	I-95 SB	09:09	63	66
I-26 WB	I-26 WB	06:37	67	70
	I-95 NB	08:52	65	67
	I-95 SB	08:01	64	67
I-95 NB	I-26 EB	07:33	60	66
	I-26 WB	08:24	59	65
	I-95 NB	09:17	65	68
I-95 SB	I-26 EB	09:18	64	66
	I-26 WB	08:43	63	67
	I-95 SB	09:39	65	68

2050 No Build Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	61.93	F
	Off-Ramp to SC 210	78104	Basic	39.90	E
	Between SC 210 Ramps	77405	Basic	85.10	F
	On-Ramp from SC 210	76161	Merge	87.64	E
	West of I-26/I-95 Interchange	78105	Basic	110.20	F
	Off-Ramp to I-95 SB	78131	Diverge	30.49	D
	Between Ramps	76187	Basic	11.03	B
	System-to-System Weave	64745	Weave	15.75	B
I-26 EB	Between Ramps	76179	Basic	17.53	B
	On-Ramp from I-95 NB	78073	Merge	15.73	B
	East of I-26/I-95 Interchange	78074	Basic	17.95	B
	Off-Ramp to US 15 SB	78107	Basic	13.76	B
	Between Ramps	77374	Basic	17.31	B
	Weave to/from US 15	77377	Weave	5.65	A
	Between Ramps	77372	Basic	17.56	B
	On-Ramp from US 15 NB	77369	Merge	14.42	B
	East of US 15	78108	Basic	18.22	C
	East of US 15	77362	Basic	22.71	C
	Off-Ramp to US 15 NB	78130	Diverge	17.72	B
	Between Ramps	78123	Basic	22.31	C
	Weave to/from US 15	77360	Weave	11.21	B
	Between Ramps	77357	Basic	21.43	C
	On-Ramp from US 15 SB	78075	Merge	10.92	B
	East of I-26/I-95 Interchange	78110	Basic	23.77	C
	Off-Ramp to I-95 NB	78111	Basic	20.83	C
I-26 WB	Between Ramps	76172	Basic	16.41	B
	System-to-System Weave	76162	Weave	33.71	D
	Between Ramps	76170	Basic	25.84	C
	On-Ramp from I-95 SB	76163	Merge	20.77	C
	West of I-26/I-95 Interchange	78112	Basic	23.26	C
	Off-Ramp to SC 210	78124	Diverge	22.53	C
	Between SC 210 Ramps	77403	Basic	23.30	C
	On-Ramp from SC 210	77410	Merge	17.31	B
	West of SC 210	78113	Basic	22.44	C
	South of US 178	76308	Basic	87.03	F
	I-26 NB Off-Ramp to US 178	78126	Diverge	106.54	E
	I-26 EB Between US 178 Ramps	76152	Basic	93.15	F
	I-26 EB On-Ramp from US 178	76159	Basic	121.77	E
	South of I-26/I-95 Interchange	78090	Basic	121.77	F
	Off-Ramp to I-26 EB	76313	Basic	121.77	E
	Between Ramps	76178	Basic	86.98	F
I-95 NB	System-to-System Weave	75978	Weave	51.31	F
	Between Ramps	76176	Basic	10.95	A
	On-Ramp from I-26 WB	78099	Merge	22.55	C
	North of I-26/I-95 Interchange	76315	Basic	20.55	C
	Off-Ramp to US 176	78128	Diverge	23.37	C
	Between US 176 Ramps	76191	Basic	19.21	C
	On-Ramp from US 176	76198	Merge	18.41	B
	North of US 176	78102	Basic	19.61	C
	North of US 176	78079	Basic	24.13	C
	Off-Ramp to US 176	78127	Diverge	25.30	C
	Between US 176 Ramps	76193	Basic	23.95	C
	On-Ramp from US 176	76320	Merge	24.80	C
	North of I-26/I-95 Interchange	76318	Basic	25.62	C
	Off-Ramp to I-26 WB	76166	Diverge	24.71	C
	Between Ramps	76169	Basic	29.35	D
I-95 SB	System-to-System Weave	64742	Weave	29.69	D
	Between Ramps	76185	Basic	19.84	C
	On-Ramp from I-26 EB	76314	Merge	30.22	D
	South of I-26/I-95 Interchange	76311	Basic	32.59	D
	Off-Ramp to US 178	76157	Diverge	32.63	D
	Between U 178 Ramps	76154	Basic	31.89	D
	On-Ramp from US 178	76309	Merge	32.70	D
	South of US 178	78098	#N/A	31.92	D

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

APPENDIX Q. I-26 AT I-95 TRANSMODELER 2030 AND 2050 PREFERRED ALTERNATIVE ANALYSIS

2050 No Build Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	76186	44.1184	E
	I-26 EB On-Ramp from I-95 SB	76189	47.0562	F
	I-26 EB Loop Off-Ramp to I-95 NB	76183	2.05663	A
	I-26 EB On-Ramp from I-95 NB	76180	6.6043	A
	I-26 WB Off-Ramp to I-95 NB	76174	36.6718	E
	I-26 WB On-Ramp from I-95 NB	76177	87.4824	F
	I-26 WB Loop Off-Ramp to I-95 SB	76171	12.6148	B
	I-26 WB On-Ramp from I-95 SB	76168	1.5409	A

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 No Build Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Hours	Travel Time (mm:ss)	Average Speed	Lengths	AS x L	
I-26 EB	West of Sys-to-Sys	78076	201.39	3.36	0.06	03:21	27.6443188	1.545991	42.73786807	
		78104	4.81	0.08	0.00	00:05	25.967877	0.03471	6.901345011	
		77405	83.49	1.39	0.02	01:23	17.2447928	0.400276	6.902676683	
		76161	9.38	0.16	0.00	00:09	15.162665	0.039546	0.59962275	
		78105	908.11	15.14	0.25	15:08	12.589196	3.180857	40.04443222	
	Sys-to-Sys	78131	3.15	0.05	0.00	00:03	42.254651	0.037053	1.565661584	
		76187	17.97	0.30	0.00	00:18	64.1253484	0.32068	20.56371672	
		64745	3.83	0.06	0.00	00:04	55.8703888	0.059514	3.325070319	
		76179	14.33	0.24	0.00	00:14	65.979682	0.263146	17.3622894	
		78073	2.56	0.04	0.00	00:03	64.1941462	0.045661	2.93116891	
	East of Sys-to-Sys	78106	11.36	0.19	0.00	00:11	68.6581374	0.217201	14.9126161	
		78074	112.87	1.88	0.03	01:53	68.9590678	2.166471	149.3978206	
		78107	3.02	0.05	0.00	00:03	58.4767896	0.049144	2.873783348	
		77374	8.03	0.13	0.00	00:08	65.7137734	0.146898	9.653221885	
		77377	3.64	0.06	0.00	00:04	65.4748178	0.066282	4.339801873	
		77372	7.93	0.13	0.00	00:08	66.5401938	0.146868	9.772625183	
		77369	3.88	0.06	0.00	00:04	50.796499	0.054924	2.789946911	
		78108	29.03	0.48	0.01	00:29	69.8740902	0.564635	39.45335692	
		Total Distance		Total Time		0.39688	23:49	50.30702417	9.339857	370.1270245
		I-26 WB	East of Sys-to-Sys	77362	30.59	0.51	0.01	00:31	66.0853294	0.562657
78130	3.49			0.06	0.00	00:03	62.3276552	0.06059	3.776432629	
78123	8.03			0.13	0.00	00:08	65.793927	0.146991	9.67115124	
77360	4.03			0.07	0.00	00:04	62.6258904	0.070324	4.404103116	
77357	7.87			0.13	0.00	00:08	67.0799174	0.146935	9.856387663	
Sys-to-Sys	78075		1.89	0.03	0.00	00:02	64.431909	0.033981	2.1894607	
	78110		119.05	1.98	0.03	01:59	65.8748712	2.182443	143.7681515	
	78072		9.00	0.15	0.00	00:09	54.0699652	0.13527	7.314044193	
	78111		2.34	0.04	0.00	00:02	49.3350326	0.032118	1.584542577	
	76172		20.87	0.35	0.01	00:21	63.0288556	0.366213	23.0819863	
West of Sys-to-Sys	76162		6.49	0.11	0.00	00:06	42.389895	0.076524	3.243844325	
	76170		15.96	0.27	0.00	00:16	59.2771834	0.263288	15.60697106	
	76163		1.67	0.03	0.00	00:02	61.3371252	0.02859	1.753628409	
	78112		173.58	2.89	0.05	02:54	67.0849866	3.24049	217.3882282	
	78124		1.59	0.03	0.00	00:02	51.602147	0.022767	1.174826081	
Total Distance			Total Time		0.14177	08:30	61.23242701	9.351189	617.8512398	
I-95 NB	South of Sys-to-Sys		76308	166.06	2.77	0.05	02:46	22.4001328	1.034563	23.17434859
			78126	3.28	0.05	0.00	00:03	17.4453672	0.015936	0.278009372
			76152	72.19	1.20	0.02	01:12	19.3282532	0.388154	7.502338793
			76159	11.77	0.20	0.00	00:12	16.7070832	0.054721	0.9142283
		78080	820.46	13.67	0.23	13:40	9.8260348	2.243634	22.04602576	
	Sys-to-Sys	76310	63.64	1.06	0.02	01:04	8.5930342	0.15221	1.307945736	
		76313	191.48	3.19	0.05	03:11	10.589099	0.564328	5.97572506	
		76178	49.39	0.82	0.01	00:49	18.4191082	0.253229	4.66425235	
		75978	10.91	0.18	0.00	00:11	26.6740266	0.080978	2.160009326	
		76176	23.23	0.39	0.01	00:23	61.0574202	0.39479	24.10485892	
	North of Sys-to-Sys	78099	1.86	0.03	0.00	00:02	41.8777794	0.021676	0.907742746	
		78101	21.04	0.35	0.01	00:21	62.6816	0.367172	23.01492844	
		76315	163.49	2.72	0.05	02:43	69.2891096	3.153217	218.4835983	
		76319	21.09	0.35	0.01	00:21	67.2205812	0.394605	26.52557744	
		78128	3.02	0.05	0.00	00:03	62.4614452	0.05252	3.280475102	
		76191	33.14	0.55	0.01	00:33	69.078429	0.637323	44.02527161	
		76198	1.90	0.03	0.00	00:02	65.4239986	0.03451	2.257782192	
		78102	61.29	1.02	0.02	01:01	69.513648	1.185951	82.43978036	
		Total Distance		Total Time		0.48	28:39	39.9214528	10.26774	493.0628984
		I-95 SB	North of Sys-to-Sys	78079	60.39	1.01	0.02	01:00	69.6579612	1.170968
78127	2.56			0.04	0.00	00:03	64.3245002	0.045876	2.950950771	
76193	33.06			0.55	0.01	00:33	69.229082	0.637056	44.10280206	
76320	2.26			0.04	0.00	00:02	63.3119122	0.039784	2.518801115	
78103	22.19			0.37	0.01	00:22	67.9498644	0.419619	28.51305415	
Sys-to-Sys	76318		165.89	2.76	0.05	02:46	68.2806652	3.152917	215.2832701	
	76166		20.77	0.35	0.01	00:21	66.721938	0.385741	25.73738709	
	76169		22.74	0.38	0.01	00:23	59.3936518	0.375997	22.3318349	
	64742		5.95	0.10	0.00	00:06	42.4814918	0.070345	2.988360541	
	76185		19.33	0.32	0.01	00:19	62.6631352	0.337205	21.13032251	
South of Sys-to-Sys	76314		1.64	0.03	0.00	00:02	54.550094	0.024913	1.35906492	
	78100		8.87	0.15	0.00	00:09	58.5680782	0.144563	8.466777089	
	78132		19.68	0.33	0.01	00:20	62.7700014	0.343887	21.58578747	
	76311		7.76	0.13	0.00	00:08	66.9868254	0.144688	9.692189793	
	76157		121.93	2.03	0.03	02:02	67.7693102	2.300157	155.8800532	
	76154		21.91	0.37	0.01	00:22	63.6285154	0.388003	24.68805486	
	76309		2.36	0.04	0.00	00:02	55.6041296	0.036537	2.031608083	
	78098		54.91	0.92	0.02	00:55	66.306023	1.013395	67.19419218	
	Total Distance		Total Time		0.17	09:54	62.78873218	11.03165	738.0216959	
	Sys-to-Sys Ramps		I-26 EB to I-95 SB	76186	52.39	0.87	0.01	00:52	40.1014056	0.584783
I-95 NB to I-26 EB		76180	29.19	0.49	0.01	00:29	45.7272792	0.372234	17.02124805	
I-26 WB to I-95 NB		76174	62.84	1.05	0.02	01:03	40.0473782	0.700539	28.05475028	
I-95 SB to I-26 WB		76168	38.97	0.65	0.01	00:39	46.344053	0.502597	23.29238201	
I-95 SB to I-26 EB (Loop)		76189	48.16	0.80	0.01	00:48	28.7217782	0.385004	11.05799949	
I-26 EB to I-95 NB (Loop)		76183	29.79	0.50	0.01	00:30	31.0828214	0.257708	8.010291737	
I-95 NB to I-26 WB (Loop)		76177	56.57	0.94	0.02	00:57	21.7555866	0.342374	7.448547207	
I-26 WB to I-95 SB (Loop)	76171	30.73	0.51	0.01	00:31	32.8847244	0.281245	9.248664314		

Travel Time Path	Total Travel Time		Average Speed	Weighted Avg Speeds
	Start	End		
I-26 EB	I-26 EB	23:49	50	40
	I-95 NB	26:43	47	45
	I-95 SB	25:02	45	40
I-26 WB	I-26 WB	08:30	61	66
	I-95 NB	09:16	61	65
	I-95 SB	08:29	59	64
I-95 NB	I-26 EB	25:40	43	38
	I-26 WB	29:09	36	42
	I-95 NB	28:39	40	48
I-95 SB	I-26 EB	09:44	62	66
	I-26 WB	10:27	64	67
	I-95 SB	09:54	63	67

2050 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS	
I-26 EB	West of SC 210	78076	Basic	26.33	D	
	Off-Ramp to SC 210	78104	Diverge	20.92	C	
	Between SC 210 Ramps	77405	Basic	25.58	C	
	On-Ramp from SC 210	76161	Merge	21.36	C	
	West of I-26/I-95 Interchange	78105	Basic	46.61	F	
	Off-Ramp to I-95 SB	78131	Diverge	58.88	E	
	Between Ramps	76187	Basic	13.14	B	
	Loop Off-Ramp to I-95 NB	64745	Diverge	7.88	A	
	Between Ramps	78106	Basic	11.32	B	
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	15.93	B	
	East of I-26/I-95 Interchange	78151	Basic	16.59	B	
	Off-Ramp to US 15 SB	78107	Diverge	15.60	B	
	Between Ramps	77374	Basic	20.00	C	
	Weave to/from US 15	77377	Weave	9.28	A	
	Between Ramps	77372	Basic	20.50	C	
	On-Ramp from US 15 NB	77369	Merge	17.93	B	
	East of US 15	78108	Basic	19.78	C	
	I-26 WB	East of US 15	77362	Basic	22.59	C
		Off-Ramp to US 15 NB	78130	Diverge	17.08	B
		Between Ramps	78123	Basic	22.76	C
Weave to/from US 15		77360	Weave	11.49	B	
Between Ramps		77357	Basic	21.76	C	
On-Ramp from US 15 SB		78075	Merge	18.30	B	
East of I-26/I-95 Interchange		78072	Basic	22.48	C	
Off-Ramp to I-95 NB		78111	Diverge	22.84	C	
Between Ramps		76172	Basic	14.84	B	
Loop Off-Ramp to I-95 SB		76162	Diverge	10.79	B	
Between Ramps		76170	Basic	12.84	B	
CD On-Ramp from I-95 NB + I-95 SB		78164	Merge	47.42	E	
West of I-26/I-95 Interchange - 4 Lanes		78159	Basic	78.61	F	
West of I-26/I-95 Interchange - 3 Lanes		78174	Basic	99.66	F	
Off-Ramp to SC 210		78124	Diverge	30.03	D	
Between SC 210 Ramps	77403	Basic	25.54	C		
On-Ramp from SC 210	77410	Merge	19.02	B		
West of SC 210	78113	Basic	22.39	C		
I-95 NB	South of US 178	76308	Basic	38.60	E	
	Off-Ramp to US 178	78126	Diverge	41.35	E	
	Between US 178 Ramps	76152	Basic	35.89	E	
	On-Ramp from US 178	76159	Basic	25.21	C	
	South of I-26/I-95 Interchange	76310	Basic	25.21	C	
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	23.39	C	
	Between Ramps	76178	Basic	13.70	B	
	On-Ramp from I-26 EB	75978	Merge	9.38	A	
	Between Ramps	76176	Basic	14.15	B	
	On-Ramp from I-26 WB	78099	Merge	27.27	C	
	North of I-26/I-95 Interchange	76315	Basic	25.30	C	
	Off-Ramp to US 176	76319	Basic	25.40	C	
	Between US 176 Ramps	76191	Basic	24.21	C	
	On-Ramp from US 176	76198	Merge	22.06	C	
	North of US 176	78102	Basic	24.40	C	
I-95 SB	North of US 176	78079	Basic	24.07	C	
	Off-Ramp to US 176	78127	Diverge	25.21	C	
	Between US 176 Ramps	76193	Basic	24.26	C	
	On-Ramp from US 176	76320	Merge	23.68	C	
	North of I-26/I-95 Interchange	76318	Basic	25.63	C	
	Off-Ramp to I-26 WB	78167	Diverge	24.61	C	
	Between Ramps	76169	Basic	14.57	B	
	Loop On-Ramp from I-26 WB	64742	Merge	14.13	B	
	Between Ramps	76185	Basic	23.15	C	
	On-Ramp from I-26 EB	78100	Merge	110.55	E	
	South of I-26/I-95 Interchange - 3 Lane	76157	Basic	125.03	F	
	South of I-26/I-95 Interchange - 2 Lane	78173	Basic	33.38	D	
	Off-Ramp to US 178	78175	Diverge	104.16	E	
	Between US 178 Ramps	76154	Basic	28.35	D	
	On-Ramp from US 178	76309	Merge	30.52	D	
South of US 178	78098	Basic	29.50	D		

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	121.281	F
	I-26 EB On-Ramp from I-95 SB	78155	28.617	D
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.38965	A
	I-26 EB On-Ramp from I-95 NB	78144	9.30762	A
	I-26 WB Off-Ramp to I-95 NB	76174	33.2237	D
	I-26 WB On-Ramp from I-95 NB	78149	29.3049	D
	I-26 WB Loop Off-Ramp to I-95 SB	76171	11.0859	B
	I-26 WB On-Ramp from I-95 SB	76168	1.32657	A
	CD Roads	I-95 NB to I-26	78148	29.4
I-95 to I-26 EB		78154	18.6	C
I-95 SB to I-26		78165	30.6	D
I-95 to I-26 WB		78161	22.3	C

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Seconds	Minutes	Travel Time (mm:ss)	Average Speed	Lengths	AS x L		
I-26 EB	West of Sys-to-Sys	78076	83.37	1.39	01:23	66.639971	1.545991	103.0247954		
		78104	2.18	0.04	00:02	57.07334675	0.03471	1.981015866		
		77405	21.48	0.36	00:21	66.9355484	0.400254	26.79122099		
		76161	2.25	0.04	00:02	63.1913716	0.039546	2.498965981		
		78105	224.79	3.75	03:45	44.0317776	2.739932	120.6440765		
		78135	37.54	0.63	00:38	23.2254915	0.243723	5.660586465		
		78138	45.37	0.76	00:45	14.892156	0.187705	2.795332142		
		78131	9.87	0.16	00:10	13.12798075	0.035934	0.47174086		
		76187	17.67	0.29	00:18	64.9723286	0.319508	20.75917877		
		64745	4.37	0.07	00:04	58.3967698	0.071049	4.149032098		
	78106	20.58	0.34	00:21	70.0527426	0.401276	28.11048434			
	Sys-to-Sys	78150	5.68	0.09	00:06	64.6466795	0.102209	6.607472465		
		78074	4.55	0.08	00:05	63.5742512	0.080563	5.121732399		
		78151	12.25	0.20	00:12	65.9559042	0.224843	14.82972337		
		78152	96.64	1.61	01:37	69.03069725	1.856376	128.1469296		
		78107	2.91	0.05	00:03	60.68413725	0.049189	2.984992027		
		77374	8.03	0.13	00:08	65.801442	0.147006	9.673206783		
		77377	3.69	0.06	00:04	64.5507968	0.066282	4.278555913		
		77372	8.06	0.13	00:08	65.4256244	0.146868	9.608930604		
		77369	3.96	0.07	00:04	49.8558342	0.054924	2.738281838		
		78108	29.40	0.49	00:29	68.990682	0.564635	38.95455373		
	Total Time					10:45	56.24073969	9.312523	539.8308081	
	I-26 WB	East of Sys-to-Sys	77362	30.86	0.51	00:31	65.5207442	0.562657	36.86570537	
			78130	3.53	0.06	00:04	61.7587098	0.06059	3.741960227	
			78123	8.09	0.13	00:08	65.19105625	0.146991	9.582498549	
			77360	4.05	0.07	00:04	62.3104992	0.070324	4.381923546	
			77357	7.92	0.13	00:08	66.66088	0.146935	9.794816403	
			78075	1.90	0.03	00:02	64.1365798	0.033981	2.179425118	
			78072	121.21	2.02	02:01	68.7601284	2.319893	159.5161406	
			78111	2.11	0.04	00:02	54.803229	0.032118	1.760170109	
76172			18.94	0.32	00:19	69.4553946	0.366213	25.43546842		
76162			5.70	0.10	00:06	56.3573376	0.089473	5.042460067		
76170		29.00	0.48	00:29	70.0138028	0.56512	39.56620024			
West of Sys-to-Sys		78164	23.29	0.39	00:23	36.87067325	0.229565	8.464216105		
		78159	42.48	0.71	00:42	26.0796875	0.302228	7.882011794		
		78160	172.36	2.87	02:52	15.91715625	0.753206	11.98889759		
		78124	2.10	0.04	00:02	38.932512	0.022767	0.886376501		
		77403	23.92	0.40	00:24	60.6406842	0.403712	24.4813719		
		77410	1.81	0.03	00:02	63.9922976	0.032275	2.065351405		
		78113	79.65	1.33	01:20	69.7239444	1.545881	107.7849209		
		Total Time					09:39	56.50696205	7.683929	461.41919148
		I-95 NB	South of Sys-to-Sys	76308	58.01	0.97	00:58	64.0723754	1.034563	66.28690891
				78126	1.04	0.02	00:01	55.031046	0.015936	0.876974749
76152				21.04	0.35	00:21	66.288542	0.388147	25.72969871	
76159				3.11	0.05	00:03	63.1597534	0.054699	3.454775351	
78080				117.49	1.96	01:57	68.52185425	2.241046	153.5606274	
76310				1.69	0.03	00:02	61.0973546	0.028705	1.753799564	
76313				10.32	0.17	00:10	62.8018646	0.180396	11.32920517	
78143				9.86	0.16	00:10	43.39667925	0.118979	5.1632935	
76178				12.16	0.20	00:12	68.1327476	0.230691	15.71761168	
75978				4.94	0.08	00:05	69.4949666	0.095474	6.634962441	
76176			20.70	0.34	00:21	68.5269438	0.39479	27.05375214		
North of Sys-to-Sys	78099		1.86	0.03	00:02	41.84240475	0.021676	0.906975965		
	78101		21.49	0.36	00:21	61.3558198	0.367064	22.52151264		
	76315		165.17	2.75	02:45	68.5837086	3.153217	216.2593159		
	76319		21.32	0.36	00:21	66.4858286	0.394605	26.23564039		
	76191		33.64	0.56	00:34	68.0712168	0.637323	43.3833521		
	76198		1.93	0.03	00:02	64.3442718	0.03451	2.22052082		
	78102		62.05	1.03	01:02	68.666847	1.185951	81.43551587		
	Total Time					09:28	62.77079027	10.57777	710.5244433	
	I-95 SB		North of Sys-to-Sys	78079	60.36	1.01	01:00	69.6903786	1.170968	81.60520325
				78127	2.56	0.04	00:03	64.34038875	0.045876	2.951679674
76193				33.07	0.55	00:33	69.2151316	0.637056	44.09391488	
76320				2.25	0.04	00:02	63.5502016	0.039784	2.52828122	
78103				22.17	0.37	00:22	68.0018576	0.419619	28.53487148	
76318				166.21	2.77	02:46	68.081578	3.149738	214.4391333	
76166				9.27	0.15	00:09	61.9774682	0.159834	9.906106652	
78167				7.11	0.12	00:07	58.67558125	0.116355	6.827197256	
76169				24.02	0.40	00:24	69.337532	0.463654	32.14862406	
64742				4.53	0.08	00:05	64.0665076	0.080744	5.17298609	
76185			22.54	0.38	00:23	53.7601198	0.337194	18.12758984		
South of Sys-to-Sys		78100	63.16	1.05	01:03	9.96235025	0.174129	1.734734087		
		78139	70.15	1.17	01:10	11.739073	0.229061	2.6889638		
		76157	151.89	2.53	02:32	11.019528	0.465882	5.133799744		
		76154	21.24	0.35	00:21	65.6390318	0.387996	25.46768178		
		76309	2.29	0.04	00:02	57.32677	0.036536	2.094490869		
		78098	54.26	0.90	00:54	67.0455015	1.013379	67.94250326		
		Total Time					11:57	54.90758821	8.927805	551.3977613
		Sys-to-Sys Ramps	I-26 EB to I-95 SB	78137	279.12	4.65	04:39	7.45776725	0.579881	4.324617531
				78172	14.07	0.23	00:14	25.7243102	0.100719	2.590926799
			I-95 NB to I-26 EB	78148	13.15	0.22	00:13	34.9863648	0.128096	4.481613385
78144				28.59	0.48	00:29	46.0213765	0.365388	16.81565872	
I-26 WB to I-95 NB			78154	9.89	0.16	00:10	51.82370375	0.142577	7.38886821	
			76174	56.74	0.95	00:57	44.3560836	0.700539	31.07316645	
I-95 SB to I-26 WB			78165	8.84	0.15	00:09	46.1722215	0.113746	5.251905507	
			78170	7.78	0.13	00:08	43.90928725	0.095021	4.172304384	
			76168	23.77	0.40	00:24	48.6944522	0.322242	15.69139767	
			78161	10.93	0.18	00:11	44.87374175	0.134299	6.026498643	
I-95 SB to I-26 EB (Flyover)			78163	12.64	0.21	00:13	47.50102425	0.159276	7.565773138	
			78165	8.84	0.15	00:09	46.1722215	0.113746	5.251905507	
	78170		7.78	0.13	00:08	43.90928725	0.095021	4.172304384		
	78155		71.06	1.18	01:11	47.1981614	0.933615	44.06491146		
I-26 EB to I-95 NB (Loop)	78154		9.89	0.16	00:10	51.82370375	0.142577	7.38886821		
	76183		28.22	0.47	00:28	42.8496518	0.336545	14.42083607		
I-95 NB to I-26 WB (Flyover)	78172		14.07	0.23	00:14	25.7243102	0.100719	2.590926799		
	78148		13.15	0.22	00:13	34.9863648	0.128096	4.481613385		
	78149		70.70	1.18	01:11	47.88828875	0.942263	45.12336262		
	78161		10.93	0.18	00:11	44.87374175	0.134299	6.026498643		
	78163		12.64	0.21	00:13	47.50102425	0.159276	7.565773138		
	76171		27.61	0.46	00:28	40.7689128	0.313275	12.77188116		

Travel Time Path		Total Travel Time	Average Speed	Weighted Avg Speeds
Start	End			
I-26 EB	I-26 EB	10:45	56	58
	I-95 NB	13:30	55	60
	I-95 SB	17:49	39	46
I-26 WB	I-26 WB	09:39	57	60
	I-95 NB	09:04	62	66
	I-95 SB	10:22	53	58
I-95 NB	I-26 EB	07:43	58	65
	I-26 WB	11:30	50	56
	I-95 NB	09:28	63	67
I-95 SB	I-26 EB	09:36	61	65
	I-26 WB	11:53	53	60
I-95 SB		11:57	55	62

APPENDIX R. I-26 AT I-95 TRANSMODELER PREFERRED ALTERNATIVE YEAR OF FAILURE OUTPUT

2030 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78075	Basic	18.05	C
	Off-Ramp to SC 210	78104	Diverge	13.94	B
	Between SC 210 Ramps	77405	Basic	18.02	C
	On-Ramp from SC 210	76161	Merge	14.16	B
	West of I-26/I-95 Interchange	78105	Basic	18.31	C
	Off-Ramp to I-95 SB	78131	Diverge	12.19	B
	Between Ramps	76167	Basic	8.60	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	4.62	A
I-26 EB	Between Ramps	78106	Basic	8.36	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	11.56	B
	East of I-26/I-95 Interchange	78151	Basic	11.54	B
	Off-Ramp to US 15 SB	78107	Diverge	11.43	B
	Between Ramps	77374	Basic	14.14	B
	Weave to/from US 15	77377	Weave	6.13	A
	Between Ramps	77372	Basic	14.90	B
	On-Ramp from US 15 NB	77369	Merge	13.16	B
	East of US 15	78108	Basic	14.30	B
	East of US 15	77362	Basic	14.99	B
	Off-Ramp to US 15 NB	78130	Diverge	11.18	B
	Between Ramps	78123	Basic	14.83	B
	Weave to/from US 15	77360	Weave	5.75	A
	Between Ramps	77357	Basic	14.96	B
	On-Ramp from US 15 SB	78075	Merge	12.18	B
	East of I-26/I-95 Interchange	78072	Basic	15.02	B
	Off-Ramp to I-95 NB	78111	Diverge	15.41	B
	Between Ramps	76172	Basic	10.30	A
	Loop Off-Ramp to I-95 SB	76162	Diverge	7.79	A
	Between Ramps	76170	Basic	8.57	A
	CD On-Ramp from I-95 NB + I-95 SB	78154	Merge	13.99	B
	West of I-26/I-95 Interchange - 4 Lanes	78159	Basic	13.77	B
	West of I-26/I-95 Interchange - 3 Lanes	78174	Basic	18.99	C
	Off-Ramp to SC 210	78124	Diverge	18.12	B
	Between SC 210 Ramps	77403	Basic	18.56	C
	On-Ramp from SC 210	77410	Merge	13.83	B
	West of SC 210	78113	Basic	18.15	C
I-26 WB	South of US 178	76308	Basic	29.20	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	34.49	D
	I-26 EB Between US 178 Ramps	76152	Basic	27.63	D
	I-26 EB On-Ramp from US 178	76159	Basic	19.76	B
	South of I-26/I-95 Interchange	76310	Basic	19.76	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	16.95	B
	Between Ramps	76178	Basic	12.44	B
	System-to-System Weave	75978	Merge	8.17	A
	Between Ramps	76176	Basic	12.95	B
	On-Ramp from I-26 WB	78099	Merge	21.10	C
	North of I-26/I-95 Interchange	76315	Basic	20.63	C
	Off-Ramp to US 176	78128	Diverge	21.81	C
	Between US 176 Ramps	76191	Basic	19.54	C
	On-Ramp from US 176	76198	Merge	18.92	B
	North of US 176	78102	Basic	19.55	C
	North of US 176	78079	Basic	19.00	C
	Off-Ramp to US 176	78127	Diverge	22.43	C
	Between US 176 Ramps	76193	Basic	18.89	C
	On-Ramp from US 176	76320	Merge	19.72	B
	North of I-26/I-95 Interchange	76318	Basic	20.50	C
	Off-Ramp to I-26 WB	78167	Diverge	18.64	B
	Between Ramps	76169	Basic	12.23	B
	Loop On-Ramp from I-26 WB	64742	Merge	11.18	B
	Between Ramps	76185	Basic	16.31	B
I-95 SB	On-Ramp from I-26 EB	78100	Merge	20.29	C
	South of I-26/I-95 Interchange - 3 Lane	76157	Basic	20.17	C
	South of I-26/I-95 Interchange - 2 Lane	78173	Basic	30.47	D
	Off-Ramp to US 178	78175	Diverge	19.95	B
	Between US 178 Ramps	76154	Basic	30.45	D
	On-Ramp from US 178	76309	Merge	31.32	D
	South of US 178	78098	Basic	30.15	D
	I-95 to I-26 WB	78149	Ramp	48.6059	
	I-26 EB to I-95 SB	78137	Ramp	47.8437	

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	20.4295	C
	I-26 EB On-Ramp from I-95 SB	78155	20.354	C
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.34568	A
	I-26 EB On-Ramp from I-95 NB	78144	7.57848	A
	I-26 WB Off-Ramp to I-95 NB	76174	21.7019	C
	I-26 WB On-Ramp from I-95 NB	78149	20.088	C
	I-26 WB Loop Off-Ramp to I-95 SB	76171	7.9727	A
	I-26 WB On-Ramp from I-95 SB	76168	1.09547	A
	I-95 NB to I-26	78148	19.9	C
	I-95 to I-26 EB	78154	12.8	B
CD Roads	I-95 SB to I-26	78165	19.9	C
	I-95 to I-26 WB	78161	13.6	B

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2030 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	20.06	C
	Off-Ramp to SC 210	78104	Diverge	14.79	B
	Between SC 210 Ramps	77405	Basic	19.89	C
	On-Ramp from SC 210	76151	Merge	15.65	B
	West of I-26/I-95 Interchange	78105	Basic	20.25	C
	Off-Ramp to I-95 SB	78131	Diverge	13.23	B
	Between Ramps	76187	Basic	9.00	A
	Loop Off-Ramp to I-95 NB	64745	Diverge	4.98	A
I-26 EB	Between Ramps	78106	Basic	10.40	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	12.56	B
	East of I-26/I-95 Interchange	78151	Basic	12.55	B
	Off-Ramp to US 15 SB	78107	Diverge	13.23	B
	Between Ramps	77374	Basic	14.05	B
	Weave to/from US 15	77377	Weave	6.12	A
	Between Ramps	77372	Basic	16.74	B
	On-Ramp from US 15 NB	77369	Merge	13.61	B
	East of US 15	78108	Basic	16.78	B
	East of US 15	77362	Basic	16.93	B
	Off-Ramp to US 15 NB	78130	Diverge	12.07	B
	Between Ramps	78123	Basic	16.38	B
	Weave to/from US 15	77360	Weave	7.22	A
	Between Ramps	77357	Basic	15.71	B
	On-Ramp from US 15 SB	78075	Merge	13.53	B
	East of I-26/I-95 Interchange	78072	Basic	17.05	B
	Off-Ramp to I-95 NB	78111	Diverge	16.19	B
	Between Ramps	76172	Basic	11.58	B
	Loop Off-Ramp to I-95 SB	76162	Diverge	9.66	A
	Between Ramps	76170	Basic	9.67	A
I-26 WB	CD On-Ramp from I-95 NB + I-95 SB	78154	Merge	14.90	B
	West of I-26/I-95 Interchange - 4 Lanes	78159	Basic	15.57	B
	West of I-26/I-95 Interchange - 3 Lanes	78174	Basic	21.42	C
	Off-Ramp to SC 210	78124	Diverge	20.75	C
	Between SC 210 Ramps	77403	Basic	21.36	C
	On-Ramp from SC 210	77410	Merge	15.10	B
	West of SC 210	78113	Basic	20.40	C
	South of US 178	76308	Basic	29.45	D
	I-26 WB Off-Ramp to US 178	78126	Diverge	39.38	E
	I-26 EB Between US 178 Ramps	76152	Basic	28.90	D
	I-26 EB On-Ramp from US 178	76159	Basic	21.07	C
	South of I-26/I-95 Interchange	76310	Basic	21.07	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	18.35	B
	Between Ramps	76178	Basic	12.78	B
I-95 NB	System-to-System Weave	75978	Merge	9.22	A
	Between Ramps	76176	Basic	13.39	B
	On-Ramp from I-26 WB	78099	Merge	23.01	C
	North of I-26/I-95 Interchange	76315	Basic	21.88	C
	Off-Ramp to US 176	78128	Diverge	25.96	C
	Between US 176 Ramps	76191	Basic	19.30	C
	On-Ramp from US 176	76198	Merge	22.01	C
	North of US 176	78102	Basic	20.43	C
	North of US 176	78079	Basic	20.37	C
	Off-Ramp to US 176	78127	Diverge	21.29	C
	Between US 176 Ramps	76193	Basic	20.57	C
	On-Ramp from US 176	76320	Merge	20.59	C
	North of I-26/I-95 Interchange	76318	Basic	21.88	C
	Off-Ramp to I-26 WB	78167	Diverge	19.51	B
	Between Ramps	76169	Basic	13.65	B
	Loop On-Ramp from I-26 WB	64742	Merge	11.66	B
	Between Ramps	76185	Basic	15.24	B
I-95 SB	On-Ramp from I-26 EB	78100	Merge	22.36	C
	South of I-26/I-95 Interchange - 3 Lane	76157	Basic	21.81	C
	South of I-26/I-95 Interchange - 2 Lane	78173	Basic	33.01	D
	Off-Ramp to US 178	78175	Diverge	21.40	C
	Between US 178 Ramps	76154	Basic	31.80	D
	On-Ramp from US 178	76309	Merge	35.14	E
	South of US 178	78098	Basic	31.68	D
	I-95 to I-26 WB	78149	Ramp	48.7063	
	I-26 EB to I-95 SB	78137	Ramp	47.4888	

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

71
66
68
66

2030 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	22.1729	C
	I-26 EB On-Ramp from I-95 SB	78155	22.6707	C
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.53396	A
	I-26 EB On-Ramp from I-95 NB	78144	8.39352	A
	I-26 WB Off-Ramp to I-95 NB	76174	24.2829	C
	I-26 WB On-Ramp from I-95 NB	78149	22.1276	C
	I-26 WB Loop Off-Ramp to I-95 SB	76171	9.1255	A
	I-26 WB On-Ramp from I-95 SB	76168	0.90101	A
	I-95 NB to I-26	78148	21.2	C
	I-95 to I-26 EB	78154	13.1	B
CD Roads	I-95 SB to I-26	78165	22.8	C
	I-95 to I-26 WB	78161	15.3	B

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2040 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	22.08	C
	Off-Ramp to SC 210	78104	Diverge	17.87	B
	Between SC 210 Ramps	77405	Basic	21.36	C
	On-Ramp from SC 210	76151	Merge	17.75	B
	West of I-26/I-95 Interchange	78105	Basic	22.10	C
	Off-Ramp to I-95 SB	78131	Diverge	16.92	B
	Between Ramps	76187	Basic	12.04	B
	Loop Off-Ramp to I-95 NB	64745	Diverge	6.44	A
I-26 EB	Between Ramps	78106	Basic	9.76	A
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	14.76	B
	East of I-26/I-95 Interchange	78151	Basic	16.13	B
	Off-Ramp to US 15 SB	78107	Diverge	14.75	B
	Between Ramps	77374	Basic	17.76	B
	Weave to/from US 15	77377	Weave	7.24	A
	Between Ramps	77372	Basic	19.97	C
	On-Ramp from US 15 NB	77369	Merge	16.19	B
	East of US 15	78108	Basic	17.56	B
	East of US 15	77362	Basic	18.57	C
	Off-Ramp to US 15 NB	78130	Diverge	14.90	B
	Between Ramps	78123	Basic	18.31	C
	Weave to/from US 15	77360	Weave	8.25	A
	Between Ramps	77357	Basic	18.37	C
	On-Ramp from US 15 SB	78075	Merge	15.15	B
	East of I-26/I-95 Interchange	78072	Basic	18.46	C
	Off-Ramp to I-95 NB	78111	Diverge	18.71	B
	Between Ramps	76172	Basic	12.37	B
	Loop Off-Ramp to I-95 SB	76162	Diverge	9.15	A
	Between Ramps	76170	Basic	10.73	A
I-26 WB	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	16.94	B
	West of I-26/I-95 Interchange - 4 Lanes	78159	Basic	16.96	B
	West of I-26/I-95 Interchange - 3 Lanes	78174	Basic	24.04	C
	Off-Ramp to SC 210	78124	Diverge	22.29	C
	Between SC 210 Ramps	77403	Basic	23.57	C
	On-Ramp from SC 210	77410	Merge	17.28	B
	West of SC 210	78113	Basic	22.35	C
	South of US 178	76308	Basic	30.48	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	27.87	C
	I-26 EB Between US 178 Ramps	76152	Basic	30.25	D
	I-26 EB On-Ramp from US 178	76159	Basic	22.84	C
	South of I-26/I-95 Interchange	76310	Basic	22.84	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	19.33	B
	Between Ramps	76178	Basic	13.54	B
I-95 NB	System-to-System Weave	75978	Merge	9.56	A
	Between Ramps	76176	Basic	14.20	B
	On-Ramp from I-26 WB	78099	Merge	24.34	C
	North of I-26/I-95 Interchange	76315	Basic	23.29	C
	Off-Ramp to US 176	78128	Diverge	26.09	C
	Between US 176 Ramps	76191	Basic	21.71	C
	On-Ramp from US 176	76198	Merge	22.48	C
	North of US 176	78102	Basic	22.34	C
	North of US 176	78079	Basic	21.65	C
	Off-Ramp to US 176	78127	Diverge	20.78	C
	Between US 176 Ramps	76193	Basic	21.36	C
	On-Ramp from US 176	76320	Merge	22.17	C
	North of I-26/I-95 Interchange	76318	Basic	23.03	C
	Off-Ramp to I-26 WB	78167	Diverge	22.20	C
	Between Ramps	76169	Basic	13.37	B
	Loop On-Ramp from I-26 WB	64742	Merge	9.35	A
	Between Ramps	76185	Basic	19.14	C
I-95 SB	On-Ramp from I-26 EB	78100	Merge	53.16	E
	South of I-26/I-95 Interchange - 3 Lane	76157	Basic	76.48	F
	South of I-26/I-95 Interchange - 2 Lane	78173	Basic	33.21	D
	Off-Ramp to US 178	78175	Diverge	57.01	E
	Between U 178 Ramps	76154	Basic	29.97	D
	On-Ramp from US 178	76309	Merge	29.95	D
	South of US 178	78098	Basic	30.80	D
	I-95 to I-26 WB	78149	Ramp	48.3114	
	I-26 EB to I-95 SB	78137	Ramp	40.6279	

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

3 - Lanes 70
 5 - Lanes 65
 4 - Lanes 68
 3 - Lanes 65

2040 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	28.9881	D
	I-26 EB On-Ramp from I-95 SB	78155	23.2538	C
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.28069	A
	I-26 EB On-Ramp from I-95 NB	78144	8.28094	A
	I-26 WB Off-Ramp to I-95 NB	76174	27.0302	D
	I-26 WB On-Ramp from I-95 NB	78149	23.7266	C
	I-26 WB Loop Off-Ramp to I-95 SB	76171	9.15074	A
	I-26 WB On-Ramp from I-95 SB	76168	0.99264	A
	I-95 NB to I-26	78148	26.1	D
	I-95 to I-26 EB	78154	16.2	B
CD Roads	I-95 SB to I-26	78165	28.1	D
	I-95 to I-26 WB	78161	16.2	B

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2045 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	24.38	C
	Off-Ramp to SC 210	78104	Diverge	18.08	B
	Between SC 210 Ramps	77405	Basic	23.31	C
	On-Ramp from SC 210	76151	Merge	19.82	B
	West of I-26/I-95 Interchange	78105	Basic	28.44	D
	Off-Ramp to I-95 SB	78131	Diverge	47.21	E
	Between Ramps	76187	Basic	12.60	B
	Loop Off-Ramp to I-95 NB	64745	Diverge	7.44	A
I-26 EB	Between Ramps	78106	Basic	12.19	B
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	14.75	B
	East of I-26/I-95 Interchange	78151	Basic	15.00	B
	Off-Ramp to US 15 SB	78107	Diverge	15.40	B
	Between Ramps	77374	Basic	18.11	C
	Weave to/from US 15	77377	Weave	7.15	A
	Between Ramps	77372	Basic	17.24	B
	On-Ramp from US 15 NB	77369	Merge	15.83	B
	East of US 15	78108	Basic	20.77	C
	East of US 15	77362	Basic	20.46	C
	Off-Ramp to US 15 NB	78130	Diverge	16.81	B
	Between Ramps	78123	Basic	19.92	C
	Weave to/from US 15	77360	Weave	7.32	A
	Between Ramps	77357	Basic	19.44	C
	On-Ramp from US 15 SB	78075	Merge	16.69	B
	East of I-26/I-95 Interchange	78072	Basic	20.54	C
	Off-Ramp to I-95 NB	78111	Diverge	19.59	B
	Between Ramps	76172	Basic	14.57	B
	Loop Off-Ramp to I-95 SB	76162	Diverge	11.46	B
	Between Ramps	76170	Basic	11.70	B
I-26 WB	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	18.52	B
	West of I-26/I-95 Interchange - 4 Lanes	78159	Basic	18.47	B
	West of I-26/I-95 Interchange - 3 Lanes	78174	Basic	67.96	F
	Off-Ramp to SC 210	78124	Diverge	32.61	D
	Between SC 210 Ramps	77403	Basic	25.36	C
	On-Ramp from SC 210	77410	Merge	19.27	B
	West of SC 210	78113	Basic	22.76	C
	South of US 178	76308	Basic	30.76	D
	I-26 NB Off-Ramp to US 178	78126	Diverge	32.47	D
	I-26 EB Between US 178 Ramps	76152	Basic	30.08	D
	I-26 EB On-Ramp from US 178	76159	Basic	23.69	C
	South of I-26/I-95 Interchange	76310	Basic	23.69	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	21.72	C
	Between Ramps	76178	Basic	14.47	B
I-95 NB	System-to-System Weave	75978	Merge	9.01	A
	Between Ramps	76176	Basic	14.76	B
	On-Ramp from I-26 WB	78099	Merge	26.77	C
	North of I-26/I-95 Interchange	76315	Basic	24.66	C
	Off-Ramp to US 176	78128	Diverge	25.82	C
	Between US 176 Ramps	76191	Basic	23.43	C
	On-Ramp from US 176	76198	Merge	23.36	C
	North of US 176	78102	Basic	23.60	C
	North of US 176	78079	Basic	22.92	C
	Off-Ramp to US 176	78127	Diverge	24.12	C
	Between US 176 Ramps	76193	Basic	22.82	C
	On-Ramp from US 176	76320	Merge	23.05	C
	North of I-26/I-95 Interchange	76318	Basic	24.44	C
	Off-Ramp to I-26 WB	78167	Diverge	22.49	C
	Between Ramps	76169	Basic	13.62	B
	Loop On-Ramp from I-26 WB	64742	Merge	13.85	B
	Between Ramps	76185	Basic	22.27	C
I-95 SB	On-Ramp from I-26 EB	78100	Merge	99.73	E
	South of I-26/I-95 Interchange - 3 Lane	76157	Basic	119.35	F
	South of I-26/I-95 Interchange - 2 Lane	78173	Basic	33.26	D
	Off-Ramp to US 178	78175	Diverge	95.44	E
	Between U 178 Ramps	76154	Basic	27.11	D
	On-Ramp from US 178	76309	Merge	29.02	D
	South of US 178	78098	Basic	28.59	D
	I-95 to I-26 WB	78149	Ramp	48.2445	
	I-26 EB to I-95 SB	78137	Ramp	9.93605	

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

71

65

67

25

57

12

11

61

2045 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	101.569	F
	I-26 EB On-Ramp from I-95 SB	78155	26.3878	D
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.19945	A
	I-26 EB On-Ramp from I-95 NB	78144	8.16387	A
	I-26 WB Off-Ramp to I-95 NB	76174	28.7417	D
	I-26 WB On-Ramp from I-95 NB	78149	24.997	C
	I-26 WB Loop Off-Ramp to I-95 SB	76171	9.35768	A
	I-26 WB On-Ramp from I-95 SB	76168	1.39479	A
	I-95 NB to I-26	78148	25.4	C
	I-95 to I-26 EB	78154	16.0	B
CD Roads	I-95 SB to I-26	78165	25.8	C
	I-95 to I-26 WB	78161	18.0	C

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

2050 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Segment Type	Density	LOS
	West of SC 210	78076	Basic	26.33	D
	Off-Ramp to SC 210	78104	Diverge	20.92	C
	Between SC 210 Ramps	77405	Basic	25.58	C
	On-Ramp from SC 210	76151	Merge	21.36	C
	West of I-26/I-95 Interchange	78105	Basic	46.61	F
	Off-Ramp to I-95 SB	78131	Diverge	58.88	E
	Between Ramps	76187	Basic	13.14	B
	Loop Off-Ramp to I-95 NB	64745	Diverge	7.88	A
I-26 EB	Between Ramps	78106	Basic	11.32	B
	CD Road On-Ramp from I-95 NB + I-95 SB	78150	Merge	15.93	B
	East of I-26/I-95 Interchange	78151	Basic	16.59	B
	Off-Ramp to US 15 SB	78107	Diverge	15.60	B
	Between Ramps	77374	Basic	20.00	C
	Weave to/from US 15	77377	Weave	9.28	A
	Between Ramps	77372	Basic	20.50	C
	On-Ramp from US 15 NB	77369	Merge	17.93	B
	East of US 15	78108	Basic	19.78	C
	East of US 15	77362	Basic	22.59	C
	Off-Ramp to US 15 NB	78130	Diverge	17.08	B
	Between Ramps	78123	Basic	22.76	C
	Weave to/from US 15	77360	Weave	11.49	B
	Between Ramps	77357	Basic	21.76	C
	On-Ramp from US 15 SB	78075	Merge	18.30	B
	East of I-26/I-95 Interchange	78072	Basic	22.48	C
	Off-Ramp to I-95 NB	78111	Diverge	22.84	C
I-26 WB	Between Ramps	76172	Basic	14.84	B
	Loop Off-Ramp to I-95 SB	76162	Diverge	10.79	B
	Between Ramps	76170	Basic	12.84	B
	CD On-Ramp from I-95 NB + I-95 SB	78164	Merge	47.42	B
	West of I-26/I-95 Interchange - 4 Lanes	78159	Basic	78.61	D
	West of I-26/I-95 Interchange - 3 Lanes	78174	Basic	99.66	F
	Off-Ramp to SC 210	78124	Diverge	30.03	D
	Between SC 210 Ramps	77403	Basic	25.54	C
	On-Ramp from SC 210	77410	Merge	19.02	B
	West of SC 210	78113	Basic	22.39	C
	South of US 178	76308	Basic	38.60	E
	Off-Ramp to US 178	78126	Diverge	41.35	E
	Between US 178 Ramps	76152	Basic	35.89	E
	On-Ramp from US 178	76159	Basic	25.21	C
	South of I-26/I-95 Interchange	76310	Basic	25.21	C
	CD Off-Ramp to I-26 EB + I-26 WB	78143	Diverge	23.39	C
I-95 NB	Between Ramps	76178	Basic	13.70	B
	On-Ramp from I-26 EB	75978	Merge	9.38	A
	Between Ramps	76176	Basic	14.15	B
	On-Ramp from I-26 WB	78099	Merge	27.27	C
	North of I-26/I-95 Interchange	76315	Basic	25.30	C
	Off-Ramp to US 176	76319	Basic	25.40	C
	Between US 176 Ramps	76191	Basic	24.21	C
	On-Ramp from US 176	76198	Merge	22.06	C
	North of US 176	78102	Basic	24.40	C
	North of US 176	78079	Basic	24.07	C
	Off-Ramp to US 176	78127	Diverge	25.21	C
	Between US 176 Ramps	76193	Basic	24.26	C
	On-Ramp from US 176	76320	Merge	23.68	C
	North of I-26/I-95 Interchange	76318	Basic	25.63	C
	Off-Ramp to I-26 WB	78167	Diverge	24.61	C
	Between Ramps	76169	Basic	14.57	B
I-95 SB	Loop On-Ramp from I-26 WB	64742	Merge	14.13	B
	Between Ramps	76185	Basic	23.15	C
	On-Ramp from I-26 EB	78100	Merge	110.55	E
	South of I-26/I-95 Interchange - 3 Lane	76157	Basic	125.03	F
	South of I-26/I-95 Interchange - 2 Lane	78173	Basic	33.38	D
	Off-Ramp to US 178	78175	Diverge	104.16	E
	Between US 178 Ramps	76154	Basic	28.35	D
	On-Ramp from US 178	76309	Merge	30.52	D
	South of US 178	78098	Basic	29.50	D
	I-95 to I-26 WB	78149	Ramp	47.8768	
	I-26 EB to I-95 SB	78137	Ramp	7.47839	

Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

3 - Lanes 70
 5 - Lanes 36
 4 - Lanes 26
 3 - Lanes 16

54
 10
 11
 61


2050 Build Preferred Alternative Conditions

Mainline	Location	TM Segment ID	Density	LOS
I-26/I-95 Ramps	I-26 EB Off-Ramp to I-95 SB	78137	121.281	F
	I-26 EB On-Ramp from I-95 SB	78155	28.617	D
	I-26 EB Loop Off-Ramp to I-95 NB	76183	1.38965	A
	I-26 EB On-Ramp from I-95 NB	78144	9.30762	A
	I-26 WB Off-Ramp to I-95 NB	76174	33.2237	D
	I-26 WB On-Ramp from I-95 NB	78149	29.3049	D
	I-26 WB Loop Off-Ramp to I-95 SB	76171	11.0859	B
	I-26 WB On-Ramp from I-95 SB	76168	1.32657	A
	I-95 NB to I-26	78148	29.3532	D
	I-95 to I-26 EB	78154	18.5887	C
CD Roads	I-95 SB to I-26	78165	30.5885	D
	I-95 to I-26 WB	78161	22.2811	C


Level Of Service	Weave	Merge	Diverge	Basic Freeway
A	10	10	10	11
B	20	20	20	18
C	28	28	28	26
D	35	35	35	35
E	43			45
F	>	Demand Exceeds Capacity		>

APPENDIX S. I-26 AT I-95 CONCEPTUAL SIGNING PLAN


FED. RD. DIV. NO.	STATE	COUNTY	PROJECT ID	ROUTE NO.	SHEET NO.
3	S.C.	ORANGEBURG/DORCHESTER	P038677	I-26/I-95	SNI




I-26 EASTBOUND





I-95 SOUTHBOUND



I-26 WESTBOUND



REVISIONS				REVISIONS			
NO.	DATE	DESCRIPTION	BY	NO.	DATE	DESCRIPTION	BY



SOUTH CAROLINA DEPARTMENT OF TRANSPORTATION
SCDOT
 I-26 / I-95 INTERCHANGE IMPROVEMENTS
 DESIGN BUILD PREP
 ALTERNATIVE 2
 SIGNING CONCEPT

