PERFORMANCE ACTIVITY 130 EARTH ROADS

WORK DESCRIPTION 1
WORK DESCRIPTION 2

Machining Earth Roads Dust Control

130 EARTH ROADS

ACTIVITY DESCRIPTION

Maintain earth roads.

WORK DESCRIPTION 1 Machining Earth Roads WORK DESCRIPTION 2 Dust Control

TRAFFIC CONTROL

TWO-LANE TWO-WAY EARTH ROADWAYS

Install the advance warning sign "Road Work Ahead" (WC20-1-48-A) at each end of the road or road segment.

Utilize intermittent mobile operations for these work activities.

Use a shadow should when the work vehicle or road machinery must make frequent "backing" movements to conduct the work.

Flagging operations are required for work activities that cannot be conducted under the conditions specified above for intermittent mobile operations.

TYPICAL DRAWING APPLICATIONS

FLAGGING OPERATIONS

DRAWING 405-01-A - FLAGGING OPERATIONS

MULTIPLE FLAGGERS

TWO-LANE TWO-WAY ROADWAYS PRIMARY & SECONDARY ROUTES

DRAWING 405-01-B(1) - FLAGGING OPERATIONS

MULTIPLE FLAGGERS

TWO-LANE TWO-WAY ROADWAYS
PRIMARY & SECONDARY ROUTES
STOP SIGN CONTROLLED SIDE ROADS

DRAWING 405-01-B(2) - FLAGGING OPERATIONS

MULTIPLE FLAGGERS

TWO-LANE TWO-WAY ROADWAYS PRIMARY & SECONDARY ROUTES

4-WAY STOP CONTROLLED INTERSECTION

DRAWING 405-01-D(1) - FLAGGING OPERATIONS

MULTIPLE FLAGGERS

TWO-LANE TWO-WAY ROADWAYS PRIMARY & SECONDARY ROUTES

WORK ACTIVITY AREA BEGINNING at an INTERSECTION with a

TWO-LANE TWO-WAY ROADWAY

DEPARTURE LANE

DRAWING 405-01-D(2) - FLAGGING OPERATIONS

MULTIPLE FLAGGERS

TWO-LANE TWO-WAY ROADWAYS PRIMARY & SECONDARY ROUTES

WORK ACTIVITY AREA TERMINATING at an INTERSECTION with a

TWO-LANE TWO-WAY ROADWAY

APPROACH LANE

MOBILE OPERATIONS – INTERMITTENT

DRAWING 535-01-A - MOBILE OPERATIONS – INTERMITTENT

STOPPING SIGHT DISTANCE VEHICLE TRAIN REQUIREMENTS

VERTICAL CURVE (HILL)

DRAWING 535-01-B - MOBILE OPERATIONS – INTERMITTENT

STOPPING SIGHT DISTANCE VEHICLE TRAIN REQUIREMENTS HORIZONTAL CURVE (CURVE)

DRAWING 535-02-A - MOBILE OPERATIONS – INTERMITTENT

LOW VOLUME LOW SPEED

PRIMARY & SECONDARY ROUTES